

# Solution Architecture

## Project Design Phase

|                   |                                                    |
|-------------------|----------------------------------------------------|
| Project Name      | Automated Network Request Management in ServiceNow |
| Phase             | Phase 3: Project Design                            |
| Author            | Salina Sriraj                                      |
| Team ID           | SALINASRIRAJ-NRM-01                                |
| Date              | 29 June 2026                                       |
| Platform / Domain | ServiceNow / IT Service Management (ITSM)          |
| Academic Year     | 2025 – 2026                                        |

## 1. Conceptual Solution Architecture

The Automated Network Request Management system bridges the gap between disorganized enterprise request channels and structured IT infrastructure provisioning. Built entirely within the ServiceNow enterprise PaaS cloud, the architecture is designed around four primary processing layers that transform a business user's request into an auditable, completed network change.

### Presentation Layer

ServiceNow Service Portal (Requester Interface) and ServiceNow Native ITSM Workspace (Engineer & Approver Interface). End users interact through consumer-grade portal widgets; engineers and approvers operate within native workspace views.

### Application & Security Layer

UI Policies and Client Scripts enforce dynamic form behaviors and validate all input parameters (IP addresses, CIDR notation, port numbers, VLAN identifiers) at the point of entry. Access Control Lists (ACLs) enforce role-based read/write/create/delete restrictions across all data tables.

### Automation Engine

Flow Designer orchestrates the full request lifecycle: conditional multi-stage approval routing (Line Manager → Network Security), automated `sc_task` fulfillment task generation, SLA clock management with escalation triggers, and event-driven email notification dispatch at every state transition.

### Storage Layer

ServiceNow cloud database stores all operational data across standard ITSM tables (sc\_req\_item, sysapproval\_approver, sc\_task) and the custom u\_network\_database table for historical operational logging. All writes are immutably timestamped for audit and compliance purposes.

## 2. Architecture Data Flow

| Step | Stage              | Description                                                                                                                                        |
|------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 1    | Form Submission    | Requester submits a catalog item form via the Service Portal with all validated technical parameters.                                              |
| 2    | Payload Processing | Client Scripts validate IP/VLAN/port format. UI Policies enforce mandatory fields. Validated payload written to sc_req_item.                       |
| 3    | Approval Routing   | Flow Designer evaluates request type and risk classification. Low-risk → Line Manager only. High-risk → Line Manager then Network Security Team.   |
| 4    | Approval Decision  | Approver receives email with full context. Approves/rejects via workspace or email link. Decision recorded in sysapproval_approver with timestamp. |
| 5    | Task Generation    | Upon final approval, Flow Designer auto-generates a sc_task record and routes it to the Network Operations Group queue via Assignment Rules.       |
| 6    | SLA Activation     | SLA clock starts upon sc_task creation. Automated escalation emails fire at 50%, 75%, and 100% of breach threshold.                                |
| 7    | Fulfillment        | Network Engineer executes the change, updates the sc_task work notes with completion details, and closes the task.                                 |
| 8    | Request Closure    | Task closure triggers Flow Designer to close the parent sc_req_item and dispatch a completion notification to the requester.                       |

## 3. Key Architectural Decisions

### All-Native ServiceNow Architecture

The entire solution is built exclusively using native ServiceNow modules — no external integrations, middleware, or custom code deployments. This ensures full platform support, simplified maintenance, and native upgrade compatibility.

### Risk-Based Conditional Routing

Flow Designer applies conditional logic to route requests dynamically based on risk classification. Firewall changes and VLAN modifications are automatically escalated for security review; lower-risk requests (DNS changes, bandwidth upgrades) bypass this step.

### Client-Side Input Validation

Regex validation is applied at the Client Script layer before submission, preventing invalid network parameters from entering the system at all — reducing processing errors and clarification cycles.

### Update Set Deployment Strategy

All configuration changes are packaged in ServiceNow Update Sets, enabling repeatable, auditable, and reversible migrations between development, test, and production instances.