

Copyright
by
sally ransom
2022

becoming lyrics: how word prosody and musical meter
negotiate the rhythmic terms of prominence

by

sally ransom, B.A., Linguistics

THESIS

Presented to the Faculty of the Graduate School of

The University of Texas at Austin

in Partial Fulfillment

of the Requirements

for the Degree of

MASTER OF ARTS

THE UNIVERSITY OF TEXAS AT AUSTIN

December 2022

**becoming lyrics: how word prosody and musical meter
negotiate the rhythmic terms of prominence**

APPROVED BY

SUPERVISING COMMITTEE:

Scott Myers, Supervisor

Katrin Erk, Supervisor

I think that when linguists discuss and dispute sound length and stress among themselves they would definitely benefit from inviting ethno-musicologists to join them. They could discuss the issues together, and not only based on written records but also sung records.

That what is written is fiction. Only that what is sung is truth.

Tormis (2007)

**becoming lyrics: how word prosody and musical meter
negotiate the rhythmic terms of prominence**

sally ransom, M.A.

The University of Texas at Austin, 2022

Supervisors: Scott Myers
Katrin Erk

Table of Contents

Abstract	5
List of Tables	8
List of Figures	9
Chapter 1. Introduction	1
1.1 On words becoming lyrics	1
1.2 Phonetics of Metrics in Estonian Word Prosody	2
1.2.1 Metrical Structure in Music	4
1.2.2 Metrical Principles of Estonian folksong	4
1.3 Previous Studies with <i>regilaul</i>	6
1.4 The present study	9
1.4.1 Hypotheses	11
Chapter 2. Methods	12
2.1 Constructing the Corpus	12
2.1.1 Materials	12
2.2 Annotating the Song Audio	13
2.2.1 Criteria for adjusting the forced-aligner	15
2.2.2 Connecting acoustic measurements to text corpus	17
2.2.3 Statistical Analysis	18
Chapter 3. Results	19
3.1 Quantity Oppositions in Ictus position	19
3.2 stress and unstress	20
3.2.1 duration	20
3.2.2 space	21

Chapter 4. Discussion	22
4.1 Prosodic Features Crystalized at Segmental level in isochronous syllables	22
4.2 Future Studies	22
4.2.1 Comparing with Speech	23
4.2.2 metrical analysis of regilaul texts	23
Appendices	24
Appendix A. Additional Graphs and Full Statistical Analysis Tables	25

List of Tables

1.1	segmental permutations of initial syllable quantity	3
A.1	duration & quantity fixed effects	25
A.2	dquantity-duration random effects	26
A.3	model comparison, duration predicting quantity & ictus	26
A.4	anova of model comparison: duration dependent stressed ictus	26
A.5	anova of design and null lmer models for euclidean distance, stress and ictus	27
A.6	duration dependent variable lmer	27
A.7	random effects duration-stress-ictus model	27
A.8	euclidean distance dependent fixed effects	28
A.9	random effects of euclidean distance and stress-ictus lmer . . .	28

List of Figures

1.1	“Millal saame sinna maale”	5
1.2	notation of “Loomine” performed by Liisu Orik in 1965	6
1.3	music notation of “The King Game” as performed by Liisa Kummel	7
1.4	The swinging song ‘Kiik tahab kindaid’ analyzed in Ross (1989, 1992)	7
3.1	density plot of vowel durations in three syllable quantities . .	19
3.2	vowel durations of stressed and unstressed Q1 and Q2 syllables falling on (ictus) and off the beat	20
3.3	vowel durations by beat position in open (CV), closed (CVC) and complex coda (CVCC) syllables	21
3.4	vowel durations by word stress in open (CV), closed (CVC) and complex coda (CVCC) syllables	21
3.5	euclidean distance of vowels in stress and ictus	21
A.1	vowel durations on and off the beat in each performer	29
A.2	vowel durations of word-stress in each performer	30
A.3	vowel durations on and off the beat by song	31
A.4	within-song vowel durations in each word-stress position . . .	32
A.5	euclidean distance of vowels on and off the beat by song . . .	33

Chapter 1

Introduction

1.1 On words becoming lyrics

To join song and become lyrics, meaningful linguistic material must be modified to fit the strict temporal structure of music, while both poet and performer are tasked with preserving intelligibility sufficient for semantic interpretation of the whole. Thus the rhythm of language must fit into the song's rhythm, but enough of the language's own rhythm must remain in order for the lyrics to have meaning.

The study of metrical prosody often focuses on the patterns in the texts independent of the songs. In this paper, I analyze the acoustic-phonetic correlates of linguistic rhythm *within* the context of the song. The aim of this paper is to analyze the acoustic realizations of metrics in Estonian folksong lyrics. Related to the Kalevala meter of Finnish epic and Balto-Finnic runosong at large, Estonian's *regilaul* meter is a syllabic-accentual trochaic tetrameter. I define metrical as the mapping of the pattern on a frame formed of equal time intervals (Essens & Povel, 1985). Metrical patterns have been demonstrated to be more easily replicated by humans, something necessary for both the synchronization of musicians performing together and for the transmission of an

oral tradition of songs.

An oral tradition going back centuries, annotations of the songs come from ethnomusicologists, who based them off recordings collected for the Estonian Folklore Archives. Previous studies have compared acoustic measurements with said transcriptions. Here I introduce the use of beat-tracking algorithms to provide a rigorous definition of the location of beats, using the verse annotations as a guide.

1.2 Phonetics of Metrics in Estonian Word Prosody

Primary lexical stress in native Estonian words is fixed, falling on word-initial syllables. There are no stress minimal pairs at the lexical level: thus, primary stress is said to be *demarcative* or *identificational*(Lehiste, 1992), functioning to indicate the boundary of a new word. Syllables following primary stress are unstressed, and secondary stress is attested to fall on each odd syllable in polysyllabic words. Duration functions at several levels of Estonian prosody: it is the strongest correlate of both clear speech and stress (Lippus et al., 2014) when compared with measurements of f0 and spectral emphasis, and is independently contrastive at the segmental level as illustrated in minimal triads in ???. Secondary stress was found to be significantly different in duration from both primary and peninitial unstressed syllables: interestingly, secondary stressed syllables were not shown to differ greatly from their even-positioned neighbors (excepting the peninitial). For the sake of simplicity, this study focuses only on the contrast between first (primary stressed) and second

(unstressed) syllables.

In primary stress position, there are three contrastive syllable quantities. The first (Q1) is described as short, the next (Q2) as long, and the heaviest (Q3) as overlong.

Q1	Q2	Q3
<i>kodi</i>	<i>koodi</i>	<i>koodi</i>
/ko.ti/	/ko .ti/	/ko .ti/
	<i>koti</i>	<i>kotti</i>
	/kot.ti/	/kot .ti/
	<i>gooti</i>	<i>kooti</i>
	/ko t.ti/	/ko t.ti/

Table 1.1: segmental permutations of initial syllable quantity

In the first row of ??, we see a minimal triad of the ternary quantity contrast in open first syllables. The Q2 and Q3 columns demonstrate all the other ways this contrast can be realized using the same segment identities in closed syllables.

- (1) laul-da
[l u l.d]
sing-TR

‘singing’

- (2) ööbik
[ø .pik]
nightingale.NOM

‘nightingale’

Q1 and Q2 syllables can be both stressed and unstressed, while Q3 is only present in stressed positions, attracting stress to its (non-initial) syllable in compound and loan words. Peninitial syllables can only be Q1 or Q2, illustrated in 2.

1.2.1 Metrical Structure in Music

In music, the smallest prosodic constituent is an individual note event whose relationship to the other notes in the song are indicated by the time signature, i.e., $\frac{3}{4}$ and $\frac{4}{4}$. The denominator corresponds to the number of divisible beats of a “whole” note (♩), while the numerator refers to the number of “beats” in a single measure. In $\frac{4}{4}$, a whole note is sustained for the same duration as four quarter notes (♩) in the same measure, and each measure must culminate in enough notes and rests to equal a whole note.

1.2.2 Metrical Principles of Estonian folksong

Estonian *regilaul* is part of the Finnic runosong tradition shared by several other members of the Finnic language family: Finnish, Karelian, Votic, Ingrian, and Livonian (Ross & Lehiste, 2001). The metrical basis of the tradition is a trochaic tetrameter often referred to as the Kalevala meter (Oras, 2019), which is realized in Estonian 20th century work as syllabic-accentual trochaic tetrameter (Lotman & Lotman, 2013).

Each verse line has four beats with eight syllable-note positions which can also be occupied by rests or, in the case of trisyllables, two sixteenth

syllable-notes. The “beat” or “ictus” position falls on the note corresponding to the first beat of a measure, and on every other following syllable-note in the invariant form of eight eighth notes. Runic songs that follow quantity rules for trochaic meter oppose metrically strong and weak positions by means of syllable quantity and stress. Ictus position, or on the beat, prefers syllables that are both long and stressed but avoids short stressed syllables: these can occur off the beat, while this position is avoided by long syllables. These “singable songs” (Tormis, 1985) follow a metrical pattern such that a given *regilaul* text can be sung to any of the numerous *regilaul* melodies (Ross & Lehiste, 2001).



Figure 1.1: “Millal saame sinna maale”

1.1 illustrates the invariant pattern of eight syllables notes each occupying one eighth of a $\frac{4}{4}$ measure.

1.2 illustrates a melody variation with seven syllables: in the first verse, the last (heavy) syllable is extended to fill a quarter note, in the second the last syllable is sung as an eighth note and followed by a quarter rest (7).

How do the word-prosodic requirements negotiate with the imposed prosodic hierarchy of music? The rhythmic organization of song is said to integrate the prosodic structure of the language with musical rhythmic principles (Palmer & Kelly, 1992). However, earlier studies of *regilaul* explored temporal aspects of the songs and found that duration characteristics that would usually indicate important semantic differences lost their distinctions partially or entirely. Assuming that the intention of the singer is for the lyrics to be understood, I hypothesize that if some durational correlates of contrasting word-prosodic constituents are made less distinct in the process of compromising with the song that some other acoustic correlate of the relevant contrast at the word-prosodic level will be present, if not enhanced.

1.3 Previous Studies with *regilaul*

The intuitions of those who study the runosong tradition is that the burden of upholding the temporal structure of the song is the result of symbiosis between the musical rhythm and the natural prosodic features of the lyrical text (Ross, 1992; Tampere, 1934): the song’s melody a musical abstraction of



Figure 1.2: notation of “Loomine” performed by Liisu Orik in 1965




Figure 1.3: music notation of “The King Game” as performed by Liisa Kummel

the natural prosody of spoken runic verse inspiring decades of research at the interface of metrical phonetics and computational musicology Rüütel (1999).



Figure 1.4: The swinging song ‘Kiik tahab kindaid’ analyzed in Ross (1989, 1992)

Swinging songs are characterized by a swinging rhythm with alternating long and short notes, differing from the main body of *regilaul*’s iconic isochrony. Jaan Ross, a musicologist and native speaker of Estonian analyzed a 1936 recording of the swing song ‘Kiik tahab kindaid’ 1.4, publishing results on syllable-note duration Ross (1989) and later the vowel quality of odd-numbered syllables (Ross, 1992). In the study on syllable-note durations,

In the second, Ross measured formant frequencies f1 and f2, finding a reduced vowel space in song compared to measurements in spoken Estonian. However, upon examination of the song, it is clear that all the vowel space measurements are from syllable-notes in non-initial positions of Estonian words: that is, the sample of vowels taken from the song were all unstressed, and compared to a mixed sample of spoken Estonian. Thus, the conclusion needs to be evaluated again with comparable samples.

In 1992, Ilse Lehiste asked "Whether there is a correlation between poetic metre and the prosodic structure of a language.(Lehiste, 1992) by means of measuring the acoustic-phonetic realizations of so-called trochaic metrical poetic patterns across several languages including Estonian and Finnish. While these languages share in the more general Balto-Finnic tradition of *runosong* utilizing what is called the *Kalevala* meter, there were significant differences in the phonetic realizations of trochees in each language.

In 1994, their collaboration begins. Ross and Lehiste published several papers examining the temporal dimensions of Estonian word prosody and metrical prominence in *regilaul* folksongs. In (Ross & Lehiste, 1994), they conclude that duration differences ordinarily present at the word level (stressed-unstressed) are "*lost*" to the temporal restrictions of the song. In another paper, syllable-notes are again measured, this time examining the role of syllabic quantity in the song. They likewise conclude that the duration of syllable-notes in *regilaul* match more closely with the metrical structure of the songs, that is, the durations of syllable-notes are best predicted by their beat

position in the song: on the beat, syllables are longer, off the beat shorter. They extend this finding to conclude that the song "dominates" the metrical status of the words, claiming that the intelligibility of lyrics is enhanced more strongly by "top-down" processes (i.e., semantic context).

(Ross & Lehiste, 1996).

(Ross & Lehiste, 1998) Analyzed and concluded that the *regilaul* lyrics are the result of an interaction between word and song prosodic hierarchies. This conclusion relied critically on measuring the durations of syllable-notes, where they found being on or off the beat was the better predictor for duration.

Finally, in (Ross & Lehiste, 2001) summarize their body of work until that point and extend their findings with fine-grained acoustic phonetic measurements of segment durations within syllable-notes. In their discussion, they mention that some of the durational differences not present at the syllable-note level are present at the segmental level, in complex codas.

1.4 The present study

To extend the findings of this body of work, the present study examines two acoustic correlates of prominence at the segmental level: namely, the syllable nucleus. Because the vowel is the most sonorant part of a syllable, it is the most acoustically and perceptually salient portion of the syllable. Mea-

asuring the vowel duration will also offer indirect information about the rhyme as a whole: the presence of codas and complex codas should have an effect on the vowel duration in isochronous syllable-note sequences. In the cases where quantity is distinguished by coda consonant length, the syllable nucleus (measured by vowel duration) will be necessarily shorter to accommodate the geminate or complex coda. In cases where quantity is indicated by the length of the vowel, the opposite should be true. This study therefore examines the ternary quantity distinction in the context of its syllable shape: no coda (CV), single coda (CVC, CVVC), and complex coda (CVCC, CVCCC) rather than collapsing all syllable shapes according to their quantity. This allows a closer look at the microprosodic features at the segmental level.

In addition to vowel duration, I also include vowel dispersion measured by the euclidean distance from the center of each singer’s vowel space on the (f1, f2) plane. A larger vowel perimeter generally corresponds to hyper-articulation or clear speech, while a smaller perimeter with hypo-articulation or reduction Lindblom (1990); Smiljanić & Bradlow (2005). In natural Estonian speech, reduction is only allowed on unstressed syllables, with /i/ being the most resistant (Eek & Meister, 1998). This measurement is included for two reasons: one, the acoustic correlates of prominence in both language and music are almost always not a single cue but a convergence of several cues, and two, to see if the findings of (Ross, 1992) extend to the style of *regilaul* songs that make up the largest portion of the body of work (i.e., non-swinging songs).

More recently, syllabic-accentual trochaic tetrameter has received some

statistical attention to its textual structure (Lotman & Lotman, 2013)

and to rhythmic variation in singing (Oras, 2019).

1.4.1 Hypotheses

Null hypothesis: on or off-beat position is best predictor for vowel duration of syllables in all categories: stressed, unstressed, short, long, and overlong. This would mean that the syllable nucleus is proportional to the total syllable duration, and that the duration contrast is indeed “lost.”

H₁: duration contrasts for syllable quantity will be evident in the vowel duration, with vowel duration *decreasing* as syllable weight increases. Given the findings of (Ross & Lehiste, 2001), isochronous syllable-notes would result in heavier syllables having shorter nuclei to accommodate for the coda and complex codas that distinguish the syllable weights from each other.

H₂: stress/unstress contrasts will be evident in the nucleus in terms of hypo and hyper articulation. For this I measure both nucleus duration and vowel space dispersion.

Chapter 2

Methods

2.1 Constructing the Corpus

I first describe the source materials and the selection criteria for the sample corpus of *regilaul* folksongs. Following this, the annotation and measurement procedure is detailed. Then the procedure for assembling the corpus of songs and their text annotations is covered before proceeding to the inclusion criteria for vowel duration and dispersion measurements.

2.1.1 Materials

Songs for this paper were accessed via The Anthology of Estonian Traditional Music (Tampere, 2016). Originally published on four vinyl discs in 1970, the digital version showcases a robust sample of the massive collection of *regilaul* in Estonian Folklore Archives. In addition to audio, the compilation includes photographs, sheet music, and performer demographics of 98 *regilaul* songs and 17 instrumental tunes. These songs were compiled in part by Herbert Tampere, an early ethnomusicology field work organizer of the EFA, who along with Erna Tampere and Otilie Kõiva collected these folk songs (Oras & Västriik, 2002; Tampere, 2016).

initial analysis I chose a sample of songs all belonging to the same regional dialect and recording method. Once several regions were identified as possible candidates, a native Estonian speaker was consulted on the final selection. The nine songs analyzed in this study were all recorded in Parnümaa county from 1961-1966 by Herbert and Erna Tampere.

2.2 Annotating the Song Audio

Each song’s lyrics are copied from the site and saved as .txt files in Estonian orthography, each line of the file corresponding to one melody line. Audio files of the selected songs are downloaded from the archive in .ogg format, which is the highest resolution of the two lossy formats available from the digital anthology. Each song is then imported into a Logic Pro X (Cousins & Hepworth-Sawyer, 2014) session for beat detection, tempo mapping, and trimming. To make the tempo map, the session must be set to *flex tempo*. From here a beat onset detection algorithm is given the transcribed bpm and time signature from the archived song data and run on the imported audio file. The result is an annotation of intervals in time, and the bpm for each measure is annotated according to the performance of the song. The tempo map allows us to document when *exactly* in time the particular singer performed a given note, the duration of the sung note, and the acoustic threshold by which the note is defined as “strong” relative to surrounding notes. The process is informed by the transcribed bpm and time signature included in the anthology. This is beneficial to my purposes in two ways: by accounting for the natural

tempo variation in live performance, and by using a consistent metric to determine beat strength acoustically rather than just perceptually. Using onset detection algorithms such as these (Robertson & Plumbley, 2007) in phonetics research, especially in the interdisciplinary field of linguistics and musicology, will be particularly beneficial to answering questions about rhythm: finding a way to bring our intuitions and impressions about “the beat” together with the acoustic phenomenon. By automating the annotation and measurement process using open source tools, the author hopes to share these machines with those who have similar research interests, and also to invite contributors to the data of this corpus of text data time-aligned to queryable audio signal data. From here, a MIDI track is programmed to create a metronome that is the length of a single syllable-note in the song. In most of these, a 4/4 measure contains eight eighth notes, so the metronome track contains four eighth notes indicating the “ictus” beats. In flex tempo mode, the MIDI track adjusts note and measure length to match the fluctuations in tempo as documented in the map for the song. The metronome and the song audio file are trimmed to match exactly, and the metronome is converted into a textgrid in PRAAT(Boersna & Weenink, 2022), where the annotation process continues.

The orthographic text phrases of the song lyrics are then inserted into each phrase interval with a script, and then eSpeak forced aligner for Estonian (Duddington et al., 1995) is run on each phrase to the word and phonemic level. Because this forced aligner is trained on spoken, not sung Estonian, the aligner sometimes tries to align words into the signal before they are uttered.

In these cases, the word level tier is manually realigned so that it contains all and only the transcribed word, and then the forced aligner is re-run on this word to the segmental level. “Giving” the forced-aligner all and only the correct word improved the segmental alignment, but the relevant segments for this study were manually verified and adjusted (if necessary) to ensure they all met a consistent criteria.

2.2.1 Criteria for adjusting the forced-aligner

Manually verified the intervals set by the forced aligner for syllable nuclei according to the frequency and intensity contours in PRAAT. The beginning of the vowel was broadly aligned according to a combination of acoustic correlates: at the point where 1. intensity was within 2dB of the steady-state medial portion of the vowel with a slope between 0.5 and zero, 2. frequency stabilizing into that syllable-note’s pitch category, and 3. the presence of a voicing bar and visible formants f1, f2, and f3. Manner specific criteria: did not include burst in plosives. Boundaries between fricative onsets and vowels was determined by the end of visible high-frequency noise in the spectrum. Coronal fricative /s/ also consistently showed a carat ?? in the frequency track immediately preceding the transition to vowel. For approximants, the additional criteria of steady formants was necessary. Following nasal onsets, vowel intensity *lowered*, but a near-zero slope still reliably coincided with the other acoustic correlates.

The offset boundaries of vowels was set similarly, but instead with

slopes less than or equal to -1 in their transition to occlusions. The first three formants were more variable in transition to codas, so the other cues were relied on more heavily.

Closed syllables with approximant codas /l/ were excluded, as neither the forced-aligner nor the phonetician could determine a reliable way to define the boundary between them. In onset position, the boundary between approximant and vowel was more consistently definable by the above criteria (with the additional requirement of steady formants, which generally coincided with the frequency and intensity cues). In cases of vowel adjacency across syllable boundaries, the presence of a visible glottal stop and a similar (though not as strict) pattern to the above criteria would qualify both for inclusion. In the absence of these cues, both nuclei were excluded from the measurements. Other exclusions were due to ambient noise (i.e., churchbells in song 41), ambiguity of word boundaries due to wordplay or nonse words (verified by native speaker informant), and cases where the transcription indicated epenthesis or severe reduction.

In all cases, if the aforementioned cues were unavailable, ambiguous, or misaligned, the token was elided for this analysis. From all nine songs in the corpus, a total of 757 vowel nuclei met the criteria for inclusion in duration measurements.

At this point, the audio recording of each song has tiers annotated for tempo and strong beat, verse line phrases, two interval tiers force-aligned to word and phoneme levels, and a separate tier with intervals of the individual

vowel segments of interest copied from the phoneme tier.

2.2.2 Connecting acoustic measurements to text corpus

The last step in preprocessing is to integrate the annotation of the song audio with the lexical content of the song. This study accomplishes the task using an open-source natural language toolkit in python called `estnltk` <https://github.com/estnltk> (Laur et al., 2020). Among other things, the toolkit has a robust dictionary of Estonian grammar, including phonetic transcription of syllables with corresponding quantity and stress data.

Thus the data structure of this corpus offers two independent metrics of rhythmic prominence in these songs. From the audio recording and the beat detection, we have an annotation of strong beats based on replicable acoustic measurements, and from the dictionary in the natural language toolkit, we have native speaker intuitions about the lexical weight and prominence in the words of the text. While the stress system is generally predictable, the syllable quantity is not always apparent from the orthography, and not always detectible by a non-native listener.

Once the annotations are complete, the corresponding text files are aggregated and, the corresponding measurements from PRAAT are concatenated via python using the `parselmouth` library python interface to PRAAT (Jadoul et al., 2018; Van Rossum & Drake Jr, 1995).

Only those vowels from syllables that were nominally transcribed as isochronous eighth notes and also coincided with the beat length provided by

the flexible MIDI metronome were used for this study. Syllables in the final position of the verse were excluded due to the tendency for variation in the final notes of the phrase.

2.2.3 Statistical Analysis

Chapter 3

Results

3.1 Quantity Oppositions in Ictus position

Ternary quantity contrast is only in primary stressed syllables. To analyze vowel duration measurements in all three quantities, a subset of only primary stressed syllables is taken from the dataset. At the song level, the kalevala meter avoids short stressed syllables (Q1) in ictus position, preferring Q2 or Q3 (long and overlong) syllables to fall on the beat. In off-ictus position, short stressed (Q1) syllables are preferred while Q3 avoided.




Figure 3.1: density plot of vowel durations in three syllable quantities

3.1 shows the vowel durations of all three syllable quantities, grouped by ictus and off-ictus positions in the song. In ictus position, median vowel duration descends as quantity increases, with the greatest difference between Q1 and Q2. Off the beat, a similar descending pattern is evident: however, in this case

the largest difference is between Q2 and Q3 syllables. The intercept is set at

ictus position, Q1. Findings are significant results for Q2($p<0.001$), Q3, and off-ictus positions ($p<0.05$). Comparison with null model was statistically significant ($p<0.001$)¹

3.2 stress and unstress

3.2.1 duration

Linear mixed-effects model results are significant for off-ictus ($p<0.05$), stressed ($p<0.001$), and Q2. Anova comparison of the maximal design model with a null model is also statistically significant. I reject the null hypothesis: these results support both word-level stress and beat position in song (ictus) as predictors for vowel duration.




Figure 3.2: vowel durations of stressed and unstressed Q1 and Q2 syllables falling on (ictus) and off the beat

¹See Appendix A




Figure 3.3: vowel durations by beat position in open (CV), closed (CVC) and complex coda (CVCC) syllables

3.2.2 space

In vowel dispersion, only the intercept is significant. Comparison with null model is not statistically significant. Thus in the case of vowel dispersion, we fail to reject the null hypothesis.




Figure 3.5: euclidean distance of vowels in stress and ictus

Chapter 4

Discussion

4.1 Prosodic Features Crystalized at Segmental level in isochronous syllables

4.2 Future Studies

While the ultimate goal is to continue annotation of the entire available corpus of *regilaul*, for the

In addition to *regilaul*, the archive maintains collections of other folkloric primary and secondary materials, as well as folklore and folk music traditions of other Balto-Finnic peoples: the Ingrian Finns, Votians, Karelians, Livonians and Izhorians. Collections also include materials from Ob-Ugrians: Khanty, Mansi, Udmurtian, Mari, and Hungarian, as well as folklore of nearby non-Finno-Ugric language users: Russian inhabitants, Estonian Swedes, Ngasans, and Latvians. The total sound archive of the EFA has over 100,000 individual recording pieces. Over 26,000 of these recordings are songs, dating from the early 20th century until the 1970s. In the database, *regilaul* songs are classified according to function, e.g., work songs, calendar songs, wedding songs, and then by musical characteristics. Newer “end-rhymed” Estonian folksongs are arranged by theme and then by texts. Finally, instrumental folk music is placed into categories dance and other

4.2.1 Comparing with Speech

Several of the songs used in this study have accompanying recordings of natural running speech of the respective singers: this was one motivation in choosing the recordings from the 1960s rather than earlier. These results could be further supported by an acoustic analysis of the speech of the performers, confirming, for example, that quantity is a predictor for vowel length in their natural speech.

4.2.2 metrical analysis of regilaul texts

Alongside the limited availability of digital recordings of the songs is a text database of regilaul song lyrics <https://www.folklore.ee/regilaul/andmebaas/?ln=en>. These texts contain the lyrical and musical transcriptions made by the linguists and ethnomusicologists who collected the songs, and by scholars who have contributed later. There are often different versions of the same songs in different regions, with different lyrics or different melodies. My first query of this database will be to analyze the frequency of stress and ictus conflicts in the larger pool of songs, to see if the asymmetry noted in this smaller set bears out at scale. For example, are there more occurrences of syllables strong at the word level ending up in weak metrical positions, or more weak word-level syllables in strong metrical positions? How often do overlong (Q3, heaviest possible) syllables end up in metrically weak positions, if at all? Another simple exploratory analysis could incorporate frequency information with respect to the collective lexicon of all regilaul.

Appendices

Appendix A

Additional Graphs and Full Statistical Analysis Tables

Table A.1: duration & quantity fixed effects

Predictors	Estimates	Confidence Interval	p
(Intercept)	0.27	0.23 – 0.30	<0.001***
Q2	-0.04	-0.06 – -0.02	<0.001***
Q3	-0.03	-0.06 – -0.00	0.048*
off-ictus	-0.05	-0.08 – -0.02	0.004*
Q2 * off-ictus	0.02	-0.03 – 0.06	0.54
Q3 *off-ictus	-0.02	-0.07 – 0.03	0.44

1

¹Signif. codes: '***' 0.001 '**' 0.01 '*' 0.05

Table A.2: dquantity-duration random effects

Random Effects			
Predictors	Estimates		
2	0.0012		
00 word	0.0034		
00 song	0.0022		
00 performer	0.0001		
ICC	0.8227		
N song	9		
N word	298		
N performer	3		
Observations	367		
Marginal R2 / Conditional R2	0.071 / 0.835		

Table A.3: model comparison, duration predicting quantity & ictus

	npar	AIC	BIC	logLik	deviance	Chisq	Df	Pr(>Chisq)
null	5	-914.74	-895.21	462.37	-924.74			
design	10	-949.20	-910.15	484.60	-969.20	44.464	5	1.865e-08 ***

Table A.4: anova of model comparison: duration dependent stressed ictus

	npar	AIC	BIC	logLik	deviance	Chisq	Df	Pr(>Chisq)
null	5	-1747.0	-1724.4	878.5	-1757.0			
design	10	-1966.8	-1921.6	993.4	-1986.8	229.81	5	< 2.2e-16 ***

Table A.5: anova of design and null lmer models for euclidean distance, stress and ictus

	npar	AIC	BIC	logLik	deviance	Chisq	Df	Pr(>Chisq)
null	5	5347.3	5367.3	-2668.7	5337.3			
design	8	5348.7	5380.7	-2666.4	5332.7	4.5855	3	0.2048

Table A.6: duration dependent variable lmer

Predictors	Estimates	Confidence Intervals	p
(Intercept)	0.22	0.18 – 0.25	<0.001***
off-ictus	-0.03	-0.05 – -0.00	0.017**
stressed	0.05	0.03 – 0.07	<0.001***
Q2	-0.05	-0.06 – -0.04	<0.001***
off-ictus* stressed	-0.01	-0.04 – 0.02	0.467
off-ictus* Q2	0.01	-0.01 – 0.03	0.332

Table A.7: random effects duration-stress-ictus model

Random Effects	Confidence Intervals
Predictors	Estimates
2	0.0026
00 word	0.0004
00 song	0.0018
00 performer	0.0001
ICC	0.4761
N word	315
N song	9
N performer	3
Observations	676
Marginal R2 / Conditional R2	0.190 / 0.576

Table A.8: euclidean distance dependent fixed effects

Predictors	Estimates	Confidence Interval	p
(Intercept)	351.9	207.53 – 496.26	<0.001***
stressed	48.7	-48.46 – 145.87	0.325
off-ictus	80.8	-14.93 – 176.52	0.098
stressed*off-ictus			

Table A.9: random effects of euclidean distance and stress-ictus lmer

Random Effects	
2	32259.12
00 segment	4058.78
00 song	5512.35
00 performer	5432.4
ICC	0.32
N segment	11
N song	9
N performer	3
Observations	401
Marginal R2 / Conditional R2	0.008 / 0.323




Figure A.1: vowel durations on and off the beat in each performer




Figure A.2: vowel durations of word-stress in each performer




Figure A.3: vowel durations on and off the beat by song




Figure A.4: within-song vowel durations in each word-stress position




Figure A.5: euclidean distance of vowels on and off the beat by song

Bibliography

- Boersna, P., & Weenink, D. (2022). Praat: Doing Phonetics by Computer.
- Cousins, M., & Hepworth-Sawyer, R. (2014). Logic pro X.
- Duddington, J., Avison, M., Dunn, R., & Vitolins, V. (1995). eSpeak: Speech Synthesizer.
- Eek, A., & Meister, E. (1998). Quality of standard Estonian vowels in stressed and unstressed syllables of the feet in three distinctive Quantity degrees. In *Proceedings of the Finnic Phonetics Symposium*, Linguistica Uralica. Tallinn.
- Essens, P., & Povel, D.-J. (1985). Metrical and Nonmetrical representations of temporal patterns”. *Perception & Psychophysics*, 37, 1–7.
- Jadoul, Y., Thompson, B., & de Boer, B. (2018). Introducing Parselmouth: A Python interface to Praat. *Journal of Phonetics*, 71, 1–15.
- Laur, S., Orasmaa, S., Särg, D., & Tammo, P. (2020). EstNLTK 1.6: Remastered estonian NLP pipeline. In *Proceedings of the 12th Language Resources and Evaluation Conference*, (pp. 7154–7162). Marseille, France: European Language Resources Association.

- Lehiste, I. (1992). The Phonetics of Metrics. *Empirical Studies of the Arts*, 10(2), 95–120.
- Lindblom, B. (1990). Explaining phonetic variation: A sketch of the H&H theory. In W. J. Hardcastle, & A. Marchal (Eds.) *Speech Production and Speech Modelling*, (pp. 403–439). Dordrecht: Springer Netherlands.
- Lippus, P., Asu, E. L., & Mari, M.-L. K. (2014). An acoustic study of Estonian word stress. In *Speech Prosody 2014*, (pp. 232–235). ISCA.
- Lotman, M.-K., & Lotman, M. (2013). The Quantitative structure of Estonian syllabic-accentual trochaic tetrameter. *TRAMES*, 3, 243–272.
- Oras, J. (2019). Individual rhythmic variation in oral poetry: the runosong performances of Seto singers. *Open Access Linguistics*.
- Oras, J., & Västriik, E.-H. (2002). Estonian Folklore Archives of the Estonian Literary Museum. *The World of Music*, 44(3), 153–156.
- Palmer, C., & Kelly, M. H. (1992). Linguistic Prosody and Musical Meter in Song. *Journal of Memory and Language*, 31(4), 525–542.
- Robertson, A., & Plumbley, M. (2007). B-Keeper: A beat-tracker for live performance. In *Proceedings of the 7th International Conference on New Interfaces for Musical Expression - NIME '07*, (p. 234). New York, New York: ACM Press.

- Ross, J. (1989). A study of timing in an Estonian runic song. *The Journal of the Acoustical Society of America*, 86(5), 1671–1677.
- Ross, J. (1992). Formant frequencies in Estonian folk singing. *Journal of the Acoustical Society of America*.
- Ross, J., & Lehiste, I. (1994). Lost Prosodic Oppositions: A Study of Contrastive Duration in Estonian Funeral Laments. *Language and Speech*, 37(4), 407–424.
- Ross, J., & Lehiste, I. (1996). Trade-off between quantity and stress in Estonian folksong performance? *Folklore: Electronic Journal of Folklore*, 02, 116–123.
- Ross, J., & Lehiste, I. (1998). Timing in Estonian Folk Songs as Interaction between Speech Prosody, Meter, and Musical Rhythm. *Music Perception*, 15(4), 319–333.
- Ross, J., & Lehiste, I. (2001). The temporal structure of Estonian runic songs / by Jaan Ross, Ilse Lehiste. In *The Temporal Structure of Estonian Runic Songs*, Phonology and Phonetics ; 1. Berlin, [Germany] ;: Mouton de Gruyter, reprint 2015 ed.
- Rüütel, I. (1999). Some results of a computerized comparative analysis of the Balto-Finnic runotunes. *Etnomusikologian vuosikirja*, 11, 27–45.

- Smiljanić, R., & Bradlow, A. R. (2005). Production and perception of clear speech in Croatian and English. *The Journal of the Acoustical Society of America*, 118(3 Pt 1), 1677–1688.
- Tampere, H. (1934). Mõningaid mõtteid Eesti rahvaviisist ja selle uurimismetodist. *Eesti Muusika Almanak I*, (pp. 30–38).
- Tampere, H. (2016). Anthology of Estonian Traditional Music.
- Tormis, V. (1985). Kalevala – the Estonian perspective. *Finnish Music Quarterly*.
- Tormis, V. (2007). Some problems with that *regilaul*. In *proceedings of the international RING conference*.
- Van Rossum, G., & Drake Jr, F. L. (1995). *Python Reference Manual*. Centrum voor Wiskunde en Informatica Amsterdam.