

Part II: Temperature Prediction Model

Sally Chen

Contents

Load and Define Time Series Objects	2
Train and Test Data Exploration	3
Inspect seasonal patterns from weather elements	4
Analyse trend in daily minimum and maximum temperature	10
Build models to predict maximum temperature	12
1. Linear model with a Fourier term to capture seasonality	12
2. Dynamic Regression with ARIMA(2,0,2) error	15
3. Dynamic Regression with ARIMA(5,1,0) error	19
4. Dynamic Regression with ARIMA(2,0,2) error and lag predictors	22
Use the best model (No.4) to build full temperature forecast	26

Load and Define Time Series Objects

```
library(fpp)
library(fpp2)
library(forecast)
library(GGally)
library(knitr)
```


```
# Load cleaned data
full = read.csv("full.csv")
train = read.csv("train.csv")
test = read.csv("test.csv")
```

```
ts_full = ts(full, frequency = 365.25, start = c(1999, 230))
ts_train = ts(train, frequency = 365.25, start = c(1999, 230))
ts_test = ts(test, frequency = 365.25, start = c(2016, 55))


ts_max = ts_train[, "max"]
ts_min = ts_train[, "min"]
ts_sunshine = ts_train[, "sunshine"]
ts_wind = ts_train[, "wind"]
ts_rainfall = ts_train[, "rainfall"]
```

Train and Test Data Exploration

```
# Check variables correlations
GGally::ggpairs(train[, 1:5])
```




```
## Time series plots for weather elements
elements = colnames(ts_train)
par(mfrow = c(2, 3))
for (i in 1:5) {
  ts.plot(ts_train[, i], type = "l", ylab = elements[i])
}
```




Inspect seasonal patterns from weather elements

```
# Sunshine -> seasonality, no trend
fitstl_sunshine = stl(ts_sunshine, t.window = 365.25, s.window = 365.25)
autoplot(fitstl_sunshine)
```




```
par(mfrow = c(1, 2))
acf(remainder(fitstl_sunshine), main = "ACF of decomposition residual")
pacf(remainder(fitstl_sunshine), main = "PACF of decomposition residual")
```


ACF of decomposition residual



PACF of decomposition residual




```
# wind -> seasonality, no trend
fitstl_wind = stl(ts_wind, t.window = 365.25, s.window = 365.25)
autoplot(fitstl_wind)
```




```
par(mfrow = c(1, 2))
acf(remainder(fitstl_wind), main = "ACF of decomposition residual")
pacf(remainder(fitstl_wind), main = "PACF of decomposition residual")
```


ACF of decomposition residual



PACF of decomposition residual




```
# rainfall -> no seasonality, no trend  
fitstl_rainfall = stl(ts_rainfall, t.window = 365.25, s.window = 365.25)  
autoplot(fitstl_rainfall)
```





```
par(mfrow = c(1, 2))
acf(remainder(fitstl_rainfall), main = "ACF of decomposition residual")
pacf(remainder(fitstl_wind), main = "PACF of decomposition residual")
```

ACF of decomposition residual




PACF of decomposition residual




Analyse trend in daily minimum and maximum temperature

```
## use moving average to analyze trend
par(mfrow = c(2, 1))
plot(ma(ts_max, order = 365), main = "Moving Average for Max Temperature", ylab =
  ↳ expression(degree ~
    C))
plot(ma(ts_min, order = 365), main = "Moving Average for Min Temperature", ylab =
  ↳ expression(degree ~
    C))
```

Moving Average for Max Temperature



Moving Average for Min Temperature



Build models to predict maximum temperature

1. Linear model with a Fourier term to capture seasonality

```
# Fit a linear trend with seasonality using tslm()
tslm_max = tslm(ts_max ~ trend + ts_rainfall + ts_sunshine + ts_wind + fourier(ts_max,
  K = 2))
summary(tslm_max)
```

```
##
## Call:
## tslm(formula = ts_max ~ trend + ts_rainfall + ts_sunshine + ts_wind +
##       fourier(ts_max, K = 2))
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -14.2130  -2.6097  -0.2136   2.1744  16.7789
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept)    1.399e+01  2.082e-01  67.215  < 2e-16 ***
## trend          1.051e-04  2.913e-05   3.608 0.000311 ***
## ts_rainfall    -1.428e-01  1.103e-02 -12.956  < 2e-16 ***
## ts_sunshine     4.364e-01  1.461e-02  29.870  < 2e-16 ***
## ts_wind         7.269e-02  3.192e-03  22.774  < 2e-16 ***
## fourier(ts_max, K = 2)S1-365  2.338e+00  7.663e-02  30.508  < 2e-16 ***
## fourier(ts_max, K = 2)C1-365 -5.446e+00  7.522e-02 -72.401  < 2e-16 ***
## fourier(ts_max, K = 2)S2-365  4.179e-01  7.187e-02   5.815 6.39e-09 ***
## fourier(ts_max, K = 2)C2-365  3.168e-01  7.210e-02   4.394 1.13e-05 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 3.94 on 6025 degrees of freedom
## Multiple R-squared:  0.6409, Adjusted R-squared:  0.6404
## F-statistic: 1344 on 8 and 6025 DF, p-value: < 2.2e-16
```

```
AIC(tslm_max) # AIC = 33683.01
```


```
## [1] 33683.01
```

```
CV(tslm_max)
```

```
##           CV           AIC          AICc          BIC          AdjR2
## 1.555995e+01 1.655926e+04 1.655930e+04 1.662632e+04 6.403978e-01
```


```
plot(ts_max, col = "grey", main = "Fitted Value from Linear Model", ylab =
  ↪ expression(degree ~
  C))
lines(tslm_max$fitted.values)
```

Fitted Value from Linear Model




```
## Model diagnosis
par(mfrow = c(1, 2))
acf(tslm_max$residuals, main = "ACF of fitted model residual") # lag q = 2
pacf(tslm_max$residuals, main = "PACF of fitted model residual") # lag p = 2
```

ACF of fitted model residual



PACF of fitted model residual



```
Box.test(tslm_max$residuals, type = "Lj") #autocorrelation different from 0
```

```
##
## Box-Ljung test
##
## data:  tslm_max$residuals
## X-squared = 1228.3, df = 1, p-value < 2.2e-16
```

```
dwtest(tslm_max, alternative = "two")
```

```
##
## Durbin-Watson test
##
## data:  tslm_max
## DW = 1.0964, p-value < 2.2e-16
## alternative hypothesis: true autocorrelation is not 0
```

```
bgtest(tslm_max, 20)
```

```
##
## Breusch-Godfrey test for serial correlation of order up to 20
##
## data:  tslm_max
## LM test = 1365.2, df = 20, p-value < 2.2e-16
```

2. Dynamic Regression with ARIMA(2,0,2) error

```
# Fit a dynamic regression to capture the dynamics left in the residuals
dr_max = Arima(ts_max, xreg = cbind(ts_rainfall, ts_sunshine, ts_wind, fourier(ts_max,
  K = 2)), order = c(2, 0, 2))
summary(dr_max) # AIC = 32213.94
```

```
## Series: ts_max
## Regression with ARIMA(2,0,2) errors
##
## Coefficients:
##          ar1          ar2          ma1          ma2  intercept  ts_rainfall  ts_sunshine
##          0.3119 -0.0777  0.2000  0.0720    14.4956      -0.1114        0.3825
## s.e.      0.2973  0.0948  0.2974  0.0658     0.1857        0.0094        0.0129
##          ts_wind  fourier(ts_max, K = 2).S1-365  fourier(ts_max, K = 2).C1-365
##          0.0754                                2.4065                                -5.5318
## s.e.      0.0030                                0.1081                                0.1071
##          fourier(ts_max, K = 2).S2-365  fourier(ts_max, K = 2).C2-365
##          0.4200                                0.3435
## s.e.      0.1055                                0.1055
##
## sigma^2 estimated as 12.16: log likelihood=-16093.97
## AIC=32213.94  AICc=32214  BIC=32301.11
##
## Training set error measures:
##              ME      RMSE      MAE      MPE      MAPE      MASE
## Training set -0.001506474 3.484254 2.624239 -2.377646 12.90383 0.5519211
##              ACF1
## Training set 0.0001884346
```


```
p_value = function(model) {
  t_fit = model$coef/(sqrt(diag(model$var.coef)))
  p_fit = 2 * pnorm(abs(t_fit), mean = 0, sd = 1, lower.tail = FALSE)
  return(p_fit)
}

p_value(dr_max)
```

```
##              ar1              ar2
##          2.941101e-01          4.124677e-01
##              ma1              ma2
##          5.012829e-01          2.741662e-01
##          intercept          ts_rainfall
##          0.000000e+00          2.011271e-32
##          ts_sunshine          ts_wind
##          1.178194e-193          2.610144e-141
## fourier(ts_max, K = 2).S1-365 fourier(ts_max, K = 2).C1-365
##          1.079688e-109          0.000000e+00
## fourier(ts_max, K = 2).S2-365 fourier(ts_max, K = 2).C2-365
##          6.823194e-05          1.131803e-03
```


```
plot(ts_max, col = "grey", main = "Fitted Value from Dynamic Regression with ARIMA(2,0,2)
↪ errors",
      ylab = expression(degree ~ C))
lines(dr_max$fitted)
```

Fitted Value from Dynamic Regression with ARIMA(2,0,2) errors




```
par(mfrow = c(1, 2))
acf(dr_max$residuals, main = "ACF of fitted model residual")
pacf(dr_max$residuals, main = "PACF of fitted model residual")
```


ACF of fitted model residual



PACF of fitted model residual



```
Box.test(dr_max$residuals)
```

```
##
## Box-Pierce test
##
## data: dr_max$residuals
## X-squared = 0.00021425, df = 1, p-value = 0.9883
```

```
## Construct a function to calculate p-value for fitted models
p_value = function(model) {
  t_fit = model$coef/(sqrt(diag(model$var.coef)))
  p_fit = 2 * pnorm(abs(t_fit), mean = 0, sd = 1, lower.tail = FALSE)

  return(p_fit)
}
p_value(dr_max)
```

```
##              ar1              ar2
##      2.941101e-01      4.124677e-01
##              ma1              ma2
##      5.012829e-01      2.741662e-01
##      intercept      ts_rainfall
##      0.000000e+00      2.011271e-32
##      ts_sunshine      ts_wind
```


```
##          1.178194e-193          2.610144e-141
## fourier(ts_max, K = 2).S1-365 fourier(ts_max, K = 2).C1-365
##          1.079688e-109          0.000000e+00
## fourier(ts_max, K = 2).S2-365 fourier(ts_max, K = 2).C2-365
##          6.823194e-05          1.131803e-03
```

```
# Forecast using fitted model
fcast_rainfall = forecast(ts_rainfall, method = "ets", h = 1508)
fcast_sunshine = forecast(ts_sunshine, method = "ets", h = 1508)
fcast_wind = forecast(ts_wind, method = "ets", h = 1508)

fcast_xreg = cbind(fcast_rainfall$mean, fcast_sunshine$mean, fcast_wind$mean,
  ↪ fourier(ts_max,
    K = 2, h = 1508))
colnames(fcast_xreg) = names(dr_max$coef)[-c(1:5)]

fcast1 = forecast(dr_max, xreg = fcast_xreg, h = 1508)
par(mfrow = c(1, 1))
plot(fcast1)
```

Forecasts from Regression with ARIMA(2,0,2) errors



```
accuracy(fcast1, ts_test[, "max"])
```

```
##          ME      RMSE      MAE      MPE      MAPE      MASE
## Training set -0.001506474 3.484254 2.624239 -2.3776465 12.90383 0.5519211
```


3. Dynamic Regression with ARIMA(5,1,0) error

```
## Series: ts_max
## Regression with ARIMA(5,1,0) errors
##
## Coefficients:
##          ar1          ar2          ar3          ar4          ar5  ts_rainfall  ts_sunshine
##      -0.3593  -0.4016  -0.3344  -0.2413  -0.1734        -0.1073         0.3773
## s.e.   0.0128   0.0132   0.0135   0.0132   0.0127         0.0093         0.0127
##      ts_wind  fourier(ts_max, K = 2).S1-365  fourier(ts_max, K = 2).C1-365
##      0.0768                                2.3077                                -5.5230
## s.e.   0.0030                                1.5564                                1.5568
##      fourier(ts_max, K = 2).S2-365  fourier(ts_max, K = 2).C2-365
##                                0.4726                                0.3174
## s.e.                                0.7789                                0.7795
##
## sigma^2 estimated as 13.63:  log likelihood=-16434.07
## AIC=32894.15   AICc=32894.21   BIC=32981.31
##
## Training set error measures:
##              ME      RMSE      MAE      MPE      MAPE      MASE
## Training set 0.002838698 3.687538 2.751103 -2.09439 13.55714 0.5786026
##              ACF1
## Training set -0.02089691
```

```
##                                ar1                                ar2
##                1.069257e-173                1.949157e-204
##                                ar3                                ar4
##                1.300163e-135                3.291935e-75
##                                ar5                ts_rainfall
##                1.685380e-42                1.323220e-30
##                ts_sunshine                ts_wind
##                1.217310e-192                1.870142e-148
##    fourier(ts_max, K = 2).S1-365    fourier(ts_max, K = 2).C1-365
##                1.381509e-01                3.886972e-04
##    fourier(ts_max, K = 2).S2-365    fourier(ts_max, K = 2).C2-365
##                5.440008e-01                6.839064e-01
```


```
plot(ts_max, col = "grey", main = "Fitted Value from Dynamic Regression with ARIMA(5,1,0)
↪ errors",
     ylab = expression(degree ~ C))
lines(dr2_max$fitted)
```

Fitted Value from Dynamic Regression with ARIMA(5,1,0) errors




```
par(mfrow = c(1, 2))
acf(dr2_max$residuals, main = "ACF of fitted model residual")
pacf(dr2_max$residuals, main = "PACF of fitted model residual")
```

ACF of fitted model residual



PACF of fitted model residual




```
Box.test(dr2_max$residuals)
```

```
##  
## Box-Pierce test  
##  
## data: dr2_max$residuals  
## X-squared = 2.6349, df = 1, p-value = 0.1045
```

```
# Forecast using fitted model  
fcast2 = forecast(dr2_max, xreg = fcast_xreg, h = 1508)  
par(mfrow = c(1, 1))  
plot(fcast2)
```

Forecasts from Regression with ARIMA(5,1,0) errors



```
accuracy(fcast2, ts_test[, "max"])
```

```
##               ME      RMSE      MAE      MPE      MAPE      MASE
## Training set  0.002838698 3.687538 2.751103 -2.09439 13.55714 0.5786026
## Test set     -4.654307073 6.478497 5.638558 -28.67872 31.51016 1.1858823
##               ACF1 Theil's U
## Training set -0.02089691      NA
## Test set     0.40549696  1.760783
```

4. Dynamic Regression with ARIMA(2,0,2) error and lag predictors

```
# Fit a dynamic regression with lag values
len_train = length(ts_train[, "max"])
lag1_sunshine = c(NA, ts_sunshine[1:(len_train - 1)])
lag2_sunshine = c(rep(NA, 2), ts_sunshine[1:(len_train - 2)])
lag1_rainfall = c(NA, ts_rainfall[1:(len_train - 1)])
lag2_rainfall = c(rep(NA, 2), ts_rainfall[1:(len_train - 2)])
lag1_wind = c(NA, ts_wind[1:(len_train - 1)])
lag2_wind = c(rep(NA, 2), ts_wind[1:(len_train - 2)])

drlag_max = Arima(ts_max, xreg = cbind(ts_rainfall, lag1_rainfall, lag2_rainfall,
  ts_sunshine, lag1_sunshine, lag2_sunshine, ts_wind, lag1_wind, lag2_wind,
  ↪  fourier(ts_max,
```

```

      K = 2)), order = c(2, 0, 2))
summary(drlag_max) #AIC = 31560.4

```

```

## Series: ts_max
## Regression with ARIMA(2,0,2) errors
##
## Coefficients:
##          ar1          ar2          ma1          ma2 intercept ts_rainfall lag1_rainfall
##          0.4347 -0.0893  0.0498  0.0541   15.4300    -0.0644    -0.0229
## s.e.    0.2797  0.1024  0.2797  0.0464    0.3204     0.0097     0.0102
##          lag2_rainfall ts_sunshine lag1_sunshine lag2_sunshine ts_wind
##          -0.0258      0.4175      0.2432      0.1182    0.0595
## s.e.      0.0094      0.0127      0.0136      0.0132    0.0029
##          lag1_wind lag2_wind  fourier(ts_max, K = 2).S1-365
##          -0.0502 -0.0083      2.0346
## s.e.      0.0029  0.0029      0.1118
##          fourier(ts_max, K = 2).C1-365 fourier(ts_max, K = 2).S2-365
##          -4.7925      0.3369
## s.e.      0.1099      0.1015
##          fourier(ts_max, K = 2).C2-365
##          0.3365
## s.e.      0.1021
##
## sigma^2 estimated as 10.92: log likelihood=-15761.2
## AIC=31560.4 AICc=31560.52 BIC=31687.79
##
## Training set error measures:
##              ME      RMSE      MAE      MPE      MAPE      MASE
## Training set -0.0001517959 3.300164 2.508675 -2.084281 12.45151 0.5276159
##              ACF1
## Training set 0.0001495279

```

```

p_value(drlag_max)

```


```

##              ar1              ar2
##          1.201134e-01          3.832266e-01
##              ma1              ma2
##          8.587744e-01          2.441242e-01
##          intercept          ts_rainfall
##          0.000000e+00          3.537060e-11
##          lag1_rainfall          lag2_rainfall
##          2.417180e-02          5.932723e-03
##          ts_sunshine          lag1_sunshine
##          2.343536e-237          5.947731e-72
##          lag2_sunshine          ts_wind
##          4.212784e-19          3.694403e-92
##          lag1_wind          lag2_wind
##          2.909962e-65          4.029426e-03
## fourier(ts_max, K = 2).S1-365 fourier(ts_max, K = 2).C1-365
##          4.541738e-74          0.000000e+00
## fourier(ts_max, K = 2).S2-365 fourier(ts_max, K = 2).C2-365
##          9.032672e-04          9.758341e-04

```


```
plot(ts_max, col = "grey", main = "Fitted value from Dynamic Regression with ARIMA(2,0,2)
↪ errors",
      ylab = expression(degree ~ C))
lines(drlag_max$fitted)
```

Fitted value from Dynamic Regression with ARIMA(2,0,2) errors




```
par(mfrow = c(1, 2))
acf(drlag_max$residuals[3:len_train], main = "ACF of fitted model residual")
pacf(drlag_max$residuals[3:len_train], main = "PACF of fitted model residual")
```


ACF of fitted model residual



PACF of fitted model residual



```
Box.test(drlag_max$residuals)
```


```
##
## Box-Pierce test
##
## data: drlag_max$residuals
## X-squared = 0.00013487, df = 1, p-value = 0.9907
```

```
# Forecast using fitted model
fcast_lag1_rainfall = c(ts_sunshine[6034], fcast_rainfall$mean[1:1507])
fcast_lag2_rainfall = c(ts_sunshine[6033:6034], fcast_rainfall$mean[1:1506])
fcast_lag1_sunshine = c(ts_sunshine[6034], fcast_sunshine$mean[1:1507])
fcast_lag2_sunshine = c(ts_sunshine[6033:6034], fcast_sunshine$mean[1:1506])
fcast_lag1_wind = c(ts_wind[6034], fcast_wind$mean[1:1507])
fcast_lag2_wind = c(ts_wind[6033:6034], fcast_wind$mean[1:1506])

fcast_lag_xreg = cbind(fcast_rainfall$mean, fcast_lag1_rainfall, fcast_lag2_rainfall,
  fcast_sunshine$mean, fcast_lag1_sunshine, fcast_lag2_sunshine, fcast_wind$mean,
  fcast_lag1_wind, fcast_lag2_wind, fourier(ts_max, K = 2, h = 1508))
colnames(fcast_lag_xreg) = names(drlag_max$coef)[-c(1:5)]

fcast3 = forecast(drlag_max, xreg = fcast_lag_xreg, h = 1508)
par(mfrow = c(1, 1))
plot(fcast3)
```

Forecasts from Regression with ARIMA(2,0,2) errors



```
accuracy(fcast3, ts_test[, "max"])
```

```
##               ME      RMSE      MAE      MPE      MAPE      MASE
## Training set -0.0001517959 3.300164 2.508675 -2.084281 12.45151 0.5276159
## Test set      0.5938947740 4.569709 3.483299 -0.980496 16.21407 0.7325955
##               ACF1 Theil's U
## Training set 0.0001495279      NA
## Test set      0.4080117323 0.9925416
```

Use the best model (No.4) to build full temperature forecast

```
full_len = length(ts_full[, "max"])
full_max = ts_full[, "max"]
full_sunshine = ts_full[, "sunshine"]
full_rainfall = ts_full[, "rainfall"]
full_wind = ts_full[, "wind"]

full_lag1_sunshine = c(NA, full_sunshine[1:(full_len - 1)])
full_lag2_sunshine = c(rep(NA, 2), full_sunshine[1:(full_len - 2)])
full_lag1_rainfall = c(NA, full_rainfall[1:(full_len - 1)])
full_lag2_rainfall = c(rep(NA, 2), full_rainfall[1:(full_len - 2)])
full_lag1_wind = c(NA, full_wind[1:(full_len - 1)])
full_lag2_wind = c(rep(NA, 2), full_wind[1:(full_len - 2)])
```

```
finaldr_max = Arima(full_max, xreg = cbind(full_sunshine, full_lag1_sunshine,
↪ full_lag2_sunshine,
full_rainfall, full_lag1_rainfall, full_lag2_rainfall, full_wind, full_lag1_wind,
full_lag2_wind, fourier(full_max, K = 2)), order = c(2, 0, 2))
summary(finaldr_max)
```

```
## Series: full_max
## Regression with ARIMA(2,0,2) errors
##
## Coefficients:
##          ar1      ar2      ma1      ma2  intercept  full_sunshine
##          0.2189  0.0077  0.2545  0.0523   15.4908         0.4090
## s.e.    1.1741  0.4071  1.1740  0.1503    0.2885         0.0114
##          full_lag1_sunshine  full_lag2_sunshine  full_rainfall  full_lag1_rainfall
##                               0.2382              0.1203          -0.0749          -0.0305
## s.e.              0.0122              0.0119          0.0087              0.0091
##          full_lag2_rainfall  full_wind  full_lag1_wind  full_lag2_wind
##                               -0.0253      0.0620          -0.0495          -0.0091
## s.e.              0.0084      0.0026              0.0026          0.0026
##          fourier(full_max, K = 2).S1-365  fourier(full_max, K = 2).C1-365
##                               2.0328                               -4.9460
## s.e.              0.1004                               0.0989
##          fourier(full_max, K = 2).S2-365  fourier(full_max, K = 2).C2-365
##                               0.3476                               0.3008
## s.e.              0.0914                               0.0923
##
## sigma^2 estimated as 11.07:  log likelihood=-19754.23
## AIC=39546.45  AICc=39546.55  BIC=39678.08
##
## Training set error measures:
##              ME      RMSE      MAE      MPE      MAPE      MASE
## Training set -0.0001978426  3.323339  2.533286  -2.096745  12.53738  0.5317751
##              ACF1
## Training set 1.017968e-05
```


```
p_value(finaldr_max)
```

```
##              ar1              ar2
##          8.521096e-01          9.849114e-01
##              ma1              ma2
##          8.283474e-01          7.280757e-01
##          intercept          full_sunshine
##          0.000000e+00          1.480126e-281
##          full_lag1_sunshine          full_lag2_sunshine
##          6.430799e-85          5.176439e-24
##          full_rainfall          full_lag1_rainfall
##          6.534431e-18          7.767674e-04
##          full_lag2_rainfall          full_wind
##          2.632250e-03          3.515492e-123
##          full_lag1_wind          full_lag2_wind
##          2.984145e-78          4.484694e-04
```

```
## fourier(full_max, K = 2).S1-365 fourier(full_max, K = 2).C1-365
##          4.537522e-91          0.000000e+00
## fourier(full_max, K = 2).S2-365 fourier(full_max, K = 2).C2-365
##          1.432004e-04          1.113065e-03
```


```
plot(full_max, col = "grey", main = "Fitted value from predictive model for max
↪ temperature",
      ylab = expression(degree ~ C))
lines(finaldr_max$fitted)
```

Fitted value from predictive model for max temperature




```
par(mfrow = c(1, 2))
acf(finaldr_max$residuals[3:full_len], main = "ACF of fitted model residual")
pacf(finaldr_max$residuals[3:full_len], main = "PACF of fitted model residual")
```

ACF of fitted model residual



PACF of fitted model residual



```
Box.test(finaldr_max$residuals)
```


```
##
## Box-Pierce test
##
## data: finaldr_max$residuals
## X-squared = 7.8134e-07, df = 1, p-value = 0.9993
```

```
## build forecast
fcast_full_sunshine = forecast(full_sunshine, method = "ets", h = 365)
fcast_full_rainfall = forecast(full_rainfall, method = "ets", h = 365)
fcast_full_wind = forecast(full_wind, method = "ets", h = 365)
fcast_full_lag1_sunshine = c(full_sunshine[7542], fcast_full_sunshine$mean[1:364])
fcast_full_lag2_sunshine = c(full_sunshine[7541:7542], fcast_full_sunshine$mean[1:363])
fcast_full_lag1_rainfall = c(full_rainfall[7542], fcast_full_rainfall$mean[1:364])
fcast_full_lag2_rainfall = c(full_rainfall[7541:7542], fcast_full_rainfall$mean[1:363])
fcast_full_lag1_wind = c(full_wind[7542], fcast_full_wind$mean[1:364])
fcast_full_lag2_wind = c(full_wind[7541:7542], fcast_full_wind$mean[1:363])

fcast_full_xreg = cbind(fcast_full_sunshine$mean, fcast_full_lag1_sunshine,
  ↪ fcast_full_lag2_sunshine,
  fcast_full_rainfall$mean, fcast_full_lag1_rainfall, fcast_full_lag2_rainfall,
  fcast_full_wind$mean, fcast_full_lag1_wind, fcast_full_lag2_wind, fourier(full_max,
    K = 2, h = 365))
colnames(fcast_full_xreg) = names(finaldr_max$coef)[-c(1:5)]
```

```
fcast_full_max = forecast(finaldr_max, xreg = fcast_full_xreg, h = 365)
par(mfrow = c(1, 1))
plot(fcast_full_max)
```

Forecasts from Regression with ARIMA(2,0,2) errors



```
## Show predicted temperature in table format
max_temperature_result = data.frame(seq(as.Date("2020-04-11"), by = "days", length.out =
  ↪ 365),
  round(fcast_full_max$mean, 2))
colnames(max_temperature_result) = c("Date", "Forecasted Max Temperature")

kable(max_temperature_result)
```

Date	Forecasted Max Temperature
2020-04-11	20.33
2020-04-12	21.22
2020-04-13	21.65
2020-04-14	20.05
2020-04-15	20.47
2020-04-16	20.50
2020-04-17	20.35
2020-04-18	21.30
2020-04-19	21.94

Date	Forecasted Max Temperature
2020-04-20	19.57
2020-04-21	18.00
2020-04-22	18.88
2020-04-23	19.09
2020-04-24	18.97
2020-04-25	19.80
2020-04-26	18.57
2020-04-27	17.66
2020-04-28	17.97
2020-04-29	19.40
2020-04-30	18.79
2020-05-01	18.05
2020-05-02	18.22
2020-05-03	17.20
2020-05-04	18.19
2020-05-05	18.26
2020-05-06	18.94
2020-05-07	17.82
2020-05-08	17.30
2020-05-09	16.55
2020-05-10	16.24
2020-05-11	16.10
2020-05-12	16.97
2020-05-13	17.05
2020-05-14	16.72
2020-05-15	16.88
2020-05-16	16.20
2020-05-17	15.97
2020-05-18	16.00
2020-05-19	16.12
2020-05-20	15.30
2020-05-21	16.15
2020-05-22	15.57
2020-05-23	15.64
2020-05-24	14.92
2020-05-25	14.76
2020-05-26	15.04
2020-05-27	13.98
2020-05-28	15.00
2020-05-29	15.30
2020-05-30	14.43
2020-05-31	13.66
2020-06-01	14.15
2020-06-02	14.08
2020-06-03	13.59
2020-06-04	13.63
2020-06-05	14.47
2020-06-06	14.27
2020-06-07	14.32
2020-06-08	14.11
2020-06-09	15.11
2020-06-10	15.13

Date	Forecasted Max Temperature
2020-06-11	14.36
2020-06-12	13.26
2020-06-13	14.39
2020-06-14	13.57
2020-06-15	12.88
2020-06-16	12.77
2020-06-17	12.16
2020-06-18	12.66
2020-06-19	13.24
2020-06-20	13.85
2020-06-21	13.53
2020-06-22	14.04
2020-06-23	12.88
2020-06-24	13.28
2020-06-25	13.91
2020-06-26	13.41
2020-06-27	12.77
2020-06-28	13.45
2020-06-29	12.19
2020-06-30	13.05
2020-07-01	14.11
2020-07-02	13.55
2020-07-03	12.88
2020-07-04	12.15
2020-07-05	13.09
2020-07-06	13.47
2020-07-07	12.66
2020-07-08	12.55
2020-07-09	13.38
2020-07-10	12.08
2020-07-11	11.85
2020-07-12	13.27
2020-07-13	12.54
2020-07-14	13.18
2020-07-15	13.76
2020-07-16	13.82
2020-07-17	12.98
2020-07-18	12.76
2020-07-19	13.97
2020-07-20	13.28
2020-07-21	14.01
2020-07-22	13.18
2020-07-23	12.80
2020-07-24	13.65
2020-07-25	13.25
2020-07-26	13.35
2020-07-27	13.02
2020-07-28	14.38
2020-07-29	13.80
2020-07-30	14.21
2020-07-31	13.60
2020-08-01	14.24

Date	Forecasted Max Temperature
2020-08-02	12.98
2020-08-03	13.21
2020-08-04	13.99
2020-08-05	12.88
2020-08-06	12.65
2020-08-07	13.29
2020-08-08	13.85
2020-08-09	14.28
2020-08-10	13.22
2020-08-11	13.95
2020-08-12	13.82
2020-08-13	14.88
2020-08-14	15.51
2020-08-15	14.67
2020-08-16	14.06
2020-08-17	14.76
2020-08-18	14.59
2020-08-19	14.53
2020-08-20	14.61
2020-08-21	15.21
2020-08-22	15.56
2020-08-23	15.13
2020-08-24	15.11
2020-08-25	16.23
2020-08-26	16.87
2020-08-27	15.17
2020-08-28	15.47
2020-08-29	15.93
2020-08-30	16.61
2020-08-31	15.55
2020-09-01	15.01
2020-09-02	15.94
2020-09-03	16.29
2020-09-04	16.57
2020-09-05	16.69
2020-09-06	16.60
2020-09-07	16.73
2020-09-08	15.71
2020-09-09	15.25
2020-09-10	17.35
2020-09-11	16.64
2020-09-12	16.20
2020-09-13	16.94
2020-09-14	15.73
2020-09-15	14.84
2020-09-16	17.05
2020-09-17	16.95
2020-09-18	17.47
2020-09-19	18.09
2020-09-20	17.73
2020-09-21	18.07
2020-09-22	17.92

Date	Forecasted Max Temperature
2020-09-23	18.15
2020-09-24	17.67
2020-09-25	18.98
2020-09-26	19.69
2020-09-27	17.74
2020-09-28	17.85
2020-09-29	17.90
2020-09-30	18.72
2020-10-01	19.36
2020-10-02	19.95
2020-10-03	19.13
2020-10-04	18.77
2020-10-05	18.48
2020-10-06	17.97
2020-10-07	20.13
2020-10-08	18.70
2020-10-09	18.22
2020-10-10	19.01
2020-10-11	19.47
2020-10-12	20.21
2020-10-13	20.79
2020-10-14	19.97
2020-10-15	19.87
2020-10-16	19.96
2020-10-17	21.22
2020-10-18	20.33
2020-10-19	20.04
2020-10-20	18.58
2020-10-21	18.82
2020-10-22	19.83
2020-10-23	20.66
2020-10-24	20.64
2020-10-25	20.21
2020-10-26	20.48
2020-10-27	21.17
2020-10-28	22.63
2020-10-29	22.62
2020-10-30	21.42
2020-10-31	19.80
2020-11-01	19.96
2020-11-02	21.45
2020-11-03	21.89
2020-11-04	21.41
2020-11-05	21.43
2020-11-06	21.26
2020-11-07	21.75
2020-11-08	21.22
2020-11-09	21.66
2020-11-10	23.13
2020-11-11	22.90
2020-11-12	21.50
2020-11-13	20.70

Date	Forecasted Max Temperature
2020-11-14	21.53
2020-11-15	22.17
2020-11-16	23.28
2020-11-17	24.51
2020-11-18	23.34
2020-11-19	24.56
2020-11-20	23.74
2020-11-21	22.37
2020-11-22	23.04
2020-11-23	21.93
2020-11-24	21.64
2020-11-25	22.01
2020-11-26	22.03
2020-11-27	23.83
2020-11-28	24.71
2020-11-29	24.70
2020-11-30	24.12
2020-12-01	23.34
2020-12-02	23.57
2020-12-03	22.73
2020-12-04	22.87
2020-12-05	23.39
2020-12-06	24.88
2020-12-07	23.95
2020-12-08	23.91
2020-12-09	24.67
2020-12-10	25.43
2020-12-11	26.81
2020-12-12	25.36
2020-12-13	23.74
2020-12-14	24.91
2020-12-15	25.10
2020-12-16	25.92
2020-12-17	25.53
2020-12-18	26.10
2020-12-19	25.00
2020-12-20	25.06
2020-12-21	25.19
2020-12-22	26.65
2020-12-23	27.46
2020-12-24	27.19
2020-12-25	27.02
2020-12-26	27.68
2020-12-27	26.81
2020-12-28	25.81
2020-12-29	25.62
2020-12-30	26.13
2020-12-31	26.67
2021-01-01	27.03
2021-01-02	26.45
2021-01-03	27.68
2021-01-04	26.70

Date	Forecasted Max Temperature
2021-01-05	27.10
2021-01-06	25.67
2021-01-07	25.92
2021-01-08	26.06
2021-01-09	27.00
2021-01-10	26.44
2021-01-11	26.97
2021-01-12	26.03
2021-01-13	26.10
2021-01-14	27.03
2021-01-15	27.34
2021-01-16	26.94
2021-01-17	26.52
2021-01-18	27.35
2021-01-19	25.89
2021-01-20	26.30
2021-01-21	27.59
2021-01-22	26.74
2021-01-23	27.57
2021-01-24	27.73
2021-01-25	27.81
2021-01-26	28.06
2021-01-27	27.99
2021-01-28	27.97
2021-01-29	27.20
2021-01-30	26.56
2021-01-31	26.00
2021-02-01	27.30
2021-02-02	27.41
2021-02-03	27.58
2021-02-04	28.13
2021-02-05	27.59
2021-02-06	26.98
2021-02-07	28.11
2021-02-08	27.42
2021-02-09	26.32
2021-02-10	26.33
2021-02-11	26.60
2021-02-12	26.41
2021-02-13	27.41
2021-02-14	26.08
2021-02-15	25.96
2021-02-16	26.90
2021-02-17	26.24
2021-02-18	26.39
2021-02-19	26.17
2021-02-20	25.86
2021-02-21	26.50
2021-02-22	26.79
2021-02-23	26.52
2021-02-24	25.59
2021-02-25	25.19

Date	Forecasted Max Temperature
2021-02-26	26.69
2021-02-27	25.93
2021-02-28	26.04
2021-03-01	26.93
2021-03-02	27.46
2021-03-03	27.23
2021-03-04	25.11
2021-03-05	24.49
2021-03-06	24.28
2021-03-07	25.69
2021-03-08	25.36
2021-03-09	25.04
2021-03-10	25.43
2021-03-11	25.33
2021-03-12	25.04
2021-03-13	24.52
2021-03-14	24.60
2021-03-15	23.14
2021-03-16	24.41
2021-03-17	25.90
2021-03-18	24.60
2021-03-19	23.59
2021-03-20	23.00
2021-03-21	22.82
2021-03-22	22.99
2021-03-23	21.59
2021-03-24	23.56
2021-03-25	22.06
2021-03-26	22.43
2021-03-27	23.88
2021-03-28	23.84
2021-03-29	23.43
2021-03-30	22.39
2021-03-31	22.70
2021-04-01	22.21
2021-04-02	21.87
2021-04-03	22.36
2021-04-04	23.18
2021-04-05	21.67
2021-04-06	20.92
2021-04-07	21.39
2021-04-08	20.71
2021-04-09	20.36
2021-04-10	20.62