RAJALAKSHMI ENGINEERING COLLEGE

M R Sally Madhulika 250701633-2025-CSE

M2

Started on	Friday, 7 August 2026, 8:26 AM
State	Finished
Completed on	Friday, 7 August 2026, 8:51 AM
Time taken	24 mins 34 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)
{
    int i= 1;
```

```
    int s =1;
```

```
    while(s <= n)
    {
         i++;
         s += i;
     }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

For example:

Input	Result
9	12

Answer: (penalty regime: 0 %)

```
#include<stdio.h>
int main(){
   int n;
   scanf("%d",&n);
   int i= 1;
   int s =1;
   int counter =0;
   counter ++;
   counter ++;
   while(1){
       counter++;
       if(!(s <= n))
       break;
       i++;
       counter++;
       s+=i;
       counter++;
   }
       printf("%d",counter);
       return 0;
}
```

	Input	Expected	Got	
✔	9	12	12	✔
✔	4	9	9	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

RAJALAKSHMI ENGINEERING COLLEGE

M R Sally Madhulika 250701633-2025-CSE

M2

Started on	Wednesday, 7 October 2026, 8:25 PM
State	Finished
Completed on	Wednesday, 7 October 2026, 8:30 PM
Time taken	5 mins 19 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
      printf("*");
    }
    else
    {
     for(int i=1; i<=n; i++)
     {
       for(int j=1; j<=n; j++)
       {
          printf("*");
          printf("*");
          break;
       }
     }
   }
 }
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>

void func(int n)
{
    int counter = 0;
    counter++;              // if condition
    if (n == 1)
    {
        printf("*");
        counter++;          // printf
    }
    else
    {
        for (int i = 1; i <= n; i++)
        {
            counter++;      // i <= n

            for (int j = 1; j <= n; j++)
            {
                counter++;  // j <= n
                counter++;  // first printf
                counter++;  // second printf
                break;
            }
            counter++;      // i++
        }
        counter++;          // final i <= n
    }
```

```
    printf("%d", counter);
}
int main()
{
    int n;
    scanf("%d", &n);
    func(n);
    return 0;
}
```

	Input	Expected	Got	
✔	2	12	12	✔
✔	1000	5002	5002	✔
✔	143	717	717	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

RAJALAKSHMI ENGINEERING COLLEGE

M R Sally Madhulika 250701633-2025-CSE

M2

Started on	Thursday, 24 September 2026, 10:25 PM
State	Finished
Completed on	Thursday, 24 September 2026, 10:30 PM
Time taken	5 mins 1 sec
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
Factor(num) {
{
   for (i = 1; i <= num;++i)
   {
    if (num % i== 0)
       {
         printf("%d ", i);
       }
    }
 }
```

Note: No need of counter increment for declarations and scanf() and counter variable printf() statement.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```c
#include <stdio.h>

int main()
{
    int n, i, counter = 0;

    scanf("%d", &n);

    counter++;              // i = 1

    for (i = 1; i <= n; i++)
    {
        counter++;          // if condition

        if (n % i == 0)
        {
            counter++;      // printf("%d ", i)
        }

        counter++;          // i++
    }

    printf("%d", counter);

    return 0;
}
```

	Input	Expected	Got	
✔	12	31	31	✔
✔	25	54	54	✔

	Input	Expected	Got	
✔	4	12	12	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

RAJALAKSHMI ENGINEERING COLLEGE

M R Sally Madhulika 250701633-2025-CSE

M2

Started on	Thursday, 24 September 2026, 10:30 PM
State	Finished
Completed on	Thursday, 24 September 2026, 10:34 PM
Time taken	4 mins
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void function(int n)
{
    int c= 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
#include <stdio.h>
int main()
{
    int n, i, j, k, c = 0;
    scanf("%d", &n);
    c++;
    for (i = n / 2; i < n; i++)
    {
        c++;
        for (j = 1; j < n; j = 2 * j)
        {
            c++;           // j < n
            for (k = 1; k < n; k = k * 2)
            {
                c++;       // k < n
                c++;       // c++
            }
            c++;
```

	Input	Expected	Got	
✔	4	30	30	✔
✔	10	212	212	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course

RAJALAKSHMI ENGINEERING COLLEGE

M R Sally Madhulika 250701633-2025-CSE

M2

Started on	Thursday, 24 September 2026, 10:35 PM
State	Finished
Completed on	Thursday, 24 September 2026, 10:38 PM
Time taken	3 mins 4 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
   int rev = 0, remainder;
   while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n/= 10;

    }
print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```c
#include <stdio.h>
int main()
{
    int n, rev = 0, remainder, counter = 0;
    scanf("%d", &n);
    counter++;
    while (n != 0)
    {
        counter++;
        remainder = n % 10;
        counter++;
        rev = rev * 10 + remainder;
        counter++;
        n /= 10;
        counter++;
    }
    counter++;
    counter++;
    printf("%d", counter);
    return 0;
}
```

	Input	Expected	Got	
✔	12	11	11	✔
✔	1234	19	19	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course