

Assignment 3:

1. Write a function called total, which totals the sum of an integer array passed to it (as the first parameter) and returns the total of all the elements as an integer. Let the second parameter to the function be an integer which contains the number of elements of the array.
2. Write a function which, given a string, return TRUE if all characters are distinct and FALSE if any character is repeated.
3. Write a C function that use the bubble sort algorithm to sort an integer array in ascending order (search for the bubble sorting algorithm).
4. Write a C function that use the selection sort algorithm to sort an integer array in ascending order (search for the selection sorting algorithm).
5. Write a C function to return the index of **FIRST** occurrence of a number in a given array. Array index start from 0. If the item is not in the list return -1.

Example:

Array = {1,2,3,4,4,4}

The required number is 4 it should return 3

6. Write a C function to return the index of **LAST** occurrence of a number in a given array. Array index start from 0. If the item is not in the list return -1

Example:

Array = {1,2,3,4,4,4}

The required number is 4 it should return 5

7. Write a program that computes the nth term of the arithmetic series:

1, 3, 5, 7, 9, ...

Run the program to compute the 100th term of the given series.

8. Write a program that computes the nth term of the geometric series:

1, 3, 9, 27, ...

Run the program to compute the 10th term of the given series.

9. The sequence of numbers 1, 1, 2, 3, 5, 8, 13, ... is called Fibonacci numbers; each is the sum of the preceding 2. Write a program which given n, returns the nth Fibonacci number.

- with for/while

- with recursion

10. Write a function which, given a string, converts all uppercase letters to lowercase, leaving the others unchanged.

11. Write a function that prints the frequency of a certain character in a string.

12. Write a function to find the length of a string.
13. Write a function to remove all characters in a string except alphabet.
14. Write a function to reverse a string by passing it to a function.
15. Write a function to concatenate two strings without using strcat function.
16. Write a C function that takes an array as input and reverse it.
Example:
Input : 1,2,3,4,5
Output: 5,4,3,2,1
17. Write a C function to swap the contents of two arrays with the same length.

Thanks and Good Luck
Eng / Mohamed Tarek