

ABLEFOLKS EDUCATION MNC

# TaskFlow

## UI/UX Product Requirements Document

---

Department-Aware Task Management Platform

Stack: React 18 · Tailwind CSS 3 · Lucide React Icons

Version 1.0 · June 2026

IDE: Google Project IDX / Cursor IDE

**CONFIDENTIAL — Internal Use Only**

# 01 DESIGN SYSTEM

Color Tokens · Typography · Spacing · Shadows · Breakpoints

## §01 • Design System

All UI components derive from this token set. Tailwind config extends these values. No hardcoded hex values inside components — always use utility classes or CSS variables.

### 1.1 • Color Tokens

Applied via Tailwind config as custom color palette. AFE brand primary palette:

| Token Name       | Variable              | Hex     | Tailwind Class            | Primary Usage                                         |
|------------------|-----------------------|---------|---------------------------|-------------------------------------------------------|
| Electric Indigo  | --color-indigo        | #6366F1 | bg-indigo / text-indigo   | CTAs, links, active states, primary buttons, headings |
| Deep Space Navy  | --color-navy          | #0A0E1A | bg-navy / text-navy       | Page background, section headers, dark surfaces       |
| Growth Emerald   | --color-emerald       | #10B981 | bg-emerald / text-emerald | Success, Done status, positive KPIs, confirmations    |
| Innovation Amber | --color-amber         | #F59E0B | bg-amber / text-amber     | Warnings, In-Progress, P2 priority, highlights        |
| Signal Red       | --color-red           | #EF4444 | bg-red / text-red         | Errors, P0 Critical, Blocked, destructive actions     |
| Neutral Gray     | --color-gray          | #374151 | bg-gray / text-gray       | Body text, borders, metadata, secondary labels        |
| Off White        | --color-offwhite      | #F9FAFB | bg-offwhite               | Page/card backgrounds, surfaces                       |
| Light Gray       | --color-lightgray     | #F3F4F6 | bg-lightgray              | Alternate table rows, hover states, dividers          |
| Mid Gray         | --color-midgray       | #E5E7EB | bg-midgray                | Borders, dividers, inactive elements                  |
| Indigo Light     | --color-indigo-light  | #EEF2FF | bg-indigo-50              | Info banners, selected states, badges bg              |
| Emerald Light    | --color-emerald-light | #ECFDF5 | bg-emerald-50             | Success banners, Done badges bg                       |

| Token Name  | Variable           | Hex     | Tailwind Class | Primary Usage                         |
|-------------|--------------------|---------|----------------|---------------------------------------|
| Amber Light | --color-amberlight | #FFFBEB | bg-amber-50    | Warning banners, In-Progress badge bg |
| Red Light   | --color-redlight   | #FEF2F2 | bg-red-50      | Error banners, PO/Blocked badge bg    |

## Semantic Color Mapping (Consistent across ALL views)

| Context                | Color Token              | When Used                                            |
|------------------------|--------------------------|------------------------------------------------------|
| Task — Done / Success  | Growth Emerald #10B981   | Status badge, KPI positive, approval confirmation    |
| Task — In Progress     | Innovation Amber #F59E0B | Status badge, progress indicator, P2 label           |
| Task — Blocked / Error | Signal Red #EF4444       | Blocked status, PO label, error states, overdue flag |
| Task — In Review       | Electric Indigo #6366F1  | Review badge, pending approval indicator             |
| Task — Backlog         | Neutral Gray #374151     | Inactive task, archived label, low priority          |
| Interactive Elements   | Electric Indigo #6366F1  | Buttons, links, active nav, focus rings              |
| Page Backgrounds       | Off White #F9FAFB        | All main content areas, card surfaces                |
| Navigation Background  | Deep Space Navy #0A0E1A  | Sidebar, top bar, dark panels                        |
| Permission YES         | Growth Emerald #10B981   | Permission matrix cells: full access                 |
| Permission NO          | Signal Red #EF4444       | Permission matrix cells: no access                   |
| Permission PART        | Innovation Amber #F59E0B | Permission matrix cells: conditional access          |

## 1.2 · Typography Scale

Font family: system-first sans-serif stack. Tailwind font-sans. Pair with font-mono for code/IDs.

| Element            | Tailwind Class                              | Size            | Weight | Color   | Usage                                    |
|--------------------|---------------------------------------------|-----------------|--------|---------|------------------------------------------|
| Page Title         | text-3xl font-bold                          | 30px / 1.875rem | 700    | #0A0E1A | Dashboard heading, page title            |
| Section Header     | text-2xl font-semibold                      | 24px / 1.5rem   | 600    | #1F2937 | Card titles, sidebar section labels      |
| Card Title         | text-xl font-semibold                       | 20px / 1.25rem  | 600    | #111827 | Task card title, panel heading           |
| Subsection         | text-lg font-medium                         | 18px / 1.125rem | 500    | #374151 | Table headers, form section labels       |
| Body — Default     | text-sm                                     | 14px / 0.875rem | 400    | #374151 | Task descriptions, body copy, table rows |
| Body — Small       | text-xs                                     | 12px / 0.75rem  | 400    | #6B7280 | Meta, timestamps, helper text, captions  |
| Label              | text-xs font-medium uppercase tracking-wide | 12px            | 500    | #6B7280 | Form field labels, column headers        |
| Code / ID          | font-mono text-xs                           | 12px            | 400    | #374151 | Task IDs, API keys, tech references      |
| Button — Primary   | text-sm font-semibold                       | 14px            | 600    | FFFFFF  | CTA button text                          |
| Button — Secondary | text-sm font-medium                         | 14px            | 500    | #374151 | Secondary button text                    |
| Badge Text         | text-xs font-semibold                       | 12px            | 600    | varies  | Status chips, priority labels, counters  |
| Nav Item           | text-sm font-medium                         | 14px            | 500    | #E5E7EB | Sidebar navigation links                 |
| Nav Item Active    | text-sm font-semibold                       | 14px            | 600    | FFFFFF  | Active sidebar nav item                  |
| Input Text         | text-sm                                     | 14px            | 400    | #111827 | Form field typed text                    |

| Element             | Tailwind Class           | Size | Weight | Color   | Usage                              |
|---------------------|--------------------------|------|--------|---------|------------------------------------|
| Placeholder         | text-sm                  | 14px | 400    | #9CA3AF | Form field placeholder text        |
| Toast / Alert       | text-sm<br>font-medium   | 14px | 500    | varies  | Notification toasts, alert banners |
| Empty State Heading | text-lg<br>font-semibold | 18px | 600    | #374151 | Empty state primary message        |
| Empty State Sub     | text-sm                  | 14px | 400    | #6B7280 | Empty state supporting text        |

### 1.3 · Spacing Scale (Tailwind)

| Scale    | Value   | Pixels | Usage                                      |
|----------|---------|--------|--------------------------------------------|
| space-1  | 0.25rem | 4px    | Icon-to-text gap, micro spacing            |
| space-2  | 0.5rem  | 8px    | Badge padding, tight component gaps        |
| space-3  | 0.75rem | 12px   | Button padding (small), card inner gap     |
| space-4  | 1rem    | 16px   | Standard component padding, input padding  |
| space-5  | 1.25rem | 20px   | Card section gap, form field bottom margin |
| space-6  | 1.5rem  | 24px   | Card padding, section spacing              |
| space-8  | 2rem    | 32px   | Page section margin, large component gap   |
| space-10 | 2.5rem  | 40px   | Dashboard widget gap, form section gap     |
| space-12 | 3rem    | 48px   | Page title-to-content gap                  |
| space-16 | 4rem    | 64px   | Page padding (desktop), modal padding      |
| space-20 | 5rem    | 80px   | Hero spacing, large breakpoints            |
| space-24 | 6rem    | 96px   | Max section spacing                        |

### 1.4 · Border Radius System

| Class      | Value | Usage                                                |
|------------|-------|------------------------------------------------------|
| rounded-sm | 2px   | Subtle rounding — table rows, input borders subtle   |
| rounded    | 4px   | Default UI — inputs, small buttons, chips            |
| rounded-md | 6px   | Standard cards, dropdowns, tooltips                  |
| rounded-lg | 8px   | Panels, modals, larger cards, sidebar items (active) |

| Class        | Value  | Usage                                            |
|--------------|--------|--------------------------------------------------|
| rounded-xl   | 12px   | Stat widgets, feature cards, main content panels |
| rounded-2xl  | 16px   | Modal containers, large dashboard cards          |
| rounded-full | 9999px | Avatar, badge pills, circular icon buttons       |

## 1.5 · Shadow System

| Class         | CSS Value                                                | Usage                                              |
|---------------|----------------------------------------------------------|----------------------------------------------------|
| shadow-sm     | 0 1px 2px rgba(0,0,0,0.05)                               | Subtle depth — table rows on hover, small chips    |
| shadow        | 0 1px 3px rgba(0,0,0,0.1), 0 1px 2px rgba(0,0,0,0.06)    | Default cards, input focus containers              |
| shadow-md     | 0 4px 6px rgba(0,0,0,0.07), 0 2px 4px rgba(0,0,0,0.06)   | Elevated cards, dropdown menus                     |
| shadow-lg     | 0 10px 15px rgba(0,0,0,0.1), 0 4px 6px rgba(0,0,0,0.05)  | Modals, popovers, command palette                  |
| shadow-xl     | 0 20px 25px rgba(0,0,0,0.1), 0 8px 10px rgba(0,0,0,0.04) | Full-screen modal overlays                         |
| shadow-indigo | 0 0 0 3px rgba(99,102,241,0.2)                           | Focus ring on interactive elements (accessibility) |

## 1.6 · Z-Index Scale

| Layer | z-index Value | Elements                                   |
|-------|---------------|--------------------------------------------|
| z-0   | 0             | Default stacking, page content             |
| z-10  | 10            | Sticky table headers, floating labels      |
| z-20  | 20            | Sidebar overlay on mobile, fixed top bar   |
| z-30  | 30            | Dropdown menus, date pickers, select menus |
| z-40  | 40            | Tooltips, context menus                    |
| z-50  | 50            | Modal overlays, full-screen panels         |
| z-60  | 60            | Toast notifications (always on top)        |
| z-70  | 70            | Global command palette (Ctrl+K)            |

## 1.7 · Responsive Breakpoints

| Breakpoint | Tailwind Prefix | Screen Width    | Layout Behavior                                                                        |
|------------|-----------------|-----------------|----------------------------------------------------------------------------------------|
| Mobile     | (default)       | < 768px         | Single column. Sidebar hidden (drawer). Bottom nav optional. Tables scroll horizontal. |
| Tablet     | md:             | 768px – 1023px  | Two-column layouts. Sidebar collapsed (icon-only, 64px). Cards stack 2-up.             |
| Desktop    | lg:             | 1024px – 1279px | Full sidebar (240px). 3-column dashboard grids. Full table views.                      |
| Wide       | xl:             | ≥ 1280px        | Full sidebar (260px). 4-column stat grids. Expanded panel views.                       |

## 1.8 · Tailwind Config Extension

Extend tailwind.config.js with AFE brand tokens:

*File: tailwind.config.js → theme.extend — All brand colors, shadows, and animations defined here. Never use arbitrary values in components.*

| Config Key             | Value                                | Notes                                                 |
|------------------------|--------------------------------------|-------------------------------------------------------|
| colors.indigo.DEFAULT  | #6366F1                              | Override Tailwind indigo-500 with AFE Electric Indigo |
| colors.navy.DEFAULT    | #0A0E1A                              | New custom token for Deep Space Navy                  |
| colors.emerald.DEFAULT | #10B981                              | AFE Growth Emerald (matches Tailwind emerald-500)     |
| colors.amber.DEFAULT   | #F59E0B                              | AFE Innovation Amber (matches Tailwind amber-400)     |
| fontFamily.sans        | ['Inter', 'system-ui', 'sans-serif'] | Primary font stack                                    |
| fontFamily.mono        | ['JetBrains Mono', 'monospace']      | Code, IDs, technical data                             |
| boxShadow.indigo-focus | 0 0 0 3px rgba(99,102,241,0.2)       | Custom focus ring shadow                              |
| animation.fade-in      | fadeIn 0.15s ease-out                | Toast appear, modal open                              |
| animation.slide-in     | slideIn 0.2s ease-out                | Sidebar drawer, dropdown open                         |

## 02 ICON LIBRARY

Lucide React — Full Icon Reference per Feature

## 02 • Icon Library

Library: lucide-react (latest). Import: `import { IconName } from "lucide-react"`. Default size: 16px (w-4 h-4). Use size prop or Tailwind w-/h- classes. Stroke width: 1.5 (default).

*All icons use currentColor stroke — set color via Tailwind text-\* classes on parent or icon element. Never hardcode color on SVG.*

### 2.1 • Navigation & Layout Icons

| Icon Name       | Import          | Usage Location                          | Size Default |
|-----------------|-----------------|-----------------------------------------|--------------|
| LayoutDashboard | LayoutDashboard | Sidebar: Dashboard nav item             | w-5 h-5      |
| CheckSquare     | CheckSquare     | Sidebar: Task Management nav            | w-5 h-5      |
| Building2       | Building2       | Sidebar: Department Management          | w-5 h-5      |
| Users           | Users           | Sidebar: Employee Management            | w-5 h-5      |
| Calendar        | Calendar        | Sidebar: Attendance nav                 | w-5 h-5      |
| BarChart3       | BarChart3       | Sidebar: KPI & Performance              | w-5 h-5      |
| Bell            | Bell            | Top Bar: Notification icon              | w-5 h-5      |
| Settings        | Settings        | Sidebar bottom: Settings                | w-5 h-5      |
| ShieldCheck     | ShieldCheck     | Sidebar: Super Admin Panel              | w-5 h-5      |
| ScrollText      | ScrollText      | Sidebar: Audit Log                      | w-5 h-5      |
| LogOut          | LogOut          | Sidebar bottom: Logout button           | w-5 h-5      |
| Menu            | Menu            | Mobile: Hamburger / sidebar toggle      | w-6 h-6      |
| ChevronLeft     | ChevronLeft     | Sidebar collapse toggle                 | w-5 h-5      |
| ChevronRight    | ChevronRight    | Breadcrumb separator, expand            | w-4 h-4      |
| X               | X               | Close modal, clear input, dismiss toast | w-5 h-5      |



## 2.2 · Task Management Icons

| Icon Name     | Import        | Usage Location                             | Size              |
|---------------|---------------|--------------------------------------------|-------------------|
| Plus          | Plus          | Create task FAB, add assignee, add comment | w-4 h-4 / w-5 h-5 |
| PlusCircle    | PlusCircle    | Empty state CTA: Create first task         | w-6 h-6           |
| Pencil        | Pencil        | Edit task button, inline edit trigger      | w-4 h-4           |
| Trash2        | Trash2        | Archive/delete task (Ops Manager+)         | w-4 h-4           |
| Archive       | Archive       | Archive task confirmation modal icon       | w-5 h-5           |
| Clock         | Clock         | Due date display, SLA countdown            | w-4 h-4           |
| AlertCircle   | AlertCircle   | Overdue indicator on task card             | w-4 h-4           |
| AlertTriangle | AlertTriangle | PO Critical priority badge icon            | w-4 h-4           |
| Flag          | Flag          | Priority indicator (generic)               | w-4 h-4           |
| RefreshCw     | RefreshCw     | Recurring task indicator on card           | w-4 h-4           |
| Paperclip     | Paperclip     | Attachment indicator, attach file button   | w-4 h-4           |
| MessageSquare | MessageSquare | Comments count on task card                | w-4 h-4           |
| UserCheck     | UserCheck     | Task assigned confirmation                 | w-4 h-4           |
| UserPlus      | UserPlus      | Add assignee to task                       | w-4 h-4           |
| CheckCircle2  | CheckCircle2  | Done status icon, completion mark          | w-4 h-4           |
| Circle        | Circle        | Backlog / To-Do status icon (hollow)       | w-4 h-4           |
| Loader2       | Loader2       | In Progress status (with spin animation)   | w-4 h-4           |
| Eye           | Eye           | In Review status icon                      | w-4 h-4           |
| Ban           | Ban           | Blocked status icon                        | w-4 h-4           |
| ArrowUpRight  | ArrowUpRight  | Open full task detail                      | w-4 h-4           |
| GripVertical  | GripVertical  | Drag handle for task reordering            | w-4 h-4           |
| Hash          | Hash          | Task ID display                            | w-3 h-3           |
| Tag           | Tag           | Task type label icon                       | w-3 h-3           |
| Repeat        | Repeat        | Recurrence rule set indicator              | w-3 h-3           |
| Target        | Target        | Performance weight (perf_weight) icon      | w-3 h-3           |
| ListFilter    | ListFilter    | Filter tasks toolbar button                | w-4 h-4           |

| Icon Name         | Import            | Usage Location                          | Size    |
|-------------------|-------------------|-----------------------------------------|---------|
| SlidersHorizontal | SlidersHorizontal | Advanced filter panel toggle            | w-4 h-4 |
| Search            | Search            | Task search input icon                  | w-4 h-4 |
| Download          | Download          | Export tasks CSV/PDF button             | w-4 h-4 |
| ExternalLink      | ExternalLink      | Link to task detail from list view      | w-3 h-3 |
| Copy              | Copy              | Copy task ID to clipboard               | w-3 h-3 |
| Link2             | Link2             | Add subtask / parent link               | w-4 h-4 |
| GitMerge          | GitMerge          | Subtask hierarchy icon                  | w-4 h-4 |
| Star              | Star              | Starred / pinned task toggle            | w-4 h-4 |
| MoreHorizontal    | MoreHorizontal    | Task card kebab menu (overflow actions) | w-4 h-4 |
| MoreVertical      | MoreVertical      | Row action menu in table view           | w-4 h-4 |

## 2.3 · Status & Priority Icons

| Status / Priority   | Icon          | Color Class                 | Badge Style                                           |
|---------------------|---------------|-----------------------------|-------------------------------------------------------|
| P0 — Critical       | AlertTriangle | text-red-600                | bg-red-50 text-red-600 border border-red-200          |
| P1 — High           | ArrowUp       | text-orange-500             | bg-orange-50 text-orange-600 border border-orange-200 |
| P2 — Medium         | Minus         | text-amber-500              | bg-amber-50 text-amber-600 border border-amber-200    |
| P3 — Low            | ArrowDown     | text-gray-400               | bg-gray-50 text-gray-500 border border-gray-200       |
| Status: Backlog     | Circle        | text-gray-400               | bg-gray-100 text-gray-500                             |
| Status: To-Do       | CircleDot     | text-indigo-400             | bg-indigo-50 text-indigo-600                          |
| Status: In Progress | Loader2       | text-amber-500 animate-spin | bg-amber-50 text-amber-600                            |
| Status: In Review   | Eye           | text-indigo-500             | bg-indigo-100 text-indigo-700                         |
| Status: Done        | CheckCircle2  | text-emerald-500            | bg-emerald-50 text-emerald-700                        |
| Status: Blocked     | Ban           | text-red-500                | bg-red-50 text-red-600                                |
| Status: Archived    | Archive       | text-gray-400               | bg-gray-100 text-gray-500                             |
| Overdue Flag        | AlertCircle   | text-red-500                | pulse animation on card border                        |

## 2.4 · HR, KPI & Attendance Icons

| Icon           | Import         | Usage                                  |
|----------------|----------------|----------------------------------------|
| CalendarCheck  | CalendarCheck  | Attendance marked Present              |
| CalendarX      | CalendarX      | Attendance marked Absent               |
| CalendarMinus  | CalendarMinus  | Half-Day attendance record             |
| CalendarOff    | CalendarOff    | On Leave / Public Holiday              |
| ClipboardList  | ClipboardList  | Leave requests list, HR dashboard      |
| ClipboardCheck | ClipboardCheck | Approved leave confirmation            |
| TrendingUp     | TrendingUp     | KPI score positive trend indicator     |
| TrendingDown   | TrendingDown   | KPI score negative trend indicator     |
| Award          | Award          | Top KPI performer badge / highlight    |
| BarChart2      | BarChart2      | KPI breakdown chart icon               |
| PieChart       | PieChart       | Attendance distribution chart          |
| Activity       | Activity       | Task completion rate chart             |
| Gauge          | Gauge          | KPI score gauge widget icon            |
| Lock           | Lock           | Locked KPI record (after 15th)         |
| Unlock         | Unlock         | Unlocked / editable KPI period         |
| FileText       | FileText       | HR notes on KPI manual override        |
| Edit3          | Edit3          | Manual KPI score override button       |
| UserMinus      | UserMinus      | Deactivate employee action             |
| UserCog        | UserCog        | Edit employee profile, role assignment |
| Shield         | Shield         | Role / permission indicator            |

## 2.5 · System & Admin Icons

| Icon       | Import     | Usage                             |
|------------|------------|-----------------------------------|
| Server     | Server     | System health panel (Super Admin) |
| Database   | Database   | DB backup status, data management |
| Key        | Key        | API key management                |
| KeyRound   | KeyRound   | JWT / auth key visual             |
| RefreshCcw | RefreshCcw | Refresh token, retry failed job   |

| Icon           | Import         | Usage                                 |
|----------------|----------------|---------------------------------------|
| Cpu            | Cpu            | System performance monitor            |
| HardDrive      | HardDrive      | Storage usage indicator               |
| Globe          | Globe          | Multi-office / geography indicator    |
| Webhook        | Webhook        | Integration webhook setup             |
| Terminal       | Terminal       | System log viewer, dev tools          |
| FileDown       | FileDown       | CSV / PDF export download             |
| FileUp         | FileUp         | CSV import upload                     |
| Upload         | Upload         | File attachment upload                |
| Trash          | Trash          | Soft delete (archive) action          |
| RotateCcw      | RotateCcw      | Restore archived record               |
| Info           | Info           | Tooltip trigger, info popover         |
| HelpCircle     | HelpCircle     | Help tooltip on field labels          |
| CheckCheck     | CheckCheck     | All notifications read, bulk complete |
| SendHorizontal | SendHorizontal | Submit comment, send notification     |
| Zap            | Zap            | Background job running / active       |
| ZapOff         | ZapOff         | Background job failed / paused        |
| BellOff        | BellOff        | Notification muted for event type     |
| BellRing       | BellRing       | Notification active / unread badge    |
| Power          | Power          | Deactivate account, system toggle     |
| ChevronDown    | ChevronDown    | Dropdown open indicator               |
| ChevronUp      | ChevronUp      | Dropdown closed, sort ascending       |
| ChevronsUpDown | ChevronsUpDown | Sortable column header indicator      |
| ArrowUpDown    | ArrowUpDown    | Table sort toggle                     |

## 03 GLOBAL LAYOUT SYSTEM

App Shell · Sidebar · TopBar · Breadcrumb · Role Navigation

## 03 • Global Layout System

### 3.1 • App Shell Structure

The App Shell wraps all authenticated pages. Structure (desktop): fixed sidebar left + scrollable main area right.

| Zone           | Component         | Width / Height                                                 | Position                                  | Tailwind Classes                                        |
|----------------|-------------------|----------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------|
| Sidebar        | <Sidebar />       | 240px fixed (desktop), 64px (collapsed), 100vw (mobile drawer) | Fixed left, full height                   | fixed left-0 top-0 h-screen z-20 bg-navy                |
| Top Bar        | <TopBar />        | 100% width, 64px height                                        | Fixed top, right of sidebar               | fixed top-0 left-60 right-0 h-16 z-20 bg-white border-b |
| Main Content   | <main />          | calc(100vw - 240px), scrollable                                | Relative, after sidebar and below top bar | ml-60 mt-16 min-h-screen bg-offwhite                    |
| Page Container | <PageContainer /> | max-w-7xl, centered                                            | Inside main                               | max-w-7xl mx-auto px-6 py-8                             |
| Mobile Overlay | <div />           | 100vw, 100vh                                                   | Fixed, above sidebar on mobile            | fixed inset-0 bg-black/40 z-10 md:hidden                |

### 3.2 • Sidebar Component

#### ► Structure

| Zone              | Content                                                                   | Tailwind Classes                                                                     |
|-------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Logo Zone (top)   | AFE/CTDS logo + "TaskFlow" wordmark. Height: 64px. Matches TopBar height. | flex items-center h-16 px-6 border-b border-white/10                                 |
| Nav Section Label | Small uppercase "WORKSPACE" / "MANAGEMENT" / "SYSTEM" dividers            | px-4 py-2 text-xs font-semibold uppercase tracking-widest text-indigo-300 opacity-60 |

| Zone                | Content                                                             | Tailwind Classes                                                                                                     |
|---------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Nav Item (inactive) | Icon (w-5 h-5) + Label text. 44px height. Hover: bg-white/10        | flex items-center gap-3 px-4 h-11 rounded-lg mx-2 text-gray-300 hover:bg-white/10 hover:text-white transition-colors |
| Nav Item (active)   | Same as inactive + indigo background + white text + left accent bar | bg-indigo/20 text-white font-semibold border-l-2 border-indigo relative                                              |
| Nav Item Badge      | Unread count number badge on Bell/notification item                 | ml-auto bg-red-500 text-white text-xs font-bold px-1.5 py-0.5 rounded-full min-w-[20px] text-center                  |
| Bottom Zone         | Avatar + User name + role chip + Settings + Logout icons            | mt-auto border-t border-white/10 p-4                                                                                 |
| Collapse Toggle     | ChevronLeft / ChevronRight button at sidebar bottom right           | absolute -right-3 top-1/2 bg-indigo rounded-full p-1 cursor-pointer shadow-lg                                        |

### ► Role-Adaptive Navigation Items

| Nav Group       | Nav Item          | Icon            | Visible To                                   |
|-----------------|-------------------|-----------------|----------------------------------------------|
| WORKSPACE       | Dashboard         | LayoutDashboard | All roles                                    |
| WORKSPACE       | My Tasks          | CheckSquare     | Employee, Dept Head                          |
| TASK MANAGEMENT | All Tasks         | ClipboardList   | Ops Manager, HR (read), Super Admin          |
| TASK MANAGEMENT | Department Tasks  | ListChecks      | Dept Head                                    |
| TASK MANAGEMENT | Task Templates    | LayoutTemplate  | Ops Manager, Super Admin                     |
| MANAGEMENT      | Departments       | Building2       | Dept Head (view), Ops Manager, Super Admin   |
| MANAGEMENT      | Employees         | Users           | Ops Manager, HR Manager, Super Admin         |
| HR              | Attendance        | Calendar        | HR Manager, Super Admin (full); others (own) |
| HR              | Leave Requests    | ClipboardCheck  | Dept Head (approve), HR, Super Admin         |
| HR              | KPI & Performance | BarChart3       | All roles (scoped)                           |
| SYSTEM          | Notifications     | Bell            | All roles                                    |
| SYSTEM          | Audit Log         | ScrollText      | Ops Manager, Super Admin                     |

| Nav Group | Nav Item    | Icon        | Visible To       |
|-----------|-------------|-------------|------------------|
| SYSTEM    | Admin Panel | ShieldCheck | Super Admin only |

### 3.3 · Top Navigation Bar (TopBar)

#### ► Component spec

| Element            | Position  | Component Details                                                                                                        | Classes                                                                                         |
|--------------------|-----------|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Mobile Menu Toggle | Far left  | Menu icon (w-6 h-6). Only visible <768px. Opens sidebar drawer.                                                          | lg:hidden p-2 text-gray-500 hover:text-gray-900                                                 |
| Breadcrumb         | Left      | See §3.4. Shows current location path.                                                                                   | flex-1 flex items-center gap-2 text-sm                                                          |
| Global Search      | Center    | Search input. Icon: Search (w-4 h-4). Placeholder: "Search tasks, employees...". Keyboard: Ctrl+K opens command palette. | hidden md:flex items-center gap-2 bg-gray-100 rounded-lg px-3 py-1.5 w-64 text-sm text-gray-500 |
| Notification Bell  | Right     | Bell icon. Red badge (count of unread). Click opens notification panel (slide-in from right).                            | relative p-2 text-gray-500 hover:text-gray-900 hover:bg-gray-100 rounded-lg                     |
| User Avatar Menu   | Far right | Avatar (32px circle) + Name (hidden mobile) + ChevronDown. Click opens dropdown: Profile / Settings / Logout.            | flex items-center gap-2 p-1.5 hover:bg-gray-100 rounded-lg cursor-pointer                       |

### 3.4 · Breadcrumb Component

Location: TopBar, left. Renders current page path as clickable links.

| Element      | Component                        | Classes                                 |
|--------------|----------------------------------|-----------------------------------------|
| Home / Root  | Link to dashboard                | text-gray-400 hover:text-indigo text-sm |
| Separator    | ChevronRight icon (w-4 h-4)      | text-gray-300                           |
| Parent Page  | Clickable link                   | text-gray-500 hover:text-indigo text-sm |
| Current Page | Non-clickable, current page name | text-gray-900 font-medium text-sm       |

### 3.5 · Page Container & Layout Patterns

| Pattern Name       | Usage                                    | Grid Classes                                                    |
|--------------------|------------------------------------------|-----------------------------------------------------------------|
| Single Column      | Forms, detail views, audit logs          | max-w-4xl mx-auto space-y-6                                     |
| Two Column (60/40) | Task detail (info + sidebar)             | grid grid-cols-1 lg:grid-cols-5 gap-6 (col-span-3 + col-span-2) |
| Three Column Stats | Dashboard stat cards                     | grid grid-cols-1 sm:grid-cols-2 xl:grid-cols-3 gap-4            |
| Four Column Stats  | Wide dashboard widgets                   | grid grid-cols-2 xl:grid-cols-4 gap-4                           |
| Full Width Table   | Task list, employee list, attendance log | w-full overflow-x-auto                                          |
| Card Grid          | Department cards, employee cards         | grid grid-cols-1 md:grid-cols-2 xl:grid-cols-3 gap-6            |

### 3.6 · Page Header Component

Consistent page header used on every page. Props: title, subtitle, actions (array of buttons).

| Element                 | Content / Spec                                           | Classes                                                                                                                |
|-------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Page Title              | h1. 30px bold. Page name.                                | text-2xl font-bold text-gray-900                                                                                       |
| Page Subtitle           | Optional. 14px. Description or stats summary.            | text-sm text-gray-500 mt-1                                                                                             |
| Actions Zone            | Right-aligned. Primary CTA + optional secondary buttons. | flex items-center gap-3 ml-auto                                                                                        |
| Primary Action Button   | Indigo bg. Plus or action icon left. 40px height.        | btn-primary: bg-indigo text-white px-4 py-2 rounded-lg text-sm font-semibold hover:bg-indigo-600                       |
| Secondary Action Button | White bg, gray border. 40px height.                      | btn-secondary: bg-white text-gray-700 border border-gray-200 px-4 py-2 rounded-lg text-sm font-medium hover:bg-gray-50 |
| Divider                 | 1px border-b below page header zone                      | border-b border-gray-200 pb-4 mb-6                                                                                     |



# 04 AUTHENTICATION

Login Page · Session Management · Error States

## 04 • Authentication

### 4.1 • Login Page

Route: /login. Unauthenticated only. Redirects to /dashboard on active session.

#### Page Layout

| Zone              | Description                                                                                        | Tailwind Classes                                                                                  |
|-------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Page Background   | Full viewport. Deep Space Navy bg. Subtle radial gradient overlay from indigo in top-right corner. | min-h-screen bg-navy flex items-center justify-center p-4                                         |
| Background Effect | Decorative: large blurred indigo circle top-right (CSS blob). Not interactive.                     | absolute top-0 right-0 w-[600px] h-[600px] bg-indigo/10 rounded-full blur-3xl pointer-events-none |
| Card Container    | Centered white card. Max-width: 448px. Shadow-xl. Rounded-2xl.                                     | w-full max-w-md bg-white rounded-2xl shadow-xl p-8                                                |
| Logo Zone         | AFE logo (48px) + "TaskFlow" heading + subtitle.                                                   | flex flex-col items-center mb-8 text-center                                                       |
| Form Zone         | Email + Password fields + Remember Me + Submit. See element table below.                           | space-y-5                                                                                         |

#### Login Card — Element Inventory

| Element      | Type | Spec                                                 | State Variants | Classes                                      |
|--------------|------|------------------------------------------------------|----------------|----------------------------------------------|
| Logo         | img  | TaskFlow logo SVG. 48×48px above heading.            | —              | w-12 h-12 mx-auto mb-3                       |
| App Title    | h1   | Text: "TaskFlow". 28px bold. Color: Deep Space Navy. | —              | text-2xl font-bold text-gray-900 text-center |
| App Subtitle | p    | Text: "Ablefolks Education MNC". 14px. Subtext gray. | —              | text-sm text-gray-500 text-center mt-1       |

| Element          | Type                 | Spec                                                                     | State Variants                       | Classes                                                                                    |
|------------------|----------------------|--------------------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------|
| Email Label      | label                | Text: "Work Email". Uppercase, 12px, tracking-wide.                      | —                                    | text-xs font-medium uppercase tracking-wide text-gray-500                                  |
| Email Input      | input[type=email]    | Placeholder: "you@ablefolks.com". Full width. Icon: Mail (left).         | default / focus / error / disabled   | w-full pl-10 pr-4 py-2.5 border border-gray-200 rounded-lg text-sm                         |
| Mail Icon        | Lucide: Mail         | Left-positioned inside email input. w-4 h-4. Gray.                       | —                                    | absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-gray-400                             |
| Password Label   | label                | Text: "Password". Same style as email label.                             | —                                    | text-xs font-medium uppercase tracking-wide text-gray-500                                  |
| Password Input   | input[type=password] | Placeholder: ".....". Icon: Lock left. Eye toggle right.                 | default / focus / show-pw / error    | w-full pl-10 pr-10 py-2.5 border border-gray-200 rounded-lg text-sm                        |
| Lock Icon        | Lucide: Lock         | Left inside password field. w-4 h-4.                                     | —                                    | absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-gray-400                             |
| Show/Hide Toggle | Lucide: Eye / EyeOff | Right inside password field. Toggles visibility.                         | Eye / EyeOff                         | absolute right-3 top-1/2 -translate-y-1/2 w-4 h-4 text-gray-400 cursor-pointer             |
| Error Message    | p                    | Inline below input. Icon: AlertCircle. 12px red.                         | hidden / visible                     | text-xs text-red-500 flex items-center gap-1 mt-1                                          |
| Remember Me      | checkbox + label     | Checkbox + "Remember me for 7 days" text.                                | checked / unchecked                  | flex items-center gap-2 text-sm text-gray-600                                              |
| Submit Button    | button[type=submit]  | Text: "Sign In". Full width. 44px height. Indigo bg. Spinner on loading. | default / hover / loading / disabled | w-full bg-indigo text-white font-semibold py-2.5 rounded-lg hover:bg-indigo-600 transition |
| Loading Spinner  | Lucide: Loader2      | Appears left of "Signing in..." text. Replaces "Sign In" on submit.      | spin animation                       | animate-spin w-4 h-4 mr-2                                                                  |

| Element         | Type | Spec                                                                     | State Variants     | Classes                                                               |
|-----------------|------|--------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------|
| Forgot Password | a    | Text: "Forgot password?". Right-aligned. 14px indigo.                    | hover<br>underline | text-sm text-indigo<br>hover:text-indigo-700<br>text-right block mt-1 |
| Footer Note     | p    | Text: "Contact your admin if you cannot access your account." 12px gray. | —                  | text-xs text-gray-400<br>text-center mt-6                             |

### Input States (All Inputs)

| State    | Border Class       | Ring Class            | Background                                     |
|----------|--------------------|-----------------------|------------------------------------------------|
| Default  | border-gray-200    | —                     | bg-white                                       |
| Focus    | border-indigo      | ring-2 ring-indigo/20 | bg-white                                       |
| Error    | border-red-400     | ring-2 ring-red-100   | bg-red-50/30                                   |
| Disabled | border-gray-100    | —                     | bg-gray-50<br>cursor-not-allowed<br>opacity-60 |
| Valid    | border-emerald-400 | —                     | bg-emerald-50/20                               |

### Toast Notifications on Login

| Scenario            | Toast Type      | Message                                            | Icon                   |
|---------------------|-----------------|----------------------------------------------------|------------------------|
| Invalid credentials | Error toast     | Invalid email or password. Please try again.       | AlertCircle — red      |
| Account deactivated | Error toast     | Your account has been deactivated. Contact admin.  | UserMinus — red        |
| Network error       | Warning toast   | Unable to connect. Check your internet connection. | WifiOff — amber        |
| Session expired     | Info toast      | Your session has expired. Please sign in again.    | Clock — indigo         |
| Login success       | Success (brief) | Welcome back, [name]! Redirecting...               | CheckCircle2 — emerald |

## 05 DASHBOARD PAGES

Role-Adaptive Dashboards — 5 Role Variants Defined

### 05 • Dashboard Pages

Route: /dashboard. Layout adapts to role. Same route, different widget sets. All dashboards use PageContainer with page header "Dashboard" and live date/time in subtitle.

#### 5.1 • Universal Dashboard Components (All Roles)

##### Quick Stats Strip — Top of every dashboard

| Stat Card Prop  | Spec                                                  | Classes                                                             |
|-----------------|-------------------------------------------------------|---------------------------------------------------------------------|
| Container       | White card. Rounded-xl. Shadow-sm. Padding 6.         | bg-white rounded-xl shadow-sm p-6 hover:shadow-md transition-shadow |
| Icon Zone       | Colored icon circle (40px) — color per card type.     | w-10 h-10 rounded-xl flex items-center justify-center [bg per type] |
| Stat Value      | Large number. 28px bold. Dark text.                   | text-3xl font-bold text-gray-900 mt-3                               |
| Stat Label      | 12px gray. Uppercase. Tracking-wide.                  | text-xs font-medium uppercase tracking-wide text-gray-500 mt-1      |
| Trend Indicator | TrendingUp / TrendingDown icon + % text. Green / red. | flex items-center gap-1 text-xs font-medium mt-2                    |
| Comparison      | 12px gray. "vs last month"                            | text-xs text-gray-400                                               |

#### 5.2 • Employee Dashboard

Role: employee. Focused on own tasks, own KPI, own attendance.

| Widget          | Widget Type | Data Source                                            | Icon                    | Grid Position |
|-----------------|-------------|--------------------------------------------------------|-------------------------|---------------|
| My Open Tasks   | Stat Card   | Count of tasks assigned to me, status != done/archived | CheckSquare — indigo bg | col-span-1    |
| Tasks Due Today | Stat Card   | due_date = today, status != done                       | Clock — amber bg        | col-span-1    |

| Widget                 | Widget Type        | Data Source                                                  | Icon                           | Grid Position              |
|------------------------|--------------------|--------------------------------------------------------------|--------------------------------|----------------------------|
| My KPI Score           | Stat Card          | Current month KPI total_score from KPIRecord                 | Gauge — emerald bg             | col-span-1                 |
| Attendance Rate        | Stat Card          | Present days / working days this month (%)                   | CalendarCh<br>eck — emerald bg | col-span-1 (2nd row)       |
| My Tasks List          | Task List Widget   | Top 5 upcoming tasks, sorted by due_date ASC                 | —                              | col-span-2 (full width lg) |
| Task Status Breakdown  | Donut Chart        | Count per status for my tasks. Colors: status semantic.      | —                              | col-span-1                 |
| My Attendance Calendar | Mini Calendar      | Month view. Day colored by status: green/red/amber.          | —                              | col-span-2                 |
| Recent Activity        | Activity Feed      | My task activity log. Latest 8 events. Icon per action type. | Activity —                     | col-span-1                 |
| My KPI Breakdown       | KPI Breakdown Card | Task score / Attendance score / Manual score bars.           | BarChart3 —                    | col-span-2 lg:col-span-1   |
| Pending Leave Requests | Info Card          | My submitted leave requests with status chips.               | ClipboardLi<br>st —            | col-span-1                 |

### Task List Widget — Element Detail

| Element       | Spec                                                                    | Classes                                                                                |
|---------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Widget Header | Title "My Tasks" + "View All" link (ChevronRight) + count badge.        | flex justify-between items-center mb-4                                                 |
| Task Row      | Priority dot + Title (truncate) + Status badge + Due date + Dept label. | flex items-center gap-3 py-3 border-b border-gray-100 hover:bg-gray-50 rounded-lg px-2 |
| Priority Dot  | 4px circle. Color per priority (P0=red, P1=amber, P2=indigo, P3=gray).  | w-2 h-2 rounded-full flex-shrink-0                                                     |
| Task Title    | 14px. Truncate at 1 line. Gray-900. Click → task detail.                | text-sm font-medium text-gray-900 truncate flex-1                                      |
| Status Badge  | Rounded pill. 10px font. Color per status.                              | px-2 py-0.5 rounded-full text-xs font-semibold [color per status]                      |
| Due Date      | 12px. Clock icon. Amber if due today, red if overdue, gray if future.   | flex items-center gap-1 text-xs [color by urgency]                                     |

| Element     | Spec                                                               | Classes                                        |
|-------------|--------------------------------------------------------------------|------------------------------------------------|
| Empty State | Illustration placeholder + "No open tasks" + "Create task" button. | flex flex-col items-center py-12 text-gray-400 |

## 5.3 · Department Head Dashboard

Role: head. Team overview + workload distribution + pending approvals.

| Widget                   | Type                | Data                                                                  | Icon                   | Position   |
|--------------------------|---------------------|-----------------------------------------------------------------------|------------------------|------------|
| Team Tasks Open          | Stat Card           | All open tasks in my department                                       | ListChecks — indigo    | col 1      |
| Overdue Tasks            | Stat Card (warning) | Tasks past due_date in my dept. Red if > 0.                           | AlertCircle — red      | col 2      |
| Team KPI Avg             | Stat Card           | Average KPI score across all team members                             | Award — emerald        | col 3      |
| Pending Approvals        | Stat Card (action)  | In-Review tasks + pending leave requests combined. Amber.             | ClipboardCheck — amber | col 4      |
| Team Workload Chart      | Bar Chart           | Tasks per team member. Horizontal bars. Overloaded = red bar.         | —                      | col-span-3 |
| Pending Task Reviews     | Review Queue        | List of tasks in "In Review" status. Approve / Reject buttons inline. | —                      | col-span-2 |
| Task Status Distribution | Donut Chart         | Status breakdown for all dept tasks this period.                      | —                      | col-span-1 |
| Team Attendance Today    | Presence Grid       | Avatar grid showing each team member. Green = present, Red = absent.  | —                      | col-span-2 |
| Recent Task Activity     | Activity Feed       | All task changes in dept. Latest 10. Actor shown.                     | —                      | col-span-1 |
| Leave Pending            | Approval Card       | Pending leave requests from team. Approve/Reject inline.              | —                      | col-span-1 |

## 5.4 · Operations Manager Dashboard

Role: ops\_manager. Platform-wide operational view. All departments visible.

| Widget                   | Type            | Data                                                     | Position              |
|--------------------------|-----------------|----------------------------------------------------------|-----------------------|
| Total Open Tasks         | Stat Card       | All tasks across all depts, status != done/archived      | col 1 of 4            |
| Critical (PO) Tasks      | Stat Card — red | PO tasks, status != done. Flashing if any exist.         | col 2 of 4            |
| Overdue Tasks (All)      | Stat Card — red | All departments overdue tasks count.                     | col 3 of 4            |
| Platform Users Active    | Stat Card       | Active employees count (is_active = true)                | col 4 of 4            |
| Department Task Heatmap  | Grid Table      | Rows = departments, cols = status. Count in each cell.   | col-span-4 full width |
| SLA Breach Monitor       | Alert List      | Tasks breaching SLA in next 2 hours. Sorted by deadline. | col-span-2            |
| Department Performance   | Bar Chart       | Task completion rate % per department. Month view.       | col-span-2            |
| Recent System Events     | Activity Feed   | Latest 15 system-wide task/employee/dept changes.        | col-span-2            |
| Employee List Quick View | Sortable Table  | Top employees by task completion rate. 10 rows.          | col-span-2            |
| Background Jobs Status   | Status Panel    | Recurring task engine / KPI engine / Email queue health. | col-span-1            |
| Notification Queue       | Metric Card     | Pending email notifications in Bull queue.               | col-span-1            |

## 5.5 · HR Manager Dashboard

Role: hr\_manager. People data focused — attendance, KPI, headcount.

| Widget                 | Type                | Data                                                   | Position   |
|------------------------|---------------------|--------------------------------------------------------|------------|
| Active Headcount       | Stat Card           | Total active employees across all depts and offices.   | col 1 of 4 |
| Attendance Today       | Stat Card           | Present count / total headcount today (live).          | col 2 of 4 |
| Pending Leave Requests | Stat Card — amber   | Leave requests with status = pending. Action required. | col 3 of 4 |
| KPI Month Coverage     | Stat Card — emerald | % of employees with KPI score calculated this month.   | col 4 of 4 |

| Widget                      | Type              | Data                                                            | Position   |
|-----------------------------|-------------------|-----------------------------------------------------------------|------------|
| Attendance Heatmap          | Calendar Heatmap  | Company-wide. Cells colored by attendance density.              | col-span-4 |
| Department Attendance Rates | Grouped Bar Chart | % present per department, past 30 days.                         | col-span-2 |
| KPI Score Distribution      | Histogram         | Buckets: 0-25, 26-50, 51-75, 76-90, 91-100. Employee count per. | col-span-2 |
| Leave Request Queue         | Approval Table    | Pending leave requests. Employee, type, dates, Approve/Reject.  | col-span-3 |
| Low KPI Alert List          | Alert Table       | Employees with KPI < 50. Dept, score, breakdown breakdown.      | col-span-1 |
| KPI Lock Status             | Status Card       | Is current month locked? Lock date countdown.                   | col-span-1 |

## 5.6 · Super Admin Dashboard

Role: super\_admin. Full platform health + security + system overview.

| Widget                  | Type            | Data                                                               | Position   |
|-------------------------|-----------------|--------------------------------------------------------------------|------------|
| System Health Score     | Gauge Widget    | API response p95 / uptime / queue health composite                 | col 1 of 4 |
| Total Platform Users    | Stat Card       | All users. Active / Inactive breakdown.                            | col 2 of 4 |
| Active Background Jobs  | Stat Card       | Bull queue job health. Red if any failed jobs.                     | col 3 of 4 |
| Security Alerts         | Stat Card — red | RBAC violations, failed logins, suspicious activity.               | col 4 of 4 |
| All Department Overview | Full Table      | All depts: head, employee count, open tasks, KPI avg.              | col-span-4 |
| API Performance Chart   | Line Chart      | p95 response time trend. Last 24h. Dotted target line at 300ms.    | col-span-2 |
| System Audit Feed       | Live Feed       | Latest 20 SystemLog entries. Actor, action, entity, timestamp.     | col-span-2 |
| Role Distribution       | Donut Chart     | Count per role type across all employees.                          | col-span-1 |
| Job Queue Monitor       | Status List     | Bull queues: recurring / KPI / email / reports. Status + last run. | col-span-2 |



| Widget        | Type          | Data                                    | Position   |
|---------------|---------------|-----------------------------------------|------------|
| Storage Usage | Progress Bars | S3/R2: used / limit. Log size. DB size. | col-span-1 |

## 06 TASK MANAGEMENT PAGES

Task List · Task Detail · Create/Edit · State Machine UI

# 06 • Task Management Pages

## 6.1 • Task List Page

Route: /tasks. Default view: list. Role-scoped data. Employee sees own tasks. Head sees dept tasks. Ops sees all.

### Toolbar — Filter, Sort, View Controls

| Element          | Type              | Spec / Options                                                                                                              | Classes                                                                |
|------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Search Input     | input             | Icon: Search left. Placeholder: "Search tasks by title...". 280px wide. Live filter.                                        | bg-white border border-gray-200 rounded-lg pl-9 pr-4 py-2 text-sm w-72 |
| Status Filter    | Select / Dropdown | Multi-select pills. Options: All / Backlog / To-Do / In Progress / In Review / Done / Blocked. Lucide: Filter icon trigger. | dropdown w-40 text-sm                                                  |
| Priority Filter  | Select / Dropdown | Multi-select. P0 / P1 / P2 / P3. Each with colored dot.                                                                     | dropdown w-36 text-sm                                                  |
| Assignee Filter  | Search Select     | Dept employee list. Avatar + name per option. Ops Manager: all employees.                                                   | combobox w-44 text-sm                                                  |
| Dept Filter      | Select            | Only for Ops Manager / Super Admin. Dept list.                                                                              | dropdown w-44 text-sm                                                  |
| Date Range       | Date Picker       | From / To due_date filter. Calendar pop-up. Lucide: Calendar icon.                                                          | date-range-picker text-sm                                              |
| Task Type Filter | Select            | admin / client / training / research / operations / intern_log.                                                             | dropdown w-44 text-sm                                                  |

| Element            | Type             | Spec / Options                                                             | Classes                               |
|--------------------|------------------|----------------------------------------------------------------------------|---------------------------------------|
| Sort By            | Select           | Due Date ASC/DESC / Priority / Created / Updated / Title.                  | dropdown w-40 text-sm                 |
| View Toggle        | Icon Buttons     | List icon (List) / Table icon (LayoutList) / Kanban (LayoutGrid — future). | flex gap-1 bg-gray-100 rounded-lg p-1 |
| Create Task Button | Primary Button   | Plus icon + "Create Task" text. Only for Dept Head / Ops / Admin.          | btn-primary flex items-center gap-2   |
| Export Button      | Secondary Button | FileDown icon + "Export" text. Opens CSV/PDF options menu.                 | btn-secondary                         |
| Active Filters Bar | Tag Strip        | Shows active filters as dismissible chips below toolbar.                   | flex gap-2 flex-wrap mt-3             |

### Task Card (List View)

| Element             | Position          | Spec                                                                                 | Classes                                                                                                         |
|---------------------|-------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Card Container      | Full row          | White. Hover: shadow-md + bg-white. Rounded-lg. Clickable → detail.                  | bg-white rounded-lg border border-gray-200 p-4 hover:shadow-md hover:border-indigo/30 transition cursor-pointer |
| Priority Bar        | Far left vertical | 4px wide colored bar. Full card height. Color: P0=red, P1=amber, P2=indigo, P3=gray. | w-1 rounded-l-lg flex-shrink-0 self-stretch [bg per priority]                                                   |
| Task ID             | Top left, small   | #TF-0001 format. Mono font. 11px gray. Copy icon on hover.                           | font-mono text-xs text-gray-400 flex items-center gap-1                                                         |
| Task Title          | Primary text      | 16px semibold. Truncate 2 lines. Gray-900. Links to detail.                          | text-base font-semibold text-gray-900 line-clamp-2                                                              |
| Task Type Badge     | Below title       | Pill badge. 10px. Colored by type. Icon: Tag.                                        | text-xs px-2 py-0.5 rounded-md bg-gray-100 text-gray-600                                                        |
| Description Excerpt | Below type badge  | 12px gray. Truncate 1 line. Optional.                                                | text-xs text-gray-500 line-clamp-1 mt-1                                                                         |
| Assignee Avatars    | Bottom left       | Stack of avatar circles (24px). Max 3 shown + "+N" if more.                          | flex -space-x-2                                                                                                 |
| Department Label    | Bottom center     | 12px. Building2 icon. Dept name.                                                     | flex items-center gap-1 text-xs text-gray-400                                                                   |

| Element          | Position                   | Spec                                                               | Classes                                                         |
|------------------|----------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------|
| Due Date         | Bottom center-right        | Clock icon. Color: red if overdue, amber if today, gray if future. | flex items-center gap-1 text-xs [color by urgency]              |
| Priority Badge   | Top right                  | AlertTriangle (PO) / colored badge label.                          | px-2 py-0.5 rounded-full text-xs font-bold [colors]             |
| Status Badge     | Top right (below priority) | Rounded pill. Color per status.                                    | px-2.5 py-1 rounded-full text-xs font-semibold [colors]         |
| Recurring Icon   | Top right area             | Repeat icon (w-3 h-3). Amber. Tooltip: "Recurring task".           | text-amber-400                                                  |
| Attachment Count | Bottom row                 | Paperclip icon + count. Only if attachments exist.                 | flex items-center gap-1 text-xs text-gray-400                   |
| Comment Count    | Bottom row                 | MessageSquare icon + count.                                        | flex items-center gap-1 text-xs text-gray-400                   |
| perf_weight      | Bottom row                 | Target icon + value. Only if perf_weight > 0.                      | flex items-center gap-1 text-xs text-gray-400                   |
| Overdue Flag     | Overlay border             | Red pulsing border. AlertCircle top-left. If overdue and !done.    | ring-2 ring-red-400 animate-pulse                               |
| Kebab Menu       | Top right corner           | MoreHorizontal icon. Hover appears. Opens action dropdown.         | opacity-0 group-hover:opacity-100 p-1 rounded hover:bg-gray-100 |
| PO Glow          | Card wrapper               | Extra red glow shadow if PO Critical task.                         | shadow-[0_0_0_2px_#EF4444,0_4px_12px_rgba(239,68,68,0.2)]       |

### Table View — Column Spec

| Column     | Width | Content                                        | Sortable |
|------------|-------|------------------------------------------------|----------|
| #          | 64px  | Task ID. Mono font. Checkbox for bulk actions. | No       |
| Title      | 30%   | Task title + task type badge below. Truncate.  | Yes      |
| Priority   | 80px  | Priority badge with icon.                      | Yes      |
| Status     | 100px | Status chip with icon.                         | Yes      |
| Assignees  | 100px | Avatar stack (24px). Max 3 + "+N".             | No       |
| Department | 120px | Dept name. Hidden on tablet.                   | Yes      |
| Due Date   | 110px | Formatted date. Color by urgency.              | Yes      |

| Column      | Width | Content                                                      | Sortable |
|-------------|-------|--------------------------------------------------------------|----------|
| perf_weight | 80px  | Integer or "—". Target icon.                                 | Yes      |
| Created     | 100px | Relative time ("2 days ago"). Hidden mobile.                 | Yes      |
| Actions     | 80px  | View (Eye) + Edit (Pencil) + Archive (Archive) icon buttons. | No       |

## Kebab Menu — Task Card Actions

| Action          | Icon             | Role Required                    | Destructive              |
|-----------------|------------------|----------------------------------|--------------------------|
| View Task       | Eye              | All (own tasks)                  | No                       |
| Edit Task       | Pencil           | Dept Head (own dept), Ops, Admin | No                       |
| Change Status   | ArrowRightCircle | Assignee (own status), Head, Ops | No                       |
| Add Comment     | MessageSquare    | All (own tasks)                  | No                       |
| Attach File     | Paperclip        | All (own tasks)                  | No                       |
| Duplicate Task  | Copy             | Dept Head, Ops, Admin            | No                       |
| Archive Task    | Archive          | Ops Manager, Super Admin         | Yes — confirmation modal |
| Change Priority | Flag             | Dept Head, Ops, Admin            | No                       |
| Change Assignee | UserPlus         | Dept Head, Ops, Admin            | No                       |
| View Subtasks   | GitMerge         | All (own tasks)                  | No                       |

## 6.2 · Task Detail Page

Route: /tasks/:id. Two-column layout: content left (col-span-3 of 5) + sidebar right (col-span-2 of 5).

### Left Column — Main Content

| Zone   | Element               | Spec                                                                                    |
|--------|-----------------------|-----------------------------------------------------------------------------------------|
| Header | Task ID               | #TF-0001. Mono. 12px. Gray. Copy button. Hash icon.                                     |
| Header | Task Title (editable) | H1. 24px bold. Click to edit inline (contenteditable). Autosave on blur. Max 160 chars. |
| Header | Task Type Badge       | Pill. Type enum value. Tag icon.                                                        |
| Header | Breadcrumb            | Dept > Task (if subtask: Parent Task > This Task)                                       |

| Zone              | Element        | Spec                                                                                                                                 |
|-------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Description       | Rich Text Area | Markdown-lite editor. Toolbar: Bold / Italic / Lists / Links / Code. Max 5000 chars. Char counter below. Read-only for non-creators. |
| Assignees Section | Section Header | UserCheck icon + "Assignees" label + "Add Assignee" button (Head/Ops only)                                                           |
| Assignees Section | Assignee Chips | Avatar (32px) + Name + Role badge. X remove button (Head/Ops only). Rounded-full chips.                                              |
| Comments Section  | Section Header | MessageSquare icon + "Comments" + count badge.                                                                                       |
| Comments Section  | Comment Feed   | Each: Avatar + Name + Relative time + Comment text (markdown rendered) + attachment list. Latest at bottom.                          |
| Comments Section  | Comment Input  | Textarea. Placeholder: "Add a comment... (Markdown supported)". SendHorizontal button right. Paperclip for attach. Enter to submit.  |
| Attachments       | Section Header | Paperclip icon + "Attachments" + count badge. Upload button.                                                                         |
| Attachments       | File Grid      | Grid of file cards. Icon per type (PDF/DOCX/XLSX/Image/Video). Name, size, uploader, date. Download + Delete (if owner).             |
| Subtasks          | Section Header | GitMerge icon + "Subtasks" + count + "Add Subtask" button.                                                                           |
| Subtasks          | Subtask List   | Nested mini-task rows. Checkbox + title + status + assignee avatar.                                                                  |
| Activity Log      | Section Header | Activity icon + "Task Activity". Collapsible.                                                                                        |
| Activity Log      | Log Feed       | Each entry: icon per action + actor name + description + timestamp. Scrollable.                                                      |

## Right Sidebar — Task Properties

| Property | Element                         | Editable By                           | Spec                                                                                                                |
|----------|---------------------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Status   | Status Dropdown + State Machine | Assignee (own progression), Head, Ops | Current status badge. Click opens transition options (only valid next states shown). Disabled options shown greyed. |
| Priority | Priority Selector               | Dept Head, Ops, Admin                 | P0-P3 radio-style selector. Each with icon + colored label. Currently selected highlighted.                         |
| Due Date | DatePicker                      | Dept Head, Ops                        | Calendar input. Red asterisk if P0/P1. "Today" / "Tomorrow" quick selects.                                          |

| Property        | Element                     | Editable By        | Spec                                                                                                       |
|-----------------|-----------------------------|--------------------|------------------------------------------------------------------------------------------------------------|
| Department      | Department Badge            | Ops Manager, Admin | Read-only badge for most. Ops can change.                                                                  |
| Task Type       | Type Select                 | Dept Head, Ops     | Dropdown: admin / client / training / research / operations / intern_log                                   |
| perf_weight     | Number Slider 0–100         | Dept Head, Ops     | Slider + number input. Helper text: "Contribution to monthly KPI score". Lock icon after KPI month locked. |
| Recurrence Rule | RRULE Display + Edit Button | Ops Manager, Admin | Shows parsed rule: "Every weekday" / "Every Monday". Edit opens RRULE builder modal. Repeat icon.          |
| Parent Task     | Task Link Select            | Dept Head, Ops     | Search-select for parent task. Max 1 level above. Link2 icon. "Set as subtask of..." placeholder.          |
| Created By      | User Avatar + Name          | Read-only          | UserCheck icon. Avatar + name + date created.                                                              |
| Created At      | Timestamp                   | Read-only          | Calendar icon. Full date + time.                                                                           |
| Updated At      | Timestamp                   | Read-only          | Clock icon. Relative time.                                                                                 |
| Task ID         | Mono Text + Copy            | Read-only          | Hash icon. Copy to clipboard button.                                                                       |
| SLA Status      | SLA Countdown               | Read-only          | If active SLA: Gauge icon + "X hours remaining" or "SLA BREACHED" in red.                                  |
| KPI Impact      | Score Estimate              | Read-only          | Target icon + "This task contributes X points to KPI if completed this month."                             |

## Status Transition UI (State Machine)

Status dropdown shows ONLY valid next states for the current status:

| Current Status | Valid Next States Shown               | Invalid States (Hidden)                         |
|----------------|---------------------------------------|-------------------------------------------------|
| Backlog        | To-Do                                 | In Progress, In Review, Done, Blocked, Archived |
| To-Do          | In Progress, Blocked, Backlog         | In Review, Done, Archived                       |
| In Progress    | In Review, Blocked, To-Do             | Backlog, Done, Archived                         |
| In Review      | Done (Head/Ops), In Progress (reject) | Backlog, To-Do, Archived                        |
| Done           | Archived (Ops/Admin)                  | Backlog, To-Do, In Progress, In Review, Blocked |
| Blocked        | In Progress, To-Do                    | In Review, Done, Archived                       |
| Archived       | — (read-only)                         | All transitions blocked                         |

## 6.3 · Task Create / Edit Page (Full Page + Modal Variants)

Two modes: (1) Full page at /tasks/create or /tasks/:id/edit. (2) Quick-create slide-in panel from "+" button.

### Full Create/Edit Form — Field Inventory

| Field       | Input Type                                              | Validation                                                    | Required            | Hint / Behavior                                                                                  |
|-------------|---------------------------------------------------------|---------------------------------------------------------------|---------------------|--------------------------------------------------------------------------------------------------|
| Title       | text input. Max 160 chars. Char counter.                | Min 3 chars. Max 160 chars.                                   | YES                 | Auto-focus on page open. 160 - typed = remaining chars shown.                                    |
| Description | Rich text editor. Markdown. Max 5000 chars.             | Max 5000 chars.                                               | No                  | Toolbar: B/I/UL/OL/Link/Code. Preview tab toggle. Char counter.                                  |
| Task Type   | Select dropdown. Enum: 6 options.                       | Required selection.                                           | YES                 | Labels: Admin Task / Client Task / Training / Research / Operations / Intern Log. Icon per type. |
| Priority    | Radio-style selector. P0–P3.                            | Must select one.                                              | YES                 | Default: P3. P0 shows red warning banner: "Critical — 2-hour SLA. Alerts sent immediately."      |
| Assignees   | Multi-select search. Dept employee list.                | Min 1 (if Dept Head creating). Optional for Ops.              | Conditionally       | Avatar + name per option. Role chip shown. Max 10 assignees.                                     |
| Department  | Auto-filled (creator's dept). Ops Manager can override. | Valid dept_id required.                                       | YES                 | Read-only for Dept Head. Ops Manager sees full dept dropdown.                                    |
| Due Date    | DatePicker. Calendar popover.                           | Required for P0/P1. Error if past date selected for new task. | Conditional (P0/P1) | Quick selects: Today / Tomorrow / +3 days / +1 week / Next Monday.                               |
| perf_weight | Number slider 0–100 + text input.                       | Integer. 0–100.                                               | No (defaults 0)     | Help text: "0 = does not affect KPI. 100 = full weight task." Only editable by Dept Head/Ops.    |
| Parent Task | Search-select. Task list filtered to same dept.         | Optional. Must be existing task ID. Max depth 2.              | No                  | Placeholder: "Set as subtask of...". Link2 icon.                                                 |

| Field           | Input Type                          | Validation                                                       | Required | Hint / Behavior                                                                    |
|-----------------|-------------------------------------|------------------------------------------------------------------|----------|------------------------------------------------------------------------------------|
| Recurrence Rule | RRULE Builder modal trigger.        | Valid RRULE string if set.                                       | No       | Shows parsed: "Every weekday". Repeat icon triggers modal. Only Ops/Admin can set. |
| Attachments     | Drag-and-drop zone + Browse button. | Max 5 files. Max 10MB each.<br>Types: PDF/DOCX/XLSX/PNG/JPG/MP4. | No       | Progress bars per file. File icon + name + size shown. X to remove before submit.  |

## P0 Warning Banner (shown inline when P0 selected)

*When priority = P0 selected: Show red warning box: "Critical Priority Selected — Creating this task will immediately alert all assignees, the Department Head, and Operations Manager via in-app notification and email. Ensure this is a genuine system-breaking or client-facing emergency."*

## RRULE Builder Modal

Triggered from recurrence field. Ops Manager / Admin only.

| Field         | Options                                          | Output Preview                   |
|---------------|--------------------------------------------------|----------------------------------|
| Frequency     | Daily / Weekly / Monthly / Yearly                | Every day / Every week           |
| Days of Week  | Mon Tue Wed Thu Fri Sat Sun (multi-select chips) | Every Mon, Wed, Fri              |
| Interval      | Number input: "every N [frequency]"              | Every 2 weeks                    |
| End Condition | Never / End Date / After N Occurrences           | Until Dec 31, 2026               |
| Preview Text  | Auto-generated plain English preview below form  | RRULE:FREQ=WEEKLY;BYDAY=MO,WE,FR |
| Start Date    | DatePicker. Defaults to task due_date.           | Starting June 16, 2026           |

## Form Action Buttons

| Button                  | Variant           | Position                       | Behavior                                                                 |
|-------------------------|-------------------|--------------------------------|--------------------------------------------------------------------------|
| Save Task / Create Task | Primary (indigo)  | Bottom right, sticky on scroll | Validates all fields. Shows loader. Redirects to task detail on success. |
| Save Draft              | Secondary         | Bottom right, next to Save     | Saves with status = Backlog. No assignee required.                       |
| Cancel                  | Ghost (text only) | Bottom left                    | Confirm dialog if form is dirty. Navigates back.                         |



| Button              | Variant              | Position                                | Behavior                                                                             |
|---------------------|----------------------|-----------------------------------------|--------------------------------------------------------------------------------------|
| Delete Task         | Danger (red outline) | Bottom left (edit mode only, Ops/Admin) | Confirmation modal: "Archive this task? This cannot be undone without admin access." |
| Preview Description | Tab inside form      | Above description editor right          | Toggles between edit and rendered markdown preview.                                  |

## 07 DEPARTMENT MANAGEMENT

Department List · Create · Edit · Nested Structure

### 07 • Department Management

Route: /departments. Ops Manager = full CRUD. Super Admin = delete. Dept Head = view own. HR = view all.

#### 7.1 • Department List Page

##### Department Cards Grid

| Element           | Spec                                                                                                | Classes                                                                                            |
|-------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Card Container    | White. Rounded-xl. Shadow-sm. Hover: shadow-md. Clickable.                                          | bg-white rounded-xl shadow-sm p-6 hover:shadow-md transition cursor-pointer border border-gray-100 |
| Dept Color Strip  | Top border: 4px. Color auto-assigned per dept (cycle through indigo/emerald/amber/red/violet/teal). | border-t-4 [color per dept]                                                                        |
| Dept Name         | 18px semibold. Gray-900.                                                                            | text-lg font-semibold text-gray-900                                                                |
| Dept Description  | 12px. 2-line truncate. Gray-500.                                                                    | text-xs text-gray-500 mt-1 line-clamp-2                                                            |
| Parent Dept Badge | If nested: shows parent name with indented arrow. ChevronRight icon.                                | text-xs text-indigo flex items-center gap-1 mt-2                                                   |
| Head Avatar       | Avatar (36px) + head name + "Department Head" label.                                                | flex items-center gap-2 mt-4                                                                       |

| Element         | Spec                                                                                                          | Classes                                                             |
|-----------------|---------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Stats Row       | Employee count (Users icon) / Open Tasks (CheckSquare icon) / KPI avg (BarChart3 icon). 3 stats side by side. | flex gap-4 mt-4 pt-4 border-t border-gray-100                       |
| Sub-departments | Count chip: "X sub-departments". Building2 icon. Only if parent dept.                                         | text-xs text-gray-400 flex items-center gap-1 mt-2                  |
| Status Badge    | Active (green pill) or Inactive (gray pill).                                                                  | px-2 py-0.5 rounded-full text-xs font-medium [emerald/gray]         |
| Actions (hover) | Edit (Pencil) + Manage (Settings) icon buttons appear on card hover.                                          | absolute top-4 right-4 flex gap-1 opacity-0 group-hover:opacity-100 |

## Create / Edit Department Modal

| Field             | Type                           | Validation                                     | Notes                                                                                            |
|-------------------|--------------------------------|------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Department Name   | text input                     | Required. Min 2, max 80 chars.                 | Placeholder: "e.g., Faculty Development"                                                         |
| Description       | textarea                       | Optional. Max 300 chars.                       | Helper: "Brief description of department responsibilities"                                       |
| Parent Department | Select                         | Optional. Self-reference. Max 1 level nesting. | Dropdown of active departments. "None (Root Department)" default option.                         |
| Department Head   | Search Select                  | Optional at creation.                          | Avatar + name + role badge per option. Must be a user with role=head in same dept.               |
| Active Status     | Toggle switch                  | Boolean.                                       | Default: active. Toggle to deactivate. Shows warning if deactivating dept with active employees. |
| Department Color  | Color picker (preset swatches) | Optional. 8 preset colors.                     | Visual only. Used for dept color strip on card.                                                  |

## 7.2 · Department Detail Page

Route: /departments/:id. Shows full dept info + nested org chart + employee list + task metrics.

| Section | Content                                           | Element Spec                 |
|---------|---------------------------------------------------|------------------------------|
| Header  | Dept name, description, head info, active status. | Same as page header pattern. |

| Section             | Content                                                                          | Element Spec                                      |
|---------------------|----------------------------------------------------------------------------------|---------------------------------------------------|
| Stats Strip         | Employee count / Active tasks / Avg KPI / Avg attendance.                        | 4x stat cards horizontal.                         |
| Employee List Tab   | Table: Avatar / Name / Role / Active tasks / KPI score / Status. Search input.   | Filterable table. Add Employee button (Ops).      |
| Sub-departments Tab | Cards of child depts (if any). Add Sub-dept button.                              | Same card design as parent.                       |
| Active Tasks Tab    | Filtered task list for this dept. Same task card component.                      | Uses TaskList with dept filter locked.            |
| Settings Tab        | Edit dept form fields. Delete dept button (Admin only, blocked if active tasks). | Full form. Delete = red button with confirmation. |

## 08 EMPLOYEE MANAGEMENT

Employee List · Profile · Add · Deactivate · Role Assignment

## 08 • Employee Management

Route: /employees. Ops Manager + HR Manager full access. Dept Head: own dept only (read + limited edit).

### 8.1 • Employee List Page

#### Toolbar

| Element             | Spec                                                            |
|---------------------|-----------------------------------------------------------------|
| Search              | Search by name or email. Search icon left. 300px.               |
| Department Filter   | Dropdown. "All Departments" default. Dept list.                 |
| Role Filter         | Multi-select. All 5 roles. With role icon per option.           |
| Status Filter       | Active / Inactive / All toggle tabs.                            |
| Sort By             | Name A-Z / Dept / Role / KPI Score / Joined Date.               |
| Add Employee Button | Primary. UserPlus icon + "Add Employee". Ops Manager / HR only. |
| Export Button       | Secondary. FileDown icon. CSV export of filtered list.          |

## Employee Table — Column Spec

| Column     | Width | Content                                                              | Notes                                                                |
|------------|-------|----------------------------------------------------------------------|----------------------------------------------------------------------|
| Employee   | 35%   | Avatar (36px) + Full Name (semibold) + Email below (12px gray).      | Clickable row → profile page.                                        |
| Role       | 100px | Role badge with shield icon. Color per role level.                   | Color: employee=gray, head=indigo, ops=amber, hr=emerald, admin=red. |
| Department | 150px | Dept name + color strip. Building2 icon.                             |                                                                      |
| Status     | 90px  | Active (emerald pill) / Inactive (gray). Power icon.                 |                                                                      |
| KPI Score  | 90px  | Current month total_score. Color: <50=red, 50-75=amber, >75=emerald. |                                                                      |
| Tasks Open | 80px  | Count of non-done tasks assigned.                                    |                                                                      |
| Joined     | 100px | Relative time. Full date on hover.                                   |                                                                      |
| Actions    | 80px  | View (Eye) + Edit (Pencil) + Deactivate/Activate (Power icon).       | Deactivate = red. Confirm modal.                                     |

## 8.2 · Add Employee Modal

| Field              | Input Type       | Validation                                                 | Notes                                                            |
|--------------------|------------------|------------------------------------------------------------|------------------------------------------------------------------|
| Full Name          | text             | Required. Min 2, max 100 chars.                            |                                                                  |
| Work Email         | email            | Required. Valid email. Unique check via API.               | Placeholder: "name@ablefolks.com"                                |
| Role               | Select           | Required. 5 options. Role descriptions shown below select. | Employee is default.                                             |
| Department         | Search Select    | Required.                                                  | Avatar of current head shown next to dept name.                  |
| Temporary Password | text (show/hide) | Auto-generated shown. Copy button. 12-char minimum.        | Info note: "Employee will be prompted to change on first login." |

| Field           | Input Type  | Validation                                             | Notes                             |
|-----------------|-------------|--------------------------------------------------------|-----------------------------------|
| Profile Photo   | File upload | Optional. JPG/PNG only. Max 2MB. Circle preview.       | Drag-and-drop or click to upload. |
| Office Location | Select      | Optional. Manjeri / Kozhikode / New Delhi / UAE / USA. | Maps to AFE office structure.     |
| Joining Date    | DatePicker  | Optional. Defaults to today.                           |                                   |

## 8.3 · Employee Profile Page

Route: /employees/:id. Two-column layout.

| Section           | Content                                                                                                     |
|-------------------|-------------------------------------------------------------------------------------------------------------|
| Profile Header    | Large avatar (80px) + Name + Role badge + Dept badge + Email + Office + Joined date. Edit button top-right. |
| Quick Stats Strip | Open Tasks / Completed Tasks (this month) / KPI Score / Attendance Rate. 4x stat cards.                     |
| Task History Tab  | All tasks assigned to this employee. Same task list component. Filterable.                                  |
| KPI History Tab   | Table: Month / Task Score / Attendance Score / Manual Score / Total / Locked. Bar chart of last 6 months.   |
| Attendance Tab    | Monthly calendar. Status per day. Summary stats: Present/Absent/Leave/Half-Day counts.                      |
| Activity Log Tab  | All system log entries for this user. Icon per action type.                                                 |
| Settings Tab      | Edit all profile fields. Role change (Ops/Admin only). Deactivate account button.                           |

# 09 ATTENDANCE & LEAVE

Attendance Log · Leave Request · Approval Flow · HR Dashboard

## 09 · Attendance & Leave

### 9.1 · Attendance Log Page

Route: /attendance. HR Manager / Super Admin: full CRUD. Employee: view own. Dept Head: view own team.

## View Modes

| Mode                  | Layout                                                                                                      | Navigation                                                          |
|-----------------------|-------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Monthly Calendar View | Full-month grid. Each day cell = attendance status chip per employee (HR view) or per self (employee view). | Prev/Next month arrows. "Today" button. Month/Year picker dropdown. |
| Table List View       | Rows: Employee + Date + Status + Check-in/out + Notes + Edited By. Sortable columns.                        | Date range filter. Employee filter. Status filter.                  |
| Bulk Edit View        | Spreadsheet-like grid (HR only). Multiple employees × days. Click cell to change status.                    | Select date range. Confirm bulk changes button.                     |

## Monthly Calendar View — Cell Design

| Status         | Cell Background      | Text                         | Icon                    |
|----------------|----------------------|------------------------------|-------------------------|
| Present        | #ECDF5 (emerald-50)  | P or "Present"               | CalendarCheck — emerald |
| Absent         | #FEF2F2 (red-50)     | A or "Absent"                | CalendarX — red         |
| Half-Day       | #FFFBE5 (amber-50)   | H or "Half Day"              | CalendarMinus — amber   |
| On-Leave       | #EEF2FF (indigo-50)  | L or "On Leave"              | CalendarOff — indigo    |
| Public Holiday | #F3F4F6 (gray-100)   | PH or holiday name           | Star — gray             |
| No Record      | #FFFFFF (white)      | Empty cell                   | —                       |
| Future Date    | #F9FAFB (off-white)  | Grayed out. Not interactive. | —                       |
| Today          | Indigo border (2px)  | Day number in indigo bold.   | —                       |
| Locked Month   | Padlock icon overlay | All cells read-only.         | Lock icon — gray        |

## Attendance Table — Column Spec

| Column   | Content                                 | Notes                                     |
|----------|-----------------------------------------|-------------------------------------------|
| Employee | Avatar + Name + Dept. Only for HR view. | Hidden in employee self-view (redundant). |
| Date     | Day, month, year. Sortable.             | Bold if today. Red if absent on workday.  |

| Column    | Content                                                                     | Notes                                            |
|-----------|-----------------------------------------------------------------------------|--------------------------------------------------|
| Check-In  | Time (HH:mm). Gray if not recorded.                                         | Optional field. HR enters manually.              |
| Check-Out | Time (HH:mm). Gray if not recorded.                                         | Optional.                                        |
| Status    | Chip:<br>Present/Absent/Half-Day/On-Leave/Public-Holiday. Color per status. | Click to edit (HR only, unlocked month).         |
| Hours     | Calculated if check-in/out both exist.                                      | Gray. 12px.                                      |
| Note      | Short text. EditIcon if HR can edit.                                        | Truncate 40 chars. Click to expand.              |
| Edited By | Avatar + name if record was edited.<br>Lock icon if month is locked.        | Audit trail visible. Hover for full change info. |
| Actions   | Edit (Pencil) + History (Clock). HR only.<br>Locked = no edit.              | Edit opens inline form or modal.                 |

### Mark Attendance Modal (HR)

| Field          | Type                                       | Notes                                                      |
|----------------|--------------------------------------------|------------------------------------------------------------|
| Employee       | Search-select. Avatar + name.              | Pre-filled if opened from employee row.                    |
| Date           | DatePicker                                 | Pre-filled if opened from calendar day.                    |
| Status         | Radio buttons with icon + color per option | Present / Absent / Half-Day / On-Leave / Public-Holiday    |
| Check-In Time  | Time input (optional)                      | HH:mm format. 24-hour.                                     |
| Check-Out Time | Time input (optional)                      | Must be after check-in.                                    |
| Note           | textarea (optional).<br>Max 200 chars.     | Used for context on half-days, leave notes, etc.           |
| Submit         | Primary button "Save Attendance"           | Generates SystemLog entry automatically. Cannot be hidden. |

## 9.2 · Leave Request Page

Route: /leave. Employee submits. Dept Head approves/rejects. HR logs outcome.

### My Leave Requests (Employee view)

| Column         | Content                                                                        |
|----------------|--------------------------------------------------------------------------------|
| Type           | Leave type chip: Annual/Sick/Casual/Unpaid/Compensatory. Each different color. |
| From – To Date | Date range. Duration in days shown below.                                      |

| Column      | Content                                                     |
|-------------|-------------------------------------------------------------|
| Reason      | Truncated text. Click to expand.                            |
| Status      | Pending (amber) / Approved (emerald) / Rejected (red) chip. |
| Approved By | Avatar + name. Empty if pending.                            |
| Submitted   | Relative timestamp.                                         |
| Actions     | Cancel button if status=pending (own request only).         |

## Submit Leave Request Form

| Field                 | Type                                              | Validation                                          | Notes                                                                   |
|-----------------------|---------------------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------|
| Leave Type            | Select:<br>Annual/Sick/Casual/Unpaid/Compensatory | Required                                            | Each with icon + color dot. Info text about leave balance if available. |
| From Date             | DatePicker                                        | Required. Cannot be in the past (warn if same day). |                                                                         |
| To Date               | DatePicker                                        | Required. Must be >= From Date.                     | Duration auto-calculated below: "X working days"                        |
| Reason                | textarea. Max 500 chars.                          | Required. Min 10 chars.                             |                                                                         |
| Upload Supporting Doc | File upload. Optional.                            | PDF only. Max 5MB.                                  | For medical/sick leave.                                                 |
| Submit                | Primary "Submit Request"                          | Disabled until valid.                               | Sends notification to Dept Head + HR on submit.                         |

## Leave Approval View (Dept Head / HR)

| Element             | Spec                                                                                         |
|---------------------|----------------------------------------------------------------------------------------------|
| Request Card        | Employee avatar + name + leave type badge + dates + duration + reason text. Full width card. |
| Approve Button      | Emerald. CheckCircle icon. "Approve" text. Full width left half.                             |
| Reject Button       | Red outline. XCircle icon. "Reject". Full width right half.                                  |
| Reject Reason Input | Appears on Reject click. Textarea. Required min 10 chars. Send on confirm.                   |
| Approved State      | Card turns emerald tinted. "Approved by [name] on [date]" footer. Locked.                    |
| Rejected State      | Card turns red tinted. Rejection reason shown. Locked.                                       |



| Element                 | Spec                                                                 |
|-------------------------|----------------------------------------------------------------------|
| Notification Sent Badge | Shows "Notification sent to employee" after action. CheckCheck icon. |

# 10 KPI & PERFORMANCE

Score Views · Targets · Override · Calculation Breakdown

## 10 • KPI & Performance

### 10.1 • KPI Score View

Route: /kpi. Employee: own. Dept Head: team. HR: all. Scoped automatically.

#### KPI Period Selector

| Element            | Spec                                                                              |
|--------------------|-----------------------------------------------------------------------------------|
| Period Tabs        | Month tabs: last 6 months. Active = indigo underline. Lock icon on locked months. |
| Period Dropdown    | Alternative: dropdown for older periods.                                          |
| Export Button      | FileDown icon + "Export CSV". HR/Ops only.                                        |
| KPI Targets Button | Settings2 icon + "Set Targets". HR only. Opens target modal.                      |

#### My KPI Score Card (Employee view)

| Element        | Spec                                                                                                  | Classes                              |
|----------------|-------------------------------------------------------------------------------------------------------|--------------------------------------|
| Total Score    | Large gauge/donut display. Score 0–100. Color: <50=red, 50–75=amber, >75=emerald.                     | w-40 h-40 mx-auto                    |
| Score Label    | Numeric score (e.g. "82.4") inside gauge. "/ 100" below.                                              | text-4xl font-bold [color by score]  |
| Grade Band     | Below gauge: grade label: Excellent (>90) / Good (75-90) / Average (50-75) / Needs Improvement (<50). | text-sm font-medium [color by grade] |
| Component Bars | 3 horizontal progress bars: Task Score (60%) / Attendance Score (30%) / Manual Score (10%).           | w-full bg-gray-100 rounded-full h-2  |

| Element                  | Spec                                                                                                                 | Classes                                       |
|--------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| Component Labels         | Each bar labeled: "Task Score: 78.5 / 100 (60% weight)" etc.                                                         | text-sm flex justify-between                  |
| Lock Status              | If locked: Lock icon + "This KPI is final as of [date]". If unlocked: Unlock icon + "Open for HR review until 15th". | text-xs text-gray-400 flex items-center gap-1 |
| Task Breakdown Accordion | Expandable: lists all tasks with perf_weight > 0 that contributed this period.                                       | border-t border-gray-100 pt-4 mt-4            |
| Attendance Summary       | Present: X days / Absent: X / Leave: X. Attendance score breakdown.                                                  | grid grid-cols-3 gap-4 mt-4                   |
| HR Notes                 | If manual_score set: notes text in indigo info box. Authored by HR avatar + name.                                    | bg-indigo-50 rounded-lg p-4 mt-4              |

### Team KPI Table (Dept Head / HR)

| Column           | Content                                                                | Notes                            |
|------------------|------------------------------------------------------------------------|----------------------------------|
| Employee         | Avatar + name + dept.                                                  | Clickable → employee profile.    |
| Task Score       | Decimal 0–100 + mini bar.                                              | Color coded.                     |
| Attendance Score | Decimal 0–100 + mini bar.                                              | Color coded.                     |
| Manual Score     | Score or "Not Set". Edit pencil for HR.                                | Gray if not set.                 |
| Total Score      | Bold. Large. Color by grade.                                           | Gauge micro-widget in cell.      |
| Locked           | Lock or Unlock icon.                                                   | Lock tooltip: "Locked on [date]" |
| Actions          | Eye (view breakdown) + Pencil (override, HR only) + FileText (export). |                                  |

### KPI Manual Override Modal (HR Manager)

| Element            | Spec                                                                                                 |
|--------------------|------------------------------------------------------------------------------------------------------|
| Employee Info      | Avatar + name + current auto-score display at top.                                                   |
| Manual Score Input | Number input: 0–100. Slider + text input combined.                                                   |
| HR Notes           | textarea. Required. Min 20 chars. Helper: "Reason for manual adjustment (required for audit trail)". |
| Warning Banner     | Amber: "Manual score will override the automatic calculation. This action is logged for audit."      |

| Element        | Spec                                                                              |
|----------------|-----------------------------------------------------------------------------------|
| Confirm Button | Primary. "Save Override". Disabled until notes $\geq$ 20 chars and score entered. |
| Cancel         | Secondary. "Cancel". Dismisses without saving.                                    |

## KPI Targets Modal (HR)

| Field                   | Spec                                                                                  |
|-------------------------|---------------------------------------------------------------------------------------|
| Period Selector         | Month + Year dropdown. Only unlocked periods.                                         |
| Department Filter       | Apply targets per dept or platform-wide.                                              |
| Task Score Target       | Number input 0–100. Default: 70.                                                      |
| Attendance Score Target | Number input 0–100. Default: 85.                                                      |
| Minimum Total Score     | Threshold below which "Needs Improvement" flag is set. Default: 60.                   |
| Save Targets            | Primary button. Saves to KPITarget entity (Phase 2 entity — can be noted as planned). |

# 11 NOTIFICATIONS

[Notification Panel](#) · [Full List](#) · [Settings](#) · [Toast System](#)

## 11 • Notifications

Route: /notifications. Also: slide-in notification panel from TopBar bell icon.

### 11.1 • Notification Panel (Slide-in from TopBar)

| Element              | Spec                                                                                 | Classes                                                                 |
|----------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| Panel Container      | 360px wide. Slides in from right. Overlays content. Shadow-xl. Full viewport height. | fixed right-0 top-0 h-screen w-80 bg-white shadow-xl z-50 flex flex-col |
| Panel Header         | Bell icon + "Notifications" heading + count badge + X close button.                  | flex items-center justify-between p-4 border-b                          |
| Mark All Read Button | CheckCheck icon + "Mark all read" text link. Right-aligned in header.                | text-xs text-indigo font-medium hover:underline                         |

| Element           | Spec                                                                 | Classes                                                        |
|-------------------|----------------------------------------------------------------------|----------------------------------------------------------------|
| Filter Tabs       | All / Unread / Tasks / Leave / KPI tabs. Scrollable horizontally.    | flex gap-1 px-4 py-2 border-b overflow-x-auto                  |
| Notification List | Scrollable list. Each item: See notification item spec below.        | flex-1 overflow-y-auto divide-y divide-gray-100                |
| Empty State       | BellOff icon + "No notifications yet" + "You're all caught up!" sub. | flex flex-col items-center justify-center flex-1 text-gray-400 |
| Footer            | "View all notifications" link. Opens /notifications full page.       | p-4 border-t text-center text-sm text-indigo hover:underline   |

## Notification Item Design

| Element        | Spec                                                                            | Classes                                                               |
|----------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| Item Container | Unread: light indigo bg (EEF2FF). Read: white. Hover: gray-50. 72px min-height. | flex items-start gap-3 p-4 hover:bg-gray-50 [bg per read status]      |
| Unread Dot     | Indigo 8px dot. Left edge. Only on unread items.                                | w-2 h-2 rounded-full bg-indigo flex-shrink-0 mt-2                     |
| Icon Circle    | 40px circle. Color + icon per notification type. (See type table below.)        | w-10 h-10 rounded-full flex items-center justify-center flex-shrink-0 |
| Content        | Title (14px bold gray-900) + message text (12px gray-600). Truncate 2 lines.    | flex flex-col                                                         |
| Timestamp      | Relative time (12px gray-400). Bottom right.                                    | text-xs text-gray-400 mt-1                                            |
| CTA Button     | Optional. "View Task" / "Review Leave" / "See Score" micro-button. 28px height. | text-xs text-indigo font-medium hover:underline mt-1                  |
| Read Indicator | On click: bg transitions from indigo-50 to white. Smooth 200ms.                 | transition-colors duration-200                                        |

## Notification Type → Icon & Color

| Notification Type | Icon        | Icon Circle Color           | Label                    |
|-------------------|-------------|-----------------------------|--------------------------|
| Task Assigned     | CheckSquare | bg-indigo-100 text-indigo   | New task assigned to you |
| Task Due in 24h   | Clock       | bg-amber-100 text-amber-600 | Task due soon            |
| Task Overdue      | AlertCircle | bg-red-100 text-red-600     | Task is overdue          |

| Notification Type      | Icon             | Icon Circle Color                           | Label                       |
|------------------------|------------------|---------------------------------------------|-----------------------------|
| Task Status Changed    | ArrowRightCircle | bg-gray-100<br>text-gray-600                | Task status updated         |
| Comment Added          | MessageSquare    | bg-indigo-100<br>text-indigo                | New comment on task         |
| PO Task Created        | AlertTriangle    | bg-red-100<br>text-red-600<br>animate-pulse | Critical task created       |
| Leave Submitted        | ClipboardList    | bg-amber-100<br>text-amber-600              | Leave request needs review  |
| Leave Approved         | ClipboardCheck   | bg-emerald-100<br>text-emerald-600          | Leave request approved      |
| Leave Rejected         | XCircle          | bg-red-100<br>text-red-600                  | Leave request rejected      |
| KPI Published          | BarChart3        | bg-emerald-100<br>text-emerald-600          | Your KPI score is ready     |
| New Employee Added     | UserPlus         | bg-indigo-100<br>text-indigo                | New team member joined      |
| Recurring Task Failure | ZapOff           | bg-red-100<br>text-red-600                  | Recurring task engine error |

## 11.2 · Notification Settings Page

Route: /settings/notifications. Each user controls their own notification preferences.

| Setting Group        | Toggle Items                                                                        | Default  |
|----------------------|-------------------------------------------------------------------------------------|----------|
| Task Notifications   | Task assigned / Task due reminder / Task overdue / Comment on task / Status changed | All ON   |
| Leave Notifications  | Leave submitted (for approvers) / Leave approved/rejected (for submitter)           | All ON   |
| KPI Notifications    | KPI score published / KPI month locked                                              | ON       |
| System Notifications | New employee added (Ops/HR) / Job failure (Ops/Admin)                               | ON       |
| Delivery Channels    | In-App (always ON, non-configurable) / Email (toggle per type)                      | Email ON |
| Digest Mode          | Off / Daily digest at 9am (batches non-urgent) / Weekly summary                     | Off      |
| Do Not Disturb       | Time range picker. Mutes email during hours. In-app still shows.                    | OFF      |

### 11.3 · Toast Notification System

Global toast container. Position: top-right. Max 4 toasts visible at once. FIFO. Auto-dismiss: 4s (success), 6s (warning), persists (error).

| Toast Type | Left Border | Icon           | Text Color  | Background          | Auto-Discard            |
|------------|-------------|----------------|-------------|---------------------|-------------------------|
| Success    | 4px emerald | CheckCircle2   | emerald-800 | emerald-50 + shadow | 4 seconds               |
| Error      | 4px red     | XCircle        | red-800     | red-50 + shadow     | Persists (manual X)     |
| Warning    | 4px amber   | AlertTriangle  | amber-800   | amber-50 + shadow   | 6 seconds               |
| Info       | 4px indigo  | Info           | indigo-800  | indigo-50 + shadow  | 4 seconds               |
| Loading    | 4px indigo  | Loader2 (spin) | indigo-800  | indigo-50 + shadow  | Persists until resolved |

12 AUDIT LOG

System Log · Task Log · Filters · Export

## 12 · Audit Log

Route: /audit-log. Ops Manager + Super Admin only. Full SystemLog and TaskLog. Immutable append-only.

### 12.1 · Audit Log Toolbar

| Element            | Spec                                                                                                   |
|--------------------|--------------------------------------------------------------------------------------------------------|
| Date Range Filter  | From / To date picker. Defaults: last 7 days. Options: Today / Last 7d / Last 30d / Last 90d / Custom. |
| Actor Filter       | Search select: Employee name/email. "All actors" default.                                              |
| Action Filter      | Multi-select: created / updated / deleted / status_changed / assigned / commented / archived.          |
| Entity Type Filter | Multi-select: task / user / department / attendance / kpi / leave.                                     |
| Entity ID Search   | text input for specific entity ID (UUID). Used to trace a specific task/user history.                  |

| Element           | Spec                                                                                           |
|-------------------|------------------------------------------------------------------------------------------------|
| Export CSV Button | FileDown icon + "Export CSV". Max 10,000 rows per export. Shows progress bar on large exports. |
| Clear Filters     | Text link: "Clear all filters". Appears only when filters are active.                          |
| Results Count     | Gray text: "Showing X of Y total log entries"                                                  |

## 12.2 · Log Entry Row Design

| Element              | Spec                                                                                    | Classes                                                                   |
|----------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Row Container        | Full-width. Hover: indigo-50 bg. Border-bottom.                                         | border-b border-gray-100 hover:bg-indigo-50/30 py-3 px-4                  |
| Action Icon          | Icon per action type (see below). Colored circle 32px.                                  | w-8 h-8 rounded-full flex items-center justify-center flex-shrink-0       |
| Timestamp            | Left. ISO date + relative time. "Jun 8, 2026 at 14:22 · 2h ago".                        | font-mono text-xs text-gray-400                                           |
| Entity Badge         | Entity type chip: "TASK" / "USER" / "DEPT" / "ATTENDANCE" etc.                          | px-2 py-0.5 rounded text-xs font-bold bg-gray-100 text-gray-600 uppercase |
| Entity ID            | Mono font. Truncated UUID. Copy icon on hover.                                          | font-mono text-xs text-gray-500 cursor-copy                               |
| Action Description   | Human-readable: "[Actor Name] changed status from In Progress to Done on task #TF-0042" | text-sm text-gray-800                                                     |
| Actor Avatar         | Small 24px avatar + name. "System" if automated job.                                    | flex items-center gap-1.5 text-xs text-gray-500                           |
| IP Address           | 12px mono gray. Only shown to Super Admin.                                              | font-mono text-xs text-gray-400                                           |
| Expand Toggle        | ChevronDown. Expands to show old_value / new_value JSON diff.                           | text-gray-400 hover:text-gray-600 cursor-pointer                          |
| Diff View (expanded) | Two-column diff: Old Value (red tinted) / New Value (green tinted). JSON formatted.     | bg-gray-50 rounded-lg p-3 font-mono text-xs mt-2                          |

### Action Type → Icon Color

| Action  | Icon       | Circle Color                    |
|---------|------------|---------------------------------|
| created | PlusCircle | bg-emerald-100 text-emerald-600 |

| Action         | Icon             | Circle Color                    |
|----------------|------------------|---------------------------------|
| updated        | Pencil           | bg-indigo-100 text-indigo-600   |
| status_changed | ArrowRightCircle | bg-amber-100 text-amber-600     |
| assigned       | UserCheck        | bg-indigo-100 text-indigo-600   |
| commented      | MessageSquare    | bg-gray-100 text-gray-600       |
| archived       | Archive          | bg-gray-100 text-gray-500       |
| deleted        | Trash2           | bg-red-100 text-red-600         |
| locked         | Lock             | bg-gray-100 text-gray-600       |
| login          | LogIn            | bg-emerald-100 text-emerald-600 |
| login_failed   | AlertTriangle    | bg-red-100 text-red-600         |
| exported       | FileDown         | bg-indigo-100 text-indigo-500   |

## 13 SUPER ADMIN PANEL

Platform Config · Role Manager · Job Monitor · System Health

## 13 • Super Admin Panel

Route: /admin. Super Admin only. Role-gated at server AND route level. Sidebar section visible only to super\_admin role.

### 13.1 • Admin Panel Navigation

| Tab                 | Route                  | Description                                 | Icon      |
|---------------------|------------------------|---------------------------------------------|-----------|
| Overview            | /admin                 | System health dashboard + live stats.       | Cpu       |
| Users               | /admin/users           | All user management including role changes. | Users     |
| Departments         | /admin/departmen<br>ts | Full dept management including delete.      | Building2 |
| Roles & Permissions | /admin/roles           | Role assignment + permission matrix view.   | Shield    |
| Background Jobs     | /admin/jobs            | Bull queue monitor + job history.           | Zap       |
| API Keys            | /admin/api-keys        | Manage integration API keys for Phase 2.    | Key       |



| Tab             | Route           | Description                                                   | Icon        |
|-----------------|-----------------|---------------------------------------------------------------|-------------|
| System Logs     | /admin/logs     | Full system log (same as /audit-log but without scope limit). | ScrollText  |
| Backups         | /admin/backups  | DB backup status + manual backup trigger.                     | Database    |
| Platform Config | /admin/config   | Branding, settings, maintenance mode toggle.                  | Settings    |
| Security        | /admin/security | Failed login attempts, active sessions, RBAC audit.           | ShieldCheck |

## 13.2 · System Overview Tab

| Widget                  | Content                                                                                                                                     |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| System Health Score     | Composite gauge: API p95 + uptime + queue health. Color by health: emerald/amber/red.                                                       |
| API Response Time Chart | Line chart. Last 24h. p95 line. Dotted SLA target at 300ms. Tooltip per data point.                                                         |
| Uptime Display          | Large uptime percentage + duration string. "99.8% · 47 days, 3 hours"                                                                       |
| Active Sessions         | Count of currently active JWT sessions. Trend vs yesterday.                                                                                 |
| Bull Queue Health       | Card per queue: KPI / RecurringTask / Email / Reports. Status: Running/Idle/Error. Last run timestamp. Failed job count badge (red if > 0). |
| Error Rate              | Sentry error count last 24h. Trend. Link to Sentry.                                                                                         |
| Storage                 | S3/R2 used/total progress bar. DB size. Log archive size.                                                                                   |
| Recent Alerts           | Last 5 security/system alerts with timestamp and severity.                                                                                  |

## 13.3 · Background Jobs Monitor

| Element        | Spec                                                                                             |
|----------------|--------------------------------------------------------------------------------------------------|
| Job List       | Table: Job Name / Status / Last Run / Next Run / Success Count / Fail Count / Actions.           |
| Status Chips   | Running (amber+spin) / Idle (gray) / Scheduled (indigo) / Failed (red) / Paused (gray).          |
| Manual Trigger | ► Run Now button per job. Confirms before running. Ops-critical jobs require confirmation modal. |
| Pause/Resume   | Pause icon / Play icon toggle. Disables scheduled execution.                                     |

| Element           | Spec                                                                                                       |
|-------------------|------------------------------------------------------------------------------------------------------------|
| Job Detail Drawer | Click job row: slide-in panel showing last 10 execution logs for that job. Duration, result, error if any. |
| Retry Failed Jobs | Red "Retry" button on Failed status. Requeues to Bull with max 3 attempts.                                 |
| Dead Letter Queue | Section: jobs that failed all 3 retries. Alert card. Manual investigation required.                        |

## 13.4 · Platform Configuration Tab

| Setting                   | Input Type                       | Notes                                                                  |
|---------------------------|----------------------------------|------------------------------------------------------------------------|
| Platform Name             | text                             | Default: "TaskFlow — AFE & CTDS"                                       |
| Logo Upload               | File upload. SVG/PNG. Max 200KB. | Used in sidebar and emails.                                            |
| Primary Brand Color       | Color picker + hex input.        | Changes Tailwind CSS variable at runtime.                              |
| Maintenance Mode          | Toggle switch                    | Shows maintenance banner to all non-admin users. Red warning to Admin. |
| Default Task Priority     | Select: P3/P2/P1                 | Default for new task creation when unset.                              |
| KPI Lock Day              | Number: 1–28                     | Day of month KPI records become immutable. Default: 15.                |
| Session Timeout           | Number (minutes): 5–1440         | JWT expiry override. Default: 15 min access token.                     |
| Notification Email Sender | email input                      | From: address for all transactional emails.                            |
| Max Attachment Size       | Number (MB): 1–50. Default: 10.  | Applied to task file uploads.                                          |
| Max Attachments Per Task  | Number: 1–20. Default: 5.        | Applied to task file uploads.                                          |
| Supported Offices         | Multi-select or text list.       | Populates employee office selector.                                    |

# 14 GLOBAL COMPONENT LIBRARY

Buttons · Badges · Cards · Forms · Modals · Tables · Toasts · States

## 14 • Global Component Library

All components are built with React functional components + Tailwind CSS utility classes. Props documented for each. No inline styles.

### 14.1 • Button System

| Variant        | Visual Spec                                                         | Classes                                                                                                                     | When Used                                   |
|----------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| Primary        | Indigo bg. White text. Rounded-lg. 40px height. Icon optional left. | bg-indigo<br>hover:bg-indigo-600<br>text-white<br>font-semibold text-sm<br>px-4 py-2.5 rounded-lg<br>transition-colors      | Main CTA: Create task, Save, Submit         |
| Secondary      | White bg. Gray border. Gray text. Same size.                        | bg-white<br>hover:bg-gray-50<br>text-gray-700 border<br>border-gray-200<br>font-medium text-sm<br>px-4 py-2.5 rounded-lg    | Secondary actions: Cancel, Export, Filter   |
| Ghost          | Transparent. No border. Indigo text on hover.                       | bg-transparent<br>hover:bg-indigo-50<br>text-gray-500<br>hover:text-indigo<br>font-medium text-sm<br>px-4 py-2.5 rounded-lg | Tertiary: View more, less important actions |
| Danger         | Red bg. White text. Same size.                                      | bg-red-500<br>hover:bg-red-600<br>text-white<br>font-semibold text-sm<br>px-4 py-2.5 rounded-lg                             | Destructive: Archive, Deactivate, Delete    |
| Danger Outline | Red border + text. Transparent bg.                                  | border border-red-300<br>text-red-500<br>hover:bg-red-50<br>font-medium text-sm<br>px-4 py-2.5 rounded-lg                   | Secondary destructive: Reject leave, cancel |
| Icon Only      | Square. 36px or 40px. Rounded-lg. Icon only.                        | p-2 rounded-lg<br>text-gray-500                                                                                             | Toolbar actions, kebab menus, row actions   |

| Variant  | Visual Spec                                       | Classes                                                 | When Used                                         |
|----------|---------------------------------------------------|---------------------------------------------------------|---------------------------------------------------|
|          |                                                   | hover:bg-gray-100<br>hover:text-gray-700                |                                                   |
| Loading  | Spinner replaces icon.<br>Disabled state.         | [variant classes]<br>opacity-75<br>cursor-not-allowed   | All submit buttons<br>during API call             |
| Disabled | All variants. 50% opacity.<br>cursor-not-allowed. | opacity-50<br>cursor-not-allowed<br>pointer-events-none | Invalid form state,<br>permission-blocked         |
| Small    | Same variants. 32px<br>height. text-xs.           | text-xs px-3 py-1.5<br>[variant bg/text]                | Compact contexts:<br>table rows, compact<br>cards |
| Large    | Same variants. 48px<br>height. text-base.         | text-base px-6 py-3<br>[variant bg/text]                | Hero CTAs, empty<br>state CTAs                    |

## 14.2 · Badge / Status Chip System

| Badge Type        | Spec                                                                         | Tailwind Classes Pattern                                                                        |
|-------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Task Status       | Rounded-full. Icon left (4px<br>dot or lucide icon). 12px font.<br>Semibold. | px-2.5 py-1 rounded-full text-xs<br>font-semibold flex items-center gap-1.5<br>w-fit            |
| Priority          | Rectangular. Rounded. Icon<br>left (priority icon). 11px.                    | px-2 py-0.5 rounded text-xs font-bold flex<br>items-center gap-1 w-fit                          |
| Role Badge        | Rounded. Shield icon left.<br>11px.                                          | px-2 py-0.5 rounded text-xs font-medium<br>flex items-center gap-1 w-fit                        |
| Task Type         | Rounded-md. Tag icon left.<br>11px. Gray tones.                              | px-2 py-0.5 rounded-md text-xs<br>font-medium bg-gray-100 text-gray-600                         |
| Leave Type        | Rounded. Color per type.<br>11px.                                            | px-2 py-0.5 rounded text-xs font-semibold<br>w-fit                                              |
| Count Badge       | Circle. Used for unread<br>counts. 18px min. On icons.                       | min-w-[18px] h-[18px] rounded-full text-xs<br>font-bold flex items-center justify-center        |
| Active / Inactive | 2-state chip. Toggle-able.                                                   | px-2.5 py-1 rounded-full text-xs<br>font-semibold w-fit                                         |
| Lock Badge        | Gray. Lock icon left. "Locked"<br>text.                                      | px-2 py-0.5 rounded text-xs font-medium<br>bg-gray-100 text-gray-500 flex<br>items-center gap-1 |

### ► Status → Badge Colors

| Status Value | Background  | Text Color    | Border |
|--------------|-------------|---------------|--------|
| Backlog      | bg-gray-100 | text-gray-600 | —      |

| Status Value      | Background    | Text Color       | Border                                       |
|-------------------|---------------|------------------|----------------------------------------------|
| To-Do             | bg-indigo-50  | text-indigo-700  | —                                            |
| In Progress       | bg-amber-50   | text-amber-700   | —                                            |
| In Review         | bg-violet-50  | text-violet-700  | —                                            |
| Done              | bg-emerald-50 | text-emerald-700 | —                                            |
| Blocked           | bg-red-50     | text-red-700     | border<br>border-red-200                     |
| Archived          | bg-gray-50    | text-gray-500    | —                                            |
| Overdue (overlay) | —             | —                | ring-2 ring-red-400<br>animate-pulse on card |
| P0 Priority       | bg-red-50     | text-red-700     | border<br>border-red-200                     |
| P1 Priority       | bg-orange-50  | text-orange-700  | —                                            |
| P2 Priority       | bg-amber-50   | text-amber-700   | —                                            |
| P3 Priority       | bg-gray-100   | text-gray-600    | —                                            |

## 14.3 · Card System

| Card Variant   | Structure                                                                              | Classes                                                                |
|----------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Stat Card      | Icon circle (40px) + Label (12px uppercase) + Value (28px bold) + Trend. 24px padding. | bg-white rounded-xl shadow-sm p-6<br>hover:shadow-md transition-shadow |
| Content Card   | Title row + divider + content area. Optional footer with actions.                      | bg-white rounded-xl shadow-sm<br>border border-gray-100                |
| Feature Card   | Large. Colored top border (4px). Icon + Heading + Description + CTA button.            | bg-white rounded-xl shadow-sm<br>border-t-4 [border-color] p-6         |
| Alert Card     | Colored left border (4px). Icon + Title + Message. Colored bg tint.                    | rounded-lg border-l-4 [color] p-4<br>[bg-tint]                         |
| Mini Card      | Compact. Used in grids. 16px padding. Title + 1 stat.                                  | bg-white rounded-lg shadow-sm p-4                                      |
| KPI Score Card | Gauge center + component bars + lock indicator. Full spec in §10.                      | bg-white rounded-2xl shadow p-8                                        |
| Employee Card  | Avatar + name + role + dept + stats row. Clickable. 16px padding.                      | bg-white rounded-xl shadow-sm p-4<br>hover:shadow-md cursor-pointer    |

| Card Variant      | Structure                                              | Classes                    |
|-------------------|--------------------------------------------------------|----------------------------|
| Notification Card | Icon circle + content + timestamp + CTA. 16px padding. | flex items-start gap-3 p-4 |

## 14.4 · Form Elements

| Component         | Element Spec                                                                                                    | Classes                                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Text Input        | Label (uppercase 11px) + Input (full width, 40px height, 14px text) + Helper/Error below. Icon slot left/right. | w-full px-3.5 py-2.5 border border-gray-200 rounded-lg text-sm focus:outline-none focus:ring-2 focus:ring-indigo/30 focus:border-indigo |
| Textarea          | Same as text input but variable height. Resize: vertical only. Min 3 rows.                                      | w-full px-3.5 py-2.5 border border-gray-200 rounded-lg text-sm resize-y min-h-[80px]                                                    |
| Select Dropdown   | Native or custom. ChevronDown right icon. 40px height. Same border/focus as input.                              | appearance-none cursor-pointer [same as input classes] pr-10                                                                            |
| Search Combobox   | Input with Search icon left. Dropdown list below. Items: icon + label. Keyboard navigation.                     | [input classes] pl-9                                                                                                                    |
| Multi-Select Tags | Tags appear inside input on select. X remove per tag. Dropdown below.                                           | flex flex-wrap gap-1 p-2 border rounded-lg min-h-[42px]                                                                                 |
| DatePicker        | Input with Calendar icon right. Calendar popover below. Quick selects above calendar.                           | [input classes] pr-10 cursor-pointer                                                                                                    |
| Time Input        | HH:mm format. Clock icon left. Validates range.                                                                 | [input classes] pl-9 w-32                                                                                                               |
| Number Slider     | HTML range input + number input side by side. Both sync bidirectionally.                                        | w-full accent-indigo h-2 rounded-full                                                                                                   |
| Toggle Switch     | 40px × 24px. Indigo when on, gray when off. Smooth transition. Label right.                                     | relative inline-flex h-6 w-11 cursor-pointer rounded-full bg-gray-200 transition checked:bg-indigo                                      |
| Checkbox          | 16px × 16px. Indigo check on white. Rounded-sm. Focuses with indigo ring.                                       | w-4 h-4 rounded accent-indigo cursor-pointer                                                                                            |
| Radio Button      | 16px × 16px. Indigo filled when selected. Focuses with indigo ring.                                             | w-4 h-4 accent-indigo cursor-pointer                                                                                                    |

| Component        | Element Spec                                                                                                | Classes                                                                                                                                  |
|------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| File Upload Zone | Dashed border. Upload icon center. "Drag & drop or Browse" text. Accepted types listed. Hover: indigo tint. | border-2 border-dashed border-gray-200 rounded-xl p-8 text-center hover:border-indigo/40 hover:bg-indigo-50/20 transition cursor-pointer |
| Field Label      | 11px. Uppercase. Tracking-wide. Gray-500. Required asterisk (red).                                          | text-xs font-medium uppercase tracking-wide text-gray-500 mb-1.5                                                                         |
| Helper Text      | 12px. Gray-400. Below input.                                                                                | text-xs text-gray-400 mt-1.5                                                                                                             |
| Error Text       | 12px. Red-500. AlertCircle icon left. Below input.                                                          | text-xs text-red-500 mt-1.5 flex items-center gap-1                                                                                      |
| Char Counter     | 12px. Gray-400. Right-aligned below input. "X / 160".                                                       | text-xs text-gray-400 text-right mt-1                                                                                                    |

## 14.5 · Modal System

| Element            | Spec                                                                                                                           | Classes                                                                             |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Overlay            | Full viewport. Semi-transparent black. Fade in. Click outside = close (if not critical modal).                                 | fixed inset-0 bg-black/50 z-50 flex items-center justify-center p-4 animate-fade-in |
| Modal Container    | Centered. Max-width: sm=400px / md=560px / lg=720px / xl=900px. Rounded-2xl. Shadow-xl. White bg. Slide in from bottom-center. | bg-white rounded-2xl shadow-xl w-full max-w-[size] animate-slide-up                 |
| Modal Header       | Padding 24px. Title (18px bold) + optional subtitle (12px gray). X close button right.                                         | flex items-start justify-between p-6 border-b border-gray-100                       |
| Modal Body         | Padding 24px. Scrollable if content overflows viewport.                                                                        | p-6 overflow-y-auto max-h-[70vh]                                                    |
| Modal Footer       | Padding 24px top. Right-aligned: Cancel (secondary) + Primary action. Border-top.                                              | flex justify-end gap-3 p-6 border-t border-gray-100                                 |
| Confirmation Modal | Special variant. Icon (AlertTriangle or similar, colored) centered above title. Destructive actions: danger button.            | text-center [icon] mb-4 [title] text-xl [desc] text-gray-500                        |
| Full-screen Modal  | Used for RRULE builder / complex forms. 100vh height. Close X top-right. Escape to close.                                      | fixed inset-0 z-50 bg-white overflow-y-auto                                         |

## 14.6 · Table Component

| Element             | Spec                                                                                           | Classes                                                                                                          |
|---------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Table Container     | Full width. Overflow-x scroll on mobile. White bg. Rounded-xl. Shadow-sm.                      | w-full overflow-x-auto bg-white rounded-xl shadow-sm                                                             |
| Table Header Row    | Sticky. 44px height. Gray-50 bg. Uppercase 11px labels. Sort icons right.                      | bg-gray-50 border-b border-gray-200                                                                              |
| Header Cell         | Uppercase 11px. Gray-500. Font-medium. Tracking-wide. Sort: ArrowUpDown icon.                  | px-4 py-3 text-xs font-medium uppercase tracking-wide text-gray-500 text-left cursor-pointer hover:text-gray-700 |
| Data Row            | 48px height. White. Hover: indigo-50/30. Border-bottom. Clickable rows have cursor-pointer.    | border-b border-gray-100 hover:bg-indigo-50/20 transition-colors                                                 |
| Alternating Row     | Even rows: white. Odd rows: gray-50/50.                                                        | [nth-child classes or Tailwind variant]                                                                          |
| Data Cell           | 14px. Gray-700.                                                                                | px-4 py-3 text-sm text-gray-700                                                                                  |
| Sticky First Column | On wide tables: first column sticky left. Shadow-right divider.                                | sticky left-0 bg-white shadow-[1px_0_0_0_#E5E7EB]                                                                |
| Empty State Row     | Full-width centered cell. Empty state component (see §14.8).                                   | colspan=all text-center py-16                                                                                    |
| Loading State       | Skeleton rows (3–5). Animated pulse.                                                           | animate-pulse bg-gray-100 rounded h-4 [widths]                                                                   |
| Bulk Selection      | Checkbox first column. Select-all in header. Selected rows: indigo-50 bg + indigo border-left. | border-l-2 border-indigo bg-indigo-50/40                                                                         |
| Sort Indicator      | ArrowUp (ASC) / ArrowDown (DESC) / ArrowUpDown (unsorted). Right of column header.             | ml-1 text-gray-400 [text-indigo if sorted]                                                                       |
| Pagination Row      | Below table. Left: "Showing X–Y of Z". Right: Prev/Next + page numbers.                        | flex items-center justify-between px-4 py-3 border-t border-gray-100                                             |



## 14.7 · Empty State Component

| Element           | Spec                                                  | Classes                                                          |
|-------------------|-------------------------------------------------------|------------------------------------------------------------------|
| Container         | Centered. Full height of parent. Flex column center.  | flex flex-col items-center justify-center py-16 px-8 text-center |
| Illustration Icon | Large lucide icon (64px). Light color. No fill.       | w-16 h-16 text-gray-300 mb-4                                     |
| Primary Message   | 18px semibold. Gray-700.                              | text-lg font-semibold text-gray-700 mb-2                         |
| Sub Message       | 14px. Gray-400. Max-width 320px centered.             | text-sm text-gray-400 max-w-xs mb-6                              |
| CTA Button        | Primary button. Context-appropriate action. Optional. | [btn-primary] flex items-center gap-2                            |

| Context               | Icon           | Primary Message                       | CTA                      |
|-----------------------|----------------|---------------------------------------|--------------------------|
| No tasks (employee)   | CheckSquare    | No tasks assigned yet                 | —                        |
| No tasks (head/ops)   | ClipboardList  | No tasks created yet                  | Create Task (primary)    |
| No employees (dept)   | Users          | No employees in this department       | Add Employee             |
| No notifications      | BellOff        | You're all caught up!                 | —                        |
| No audit logs         | ScrollText     | No log entries for these filters      | Clear filters (link)     |
| No search results     | SearchX        | No results for "[query]"              | Clear search (link)      |
| No KPI data           | BarChart3      | KPI scores not yet calculated         | —                        |
| No attendance records | Calendar       | No attendance records for this period | Log Attendance (HR only) |
| No leave requests     | ClipboardCheck | No leave requests pending             | Submit Leave (employee)  |

## 14.8 · Loading State — Skeleton Components

| Component            | Skeleton Pattern                                                                              | Notes                                    |
|----------------------|-----------------------------------------------------------------------------------------------|------------------------------------------|
| Stat Card Skeleton   | Gray rect 16px (label) + gray rect 32px (value) + thin rect (trend). Animated pulse.          | animate-pulse bg-gray-200 rounded        |
| Task Card Skeleton   | Priority bar left + full-width content block with 3 rect lines + bottom row of 3 small rects. | Proportional to real card size.          |
| Table Row Skeleton   | 3–5 rows of gray rectangles per column width. Full table width.                               | Heights match expected data row heights. |
| Avatar Skeleton      | Circle. 32px or 40px. Gray.                                                                   | rounded-full bg-gray-200                 |
| Page Header Skeleton | Wide rect (title) + narrower rect below (subtitle) + button rect right.                       |                                          |
| Chart Skeleton       | Gray rect same size as chart container. Rounded.                                              |                                          |
| Full Page Skeleton   | Sidebar mockup + topbar mockup + content skeleton grid.                                       | For initial page load.                   |

## 14.9 · Avatar Component

| Variant         | Spec                                                                                        | Classes                                                                                  |
|-----------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Image Avatar    | Circular. Profile photo. Sizes: 24px / 32px / 40px / 48px / 64px / 80px.                    | rounded-full object-cover [size classes]                                                 |
| Initials Avatar | Fallback when no photo. First 2 chars of name. Auto-color from name hash (8 preset colors). | rounded-full flex items-center justify-center text-white font-semibold [size] [bg-color] |
| Status Ring     | Ring around avatar. Green = online, red = offline, amber = away. 3px ring.                  | ring-2 ring-offset-2 ring-[color]                                                        |
| Avatar Stack    | Overlapping group. -space-x-2. "+N" overflow chip. Max shown: 4.                            | flex -space-x-2                                                                          |
| Avatar + Name   | Avatar + vertical or horizontal name+role layout.                                           | flex items-center gap-2.5                                                                |

## 14.10 · Progress Bar

| Variant                  | Spec                                                                            | Classes                                             |
|--------------------------|---------------------------------------------------------------------------------|-----------------------------------------------------|
| Standard                 | Height: 8px. Rounded-full. Track: gray-100. Fill: color based on value or type. | w-full bg-gray-100 rounded-full h-2 overflow-hidden |
| KPI Component Bar        | Height: 10px. Indigo fill. Labeled above (score + weight %).                    | [standard classes] h-2.5                            |
| Storage Bar              | Height: 8px. Fill: emerald if <80%, amber 80-95%, red >95%.                     | [standard classes]                                  |
| Task Completion          | Height: 6px. Emerald fill. % complete of tasks done.                            | [standard classes] h-1.5                            |
| SLA Bar                  | Shrinking bar (time remaining). Amber → red as approaches deadline.             | [standard classes] transition-all duration-1000     |
| Animated (indeterminate) | Slides left-to-right for loading states. No fixed value.                        | animate-[indeterminate_1s_ease-in-out_infinite]     |

## 14.11 · Dropdown Menu Component

| Element       | Spec                                                                                                                | Classes                                                                                                                         |
|---------------|---------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Trigger       | Any button/icon. onClick toggles open/close.                                                                        | —                                                                                                                               |
| Container     | White. Shadow-lg. Rounded-lg. Border gray-100. Min-width 180px. z-30.                                               | absolute right-0 top-full mt-1 bg-white rounded-lg shadow-lg border border-gray-100 py-1 z-30 min-w-[180px]                     |
| Menu Item     | Height 36px. Padding px-3. Icon left (16px) + label text (14px). Hover: indigo-50 bg + indigo text. Cursor-pointer. | flex items-center gap-2.5 px-3 py-2 text-sm text-gray-700 hover:bg-indigo-50 hover:text-indigo transition-colors cursor-pointer |
| Danger Item   | Red text. Hover: red-50 bg.                                                                                         | text-red-500 hover:bg-red-50                                                                                                    |
| Divider       | 1px border. Margin 4px vertical.                                                                                    | border-t border-gray-100 my-1                                                                                                   |
| Section Label | 12px uppercase gray. Padding px-3 py-1.5. Not clickable.                                                            | text-xs font-medium uppercase tracking-wide text-gray-400 px-3 py-1.5                                                           |
| Checked Item  | Checkmark icon right. Indigo.                                                                                       | flex items-center justify-between                                                                                               |
| Disabled Item | 40% opacity. cursor-not-allowed. No hover effect.                                                                   | opacity-40 cursor-not-allowed pointer-events-none                                                                               |

## 14.12 · Tabs Component

| Variant            | Spec                                                                                               | Classes                                                                                    |
|--------------------|----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Underline Tabs     | Default. Tab row with bottom border. Active tab: indigo underline 2px + indigo text. Height: 48px. | border-b border-gray-200 flex gap-1                                                        |
| Pill Tabs          | Rounded-lg bg per tab. Active: indigo bg + white text. Inactive: transparent. Gray-50 container.   | flex gap-1 bg-gray-100 rounded-lg p-1                                                      |
| Tab Item           | Text label + optional icon left + optional count badge right. 14px medium.                         | flex items-center gap-2 px-4 py-2 text-sm font-medium rounded-md [active/inactive classes] |
| Count Badge on Tab | Small circular badge. Gray or indigo when tab active.                                              | ml-1.5 text-xs px-1.5 py-0.5 rounded-full [bg by state]                                    |

## 14.13 · Tooltip Component

| Element           | Spec                                                                                |
|-------------------|-------------------------------------------------------------------------------------|
| Trigger           | Any element. `title` prop or custom tooltip wrapper component.                      |
| Tooltip Container | Dark bg (gray-900). White text. 12px. Rounded-md. Max-width 200px. Shadow-lg. z-40. |
| Position          | Auto: prefers top. Falls back to bottom/left/right if near viewport edge.           |
| Delay             | Show: 400ms delay. Hide: 100ms delay (prevents flicker on fast mouse moves).        |
| Arrow             | Small 6px triangle pointing to trigger. Matches bg color.                           |
| Classes           | bg-gray-900 text-white text-xs rounded-md px-2.5 py-1.5 shadow-lg max-w-[200px]     |

# 15 RESPONSIVE BEHAVIOR

Mobile · Tablet · Desktop · Wide — Per-Page Behavior

## 15 · Responsive Behavior

### 15.1 · Sidebar Responsive States

| Breakpoint            | Sidebar Behavior                                                              | Toggle Mechanism                                                    |
|-----------------------|-------------------------------------------------------------------------------|---------------------------------------------------------------------|
| < 768px (mobile)      | Hidden by default. Full-width drawer from left on open. Overlay behind.       | Menu icon (hamburger) in TopBar. X to close. Swipe left to dismiss. |
| 768px–1023px (tablet) | Collapsed: 64px wide. Icons only. No text labels. Hover = tooltip with label. | ChevronRight button inside sidebar expands to full (240px).         |
| ≥ 1024px (desktop)    | Full width: 240px. Icons + labels. All navigation visible.                    | ChevronLeft button collapses to icon-only mode.                     |
| ≥ 1280px (wide)       | Full width: 260px. Slight extra padding.                                      | Same collapse button.                                               |

## 15.2 · Page-Level Responsive Rules

| Page                | Mobile (< 768px)                                                     | Tablet (768–1023px)                           | Desktop (≥ 1024px)                      |
|---------------------|----------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------|
| Dashboard           | Single column widgets. Stats 2×2 grid.                               | 2-col widget grid.                            | 3-4 col widget grid. Full charts.       |
| Task List           | Card view only. No table. Toolbar collapses to filter icon + search. | Card view or table (scrollable).              | Table view default. Full toolbar.       |
| Task Detail         | Single column. Properties below content.                             | Two columns (stacked tablet).                 | Two columns (60/40 split).              |
| Create Task Form    | Full page. Stacked fields. Advanced fields in collapsed accordion.   | Same as desktop but no side panel.            | Two-column: fields left, preview right. |
| Employee List       | Card grid (1 col). Table hidden.                                     | Card grid (2 col) or horizontal scroll table. | Table view. Full columns.               |
| Attendance Calendar | Month view still shown. Cells simplified. Employee view only.        | Standard calendar view.                       | Full calendar with HR bulk edit.        |
| KPI Page            | Score card full width. Component bars stacked.                       | 2-col: score + bars.                          | Full layout with team table.            |
| Notifications Panel | Full screen panel (not slide-in).                                    | Slide-in panel (360px).                       | Slide-in panel (360px).                 |
| Audit Log           | Table horizontal scroll. Date filter simplified.                     | Table horizontal scroll.                      | Full table. All columns visible.        |
| Admin Panel         | Tab navigation changes to accordion.                                 | Tabs visible.                                 | Full admin tab layout.                  |

## 15.3 · Touch & Mobile Interaction Patterns

| Pattern             | Implementation                                                                                               |
|---------------------|--------------------------------------------------------------------------------------------------------------|
| Swipe to dismiss    | Notification panel and mobile sidebar drawer: swipe left to close.                                           |
| Pull to refresh     | Task list and dashboard: pull-to-refresh gesture triggers data reload.                                       |
| Long press          | Task card: long press enters bulk select mode. Checkboxes appear.                                            |
| Bottom action sheet | On mobile: kebab menu and dropdown menus render as bottom sheet (slides up from bottom). Easier thumb reach. |
| Tap target minimum  | All interactive elements: minimum 44×44px tap target. Padding added where needed.                            |
| Scroll behavior     | Main content: scroll inside main area. Sidebar: scroll independent. No body scroll lock on desktop.          |
| Sticky headers      | Table headers and page header stay visible on scroll (sticky positioning).                                   |

## 15.4 · Accessibility (WCAG 2.1 AA)

| Requirement         | Implementation                                                                                                               |
|---------------------|------------------------------------------------------------------------------------------------------------------------------|
| Focus rings         | All interactive elements: focus:ring-2 focus:ring-indigo/30. Never remove outline without ring replacement.                  |
| Keyboard navigation | Tab order follows visual layout. Modal: trap focus inside. Escape closes. Arrow keys for dropdowns/menus.                    |
| ARIA labels         | All icon-only buttons: aria-label. All form inputs: aria-describedby for errors. Status chips: aria-label="Status: [value]". |
| Color contrast      | All text meets 4.5:1 minimum (AA). Gray-900 on white = 21:1. Indigo on white = 4.6:1 verified.                               |
| Screen readers      | Semantic HTML: nav/main/aside/section/article. Lists use ul/li. Tables use thead/th scope.                                   |
| Skip to content     | Hidden "Skip to main content" link. First focusable element on page. Becomes visible on focus.                               |
| Error association   | Form errors: aria-invalid="true" on input + aria-describedby pointing to error message id.                                   |
| Loading states      | Skeleton screens: aria-busy="true". Spinners: role="status" aria-label="Loading...".                                         |
| Motion preference   | prefers-reduced-motion: all animations and transitions disabled or reduced for users with vestibular sensitivity.            |

# 16 IMPLEMENTATION NOTES

File Structure · Component Architecture · Dev Conventions

## 16 • Implementation Notes

### 16.1 • Project File Structure (React + Tailwind)

Recommended for Cursor IDE / Google Project IDX. Feature-based folder structure.

| Path                                       | Contents                                                      |
|--------------------------------------------|---------------------------------------------------------------|
| src/app/                                   | Next.js 14 App Router pages and layouts                       |
| src/app/(auth)/login/page.tsx              | Login page component                                          |
| src/app/(dashboard)/dashboard/page.tsx     | Role-adaptive dashboard                                       |
| src/app/(dashboard)/tasks/page.tsx         | Task list page                                                |
| src/app/(dashboard)/tasks/[id]/page.tsx    | Task detail page                                              |
| src/app/(dashboard)/tasks/create/page.tsx  | Task create form                                              |
| src/app/(dashboard)/departments/page.tsx   | Department list                                               |
| src/app/(dashboard)/employees/page.tsx     | Employee list                                                 |
| src/app/(dashboard)/attendance/page.tsx    | Attendance log                                                |
| src/app/(dashboard)/kpi/page.tsx           | KPI scores page                                               |
| src/app/(dashboard)/notifications/page.tsx | Notifications full page                                       |
| src/app/(dashboard)/audit-log/page.tsx     | Audit log page                                                |
| src/app/(dashboard)/admin/page.tsx         | Super admin panel                                             |
| src/components/layout/                     | Sidebar.tsx / TopBar.tsx / PageContainer.tsx / Breadcrumb.tsx |

| Path                       | Contents                                                                                                                                                    |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| src/components/ui/         | Button / Badge / Card / Input / Select / Modal / Toast / Avatar / Spinner / Tabs / Tooltip / Dropdown / ProgressBar / EmptyState / Skeleton — one file each |
| src/components/tasks/      | TaskCard.tsx / TaskTable.tsx / TaskForm.tsx / TaskStatusSelect.tsx / TaskPrioritySelect.tsx / RRuleBuilder.tsx                                              |
| src/components/dashboard/  | StatCard.tsx / ActivityFeed.tsx / WorkloadChart.tsx                                                                                                         |
| src/components/kpi/        | KPIScoreCard.tsx / KPIComponentBar.tsx / KPIOVERRIDEModal.tsx                                                                                               |
| src/components/attendance/ | AttendanceCalendar.tsx / AttendanceTable.tsx / LeaveRequestForm.tsx                                                                                         |
| src/hooks/                 | useAuth.ts / useTasks.ts / useKPI.ts / useAttendance.ts / useNotifications.ts                                                                               |
| src/stores/                | authStore.ts (Zustand) / notificationStore.ts                                                                                                               |
| src/lib/                   | api.ts (fetch wrapper) / permissions.ts (RBAC checks) / cn.ts (clsx helper)                                                                                 |
| src/types/                 | task.types.ts / user.types.ts / kpi.types.ts / attendance.types.ts                                                                                          |
| tailwind.config.ts         | Extended brand tokens. Custom colors, shadows, animations.                                                                                                  |
| src/styles/globals.css     | Tailwind base + custom CSS variables + scrollbar styles                                                                                                     |

## 16.2 · Key Tailwind Utilities (Custom)

| Custom Utility | Definition                                                                                              | Usage                                     |
|----------------|---------------------------------------------------------------------------------------------------------|-------------------------------------------|
| .btn-primary   | bg-indigo hover:bg-indigo-600 text-white font-semibold text-sm px-4 py-2.5 rounded-lg transition-colors | Primary action buttons everywhere         |
| .btn-secondary | bg-white hover:bg-gray-50 text-gray-700 border border-gray-200 text-sm px-4 py-2.5 rounded-lg           | Secondary action buttons                  |
| .card          | bg-white rounded-xl shadow-sm border border-gray-100                                                    | All white card containers                 |
| .badge-status  | px-2.5 py-1 rounded-full text-xs font-semibold flex items-center gap-1.5                                | Status chips (extend with color variants) |



| Custom Utility  | Definition                                                                                                                              | Usage                                |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| .input-field    | w-full px-3.5 py-2.5 border border-gray-200 rounded-lg text-sm focus:ring-2 focus:ring-indigo/30 focus:border-indigo focus:outline-none | All text inputs and selects          |
| .page-title     | text-2xl font-bold text-gray-900                                                                                                        | Page h1 titles                       |
| .section-header | text-lg font-semibold text-gray-800 flex items-center gap-2                                                                             | Card / section headings              |
| .label-xs       | text-xs font-medium uppercase tracking-wide text-gray-500                                                                               | Form field labels and column headers |
| .text-link      | text-indigo hover:text-indigo-700 hover:underline cursor-pointer                                                                        | All clickable text links             |
| .divider        | border-t border-gray-100 my-4                                                                                                           | Section dividers inside cards        |

## 16.3 · Cursor IDE / IDX Dev Conventions

| Convention              | Rule                                                                                                                        |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Component naming        | PascalCase. One component per file. File name matches component name.                                                       |
| Prop types              | TypeScript interface per component. Props prefixed with component name: TaskCardProps.                                      |
| Tailwind class ordering | Follow Tailwind Prettier plugin order: layout → spacing → typography → color → effects.                                     |
| clsx / cn helper        | Use cn() utility (wraps clsx + tailwind-merge) for conditional class merging. Never string template for class conditionals. |
| Icon import pattern     | Named imports from lucide-react. Always pass className for sizing: <CheckSquare className="w-5 h-5" />.                     |
| React Query keys        | Array keys: ['tasks', taskId] / ['kpi', userId, period] / ['attendance', userId, month].                                    |
| Zustand stores          | Flat state. Actions co-located in store. No class-based stores.                                                             |
| Error boundaries        | Wrap each major page section in <ErrorBoundary fallback={<ErrorCard />}>.                                                   |
| Loading states          | Every data fetch: show skeleton, not spinner. Spinners only for mutations (submit buttons).                                 |
| RBAC in components      | Use useAuth() hook → role check → conditional render. Never hide via CSS alone — use conditional rendering.                 |

| Convention         | Rule                                                                                         |
|--------------------|----------------------------------------------------------------------------------------------|
| Form handling      | React Hook Form + Zod validation schemas matching backend Zod schemas exactly.               |
| Optimistic updates | Task status changes: optimistic update via React Query + rollback on error with error toast. |

**TASKFLOW · UI/UX PRD v1.0 · END OF DOCUMENT**

React + Tailwind CSS · Lucide React · Next.js 14 · TypeScript

© 2026 Ablefolks Education MNC · CONFIDENTIAL · Internal Use Only

Requires sign-off from: Product Lead · CTO · Design Lead · Frontend Lead