MES COLLEGE OF ENGINEERING, KUTTIPPURAM DEPARTMENT OF COMPUTER SCIENCE

CSL 333 DATABASE MANAGEMENT SYSTEMS LAB

PROJECTBLOOD BANK MANAGEMENT SYSTEM

TEAM MEMBERS

Sahal (MES21CS098) Sahil Siyan (MES21CS099) Salman Abdul Salam (MES21CS100) Vignesh Pavithran (MES21CS120)

TABLE OF CONTENTS

INTRODUCTION	1
IMPLEMENTATION	2
CONNECTION	6
LOGIN	7
HOMEPAGE	8
ADMIN PAGE	14
USER PAGE	21
LOGOUT	28
ADD, EDIT & DELETE from the tables	28
CSS STYLES	35
CONCLUSION	40

INTRODUCTION

A Blood Bank Management is a system that is designed to store, process, retrieve and analyse information concerned with the administrative and inventory management within a blood bank. Project blood bank Management System provides all necessary functions like User authentication, Dashboard, list donor details, delete donor details, list patient details, delete patient details

The Primary goal of a Blood Bank Management System is to improve the efficiency and effectiveness of a blood donation, so that the blood donation can be easily managed.

Features:

- User Authentication
- Dashboard
- List donor details
- Delete donor details
- List patient details
- Delete patient details
- Adding Students
- Logs

Technical Details:

- MySQL Database Server
- PHP for Server-side rendering
- HTML and CSS
- Apache Server

IMPLEMENTATION

DATABASE CREATION:

To create a database and tables in MySQL, you can follow these steps:

- Connect to the MySQL server using the MySQL client. You will need to enter your MySQL username and password to log in.
- Use the "CREATE DATABASE" command to create a new database
 Use the "USE" command to select the database you just created.
- Use the "CREATE TABLE" command to create a new table in the selected database. You will need to specify the name of the table and the names and data types of the columns in the table.

The database design for this project is as follows:



Database Architecture

The above result when converted to SQL it is equivalent to:

```
-- Table structure for table 'admin'
DROP TABLE IF EXISTS 'admin';
CREATE TABLE IF NOT EXISTS 'admin' (
 'id' int NOT NULL AUTO INCREMENT,
 'username' varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci NOT NULL,
 'password' varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci DEFAULT NULL,
 PRIMARY KEY ('id'),
 UNIQUE KEY 'username' ('username')
) ENGINE=MyISAM AUTO_INCREMENT=2 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
-- Dumping data for table 'admin'
INSERT INTO 'admin' ('id', 'username', 'password') VALUES
(1, 'sss', '123');
-- Table structure for table 'bloodgroup'
DROP TABLE IF EXISTS 'bloodgroup';
CREATE TABLE IF NOT EXISTS 'bloodgroup' (
 'type' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci NOT NULL,
 'give to' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci NOT NULL,
 `recieve_from` varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci NOT NULL,
 PRIMARY KEY ('type')
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 0900 ai ci;
-- Table structure for table 'donors'
DROP TABLE IF EXISTS 'donors';
CREATE TABLE IF NOT EXISTS 'donors' (
 `id` int NOT NULL AUTO_INCREMENT,
 `name` varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci DEFAULT NULL,
 'city' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 'phone no' bigint DEFAULT NULL,
 'age' int DEFAULT NULL,
 'gender' varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci DEFAULT NULL,
 'health condition' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 'blood groups' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 PRIMARY KEY ('id'),
 KEY `blood_groups` (`blood_groups`)
```

```
) ENGINE=InnoDB AUTO INCREMENT=101 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 0900 ai ci;
-- Table structure for table 'patients'
DROP TABLE IF EXISTS 'patients';
CREATE TABLE IF NOT EXISTS 'patients' (
 'id' int NOT NULL AUTO INCREMENT,
 `name` varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci DEFAULT NULL,
 'city' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 'phone no' bigint DEFAULT NULL,
 'age' int DEFAULT NULL,
 'gender' varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci DEFAULT NULL,
 `health_condition` varchar(50) CHARACTER SET latin1 COLLATE latin1_swedish_ci DEFAULT NULL,
 'blood groups' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 'hospital' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 PRIMARY KEY ('id'),
 KEY `blood_groups` (`blood_groups`)
) ENGINE=InnoDB AUTO INCREMENT=56 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 0900 ai ci;
-- Table structure for table `users`
DROP TABLE IF EXISTS 'users';
CREATE TABLE IF NOT EXISTS 'users' (
 'id' int NOT NULL AUTO_INCREMENT,
 'username' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci NOT NULL,
 'password' varchar(50) CHARACTER SET latin1 COLLATE latin1 swedish ci DEFAULT NULL,
 PRIMARY KEY ('id'),
 UNIQUE KEY 'username' ('username')
) ENGINE=MyISAM AUTO_INCREMENT=2 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
-- Dumping data for table `users`
INSERT INTO 'users' ('id', 'username', 'password') VALUES
(1, 'uuu', '321');
-- Constraints for table 'donors'
ALTER TABLE 'donors'
ADD CONSTRAINT `donors_ibfk_1` FOREIGN KEY (`blood_groups`) REFERENCES `bloodgroup` (`type`) ON
DELETE CASCADE ON UPDATE CASCADE;
-- Constraints for table `patients`
ALTER TABLE 'patients'
ADD CONSTRAINT `patients_ibfk_1` FOREIGN KEY (`blood_groups`) REFERENCES `bloodgroup` (`type`) ON
DELETE CASCADE ON UPDATE CASCADE;
```

STRUCTURE OF FILES

The following is a directory structure for the Library Management System Project. It includes all the necessary files and directories for the project, organized in a logical and easy-to-navigate manner. The directory structure includes various files that performs different functions of Library Management System Project. 'materialize.min.css' is a framework used from the internet to help in the Styling of the CSS code. There are not much dependencies required but most files reference the 'config.php' file. We have to open XAMPP and start the 'MySQL Database' and 'Apache Web Server' for the Hospital Management System to be loaded into localhost(127.0.0.1) along with its database.

```
bloodbank/
  - images/
       pic1.jpg
       pic2.jpg
        pic3.jpg
      - pic4.png
    bloodbank.sql
    admin.php
   bgcreate.php
    bgdelete.php
   bgedit.php
   card.css
    connection.php
    dcreate.php
   ddelete.php
   dedit.php
    form.css
    index.php
    login.css
   login.php
   logout.php
   pcreate.php
    pdelete.php
    pedit.php
    styles.css
    user.php
```

Directory Structure

CONNECTION

The configuration file "connection.php" is used by each functions to connect to the database. The "connection.php" file contains the necessary code to establish a connection with mysql using mysqli which is a extension in php that adds mysqli functions. This mysqli functions can be used to connect, access, query or do alot of other work on a database. The contents of "connection.php" is provided below.

//'connection.php':

```
<?php
  $connection = mysqli_connect('localhost', 'root', ", 'bloodbank');
if(!$connection){
   echo "Connection failed";
}
?>
```

Here,

Hostname is stored in *mysqlhost* variable,
Mysql Username is stored in *mysqlusername* variable,
Mysql Password in *mysqlpassword* variable,
The Database name is stored in *mysqldb* variable,

The *connection* variable is used to store the object representing the connection to a mysql database. The connection is established by using mysqli_connect function with the mysql server hostname, mysql server username, mysqlserver password and the mysql database name. Hence, The *mysqli_connect()* function simply opens a new connection to the MySQL Server.

LOGIN

Lets the user as well as admin login into the Blood Bank Management System through authentication. Checks whether provided username and password match the one in the database. If it doesn't match, session wont start and the user cannot login.

//'login.php':

```
<?php
session_start();
include "connection.php";
if(isset($ POST['adun'])){
if((isset(\$\_POST['adun']) \&\& isset(\$\_post['adpw'])) \mid | (isset(\$\_POST['usun']) \&\& isset(\$\_post['uspw']))) | | (isset(\$\_POST['usun']) \&\& isset(\$\_post['uspw']))) | | (isset(\$\_POST['usun']) \&\& isset(\$\_post['uspw']))) | | (isset(\$\_POST['usun']) \&\& isset(\$\_post['uspw'])) | | (isset(\$\_post['uspw'])) | | (isset(\$\_post['uspw']) | | (isset(\$\_post['uspw'])) | | (isset(\$\_post['uspw
function validate($data){
                          $data=trim($data);
                          $data=stripslashes($data);
                          $data=htmlspecialchars($data);
                          return data;
}
}
$uname1=$_POST['adun'];
$pass1=$_POST['adpw'];
if(empty($uname1)){
                          header("Location: index.php");
                          exit();
else if(empty($pass1)){
                          header("Location: index.php");
                          exit();
}
$sql1 = "SELECT * FROM admin WHERE username='$uname1' AND password='$pass1'";
$result1 = mysqli_query($connection, $sql1);
if(mysqli_num_rows($result1)==1){
                          $row1=mysqli fetch assoc($result1);
                          if($row1['username']===$uname1 && $row1['password']===$pass1){
                                                     echo "Logged In!";
                                                     $_SESSION['username'] = $row1['username'];
                                                    header("Location: admin.php");
                                                     exit();
                          }
                          else{
                                                     header("Location: index.php");
                                                     exit();
                          }
}
else{
                          header("Location: index.php");
                          exit();
}else if(isset($_POST['usun'])){
                          if(isset($_POST['usun']) && isset($_post['uspw'])){
                                                     function validate($data){
```


```
$data=trim($data);
                 $data=stripslashes($data);
                 $data=htmlspecialchars($data);
                 return data;
        }
}
$uname2=$_POST['usun'];
$pass2=$_POST['uspw'];
if(empty($uname2)){
        header("Location: index.php");
        exit();
}
else if(empty($pass2)){
        header("Location: index.php");
        exit();
}
$sql2 = "SELECT * FROM users WHERE username='$uname2' AND password='$pass2'";
$result2 = mysqli_query($connection, $sql2);
if(mysqli_num_rows($result2)==1){
$row2=mysqli fetch assoc($result2);
if($row2['username']===$uname2 && $row2['password']===$pass2){
        echo "Logged In!";
        $_SESSION['username'] = $row2['username'];
        header("Location: user.php");
        exit();
}
else{
        header("Location: index.php");
        exit();
}
}
else{
header("Location: index.php");
exit();
}
}
?>
```

HOMEPAGE

The HomePage shows information about the blood bank. It also contains a section for both User login as well as Admin login. It also provides contact information as well as information about the team.



index.php is loaded here



//'index.php':

<!DOCTYPE html>

<html>

<head>

<title>Blood Bank</title>

```
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="./styles.css">
<link rel="stylesheet" href="./login.css">
<link rel="stylesheet" href="./card.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Inconsolata">
| stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css"
 <style>
 body,
 html {
  height: 100%;
  font-family: "Inconsolata", sans-serif;
 .bgimg {
  background-position: center;
  background-size: 1000px 563px;
  background-image: url("images/pic1.jpg");
  min-height: 75%;
 .menu {
  display: none;
</style>
</head>
<body>
<!-- Links (sit on top) -->
<div class="w3-top">
 <div class="w3-row w3-padding w3-black">
  <div class="w3-col s3">
   <a href="#" class="w3-button w3-block w3-black">HOME</a>
  </div>
  <div class="w3-col s3">
   <a href="#about" class="w3-button w3-block w3-black">ABOUT</a>
  </div>
  <div class="w3-col s3">
   <a href="#menu" class="w3-button w3-block w3-black">LOGIN</a>
  </div>
 </div>
 </div>
<!-- Header with image -->
<header class="bgimg w3-display-container w3-grayscale-min" id="home" style="margin-top: 50px;">
 <!--div class="w3-display-bottomleft w3-center w3-padding-large w3-hide-small">
 <span class="w3-tag">Open from 6am to 5pm</span>
</div-->
 <div class="w3-display-middle w3-center">
  <span class="w3-text-black" style="font-size:90px;">Donate Blood<br>Save Lives</span>
 </div>
 <!--div class="w3-display-bottomright w3-center w3-padding-large">
 <span class="w3-text-white">15 Adr street, 5015</span>
```

```
</div-->
</header>
<!-- Add a background color and large text to the whole page -->
<div class="w3-sand w3-grayscale w3-large">
 <!-- About Container -->
 <div class="w3-container" id="about">
 <div class="w3-content" style="max-width:700px">
  <h5 class="w3-center w3-padding-64"><span class="w3-tag w3-wide">BLOOD GROUPS</span></h5>
   blood group of any human being will mainly fall in any one of the following groups..
   <div class="col-lg-6">
    A positive or A negative
    B positive or B negative
    O positive or O negative
    AB positive or AB negative.
    </div>
   <div class="w3-panel w3-leftbar w3-light-grey">
    <i>""Compassion is in your veins. Share it through blood donation.".</i>
    -TheGreatZiro
   <img src="images/pic3.jpg" style="width:100%;" class="w3-margin-top">
  </div>
 </div>
 <!-- User login Container -->
 <div class="w3-container" id="menu">
 <div class="w3-content" style="max-width:700px">
  <h5 class="w3-center w3-padding-48"><span class="w3-tag w3-wide">LOGIN</span></h5>
   <div class="w3-row w3-center w3-card w3-padding">
    <a href="javascript:void(0)" onclick="openMenu(event, 'user');" id="myLink">
     <div class="w3-col s6 tablink">User Login</div>
    </a>
    <a href="javascript:void(0)" onclick="openMenu(event, 'admin');">
    <div class="w3-col s6 tablink">Admin Login</div>
    </a>
   </div>
   <div id="user" class="w3-container menu w3-padding-48 w3-card">
    <section class='login' id='ulogin'>
     <div class='head'>
     <h1 class='company'>User Login</h1>
     </div>
     Welcome back
     <div class='form'>
      <form method="post" action="login.php">
       <input type="text" placeholder='Username' class='text' id='username' name='usun' required><br>
       <input type="password" placeholder='••••••• class='password' name='uspw'><br>
       <input type="submit" value="Login" class="btn-login" name="userlogin">
```

```
</form>
      </div>
     </section>
    </div>
    <div id="admin" class="w3-container menu w3-padding-48 w3-card">
     <section class='login' id='alogin'>
      <div class='head'>
       <h1 class='company'>Admin Login</h1>
      Welcome back
      <div class='form'>
       <form method="post" action="login.php">
        <input type="text" placeholder='Username' class='text' id='username' name ='adun' required><br>
        <input type="password" placeholder='••••••••• class='password' id='password' name='adpw'><br>
        <input type="submit" value="Login" class="btn-login" name="adlogin">
       </form>
      </div>
     </section>
   </div>
   </div>
  </div>
  <!-- Admin login Container -->
  <div class="w3-container" id="where" style="padding-bottom:32px;">
   <div class="w3-content" style="max-width:2000px">
   <h5 class="w3-center w3-padding-48"><span class="w3-tag w3-wide"> ABOUT US</span></h5>
    <div class="team-boxed">
    <div class="container">
      <div class="intro">
        Our mission is to create a centralized platform that connects blood donors with those
in need, making the process of blood donation more efficient and accessible. Through our website, we aim to
promote awareness and educate the public on the importance of regular blood donation. By leveraging technology to
streamline the process and connect donors with recipients in real-time, we hope to make a positive impact on the
lives of those in need of life-saving blood transfusions.
        <h2 class="text-center">Team </h2>
       </div>
      <div class="row people">
        <div class="col-md-6 col-lg-4 item">
          <div class="box"><img class="rounded-circle" src="assets/img/1.jpg">
            <h3 class="name">Salman</h3>
            bhai
            Salman is a valuable member of our team, bringing expertise in frontend
technology as a third year Computer Engineering student at MES COLLEGE OF ENGINEERING. With a passion for
staying current and continuously learning, Salman is always seeking out new opportunities to expand his knowledge
and skills. 
            <div class="social"><a href="#"><i class="fa fa-facebook-official"></i></a><a href="#"><i class="fa fa-facebook-official"></i></a>
twitter"></i></a><a href="#"><i class="fa fa-instagram"></i></div>
          </div>
        </div>
        <div class="col-md-6 col-lg-4 item">
```


```
<div class="box"><img class="rounded-circle" src="assets/img/2.jpg">
            <h3 class="name">Sahal</h3>
            TheGreatZiro
            Sahal is a valuable team member with expertise in backend technology as a third
year Computer Engineering student at MES COLLEGE OF ENGINEERING. His dedication to growth and continuous
learning makes him a valuable asset to any software development project. With a strong foundation in these
areas, Sahal is well-equipped to make valuable contributions to the team.. 
            <div class="social"><a href="#"><i class="fa fa-facebook-official"></i></a><a href="#"><i class="fa fa-
twitter"></i></a><a href="#"><i class="fa fa-instagram"></i></div>
          </div>
        </div>
        <div class="col-md-6 col-lg-4 item">
          <div class="box"><img class="rounded-circle" src="assets/img/3.jpg">
            <h3 class="name">Vignesh</h3>
            Stylist
            Vignesh is a valuable team member with expertise in frontend technology as a
third year Computer Engineering student at MES COLLEGE OF ENGINEERING. His dedication to growth and continuous
learning makes him a valuable asset to any software development project. With a strong foundation in these areas
and a passion for staying current, vignesh is well-equipped to make valuable contributions to the team. 
            <div class="social"><a href="#"><i class="fa fa-facebook-official"></i></a><a href="#"><i class="fa fa-facebook-official"></i></a>
twitter"></i></a><a href="#"><i class="fa fa-instagram"></i></div>
          </div>
        </div>
        <div class="col-md-6 col-lg-4 item">
          <div class="box"><img class="rounded-circle" src="assets/img/3.jpg">
            <h3 class="name">Sahil</h3>
            Stylist
            Sahil is a valuable team member with expertise in backend technology as a third
year Computer Engineering student at MES COLLEGE OF ENGINEERING. His dedication to growth and continuous
learning makes him a valuable asset to any software development project. With a strong foundation in these
areas, Sahil is well-equipped to make valuable contributions to the team. 
            <div class="social"><a href="#"><i class="fa fa-facebook-official"></i></a><a href="#"><i class="fa fa-facebook-official"></i>
twitter"></i></a><a href="#"><i class="fa fa-instagram"></i></a></div>
          </div>
        </div>
      </div>
    </div>
  </div>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/twitter-bootstrap/4.1.3/js/bootstrap.bundle.min.js"></script>
  <div class="w3-container" id="where" style="padding-bottom:32px;">
   <div class="w3-content" style="max-width:700px">
  </div>
  </div>
  </div>
  <!-- End page content -->
 </div>
 <div class="w3-center w3-light-grey w3-padding-48 w3-large">
  Powered by <a href="https://www.w3schools.com/w3css/default.asp" title="W3.CSS" target=" blank"</p>
class="w3-hover-text-green">w3.css</a>
 </div>
```


```
<script>
  // Tabbed Menu
  function openMenu(evt, menuName) {
   var i, x, tablinks;
   x = document.getElementsByClassName("menu");
   for (i = 0; i < x.length; i++) {
   x[i].style.display = "none";
   tablinks = document.getElementsByClassName("tablink");
   for (i = 0; i < x.length; i++) {
    tablinks[i].className = tablinks[i].className.replace(" w3-dark-grey", "");
   }
   document.getElementById(menuName).style.display = "block";
   evt.currentTarget.firstElementChild.className += " w3-dark-grey";
  document.getElementById("myLink").click();
 </script>
</body>
</html>
```

ADMIN PAGE

The admin login, if successful, redirects to the admin page. This page contains a dashboard which shows total donors and patients as well as blood group chart. It also shows the donor table as well as the patient table. It also provides the options to add, edit and delete records to/from those tables.







//'admin.php':


```
<?php
session start();
if(isset($_SESSION['username'])){
 ?>
 <!DOCTYPE html>
 <html>
 <head>
 <title>Administrator</title>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet" href="./styles.css">
 <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Montserrat">
 k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css">
 <style>
 body, h1,h2,h3,h4,h5,h6 {font-family: "Montserrat", sans-serif}
 .w3-row-padding img {margin-bottom: 12px}
 /* Set the width of the sidebar to 120px */
 .w3-sidebar {width: 120px;background: #222;}
 /* Add a left margin to the "page content" that matches the width of the sidebar (120px) */
 #m ain {margin-left: 120px}
 /* Remove margins from "page content" on small screens */
 @media only screen and (max-width: 600px) {#main {margin-left: 0}}
 </style>
 </head>
 <body class="w3-black">
 <!-- Icon Bar (Sidebar - hidden on small screens) -->
 <nav class="w3-sidebar w3-bar-block w3-small w3-hide-small w3-center">
  <!-- Avatar image in top left corner -->
  <img src="images/pic4.png" style="width:100%">
  <a href="#" class="w3-bar-item w3-button w3-padding-large w3-black">
   <i class="fa fa-home w3-xxlarge"></i>
   HOME
```

```
<a href="#about" class="w3-bar-item w3-button w3-padding-large w3-hover-black">
  <i class="fa fa-eye w3-xxlarge"></i>
  DASHBOARD
 </a>
 <a href="#photos" class="w3-bar-item w3-button w3-padding-large w3-hover-black">
 <i class="fa fa-user w3-xxlarge"></i>
  DONORS
 <a href="#contact" class="w3-bar-item w3-button w3-padding-large w3-hover-black">
  <i class="fa fa-user w3-xxlarge"></i>
 PATIENTS
 </a>
</nav>
<!-- Navbar on small screens (Hidden on medium and large screens) -->
<div class="w3-top w3-hide-large w3-hide-medium" id="myNavbar">
 <div class="w3-bar w3-black w3-opacity w3-hover-opacity-off w3-center w3-small">
  <a href="#" class="w3-bar-item w3-button" style="width:25% !important">HOME</a>
  <a href="#about" class="w3-bar-item w3-button" style="width:25% !important">DASHBOARD</a>
  <a href="#photos" class="w3-bar-item w3-button" style="width:25% !important">DONORS</a>
  <a href="#contact" class="w3-bar-item w3-button" style="width:25% !important">PATIENTS</a>
 </div>
</div>
<!-- Page Content -->
<div class="w3-padding-large" id="main">
 <!-- Header/Home -->
 <div class="w3-padding-large" style="min-height: 650px;">
 <header class="w3-container w3-padding-32 w3-center w3-black" style="min-height: 500px;" id="home">
  <div class="w3-display-middle w3-center">
  <h1 class="w3-jumbo"> Welcome back!!</h1>
  Administrator
  </div>
 </header>
 </div>
 <!-- About Section -->
 <div class="w3-content w3-justify w3-text-grey w3-padding-64" style="min-height: 650px;" id="about">
  <h2 class="w3-text-light-grey">Overview</h2>
  <hr style="width:200px" class="w3-opacity">
  <div class="w3-row w3-center w3-padding-16 w3-section w3-light-grey">
   <div class=" w3-section">
    <span class="w3-xlarge">
     <?php
     include("connection.php");
     $sql = "SELECT COUNT(*) AS count FROM donors;";
     $result = $connection->query($sql);
     $row = $result->fetch assoc();
     $count = $row["count"];
     echo "<strong>$count</strong>";
    </span><br>
    READY TO GIVE BLOOD
   </div>
  </div>
  <div class="w3-row w3-center w3-padding-16 w3-section w3-light-grey">
   <div class=" w3-section">
    <span class="w3-xlarge">
    <?php
     include("connection.php");
     $sql = "SELECT COUNT(*) AS count FROM patients;";
     $result = $connection->query($sql);
     $row = $result->fetch_assoc();
     $count = $row["count"];
```

```
echo "<strong>$count</strong>";
  </span><br>
  NEED BLOOD
 </div>
</div>
<div class="container my-5" id="bgchart">
 <h2 class="w3-text-light-grey">Blood Group chart</h2>
 <hr style="width:280px" class="w3-opacity">
 <a class="btn btn-primary" href="/bloodbank_dbms/bgcreate.php" role="button">ADD</a>
 <br>
 <hr>
 <thead class="table-dark">
      Type
      Give to
      Recieve from
      </thead>
   <?php
     include "connection.php";
     $sql = "SELECT * FROM bloodgroup";
     $result = $connection->query($sql);
     while($row = $result->fetch_assoc()) {
      echo"
      $row[type]
      $row[give_to]
      $row[recieve_from]
      <a class='btn btn-primary btn-sm' href='/bloodbank_dbms/bgedit.php?type=$row[type]'>Edit</a>
        <a class='btn btn-danger btn-sm' href='/bloodbank_dbms/bgdelete.php?id=$row[type]'>Delete</a>
      ?>
   </div>
<!-- End About Section -->
</div>
<!-- Portfolio Section -->
<div class="w3-padding-64 w3-content" style="min-height: 650px;" id="photos">
<div class="container my-5" id="dchart">
 <h2 class="w3-text-light-grey">Donor List</h2>
 <hr style="width:280px" class="w3-opacity">
 <a class="btn btn-primary" href="/bloodbank_dbms/dcreate.php" role="button">ADD</a>
 <br>
 <br>
 <thead class="table-dark">
      ID
      NAME
      CITY
```


```
PHONE NO
      AGE
      GENDER
      HEALTH CONDITION
      BLOOD GROUP
      </thead>
   <?php
     include "connection.php";
     $sql = "SELECT * FROM donors";
     $result = $connection->query($sql);
     while($row = $result->fetch_assoc()) {
      echo"
      $row[id]
      $row[name]
      $row[city]
      $row[phone_no]
      $row[age]
      $row[gender]
      $row[health_condition]
      $row[blood_groups]
        <a class='btn btn-primary btn-sm' href='/bloodbank_dbms/dedit.php?id=$row[id]'>Edit</a>
        <a class='btn btn-danger btn-sm' href='/bloodbank_dbms/ddelete.php?id=$row[id]'>Delete</a>
       ?>
   </div>
</div>
<!-- End Portfolio Section -->
</div>
<!-- Contact Section -->
<div class="w3-padding-64 w3-content w3-text-grey" style="min-height: 650px;" id="contact">
 <div class="container my-5" id="pchart">
  <h2 class="w3-text-light-grey">Patient List</h2>
  <hr style="width:280px" class="w3-opacity">
  <a class="btn btn-primary" href="/bloodbank_dbms/pcreate.php" role="button">ADD</a>
  <thead class="table-dark">
     ID
      NAME
      CITY
      PHONE NO
      AGE
      GENDER
      HEALTH CONDITION
      BLOOD GROUP
      HOSPITAL
```

```
</thead>
     <?php
       include "connection.php";
       $sql = "SELECT * FROM patients";
       $result = $connection->query($sql);
       while($row = $result->fetch_assoc()) {
         echo"
         $row[id]
         $row[name]
         $row[city]
         $row[phone_no]
         $row[age]
         $row[gender]
         $row[health_condition]
         $row[blood_groups]
         $row[hospital]
         <a class='btn btn-primary btn-sm' href='/bloodbank_dbms/pedit.php?id=$row[id]'>Edit</a>
           <a class='btn btn-danger btn-sm' href='/bloodbank_dbms/pdelete.php?id=$row[id]'>Delete</a>
         }
       ?>
     </div>
<!-- End Contact Section -->
</div>
<div class="w3-padding-64 w3-content w3-text-grey" style="min-height: 650px;">
<h2 class="w3-text-light-grey">Contact Us</h2>
 <hr style="width:200px" class="w3-opacity">
 <div class="w3-section">
  <i class="fa fa-map-marker fa-fw w3-text-white w3-xxlarge w3-margin-right"></i> Kuttipuram, KERALA
  <i class="fa fa-phone fa-fw w3-text-white w3-xxlarge w3-margin-right"></i> Phone: 9876543210
  <i class="fa fa-envelope fa-fw w3-text-white w3-xxlarge w3-margin-right"> </i> Email: bloodbank_dbms@gmail.com
</div><br>
<div style="position: absolute; top: 10px; right: 10px;">
 <a type="button" class="btn btn-dark data-mdb-ripple-init" href="logout.php"><span class="glyphicon glyphicon-log-out"></span> Log out</a>
</div>
</div>
<!-- Footer -->
<footer class="w3-content w3-padding-64 w3-text-grey w3-xlarge">
  <i class="fa fa-facebook-official w3-hover-opacity"></i>
  <i class="fa fa-instagram w3-hover-opacity"></i>
  <i class="fa fa-snapchat w3-hover-opacity"></i>
  <i class="fa fa-pinterest-p w3-hover-opacity"></i>
  <i class="fa fa-twitter w3-hover-opacity"></i>
  <i class="fa fa-linkedin w3-hover-opacity"></i>
  Powered by <a href="https://www.w3schools.com/w3css/default.asp" target="_blank" class="w3-hover-text-</p>
green">w3.css</a>
 <!-- End footer -->
</footer>
<!-- END PAGE CONTENT -->
</div>
</body>
 </html>
<?php
}else {
```

```
header("Location: index.php");
exit();
}
```

USER PAGE

The user login, if successful, redirects to the user page. This page provides options to add to donors table and patients table.



//'user.php':

```
<?php
session_start();
if(isset($_SESSION['username'])){
$id="";
```

```
$name="";
$city="";
$phone_no="";
$age="";
$gender="":
$health condition="";
$blood_groups="";
$hospital="";
$errorMessage= "";
$successMessage= "";
<!DOCTYPE html>
<html>
<head>
<title>User</title>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="./styles.css">
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Montserrat">
<link rel="stylesheet" href="form.css">
<style>
 body, h1,h2,h3,h4,h5,h6 {font-family: "Montserrat", sans-serif}
.w3-row-padding img {margin-bottom: 12px}
/* Set the width of the sidebar to 120px */
.w3-sidebar {width: 120px;background: #222;}
/* Add a left margin to the "page content" that matches the width of the sidebar (120px) */
#m ain {margin-left: 120px}
/* Remove margins from "page content" on small screens */
 @media only screen and (max-width: 600px) {#main {margin-left: 0}}
 </head>
<body class="w3-black">
<!-- Icon Bar (Sidebar - hidden on small screens) -->
<nav class="w3-sidebar w3-bar-block w3-small w3-hide-small w3-center">
  <!-- Avatar image in top left corner -->
  <img src="images/pic4.png" style="width:100%">
  <a href="#" class="w3-bar-item w3-button w3-padding-large w3-black">
  <i class="fa fa-home w3-xxlarge"></i>
  HOME
  <a href="#about" class="w3-bar-item w3-button w3-padding-large w3-hover-black">
  <i class="fa fa-user w3-xxlarge"></i>
  DONATE
  <a href="#photos" class="w3-bar-item w3-button w3-padding-large w3-hover-black">
  <i class="fa fa-user w3-xxlarge"></i>
  REQUEST
  </a>
 </nav>
<!-- Navbar on small screens (Hidden on medium and large screens) -->
<div class="w3-top w3-hide-large w3-hide-medium" id="myNavbar">
  <div class="w3-bar w3-black w3-opacity w3-hover-opacity-off w3-center w3-small">
  <a href="#" class="w3-bar-item w3-button" style="width:25% !important">HOME</a>
  <a href="#about" class="w3-bar-item w3-button" style="width:25% !important">DONATE</a>
  <a href="#photos" class="w3-bar-item w3-button" style="width:25% !important">REQUEST</a>
  </div>
 </div>
<!-- Page Content -->
 <div class="w3-padding-large" id="main">
 <!-- Header/Home -->
  <div class="w3-padding-large" style="min-height: 650px;">
```

```
<header class="w3-container w3-padding-32 w3-center w3-black" style="min-height: 500px;" id="home">
 <div class="w3-display-middle w3-center">
 <h1 class="w3-jumbo"> Welcome back!!</h1>
User
</div>
</header>
</div>
<!-- About Section -->
<div class="w3-content w3-justify w3-text-grey w3-padding-64" style="min-height: 650px;" id="about">
<h2 class="w3-text-light-grey fs-2">Register as Donor</h2>
<hr style="width:275px" class="w3-opacity">
 <div class="container my-5 fs-3 w3-text-lgrey">
 <?php if( !empty($errorMessage)){</pre>
    echo "
    <div class='alert alert-warning alert-dismissible fade show' role='alert'>
      <strong>$errorMessage</strong>
      <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
    </div>
  ?>
  <form method="post">
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">ID</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="id" values="<?php echo $id; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">Name</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="name" values="<?php echo $name; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">City</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="city" values="<?php echo $city; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">Phone</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="phone_no" values="<?php echo $phone_no; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">Age</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="age" values="<?php echo $age; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">Gender</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="gender" values="<?php echo $gender; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">Health</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="health_condition" values="<?php echo $health_condition; ?>">
      </div>
    </div>
    <div class="row mb-3">
```

```
<label class="col-sm-3 col-form-label">Blood Group</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="blood_groups" values="<?php echo $blood_groups; ?>">
      </div>
    </div>
  <?php
 if(!empty($successMessage)){
    echo "
    <div class='row mb-3>
      <div class='offset-sm-3 col-sm-6>
        <div class='alert alert-success alert-dismissible fade show' role='alert'>
          <strong>$successMessage</strong>
          <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
        </div>
      </div>
    </div>
    ";
 }
  ?>
    <div class="row mb-3">
      <div class="offset-sm-3 col-sm-3 d-grid">
        <input type="submit" class="btn btn-primary" id="submit2" name="add" value="Register" />
      <div class='col-sm-3 d-grid'>
        <a class="btn btn-outline-primary" href="/bloodbank_dbms/user.php#about" role="button">Cancel</a>
      </div>
    </div>
  </form>
</div>
<!-- End About Section -->
</div>
<!-- Portfolio Section -->
<div class="w3-content w3-justify w3-text-grey w3-padding-64" style="min-height: 650px;" id="photos">
<h2 class="w3-text-light-grey fs-2">Request for Blood</h2>
<hr style="width:275px" class="w3-opacity">
<div class="container my-5 fs-3 w3-text-lgrey">
  <?php if( !empty($errorMessage)){</pre>
    echo "
    <div class='alert alert-warning alert-dismissible fade show' role='alert'>
      <strong>$errorMessage</strong>
      <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
    </div>
  ?>
  <form method="post">
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">ID</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="id" values="<?php echo $id; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">Name</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="name" values="<?php echo $name; ?>">
      </div>
    </div>
    <div class="row mb-3">
      <label class="col-sm-3 col-form-label">City</label>
      <div class='col-sm-6'>
        <input id="text" class="form-control" name="city" values="<?php echo $city; ?>">
      </div>
    </div>
    <div class="row mb-3">
```

```
<label class="col-sm-3 col-form-label">Phone</label>
               <div class='col-sm-6'>
                   <input id="text" class="form-control" name="phone_no" values="<?php echo $phone_no; ?>">
               </div>
          </div>
          <div class="row mb-3">
              <label class="col-sm-3 col-form-label">Age</label>
              <div class='col-sm-6'>
                  <input id="text" class="form-control" name="age" values="<?php echo $age; ?>">
               </div>
          </div>
          <div class="row mb-3">
              <label class="col-sm-3 col-form-label">Gender</label>
               <div class='col-sm-6'>
                  \verb|-input| id="text" class="form-control" name="gender" values="<?php echo $gender; ?>">|-input| id="text" class="form-control" name="gender" values="form-control" name="gender" values="form-control" name="gender" values="form-control" name="gender" values="form-control" name="gender" name="gende
              </div>
          </div>
          <div class="row mb-3">
              <label class="col-sm-3 col-form-label">Health</label>
              <div class='col-sm-6'>
                  <input id="text" class="form-control" name="health_condition" values="<?php echo $health_condition; ?>">
              </div>
          </div>
          <div class="row mb-3">
              <label class="col-sm-3 col-form-label">Blood Group</label>
              <div class='col-sm-6'>
                  <input id="text" class="form-control" name="blood groups" values="<?php echo $blood groups; ?>">
              </div>
          </div>
          <div class="row mb-3">
              <label class="col-sm-3 col-form-label">Hospital</label>
              <div class='col-sm-6'>
                  <input id="text" class="form-control" name="hospital" values="<?php echo $hospital; ?>">
          </div>
      <?php
      if(!empty($successMessage)){
          echo "
          <div class='row mb-3>
              <div class='offset-sm-3 col-sm-6>
                  <div class='alert alert-success alert-dismissible fade show' role='alert'>
                       <strong>$successMessage</strong>
                       <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
                   </div>
              </div>
          </div>
          ";
      ?>
          <div class="row mb-3">
              <div class="offset-sm-3 col-sm-3 d-grid">
                  <input type="submit" class="btn btn-primary" id="submit2" name="add" value="Request" />
               <div class='col-sm-3 d-grid'>
                  <a class="btn btn-outline-primary" href="/bloodbank_dbms/user.php#photos" role="button">Cancel</a>
              </div>
          </div>
      </form>
  </div>
  </div>
<!-- End Portfolio Section -->
</div>
<div class="w3-padding-64 w3-content w3-text-grey" style="min-height: 650px;">
<h2 class="w3-text-light-grey">Contact Us</h2>
  <hr style="width:200px" class="w3-opacity">
<div class="w3-section">
```

}

```
<i class="fa fa-map-marker fa-fw w3-text-white w3-xxlarge w3-margin-right"></i> Kuttipuram, KERALA
   <i class="fa fa-phone fa-fw w3-text-white w3-xxlarge w3-margin-right"></i> Phone: 9876543210
   <i class="fa fa-envelope fa-fw w3-text-white w3-xxlarge w3-margin-right"> </i> Email: bloodbank_dbms@gmail.com
 </div><br>
 <div style="position: absolute; top: 10px; right: 10px;">
  <a type="button" class="btn btn-dark data-mdb-ripple-init" href="logout.php"><span class="glyphicon glyphicon-log-out"></span> Log out</a>
 </div>
 <!-- Footer -->
 <footer class="w3-content w3-padding-64 w3-text-grey w3-xlarge">
  <i class="fa fa-facebook-official w3-hover-opacity"></i>
  <i class="fa fa-instagram w3-hover-opacity"></i>
  <i class="fa fa-snapchat w3-hover-opacity"></i>
  <i class="fa fa-pinterest-p w3-hover-opacity"></i>
  <i class="fa fa-twitter w3-hover-opacity"></i>
  <i class="fa fa-linkedin w3-hover-opacity"></i>
  Powered by <a href="https://www.w3schools.com/w3css/default.asp" target="_blank" class="w3-hover-text-</p>
green">w3.css</a>
 <!-- End footer -->
 </footer>
 <?php
include("connection.php");
if($_POST['add'] == "Register") {
if( $_SERVER['REQUEST_METHOD'] == 'POST' ){
  $id=$ POST["id"];
  $name=$_POST["name"];
  $city=$_POST["city"];
  $phone_no=$_POST["phone_no"];
  $age=$_POST["age"];
  $gender=$_POST["gender"];
  $health_condition=$_POST["health_condition"];
  $blood_groups=$_POST["blood_groups"];
  do{
    if( empty($id) || empty($name) || empty($city) || empty($phone_no) || empty($age) || empty($gender) || empty($health_condition) ||
empty($blood_groups)){
      $errorMessage = "All the fields are required";
      break;
   }
    $sql = "INSERT INTO donors (id, name, city,phone no,age,gender,health condition,blood groups)".
        "VALUES ('$id','$name','$city','$phone no','$age','$gender','$health condition','$blood groups')";
    $result = $connection->query($sql);
    if(!$result){
      $errorMessage = "Invalid query: " . $connection->error;
      break;
    $id="";
    $name="";
    $city="";
    $phone_no="";
    $age="";
    $gender="";
    $health_condition="";
    $blood groups="";
    $successMessage = "NEW RECORD ADDED SUCCESFULLY";
    header("location: /bloodbank_dbms/user.php#about");
  } while (false);
}
else if($_POST['add'] == "Request") {
if( $_SERVER['REQUEST_METHOD'] == 'POST' ){
  $id=$_POST["id"];
```

```
$name=$_POST["name"];
        $city=$ POST["city"];
        $phone_no=$_POST["phone_no"];
        $age=$_POST["age"];
        $gender=$_POST["gender"];
        $health_condition=$_POST["health_condition"];
        $blood_groups=$_POST["blood_groups"];
        $hospital=$_POST["hospital"];
        do{
              if(empty(\$name) \mid\mid empty(\$city) \mid\mid empty(\$phone\_no) \mid\mid empty(\$age) \mid\mid empty(\$gender) \mid\mid empty(\$health\_condition) \mid\mid empty(\$gender) \mid\mid em
  empty($blood_groups) || empty($hospital)){
                      $errorMessage = "All the fields are required";
                     break;
              }
              \$sql = "INSERT INTO patients (id, name, city, phone\_no, age, gender, health\_condition, blood\_groups, hospital)".
                             "VALUES ('$id','$name','$city','$phone_no','$age','$gender','$health_condition','$blood_groups','$hospital')";
              $result = $connection->query($sql);
              if(!$result){
                     $errorMessage = "Invalid query: " . $connection->error;
                     break;
              }
              $id="";
              $name="";
              $city="";
               $phone_no="";
               $age="";
               $gender="";
               $health_condition="";
               $blood_groups="";
               $hospital= "";
               $successMessage = "NEW RECORD ADDED SUCCESFULLY";
              header("location: /bloodbank_dbms/user.php#photos");
        } while (false);
 ?>
    <!-- END PAGE CONTENT -->
    </div>
    </body>
    </html>
 <?php
}
else {
   header("Location: index.php");
    exit();
 ?>
```

LOGOUT

The "logout.php" file contains the code to destroy existing session and redirects to the homepage.

//'logout.php':

```
<?php
session_start();
session_unset();
session_destroy();
header("Location: index.php");
?>
```

ADD, EDIT & DELETE from the tables

The following php files are used to add new records, update existing records and delete records.




//'create.php':

```
<?php
include("connection.php");
$id="";
$name="";
$city="";
```

```
$phone_no="";
$age="";
$gender="";
$health_condition="";
$blood_groups="";
$hospital="";
$errorMessage= "";
$successMessage= "";
if( $_SERVER['REQUEST_METHOD'] == 'POST' ){
  $id=$_POST["id"];
  $name=$ POST["name"];
  $city=$_POST["city"];
  $phone_no=$_POST["phone_no"];
  $age=$_POST["age"];
  $gender=$ POST["gender"];
  $health_condition=$_POST["health_condition"];
  $blood_groups=$_POST["blood_groups"];
  $hospital=$_POST["hospital"];
  do{
    if(empty($name) || empty($city) || empty($phone no) || empty($age) || empty($gender) ||
empty($health_condition) || empty($blood_groups) || empty($hospital)){
      $errorMessage = "All the fields are required";
      break;
    }
    sql = "INSERT INTO patients (id, name, city,phone_no,age,gender,health_condition,blood_groups,hospital)"
        "VALUES ('$id','$name','$city','$phone_no','$age','$gender','$health_condition','$blood_groups','$hospital')";
    $result = $connection->query($sql);
    if(!$result){
      $errorMessage = "Invalid query: " . $connection->error;
      break;
    }
    $id="";
    $name="";
    $city="";
    $phone_no="";
    $age="";
    $gender="";
    $health_condition="";
    $blood_groups="";
    $hospital= "";
    $successMessage = "NEW RECORD ADDED SUCCESFULLY";
    header("location: /bloodbank_dbms/admin.php#pchart");
  } while (false);
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>PATIENTS</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css">
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
  <link rel="stylesheet" href="form.css">
</head>
<body class="background">
  <div class="container my-5 layer text">
    <h2>Add new patient</h2>
    <?php if( !empty($errorMessage)){</pre>
      echo "
      <div class='alert alert-warning alert-dismissible fade show' role='alert'>
        <strong>$errorMessage</strong>
        <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
      </div>
    }
    ?>
    <form method="post">
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">ID</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="id" values="<?php echo $id; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Name</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="name" values="<?php echo $name; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">City</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="city" values="<?php echo $city; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Phone</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="phone_no" values="<?php echo $phone_no; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Age</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="age" values="<?php echo $age; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Gender</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="gender" values="<?php echo $gender; ?>">
        </div>
```

```
</div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Health</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="health_condition" values="<?php echo $health_condition;</pre>
?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Blood Group</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="blood groups" values="<?php echo $blood groups; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Hospital</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="hospital" values="<?php echo $hospital; ?>">
        </div>
      </div>
    <?php
    if(!empty($successMessage)){
      echo "
      <div class='row mb-3>
        <div class='offset-sm-3 col-sm-6>
          <div class='alert alert-success alert-dismissible fade show' role='alert'>
             <strong>$successMessage</strong>
             <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
          </div>
        </div>
      </div>
    }
    ?>
      <div class="row mb-3">
        <div class="offset-sm-3 col-sm-3 d-grid">
          <button id="submit" class="btn btn-primary">Submit</button>
        <div class='col-sm-3 d-grid'>
          <a class="btn btn-outline-primary" href="/bloodbank_dbms/admin.php#pchart" role="button">Cancel</a>
        </div>
      </div>
    </form>
  </div>
</body>
</html>
```



//'edit.php':

```
include("connection.php");
$id="";
$name="";
$city="";
$phone_no="";
$age="";
$gender="";
$health_condition="";
$blood_groups="";
$hospital="";
$errorMessage= "";
$successMessage= "";
if( $_SERVER['REQUEST_METHOD'] == 'GET' ){
  if(!isset($_GET["id"])){
    header("location: /bloodbank_dbms/admin.php#pchart");
  }
  $id=$_GET["id"];
  $sql = " SELECT * FROM patients WHERE id = '$id' ";
  $result = $connection->query($sql);
  $row = $result->fetch_assoc();
    header("location: /bloodbank_dbms/admin.php#pchart");
    exit;
  }
  $id = $row["id"];
  $name = $row["name"];
  $city = $row["city"];
  $phone_no = $row["phone_no"];
  $age = $row["age"];
  $gender = $row["gender"];
  $health_condition = $row["health_condition"];
  $blood_groups = $row["blood_groups"];
  $hospital = $row["hospital"];
}
else{
```

```
$id = $ POST["id"];
  $name = $_POST["name"];
  $city = $_POST["city"];
  $phone_no = $_POST["phone_no"];
  $age = $_POST["age"];
  $gender = $_POST["gender"];
  $health_condition = $_POST["health_condition"];
  $blood_groups = $_POST["blood_groups"];
  $hospital = $_POST["hospital"];
  do{
   empty($blood groups) | | empty($hospital) ){
     $errorMessage = "All the fields are required";
     break:
   }
   $sql = "UPDATE donors SET name='$name',
city='$city',phone_no='$phone_no',age='$age',gender='$gender',health_condition='$health_condition',blood_groups='$blood_groups',hospital='$h
ospital' WHERE id='$id'";
   $result = $connection->query($sql);
   if(!$result){
     $errorMessage = "Invalid query".$connection->error;
     break;
   $successMessage="Table updated succesfully";
   header("location: /bloodbank_dbms/admin.php#pchart");
   exit;
 }while (true);
}
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>PATIENTS</title>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
  k rel="stylesheet" href="form.css">
</head>
<body class="background">
  <div class="container my-5 layer text">
   <h2>Edit patient record</h2>
   <?php if( !empty($errorMessage)){</pre>
     echo '
     <div class='alert alert-warning alert-dismissible fade show' role='alert'>
       <strong>$errorMessage</strong>
       <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
     </div>
   <form method="post">
     <input id="hidden" name="id" value="<?php echo $id; ?>">
     <div class="row mb-3">
       <label class="col-sm-3 col-form-label">Name</label>
       <div class='col-sm-6'>
         <input id="text" class="form-control" name="name" values="<?php echo $name; ?>">
       </div>
     </div>
     <div class="row mb-3">
```

```
<label class="col-sm-3 col-form-label">City</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="city" values="<?php echo $city; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Phone</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="phone_no" values="<?php echo $phone_no; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Age</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="age" values="<?php echo $age; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Gender</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="gender" values="<?php echo $gender; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Health Conditions</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="health_condition" values="<?php echo $health_condition; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Blood Group</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="blood_groups" values="<?php echo $blood_groups; ?>">
        </div>
      </div>
      <div class="row mb-3">
        <label class="col-sm-3 col-form-label">Hospital</label>
        <div class='col-sm-6'>
          <input id="text" class="form-control" name="hospital" values="<?php echo $hospital; ?>">
        </div>
      </div>
    <?php
    if(!empty($successMessage)){
      echo '
      <div class='row mb-3>
        <div class='offset-sm-3 col-sm-6>
          <div class='alert alert-success alert-dismissible fade show' role='alert'>
            <strong>$successMessage</strong>
            <button id='button' class='btn-close' data-bs-dismiss='alert' aria-label='Close'></button>
          </div>
        </div>
      </div>
    ?>
      <div class="row mb-3">
        <div class="offset-sm-3 col-sm-3 d-grid">
          <button id="submit" class="btn btn-primary">Submit</button>
        <div class='col-sm-3 d-grid'>
          <a class="btn btn-outline-primary" href="/bloodbank_dbms/admin.php#pchart" role="button">Cancel</a>
        </div>
      </div>
    </form>
  </div>
</body>
</html>
```

//'delete.php':

```
<?php
if(isset($_GET["id"])){
    $id = $_GET["id"];
    include("connection.php");

    $sql="DELETE FROM patients WHERE id=$id";
    $connection->query($sql);
}
header("location: /bloodbank_dbms/admin.php#pchart");
exit;
?>
```

CSS STYLES

In this project, we have used some frameworks and libraries from the internet. They are Bootstrap and Font Awesome. Bootstrap is a free and open-source CSS framework directed at responsive, mobile-first front-end web development. It contains HTML, CSS and (optionally) JavaScript-based design templates for typography, forms, buttons, navigation, and other interface components. Font Awesome is a font and icon toolkit based on CSS and Less. As of 2023, Font Awesome was used by 30% of sites that use third-party font scripts, placing Font Awesome in second place after Google Fonts.

In addition to those css styles, we have used our own css files to style the pages in this website.

```
//'form.css':
```

```
.background {
    background:url('images/pic2.jpg');
    position: relative;
}
.layer {
    background-color: rgba(114, 114, 114, 0.4);
    padding: 50px;
    border-radius: 25px;
}
.text {
    color: rgb(0, 0, 0)
}
```

//'login.css':

```
.login {
  color: white;
```

```
background: #136a8a;
 background:
  -webkit-linear-gradient(to right, #782626, #8a1313);
 background:
  linear-gradient(to right, #782626, #8a1313);
 margin: auto;
 box-shadow:
  Opx 2px 10px rgba(0,0,0,0.2),
  Opx 10px 20px rgba(0,0,0,0.3),
  Opx 30px 60px 1px rgba(0,0,0,0.5);
 border-radius: 8px;
 padding: 50px;
}
.login .head {
 display: flex;
 align-items: center;
justify-content: center;
.login .head .company {
font-size: 2.2em;
.login .msg {
 text-align: center;
.login .form input[type=text].text {
 border: none;
 background: none;
 box-shadow: 0px 2px 0px 0px white;
 width: 100%;
 color: white;
 font-size: 1em;
 outline: none;
.login .form .text::placeholder {
color: #D3D3D3;
.login .form input[type=password].password {
 border: none;
 background: none;
 box-shadow: Opx 2px Opx Opx white;
 width: 100%;
 color: white;
 font-size: 1em;
 outline: none;
 margin-bottom: 20px;
 margin-top: 20px;
}
.login .form .password::placeholder {
 color: #D3D3D3;
}
.login .form .btn-login {
 background: none;
 text-decoration: none;
 color: white;
 box-shadow: 0px 0px 0px 2px white;
```

```
border-radius: 3px;
  padding: 5px 2em;
  transition: 0.5s;
 .login .form .btn-login:hover {
  background: white;
  color: dimgray;
  transition: 0.5s;
 }
 .login .forgot {
  text-decoration: none;
  color: white;
  float: right;
 }
 footer {
  position: absolute;
  color: #136a8a;
  bottom: 10px;
  padding-left: 20px;
 footer p {
  display: inline;
 }
 footer a {
  color: green;
  text-decoration: none;
 footer a:hover {
  text-decoration: underline;
 }
 footer .heart {
  color: #B22222;
  font-size: 1.5em
 }
//'card.css':
.team-boxed {
  color:#313437;
 }
 .team-boxed p {
  color:#7d8285;
```

}

}

.team-boxed h2 {
font-weight:bold;
margin-bottom:40px;
padding-top:40px;
color:inherit;

@media (max-width:767px) {

.team-boxed h2 {

```
margin-bottom:25px;
  padding-top:25px;
  font-size:24px;
 }
}
.team-boxed .intro {
 font-size:16px;
 max-width:2000px;
 margin:0 auto;
}
.team-boxed .intro p {
 margin-bottom:0;
}
.team-boxed .people {
 padding:50px 0;
}
.team-boxed .item {
 text-align:center;
}
.team-boxed .item .box {
 text-align:center;
 padding:30px;
 background-color:#fff;
 margin-bottom:30px;
}
.team-boxed .item .name {
 font-weight:bold;
 margin-top:28px;
 margin-bottom:8px;
 color:inherit;
}
.team-boxed .item .title {
 text-transform:uppercase;
 font-weight:bold;
 color:#d0d0d0;
 letter-spacing:2px;
 font-size:13px;
}
.team-boxed .item .description {
 font-size:15px;
 margin-top:15px;
 margin-bottom:20px;
}
.team-boxed .item img {
 max-width:160px;
```

```
.team-boxed .social {
  font-size:18px;
  color:#a2a8ae;
}
.team-boxed .social a {
  color:inherit;
  margin:0 10px;
  display:inline-block;
  opacity:0.7;
}
.team-boxed .social a:hover {
  opacity:1;
}
```

CONCLUSION

In conclusion, the Blood Bank Management System Project is a valuable tool that provides a range of functionalities to manage and organize blood bank resources. The system allows for easy access to donors, patients and other information by adding, updating and deleting records from the tables. The project also provides a dashboard for monitoring the total count of both donors and patients. It also contains a chart to show which blood type can give to whom and receive from whom. The system was successful in achieving its objectives and can be implemented in blood banks to improve their efficiency. Overall, this project has proven to be a valuable addition to the blood bank's resources and services, and it is expected to have a positive impact on the blood bank's overall performance.