

Student Feedback Form

Source code:

```
/*
 * Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-
 default.txt to change this license
 * Click nbfs://nbhost/SystemFileSystem/Templates/GUIForms/JFrame.java to
 edit this template
 */
package student_feedback;

/**
 *
 * @author studentb
 */
public class Student_Form extends javax.swing.JFrame {

    /**
     * Creates new form Student_Form
     */
    public Student_Form() {
        initComponents();
    }

    /**
```

* This method is called from within the constructor to initialize the form.
* WARNING: Do NOT modify this code. The content of this method is always
* regenerated by the Form Editor.

*/

@SuppressWarnings("unchecked")

// <editor-fold defaultstate="collapsed" desc="Generated Code">

private void initComponents() {

jLabel21 = new javax.swing.JLabel();

buttonGroup1 = new javax.swing.ButtonGroup();

buttonGroup2 = new javax.swing.ButtonGroup();

buttonGroup3 = new javax.swing.ButtonGroup();

buttonGroup4 = new javax.swing.ButtonGroup();

buttonGroup5 = new javax.swing.ButtonGroup();

buttonGroup6 = new javax.swing.ButtonGroup();

buttonGroup7 = new javax.swing.ButtonGroup();

buttonGroup8 = new javax.swing.ButtonGroup();

buttonGroup9 = new javax.swing.ButtonGroup();

buttonGroup10 = new javax.swing.ButtonGroup();

buttonGroup11 = new javax.swing.ButtonGroup();

buttonGroup12 = new javax.swing.ButtonGroup();

jLabel1 = new javax.swing.JLabel();

jLabel2 = new javax.swing.JLabel();

jLabel3 = new javax.swing.JLabel();

textField1 = new javax.swing.JTextField();

jLabel4 = new javax.swing.JLabel();

```
jTextField2 = new javax.swing.JTextField();  
jLabel5 = new javax.swing.JLabel();  
jTextField3 = new javax.swing.JTextField();  
jLabel6 = new javax.swing.JLabel();  
jComboBox1 = new javax.swing.JComboBox<>();  
jLabel7 = new javax.swing.JLabel();  
jLabel8 = new javax.swing.JLabel();  
jTextField5 = new javax.swing.JTextField();  
jLabel9 = new javax.swing.JLabel();  
jLabel10 = new javax.swing.JLabel();  
jLabel11 = new javax.swing.JLabel();  
jLabel12 = new javax.swing.JLabel();  
jLabel13 = new javax.swing.JLabel();  
jLabel14 = new javax.swing.JLabel();  
jLabel15 = new javax.swing.JLabel();  
jLabel16 = new javax.swing.JLabel();  
jLabel17 = new javax.swing.JLabel();  
jLabel18 = new javax.swing.JLabel();  
jLabel19 = new javax.swing.JLabel();  
jLabel20 = new javax.swing.JLabel();  
jLabel22 = new javax.swing.JLabel();  
jComboBox2 = new javax.swing.JComboBox<>();  
jLabel23 = new javax.swing.JLabel();  
jRadioButton1 = new javax.swing.JRadioButton();  
jRadioButton2 = new javax.swing.JRadioButton();  
jRadioButton3 = new javax.swing.JRadioButton();
```

```
jLabel24 = new javax.swing.JLabel();
jLabel25 = new javax.swing.JLabel();
jLabel26 = new javax.swing.JLabel();
jLabel27 = new javax.swing.JLabel();
jRadioButton4 = new javax.swing.JRadioButton();
jRadioButton5 = new javax.swing.JRadioButton();
jRadioButton6 = new javax.swing.JRadioButton();
jRadioButton7 = new javax.swing.JRadioButton();
jRadioButton8 = new javax.swing.JRadioButton();
jRadioButton9 = new javax.swing.JRadioButton();
jRadioButton10 = new javax.swing.JRadioButton();
jRadioButton11 = new javax.swing.JRadioButton();
jRadioButton12 = new javax.swing.JRadioButton();
jRadioButton13 = new javax.swing.JRadioButton();
jRadioButton14 = new javax.swing.JRadioButton();
jRadioButton15 = new javax.swing.JRadioButton();
jRadioButton17 = new javax.swing.JRadioButton();
jRadioButton18 = new javax.swing.JRadioButton();
jRadioButton19 = new javax.swing.JRadioButton();
jRadioButton20 = new javax.swing.JRadioButton();
jRadioButton21 = new javax.swing.JRadioButton();
jRadioButton22 = new javax.swing.JRadioButton();
jRadioButton23 = new javax.swing.JRadioButton();
jRadioButton24 = new javax.swing.JRadioButton();
jRadioButton25 = new javax.swing.JRadioButton();
jRadioButton26 = new javax.swing.JRadioButton();
```

```
jRadioButton27 = new javax.swing.JRadioButton();
jRadioButton28 = new javax.swing.JRadioButton();
jRadioButton29 = new javax.swing.JRadioButton();
jRadioButton30 = new javax.swing.JRadioButton();
jRadioButton31 = new javax.swing.JRadioButton();
jRadioButton32 = new javax.swing.JRadioButton();
jRadioButton33 = new javax.swing.JRadioButton();
jRadioButton34 = new javax.swing.JRadioButton();
jRadioButton35 = new javax.swing.JRadioButton();
jRadioButton36 = new javax.swing.JRadioButton();
jRadioButton37 = new javax.swing.JRadioButton();
jRadioButton38 = new javax.swing.JRadioButton();
jRadioButton39 = new javax.swing.JRadioButton();
jRadioButton40 = new javax.swing.JRadioButton();
jRadioButton41 = new javax.swing.JRadioButton();
jRadioButton42 = new javax.swing.JRadioButton();
jRadioButton43 = new javax.swing.JRadioButton();
jRadioButton44 = new javax.swing.JRadioButton();
jRadioButton45 = new javax.swing.JRadioButton();
jRadioButton46 = new javax.swing.JRadioButton();
jRadioButton47 = new javax.swing.JRadioButton();
jRadioButton48 = new javax.swing.JRadioButton();
jRadioButton49 = new javax.swing.JRadioButton();
jRadioButton50 = new javax.swing.JRadioButton();
jRadioButton51 = new javax.swing.JRadioButton();
jRadioButton52 = new javax.swing.JRadioButton();
```

```
jRadioButton53 = new javax.swing.JRadioButton();
jRadioButton54 = new javax.swing.JRadioButton();
jRadioButton55 = new javax.swing.JRadioButton();
jRadioButton56 = new javax.swing.JRadioButton();
jRadioButton57 = new javax.swing.JRadioButton();
jRadioButton58 = new javax.swing.JRadioButton();
jRadioButton62 = new javax.swing.JRadioButton();
jRadioButton63 = new javax.swing.JRadioButton();
jRadioButton64 = new javax.swing.JRadioButton();
jButton1 = new javax.swing.JButton();
```

```
jLabel21.setText("jLabel21");
```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setBackground(new java.awt.Color(51, 204, 0));
```

```
jLabel1.setFont(new java.awt.Font("Segoe UI", 1, 24)); // NOI18N
jLabel1.setText("Student Feedback Registration Form");
```

```
jLabel2.setFont(new java.awt.Font("Segoe UI", 0, 18)); // NOI18N
jLabel2.setText("Fill out the form with honesty");
```

```
jLabel3.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N
jLabel3.setText("Student Name:");
```

```
jTextField1.addActionListener(new java.awt.event.ActionListener() {
```

```
public void actionPerformed(java.awt.event.ActionEvent evt) {  
    jTextField1ActionPerformed(evt);  
}  
});
```

```
jLabel4.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel4.setText("8 - Digit Student ID:");
```

```
jLabel5.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel5.setText("Student E-mail ID:");
```

```
jLabel6.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel6.setText("Course Name:");
```

```
jComboBox1.setModel(new javax.swing.DefaultComboBoxModel<>(new  
String[] { "select", "BA.Tamil", "BA.English", "B.Sc.Maths", "B.sc.Physics",  
"B.Sc.Chemistry", "B.Sc.Botany", "B.Sc.Zoology", "B.Sc.Computer Science",  
"B.Sc.Information Technology", "BCA", "MCA", "MBA", " " }));
```

```
jComboBox1.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jComboBox1ActionPerformed(evt);  
    }  
});
```

```
jLabel7.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel7.setText("Gender :");
```

```
jLabel8.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel8.setText("Instructor Name:");
```

```
jTextField5.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jTextField5ActionPerformed(evt);  
    }  
});
```

```
jLabel9.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel9.setText("Instructor Feedback:");
```

```
jLabel10.setBackground(new java.awt.Color(255, 255, 255));  
jLabel10.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel10.setText("Receive syllabus & instructions at first");
```

```
jLabel11.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel11.setText("Course objectives started clearly ");
```

```
jLabel12.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel12.setText("Material presented in class matches syllabus");
```

```
jLabel13.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel13.setText("Instructor responded questions");
```

```
jLabel14.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N
```



```
jLabel14.setText("Instructor demonstrates adequate knowledge of  
course");
```

```
jLabel15.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel15.setText("Instructor uses appropriate teaching methods");
```

```
jLabel16.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel16.setText("Instructor returns papers & tests promptly");
```

```
jLabel17.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel17.setText("Class time is used efficient");
```

```
jLabel18.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel18.setText("Instructor is helpful");
```

```
jLabel19.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel19.setText("Instructor is well prepared");
```

```
jLabel20.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel20.setText("Instructor overall teaching");
```

```
jLabel22.setFont(new java.awt.Font("Segoe UI", 1, 18)); // NOI18N  
jLabel22.setText("Recommends the class");
```

```
jComboBox2.setModel(new javax.swing.DefaultComboBoxModel<>(new  
String[] { "select", "Male", "Female", "Others" }));
```

```
jLabel23.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel23.setText("Strongly Agree");
```

```
buttonGroup1.add(jRadioButton1);  
jRadioButton1.setText("jRadioButton1");
```

```
buttonGroup1.add(jRadioButton2);  
jRadioButton2.setText("jRadioButton1");
```

```
buttonGroup1.add(jRadioButton3);  
jRadioButton3.setText("jRadioButton1");
```

```
jLabel24.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel24.setText("Agree");
```

```
jLabel25.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel25.setText("Neutral");
```

```
jLabel26.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel26.setText("Disagree");
```

```
jLabel27.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N  
jLabel27.setText("Strongly Disagree");
```

```
buttonGroup1.add(jRadioButton4);  
jRadioButton4.setText("jRadioButton1");
```

```
buttonGroup1.add(jRadioButton5);  
jRadioButton5.setText("jRadioButton1");
```

```
buttonGroup2.add(jRadioButton6);  
jRadioButton6.setText("jRadioButton1");
```

```
buttonGroup3.add(jRadioButton7);  
jRadioButton7.setText("jRadioButton1");
```

```
buttonGroup4.add(jRadioButton8);  
jRadioButton8.setText("jRadioButton1");
```

```
buttonGroup5.add(jRadioButton9);  
jRadioButton9.setText("jRadioButton1");
```

```
buttonGroup6.add(jRadioButton10);  
jRadioButton10.setText("jRadioButton1");
```

```
buttonGroup7.add(jRadioButton11);  
jRadioButton11.setText("jRadioButton1");
```

```
buttonGroup8.add(jRadioButton12);  
jRadioButton12.setText("jRadioButton1");
```

```
buttonGroup9.add(jRadioButton13);
```

```
jRadioButton13.setText("jRadioButton1");
```

```
buttonGroup10.add(jRadioButton14);  
jRadioButton14.setText("jRadioButton1");
```

```
buttonGroup11.add(jRadioButton15);  
jRadioButton15.setText("jRadioButton1");
```

```
buttonGroup12.add(jRadioButton17);  
jRadioButton17.setText("jRadioButton1");
```

```
buttonGroup2.add(jRadioButton18);  
jRadioButton18.setText("jRadioButton1");
```

```
buttonGroup2.add(jRadioButton19);  
jRadioButton19.setText("jRadioButton1");
```

```
buttonGroup2.add(jRadioButton20);  
jRadioButton20.setText("jRadioButton1");
```

```
buttonGroup3.add(jRadioButton21);  
jRadioButton21.setText("jRadioButton1");
```

```
buttonGroup3.add(jRadioButton22);  
jRadioButton22.setText("jRadioButton1");
```

```
buttonGroup2.add(jRadioButton23);
jRadioButton23.setText("jRadioButton1");
jRadioButton23.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton23ActionPerformed(evt);
    }
});
```

```
buttonGroup3.add(jRadioButton24);
jRadioButton24.setText("jRadioButton1");
jRadioButton24.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton24ActionPerformed(evt);
    }
});
```

```
buttonGroup3.add(jRadioButton25);
jRadioButton25.setText("jRadioButton1");
jRadioButton25.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton25ActionPerformed(evt);
    }
});
```

```
buttonGroup4.add(jRadioButton26);
jRadioButton26.setText("jRadioButton1");
```

```
jRadioButton26.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton26ActionPerformed(evt);  
    }  
});
```

```
buttonGroup4.add(jRadioButton27);  
jRadioButton27.setText("jRadioButton1");  
jRadioButton27.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton27ActionPerformed(evt);  
    }  
});
```

```
buttonGroup4.add(jRadioButton28);  
jRadioButton28.setText("jRadioButton1");  
jRadioButton28.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton28ActionPerformed(evt);  
    }  
});
```

```
buttonGroup5.add(jRadioButton29);  
jRadioButton29.setText("jRadioButton1");  
jRadioButton29.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
        jRadioButton29ActionPerformed(evt);  
    }  
});
```

```
buttonGroup5.add(jRadioButton30);  
jRadioButton30.setText("jRadioButton1");  
jRadioButton30.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton30ActionPerformed(evt);  
    }  
});
```

```
buttonGroup4.add(jRadioButton31);  
jRadioButton31.setText("jRadioButton1");  
jRadioButton31.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton31ActionPerformed(evt);  
    }  
});
```

```
buttonGroup5.add(jRadioButton32);  
jRadioButton32.setText("jRadioButton1");  
jRadioButton32.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton32ActionPerformed(evt);  
    }  
});
```

```
});
```

```
buttonGroup5.add(jRadioButton33);  
jRadioButton33.setText("jRadioButton1");  
jRadioButton33.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton33ActionPerformed(evt);  
    }  
});
```

```
buttonGroup6.add(jRadioButton34);  
jRadioButton34.setText("jRadioButton1");  
jRadioButton34.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton34ActionPerformed(evt);  
    }  
});
```

```
buttonGroup8.add(jRadioButton35);  
jRadioButton35.setText("jRadioButton1");  
jRadioButton35.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton35ActionPerformed(evt);  
    }  
});
```



```
buttonGroup7.add(jRadioButton36);
jRadioButton36.setText("jRadioButton1");
jRadioButton36.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton36ActionPerformed(evt);
    }
});
```

```
buttonGroup9.add(jRadioButton37);
jRadioButton37.setText("jRadioButton1");
jRadioButton37.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton37ActionPerformed(evt);
    }
});
```

```
buttonGroup10.add(jRadioButton38);
jRadioButton38.setText("jRadioButton1");
jRadioButton38.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton38ActionPerformed(evt);
    }
});
```

```
buttonGroup11.add(jRadioButton39);
jRadioButton39.setText("jRadioButton1");
```

```
jRadioButton39.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton39ActionPerformed(evt);  
    }  
});
```

```
buttonGroup12.add(jRadioButton40);  
jRadioButton40.setText("jRadioButton1");  
jRadioButton40.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton40ActionPerformed(evt);  
    }  
});
```

```
buttonGroup6.add(jRadioButton41);  
jRadioButton41.setText("jRadioButton1");  
jRadioButton41.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton41ActionPerformed(evt);  
    }  
});
```

```
buttonGroup7.add(jRadioButton42);  
jRadioButton42.setText("jRadioButton1");  
jRadioButton42.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
        jRadioButton42ActionPerformed(evt);  
    }  
});
```

```
buttonGroup8.add(jRadioButton43);  
jRadioButton43.setText("jRadioButton1");  
jRadioButton43.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton43ActionPerformed(evt);  
    }  
});
```

```
buttonGroup9.add(jRadioButton44);  
jRadioButton44.setText("jRadioButton1");  
jRadioButton44.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton44ActionPerformed(evt);  
    }  
});
```

```
buttonGroup10.add(jRadioButton45);  
jRadioButton45.setText("jRadioButton1");  
jRadioButton45.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton45ActionPerformed(evt);  
    }  
});
```

```
});
```

```
buttonGroup11.add(jRadioButton46);  
jRadioButton46.setText("jRadioButton1");  
jRadioButton46.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton46ActionPerformed(evt);  
    }  
});
```

```
buttonGroup12.add(jRadioButton47);  
jRadioButton47.setText("jRadioButton1");  
jRadioButton47.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton47ActionPerformed(evt);  
    }  
});
```

```
buttonGroup6.add(jRadioButton48);  
jRadioButton48.setText("jRadioButton1");  
jRadioButton48.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton48ActionPerformed(evt);  
    }  
});
```

```
buttonGroup8.add(jRadioButton49);
jRadioButton49.setText("jRadioButton1");
jRadioButton49.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton49ActionPerformed(evt);
    }
});
```

```
buttonGroup7.add(jRadioButton50);
jRadioButton50.setText("jRadioButton1");
jRadioButton50.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton50ActionPerformed(evt);
    }
});
```

```
buttonGroup9.add(jRadioButton51);
jRadioButton51.setText("jRadioButton1");
jRadioButton51.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jRadioButton51ActionPerformed(evt);
    }
});
```

```
buttonGroup10.add(jRadioButton52);
jRadioButton52.setText("jRadioButton1");
```

```
jRadioButton52.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton52ActionPerformed(evt);  
    }  
});
```

```
buttonGroup12.add(jRadioButton53);  
jRadioButton53.setText("jRadioButton1");  
jRadioButton53.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton53ActionPerformed(evt);  
    }  
});
```

```
buttonGroup11.add(jRadioButton54);  
jRadioButton54.setText("jRadioButton1");  
jRadioButton54.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton54ActionPerformed(evt);  
    }  
});
```

```
buttonGroup6.add(jRadioButton55);  
jRadioButton55.setText("jRadioButton1");  
jRadioButton55.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
        jRadioButton55ActionPerformed(evt);  
    }  
});
```

```
buttonGroup7.add(jRadioButton56);  
jRadioButton56.setText("jRadioButton1");  
jRadioButton56.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton56ActionPerformed(evt);  
    }  
});
```

```
buttonGroup12.add(jRadioButton57);  
jRadioButton57.setText("jRadioButton1");  
jRadioButton57.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton57ActionPerformed(evt);  
    }  
});
```

```
buttonGroup8.add(jRadioButton58);  
jRadioButton58.setText("jRadioButton1");  
jRadioButton58.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton58ActionPerformed(evt);  
    }  
}
```

```
});
```

```
buttonGroup11.add(jRadioButton62);  
jRadioButton62.setText("jRadioButton1");  
jRadioButton62.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton62ActionPerformed(evt);  
    }  
});
```

```
buttonGroup10.add(jRadioButton63);  
jRadioButton63.setText("jRadioButton1");  
jRadioButton63.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton63ActionPerformed(evt);  
    }  
});
```

```
buttonGroup9.add(jRadioButton64);  
jRadioButton64.setText("jRadioButton1");  
jRadioButton64.addActionListener(new java.awt.event.ActionListener() {  
    public void actionPerformed(java.awt.event.ActionEvent evt) {  
        jRadioButton64ActionPerformed(evt);  
    }  
});
```



```
jButton1.setText("Submit");
```

```
javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
```

```
getContentPane().setLayout(layout);
```

```
layout.setHorizontalGroup(
```

```
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addGroup(layout.createSequentialGroup())
```

```
.addGap(60, 60, 60)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addGroup(layout.createSequentialGroup()
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING))
```

```
.addGroup(layout.createSequentialGroup())
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
.addComponent(jLabel9)
```

```
        .addComponent(jLabel10,
javax.swing.GroupLayout.PREFERRED_SIZE, 511,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING, false)
```

```
        .addComponent(jLabel2,  
javax.swing.GroupLayout.Alignment.LEADING,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
.addGroup(javax.swing.GroupLayout.Alignment.LEADING,  
layout.createSequentialGroup())
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
```

```
        .addComponent(jLabel4,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jLabel3,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jLabel5,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jLabel6,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jLabel7,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jLabel8,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
```

```

        .addComponent(jTextField2)
        .addComponent(jTextField3)
        .addComponent(jComboBox1, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jComboBox2, 0,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jTextField1)
        .addComponent(jTextField5))))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 65,
Short.MAX_VALUE)

.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)

        .addGroup(layout.createSequentialGroup()

            .addComponent(jRadioButton17,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 81,
Short.MAX_VALUE)

            .addComponent(jRadioButton40,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(layout.createSequentialGroup()

            .addComponent(jRadioButton15,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

```

```
        .addComponent(jRadioButton39,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())

        .addComponent(jRadioButton14,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addComponent(jRadioButton38,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())

        .addComponent(jRadioButton13,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addComponent(jRadioButton37,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())

        .addComponent(jRadioButton12,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jRadioButton35,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
  
        .addGroup(layout.createSequentialGroup()  
  
        .addComponent(jRadioButton11,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
  
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
  
        .addComponent(jRadioButton36,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
layout.createSequentialGroup()  
  
        .addComponent(jRadioButton10,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
  
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
  
        .addComponent(jRadioButton34,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE))  
  
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
layout.createSequentialGroup()  
  
        .addComponent(jRadioButton9,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
  
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,  
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jRadioButton29,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(layout.createSequentialGroup())

        .addComponent(jRadioButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addComponent(jRadioButton31,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())

        .addComponent(jRadioButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addComponent(jRadioButton21,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(layout.createSequentialGroup())

        .addComponent(jRadioButton6,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
        .addComponent(jRadioButton19,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(layout.createSequentialGroup())

        .addComponent(jRadioButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addComponent(jRadioButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)))

        .addGap(61, 61, 61)

.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING))

        .addComponent(jRadioButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton18,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton22,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton26,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton30,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton41,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton42,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton43,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton44,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton45,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton46,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton47,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
        .addGap(16, 16, 16))
```

```
    .addGroup(layout.createSequentialGroup())
```

```
        .addGap(0, 0, Short.MAX_VALUE)
```

```
        .addComponent(jLabel23)
```

```
        .addGap(31, 31, 31)
```

```
        .addComponent(jLabel24)
```

```
        .addGap(45, 45, 45)
```

```
        .addComponent(jLabel25)))
```



```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(layout.createSequentialGroup()
```

```
        .addGap(33, 33, 33)
```

```
        .addComponent(jLabel26)
```

```
        .addGap(32, 32, 32)
```

```
        .addComponent(jLabel27)
```

```
        .addGap(31, 31, 31))
```

```
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,  
layout.createSequentialGroup()
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addComponent(jRadioButton4,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jRadioButton20,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jRadioButton25,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jRadioButton27,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jRadioButton32,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton48,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton49,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton50,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton51,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton52,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton53,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton54,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
        .addGap(102, 102, 102)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
```

```
        .addComponent(jRadioButton23,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
        .addComponent(jRadioButton5,  
javax.swing.GroupLayout.PREFERRED_SIZE, 21,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```

        .addComponent(jRadioButton24,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton28,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton33,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jRadioButton55,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE)

        .addComponent(jRadioButton56,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE)

        .addComponent(jRadioButton57,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE)

        .addComponent(jRadioButton58,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE)

        .addComponent(jRadioButton62,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE)

        .addComponent(jRadioButton63,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE)

        .addComponent(jRadioButton64,
javax.swing.GroupLayout.PREFERRED_SIZE, 1, Short.MAX_VALUE))

        .addGap(88, 88, 88))))

    .addGroup(layout.createSequentialGroup())

    .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addComponent(jLabel1)

        .addComponent(jButton1)

```

```
.addComponent(jLabel11,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel12,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel13,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel14,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel15,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel16,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel17,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel18,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel19,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel20,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addComponent(jLabel22,  
javax.swing.GroupLayout.PREFERRED_SIZE, 511,  
javax.swing.GroupLayout.PREFERRED_SIZE))
```

```

        .addGap(0, 0, Short.MAX_VALUE))))
    );
    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(layout.createSequentialGroup()
        .addGap(28, 28, 28)
        .addComponent(jLabel1)
        .addGap(18, 18, 18)
        .addComponent(jLabel2)
        .addGap(27, 27, 27)

        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
        SELINE)
            .addComponent(jLabel3)
            .addComponent(jTextField1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BA
        SELINE)
            .addComponent(jLabel4)
            .addComponent(jTextField2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel5,  
    javax.swing.GroupLayout.PREFERRED_SIZE, 25,  
    javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
    .addComponent(jTextField3,  
    javax.swing.GroupLayout.PREFERRED_SIZE,  
    javax.swing.GroupLayout.DEFAULT_SIZE,  
    javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel6)
```

```
    .addComponent(jComboBox1,  
    javax.swing.GroupLayout.PREFERRED_SIZE,  
    javax.swing.GroupLayout.DEFAULT_SIZE,  
    javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addComponent(jLabel7)
```

```
    .addComponent(jComboBox2,  
    javax.swing.GroupLayout.PREFERRED_SIZE,  
    javax.swing.GroupLayout.DEFAULT_SIZE,  
    javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel8)
```

```
    .addComponent(jTextField5,  
    javax.swing.GroupLayout.PREFERRED_SIZE,  
    javax.swing.GroupLayout.DEFAULT_SIZE,  
    javax.swing.GroupLayout.PREFERRED_SIZE))
```

```
    .addGap(62, 62, 62)
```

```
    .addComponent(jLabel9)
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 45,  
Short.MAX_VALUE)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addGroup(layout.createSequentialGroup())
```

```
        .addGap(50, 50, 50)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
    .addComponent(jLabel10)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jRadioButton2)
```

```
    .addComponent(jRadioButton3)
```

```
    .addComponent(jRadioButton4)
```

```
.addComponent(jRadioButton5)
.addComponent(jRadioButton1))))
```

```
.addGroup(layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
```

```
.addComponent(jLabel23)
.addComponent(jLabel24)
.addComponent(jLabel25)
.addComponent(jLabel26)
.addComponent(jLabel27)))
```

```
.addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
```

```
.addComponent(jLabel11)
.addComponent(jRadioButton6)
.addComponent(jRadioButton18)
.addComponent(jRadioButton19)
.addComponent(jRadioButton20)
.addComponent(jRadioButton23))
```

```
.addPreferredGap(LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(GroupLayout.Alignment.BASELINE)
```

```
.addComponent(jLabel12)
.addComponent(jRadioButton7)
.addComponent(jRadioButton21)
```



```
.addComponent(jRadioButton22)
```

```
.addComponent(jRadioButton24)
```

```
.addComponent(jRadioButton25))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel13)
```

```
    .addComponent(jRadioButton8)
```

```
    .addComponent(jRadioButton26)
```

```
    .addComponent(jRadioButton27)
```

```
    .addComponent(jRadioButton28)
```

```
    .addComponent(jRadioButton31))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel14)
```

```
    .addComponent(jRadioButton9)
```

```
    .addComponent(jRadioButton29)
```

```
    .addComponent(jRadioButton30)
```

```
    .addComponent(jRadioButton32)
```

```
    .addComponent(jRadioButton33))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel15)  
    .addComponent(jRadioButton10)  
    .addComponent(jRadioButton34)  
    .addComponent(jRadioButton41)  
    .addComponent(jRadioButton48)  
    .addComponent(jRadioButton55))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel16)  
    .addComponent(jRadioButton11)  
    .addComponent(jRadioButton36)  
    .addComponent(jRadioButton42)  
    .addComponent(jRadioButton50)  
    .addComponent(jRadioButton56))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
    .addComponent(jLabel17)  
    .addComponent(jRadioButton12)  
    .addComponent(jRadioButton35)  
    .addComponent(jRadioButton43)
```

```
.addComponent(jRadioButton49)
.addComponent(jRadioButton58))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
.addComponent(jLabel18)
.addComponent(jRadioButton13)
.addComponent(jRadioButton37)
.addComponent(jRadioButton44)
.addComponent(jRadioButton51)
.addComponent(jRadioButton64))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```
.addComponent(jLabel19)
.addComponent(jRadioButton14)
.addComponent(jRadioButton38)
.addComponent(jRadioButton45)
.addComponent(jRadioButton52)
.addComponent(jRadioButton63))
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
```

```

        .addComponent(jLabel20)
        .addComponent(jRadioButton15)
        .addComponent(jRadioButton39)
        .addComponent(jRadioButton46)
        .addComponent(jRadioButton54)
        .addComponent(jRadioButton62))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(jLabel22)
        .addComponent(jRadioButton17)
        .addComponent(jRadioButton40)
        .addComponent(jRadioButton47)
        .addComponent(jRadioButton53)
        .addComponent(jRadioButton57))
.addGap(20, 20, 20)
.addComponent(jButton1))
);

pack();
} // </editor-fold>

private void jComboBox1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
}

```

```
private void jTextField1ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton23ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton24ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton25ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton26ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton27ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:
```

```
}
```

```
private void jButton28ActionPerformed(java.awt.event.ActionEvent  
evt) {
```

```
    // TODO add your handling code here:
```

```
}
```

```
private void jButton29ActionPerformed(java.awt.event.ActionEvent  
evt) {
```

```
    // TODO add your handling code here:
```

```
}
```

```
private void jButton30ActionPerformed(java.awt.event.ActionEvent  
evt) {
```

```
    // TODO add your handling code here:
```

```
}
```

```
private void jButton31ActionPerformed(java.awt.event.ActionEvent  
evt) {
```

```
    // TODO add your handling code here:
```

```
}
```

```
private void jButton32ActionPerformed(java.awt.event.ActionEvent  
evt) {
```

```
    // TODO add your handling code here:
```

```
}
```

```
private void jButton3ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton4ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton5ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton6ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton7ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton8ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:
```

```
}
```

```
private void jButton39ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton40ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton41ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton42ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton43ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```



```
private void jButton44ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton45ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton46ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton47ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton48ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton49ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:
```

```
}
```

```
private void jButton50ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton51ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton52ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton53ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton54ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton55ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton56ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton57ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton58ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton62ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jButton63ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:
```

```
}
```

```
private void jButton6ActionPerformed(java.awt.event.ActionEvent  
evt) {  
    // TODO add your handling code here:  
}
```

```
private void jTextField5ActionPerformed(java.awt.event.ActionEvent evt) {  
    // TODO add your handling code here:  
}
```

```
/**  
 * @param args the command line arguments  
 */  
public static void main(String args[]) {  
    /* Set the Nimbus look and feel */  
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code  
(optional) ">  
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default  
look and feel.  
    * For details see  
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html  
    */  
    try {  
        for (javax.swing.UIManager.LookAndFeelInfo info :  
javax.swing.UIManager.getInstalledLookAndFeels()) {  
            if ("Nimbus".equals(info.getName())) {  
                javax.swing.UIManager.setLookAndFeel(info.getClassName());
```

```
        break;
    }
}
} catch (ClassNotFoundException ex) {
```

```
java.util.logging.Logger.getLogger(Student_Form.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
```

```
    } catch (InstantiationException ex) {
```

```
java.util.logging.Logger.getLogger(Student_Form.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
```

```
    } catch (IllegalAccessException ex) {
```

```
java.util.logging.Logger.getLogger(Student_Form.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
```

```
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(Student_Form.class.getName()).log(java.util.
logging.Level.SEVERE, null, ex);
```

```
    }
```

```
//</editor-fold>
```

```
/* Create and display the form */
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
```

```
    public void run() {
```

```
        new Student_Form().setVisible(true);
```

```
    }
```

```
});
```

```
}
```

```
// Variables declaration - do not modify

private javax.swing.ButtonGroup buttonGroup1;
private javax.swing.ButtonGroup buttonGroup10;
private javax.swing.ButtonGroup buttonGroup11;
private javax.swing.ButtonGroup buttonGroup12;
private javax.swing.ButtonGroup buttonGroup2;
private javax.swing.ButtonGroup buttonGroup3;
private javax.swing.ButtonGroup buttonGroup4;
private javax.swing.ButtonGroup buttonGroup5;
private javax.swing.ButtonGroup buttonGroup6;
private javax.swing.ButtonGroup buttonGroup7;
private javax.swing.ButtonGroup buttonGroup8;
private javax.swing.ButtonGroup buttonGroup9;
private javax.swing.JButton jButton1;
private javax.swing.JComboBox<String> jComboBox1;
private javax.swing.JComboBox<String> jComboBox2;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
```

```
private javax.swing.JLabel jLabel18;  
private javax.swing.JLabel jLabel19;  
private javax.swing.JLabel jLabel2;  
private javax.swing.JLabel jLabel20;  
private javax.swing.JLabel jLabel21;  
private javax.swing.JLabel jLabel22;  
private javax.swing.JLabel jLabel23;  
private javax.swing.JLabel jLabel24;  
private javax.swing.JLabel jLabel25;  
private javax.swing.JLabel jLabel26;  
private javax.swing.JLabel jLabel27;  
private javax.swing.JLabel jLabel3;  
private javax.swing.JLabel jLabel4;  
private javax.swing.JLabel jLabel5;  
private javax.swing.JLabel jLabel6;  
private javax.swing.JLabel jLabel7;  
private javax.swing.JLabel jLabel8;  
private javax.swing.JLabel jLabel9;  
private javax.swing.JRadioButton jRadioButton1;  
private javax.swing.JRadioButton jRadioButton10;  
private javax.swing.JRadioButton jRadioButton11;  
private javax.swing.JRadioButton jRadioButton12;  
private javax.swing.JRadioButton jRadioButton13;  
private javax.swing.JRadioButton jRadioButton14;  
private javax.swing.JRadioButton jRadioButton15;  
private javax.swing.JRadioButton jRadioButton17;
```

```
private javax.swing.JRadioButton jRadioButton18;  
private javax.swing.JRadioButton jRadioButton19;  
private javax.swing.JRadioButton jRadioButton2;  
private javax.swing.JRadioButton jRadioButton20;  
private javax.swing.JRadioButton jRadioButton21;  
private javax.swing.JRadioButton jRadioButton22;  
private javax.swing.JRadioButton jRadioButton23;  
private javax.swing.JRadioButton jRadioButton24;  
private javax.swing.JRadioButton jRadioButton25;  
private javax.swing.JRadioButton jRadioButton26;  
private javax.swing.JRadioButton jRadioButton27;  
private javax.swing.JRadioButton jRadioButton28;  
private javax.swing.JRadioButton jRadioButton29;  
private javax.swing.JRadioButton jRadioButton3;  
private javax.swing.JRadioButton jRadioButton30;  
private javax.swing.JRadioButton jRadioButton31;  
private javax.swing.JRadioButton jRadioButton32;  
private javax.swing.JRadioButton jRadioButton33;  
private javax.swing.JRadioButton jRadioButton34;  
private javax.swing.JRadioButton jRadioButton35;  
private javax.swing.JRadioButton jRadioButton36;  
private javax.swing.JRadioButton jRadioButton37;  
private javax.swing.JRadioButton jRadioButton38;  
private javax.swing.JRadioButton jRadioButton39;  
private javax.swing.JRadioButton jRadioButton4;  
private javax.swing.JRadioButton jRadioButton40;
```



```
private javax.swing.JRadioButton jRadioButton41;
private javax.swing.JRadioButton jRadioButton42;
private javax.swing.JRadioButton jRadioButton43;
private javax.swing.JRadioButton jRadioButton44;
private javax.swing.JRadioButton jRadioButton45;
private javax.swing.JRadioButton jRadioButton46;
private javax.swing.JRadioButton jRadioButton47;
private javax.swing.JRadioButton jRadioButton48;
private javax.swing.JRadioButton jRadioButton49;
private javax.swing.JRadioButton jRadioButton5;
private javax.swing.JRadioButton jRadioButton50;
private javax.swing.JRadioButton jRadioButton51;
private javax.swing.JRadioButton jRadioButton52;
private javax.swing.JRadioButton jRadioButton53;
private javax.swing.JRadioButton jRadioButton54;
private javax.swing.JRadioButton jRadioButton55;
private javax.swing.JRadioButton jRadioButton56;
private javax.swing.JRadioButton jRadioButton57;
private javax.swing.JRadioButton jRadioButton58;
private javax.swing.JRadioButton jRadioButton6;
private javax.swing.JRadioButton jRadioButton62;
private javax.swing.JRadioButton jRadioButton63;
private javax.swing.JRadioButton jRadioButton64;
private javax.swing.JRadioButton jRadioButton7;
private javax.swing.JRadioButton jRadioButton8;
private javax.swing.JRadioButton jRadioButton9;
```

```

private javax.swing.JTextField jTextField1;
private javax.swing.JTextField jTextField2;
private javax.swing.JTextField jTextField3;
private javax.swing.JTextField jTextField5;

// End of variables declaration
}

```

Student feedback form:

Student Feedback Registration Form

Fill out the form with honesty

Student Name:

8 - Digit Student ID:

Student E-mail ID:

Course Name:

Gender :

Instructor Name:

Instructor Feedback:

	Strongly Agree	Agree	Neutral	Disagree	Strongly Disagree
Receive syllabus & instructions at first	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Course objectives started clearly	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Material presented in class matches syllabus	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor responded questions	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor demonstrates adequate knowledge of course	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor uses appropriate teaching methods	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor returns papers & tests promptly	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Class time is used efficient	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor is helpful	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor is well prepared	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Instructor overall teaching	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Recommend the class	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>