PRE ASSESSMENT

Subject: HTML-5 CSS-3 JavaScript

| 1) Which of the following is not a newly added element in HTML5? A. article |
|---|
| |
| B. audio |
| C. nav |
| D. frameset |
| |
| 2) Which of the following element represents the header of a section or the document and contains a label or other heading information for the related content? |
| A. data-X |
| B. header |
| C. mark |
| D. meter |
| |
| 3) The element simply groups items within an enclosed dd tag, though it may associate them with a caption defined by a dt tag |
| A. ol |
| B. dl |
| C. ul |
| |

Designed By: Mohd Salman

| D. none of the mentioned |
|--|
| 4) To insert a video, we use a video tag and set its src attribute to a local or remote URL containing a playable movie. |
| A. True |
| B. False |
| |
| |
| |
| |
| 5)- Which of the following method retrieves the current geographic location of the user? |
| A - geolocation.getCurrentPosition() |
| B - geolocation.watchPosition() |
| C - geolocation.clearPosition() |
| D - None of the above. |
| 6) Which of the following input control accepts only numerical value in Web Form? |

A - week

Designed By: Mohd Salman

| B - time |
|--|
| C - number |
| D – range |
| 7) To insert a video, we use a video tag and set its src attribute to a local or remote URL containing a playable movie. |
| A True |
| B False |
| 8.) How many times can HTML5 events be fired? |
| A. Multiple |
| B. One |
| C. Only two |
| D. Zero |
| 9) - Which of the following is true about Session Storage in HTML5? |
| A - HTML5 introduces the sessionStorage attribute which would be used by the sites to add data to the session storage. |
| B - It will be accessible to any page from the same site opened in that window i.e. session. |
| C - As soon as you close the window, session would be lost. |
| D - All of the above. |
| 10) The script tag must be placed in |
| A. head |
| B. head and body |
| C. title and head Designed By: Mohd Salman |
| 200 One a 21. mond odinidii |

C. Reverses

Designed By: Mohd Salman Email Your Answerto: mohdsalmanirfan@gamil.com

D. All of the mentioned

| 14) Variat | ole can hold value at a time |
|---|---|
| B. C. | Multiple Double None of these Single |
| 15) Intege | er Variable is declared using following syntax in JavaScript. |
| B. C. | Integer num; var num; integer num; int num; |
| 16) We | e can declare at a time. Select most appropriate option. |
| B. C. | None of these One Variable Only One or more Variables More than One Variables |
| 17 |) Local Variables are Destroyed as soon as |
| | A. Page gets completely loaded B. None of these C. Control comes outside the method D. User closes the browser |
| 18) <scri< th=""><th>pt type="text/javascript"></th></scri<> | pt type="text/javascript"> |
| , | var name; |
|) | name = "Pritesh"; |
| <th>script></th> | script> |
| <s< th=""><th>cript type="text/javascript"></th></s<> | cript type="text/javascript"> |
| | document.write(name); |
| <th>script></th> | script> |
| W | nat will be the output of the following? |
| | |

B. Pritesh

A. None of these

Designed By: Mohd Salman

- C. Error
- **D.** Nothing will be printed

19) Which of the following code creates an object?

- A var book = Object();
- B var book = new Object();
- C var book = new OBJECT();
- D var book = new Book();
- 20) What is the code to start displaying the time when document loads?
 - A. onload = displayTime;
 - B. window. = displayTime;
 - C. window.onload = displayTime;
 - D. window.onload = start;
 - 21) Which of the following is not considered as an error in JavaScript?
 - A. Syntax error
 - B. Missing of semicolons
 - C. Division by zero
 - D. All of the mentioned
 - 22) The snippet that has to be used to check if "a" is not equal to "null" is

Designed By: Mohd Salman

```
A. if(a!=null)
       B. if (!a)
       C. if(a!null)
       D. if(a!==null)
       23) The statement a===b refers to
       A. Both a and b are equal in value, type and reference address
       B. Both a and b are equal in value
       C. Both a and b are equal in value and type
       D. There is no such statement
24) Which is a more efficient code snippet?
Code 1:
for(var num=10;num>=1;num--)
  document.writeIn(num);
Code 2:
var num=10;
while(num>=1)
```

Designed By: Mohd Salman

}

{

Email Your Answer to: mohdsalmanirfan@gamil.com

document.writeIn(num);

```
num++;
}
A. Code 1
B. Code 2
C. Both Code 1 and Code 2
D. Cannot Compare
25) Consider the following statements
switch(expression)
  statements
In the above switch syntax, the expression is compared with the case labels using
which of the following operator(s)?
A. ==
B. equals
C. equal
```

Designed By: Mohd Salman

D. ===

26) What is css stands for

A. Color Style Sheets

B. Cascade Sheets Style

C. Cascade Style Sheet

D. Cascading Style Sheets

27) In css what does h1 can be called as

A. Selector

B. Attribute

C. Value

28) In css what does "color:red" can be called as

A. Selector

D. Title

Designed By: Mohd Salman

| B. Rule |
|--|
| C. Declaration |
| D. None of the above |
| |
| 29) selectors, which are used to specify a rule to bind to a particular unique element |
| A. id |
| B. class |
| C. tag |
| D. both (B) and (C) |
| 30) In css what does "font-size" can be called as |
| A. Selector |
| B. Rule |
| C. Property |
| D. Property-Name |
| 31) Which of the following function adjust the brightness of an element's color, for use by the filter property? |
| A. contrast() |
| B. dark() Designed By: Mohd Salman |
| Email Your Answerto: mohdsalmanirfan@gamil.com |

| C. light() |
|---|
| D. brightness() |
| 32) Which of the following value is supposed to be a slightly bolder weight that standard bold in font attribute? |
| A. empasize |
| B. light |
| C. lighter |
| D. dark |
| 33) Which of the following is not a value for font-style property? |
| A. normal |
| B. italic |
| C. oblique |
| D. none of the above |
| 34) Which of the following selects a normal, or small-caps face from a font family? A. font-weight |
| B. font-synthesis |
| C. font-kerning |

Designed By: Mohd Salman Email Your Answerto: mohdsalmanirfan@gamil.com

| 35) Which of the following Selector same as :firstline; changed under CSS3 to make pseudoelements obvious? |
|--|
| A. :first-letter |
| |
| B. :last-child |
| C. :first-line |
| D. ::first-line |
| DIIISt-IIIIIe |
| |
| 36) Which of the following is not an Absolute Unit? |
| A. px |
| B. em |
| |
| C. pt |
| D. mm |
| |
| |
| 37) Which of the following is not a attribute of the audio element? |
| A. controls |
| B. src |
| 2. 313 |
| C. check |
| D. loop |
| |

Designed By: Mohd Salman Email Your Answerto: mohdsalmanirfan@gamil.com

D. font-variant

| 38) Select the CSS property that sets the width of an element's bottom border? A. border-width |
|---|
| B. border-bottom |
| C. border-width-down |
| D. border-bottom-width |
| |
| 39) The property specifies if/how an element is displayed. |
| A. background-color |
| B. border |
| C. color |
| D. display |
| 40. If background image is smaller than the screen, what will happen? |
| A. It'll be stretched |
| B. It'll be repeated |
| C. It'll leave blank space at the bottom of page |
| D. None of these |

Designed By: Mohd Salman