

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

bankdb

sec_11

Tables

bank_transactions

class

class_info

first_table

orders

patient

second_table

std

student_marks1

Views

Stored Procedures

Functions

Administration Schemas

Information

No object selected

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7*

Limit to 1000 rows

41

42 DELETE FROM student_marks1 WHERE roll_no = 5;

43 DELETE FROM student_marks1 WHERE marks < 75;

44

45 SELECT * FROM student_marks1 ORDER BY marks ASC;

46 SELECT * FROM student_marks1 ORDER BY marks DESC;

47 SELECT * FROM student_marks1 ORDER BY name ASC;

48 SELECT * FROM student_marks1 ORDER BY name DESC;

49

50 SELECT subject, SUM(marks) AS total_marks FROM student_marks1 GROUP BY subject;

51 SELECT subject, AVG(marks) AS avg_marks FROM student_marks1 GROUP BY subject;

52 SELECT subject, COUNT(*) AS num_students FROM student_marks1 GROUP BY subject;

53

54 SELECT subject, AVG(marks) AS avg_marks

55 FROM student_marks1

56 GROUP BY subject

57 HAVING AVG(marks) > 90;

58

59 SELECT subject, COUNT(*) AS num_students

60 FROM student_marks1

61 GROUP BY subject

62 HAVING COUNT(*) > 1;

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	19:23:57	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	19:23:57	SELECT SUM(marks) FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	19:23:57	SELECT AVG(marks) FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	19:23:57	SELECT MAX(marks) FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	19:24:29	SELECT * FROM student_marks1 WHERE marks > 85 LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

19:33 23-08-2026

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

bankdb

sec_11

Tables

bank_transactions

class

class_info

first_table

patient

second_table

std

student_marks1

Views

Stored Procedures

Functions

Administration Schemas

Information

No object selected

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7*

Limit to 1000 rows

48

49 SELECT *

50 FROM orders

51 ORDER BY ord_date;

52

53 SELECT SUM(purch_amt) AS total_revenue

54 FROM orders;

55

56 SELECT AVG(purch_amt) AS average_order

57 FROM orders;

58

59 SELECT MAX(purch_amt) AS highest_order

60 FROM orders;

61

Result Grid

salesman_id	total_sales
5001	11271.46

Result 14 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	19:39:52	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
6	19:40:07	SELECT * FROM orders WHERE ord_date=2012-09-10 LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	19:40:32	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
8	19:40:40	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
9	19:40:47	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

19:42 23-08-2026

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

bankdb

sec_11

Tables

bank_transactions

class

class_info

first_table

patient

second_table

std

student_marks1

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

No object selected

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7*

Limit to 1000 rows

SQL File 4*

```
60 SELECT salesman_id,
61 SUM(purch_amt) AS total_sales
62 FROM orders
63 GROUP BY salesman_id;
64
65 SELECT customer_id,
66 SUM(purch_amt) AS total_purchase
67 FROM orders
68 GROUP BY customer_id;
69
70 SELECT customer_id,
71 MAX(purch_amt) AS highest_purchase
72 FROM orders
```

Result Grid

salesman_id total_sales

5001 11271.46

Result 14 x

Read Only

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	19:39:52	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
6	19:40:07	SELECT * FROM orders WHERE ord_date=2012-09-10 LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	19:40:32	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
8	19:40:40	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
9	19:40:47	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

19:42 23-08-2026

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

bankdb

sec_11

Tables

bank_transactions

class

class_info

first_table

patient

second_table

std

student_marks1

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

No object selected

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7*

Limit to 1000 rows

SQL File 4*

```
60 SELECT salesman_id,
61 SUM(purch_amt) AS total_sales
62 FROM orders
63 GROUP BY salesman_id;
64
65 SELECT customer_id,
66 SUM(purch_amt) AS total_purchase
67 FROM orders
68 GROUP BY customer_id;
69
70 SELECT customer_id,
71 MAX(purch_amt) AS highest_purchase
72 FROM orders
```

Result Grid

salesman_id total_sales

5001 11271.46

Result 14 x

Read Only

Context Help Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	19:40:40	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
9	19:40:47	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
10	19:40:55	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
11	19:41:02	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	19:41:07	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

19:42 23-08-2026

MySQL Workbench

sql-1 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

bankdb

sec_11

Tables

bank_transactions

class

class_info

first_table

patient

second_table

std

student_marks1

Views

Stored Procedures

Functions

sys

Administration Schemas

Information

No object selected

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7*

Limit to 1000 rows

```
60 SELECT salesman_id,
61 SUM(purch_amt) AS total_sales
62 FROM orders
63 GROUP BY salesman_id;
64
65 SELECT customer_id,
66 SUM(purch_amt) AS total_purchase
67 FROM orders
68 GROUP BY customer_id;
69
70 SELECT customer_id,
71 MAX(purch_amt) AS highest_purchase
72 FROM orders
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

salesman_id	total_sales
5001	11271.46

Result 14 x

Read Only

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	19:41:02	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	19:41:07	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	19:41:16	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	19:41:19	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15	19:41:27	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

ENG IN 19:42 23-08-2026