

Name-Salman ahmed•
Roll no-2520089070

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'bankdb' and 'sec_11' expanded. The main editor window contains a SQL query for 'student_marks1' table. The query includes DELETE statements, SELECT statements with ORDER BY, and aggregate functions like SUM, AVG, and COUNT. The 'Output' tab at the bottom shows the execution results, including a table with columns 'Time', 'Action', 'Message', and 'Duration / Fetch'.

```
41
42 DELETE FROM student_marks1 WHERE roll_no = 5;
43 DELETE FROM student_marks1 WHERE marks < 75;
44
45 SELECT * FROM student_marks1 ORDER BY marks ASC;
46 SELECT * FROM student_marks1 ORDER BY marks DESC;
47 SELECT * FROM student_marks1 ORDER BY name ASC;
48 SELECT * FROM student_marks1 ORDER BY name DESC;
49
50 SELECT subject, SUM(marks) AS total_marks FROM student_marks1 GROUP BY subject;
51 SELECT subject, AVG(marks) AS avg_marks FROM student_marks1 GROUP BY subject;
52 SELECT subject, COUNT(*) AS num_students FROM student_marks1 GROUP BY subject;
53
54 SELECT subject, AVG(marks) AS avg_marks
55 FROM student_marks1
56 GROUP BY subject
57 HAVING AVG(marks) > 90;
58
59 SELECT subject, COUNT(*) AS num_students
60 FROM student_marks1
61 GROUP BY subject
62 HAVING COUNT(*) > 1;
```

#	Time	Action	Message	Duration / Fetch
5	19:23:57	SELECT COUNT(*) AS total_students FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
6	19:23:57	SELECT SUM(marks) FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
7	19:23:57	SELECT AVG(marks) FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
8	19:23:57	SELECT MAX(marks) FROM student_marks1 LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
9	19:24:29	SELECT * FROM student_marks1 WHERE marks > 85 LIMIT 0, 1000	7 row(s) returned	0.000 sec / 0.000 sec

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'bankdb' and 'sec_11' expanded. The main editor window contains a SQL query for 'orders' table. The query includes SELECT statements with ORDER BY, aggregate functions like SUM, AVG, and MAX. The 'Result Grid' tab at the bottom shows the execution results, including a table with columns 'salesman_id' and 'total_sales'.

```
41 SELECT *
42 FROM orders
43 ORDER BY ord_date;
44
45 SELECT SUM(purch_amt) AS total_revenue
46 FROM orders;
47
48 SELECT AVG(purch_amt) AS average_order
49 FROM orders;
50
51 SELECT MAX(purch_amt) AS highest_order
52 FROM orders;
```

salesman_id	total_sales
5001	11271.46

Name-Salman ahmed•
Roll no-2520089070

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'bankdb' selected. The main editor window contains three SQL queries. The 'Result Grid' shows the results of the first query, which is a SELECT statement. The 'Output' pane at the bottom shows the execution log with timestamps and messages.

SQL File 4:

```
60 SELECT salesman_id,
61 SUM(purch_amt) AS total_sales
62 FROM orders
63 GROUP BY salesman_id;
64
65 SELECT customer_id,
66 SUM(purch_amt) AS total_purchase
67 FROM orders
68 GROUP BY customer_id;
69
70 SELECT customer_id,
71 MAX(purch_amt) AS highest_purchase
72 FROM orders
```

Result Grid:

salesman_id	total_sales
5001	11271.46

Output:

#	Time	Action	Message	Duration / Fetch
5	19:39:52	SELECT * FROM orders WHERE purch_amt > 2000 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
6	19:40:07	SELECT * FROM orders WHERE ord_date=2012-09-10 LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
7	19:40:32	SELECT * FROM orders WHERE salesman_id=5001 LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
8	19:40:40	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
9	19:40:47	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'bankdb' selected. The main editor window contains three SQL queries. The 'Result Grid' shows the results of the first query, which is a SELECT statement. The 'Output' pane at the bottom shows the execution log with timestamps and messages.

SQL File 4:

```
60 SELECT salesman_id,
61 SUM(purch_amt) AS total_sales
62 FROM orders
63 GROUP BY salesman_id;
64
65 SELECT customer_id,
66 SUM(purch_amt) AS total_purchase
67 FROM orders
68 GROUP BY customer_id;
69
70 SELECT customer_id,
71 MAX(purch_amt) AS highest_purchase
72 FROM orders
```

Result Grid:

salesman_id	total_sales
5001	11271.46

Output:

#	Time	Action	Message	Duration / Fetch
8	19:40:40	SELECT * FROM orders ORDER BY purch_amt DESC LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
9	19:40:47	SELECT * FROM orders ORDER BY ord_date LIMIT 0, 1000	12 row(s) returned	0.000 sec / 0.000 sec
10	19:40:55	SELECT SUM(purch_amt) AS total_revenue FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
11	19:41:02	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	19:41:07	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Name-Salman ahmed•
Roll no-2520089070

The screenshot displays the MySQL Workbench application interface. The top menu bar includes File, Edit, View, Query, Database, Server, Tools, Scripting, and Help. The left sidebar shows the 'SCHEMAS' panel with a tree view of databases and tables. The main workspace is divided into three panes: the top pane shows a SQL query, the middle pane shows the 'Result Grid' with a single row of data, and the bottom pane shows the 'Output' log.

SQL Query:

```
60 • SELECT salesman_id,  
61       SUM(purch_amt) AS total_sales  
62 FROM orders  
63 GROUP BY salesman_id;  
64  
65 • SELECT customer_id,  
66       SUM(purch_amt) AS total_purchase  
67 FROM orders  
68 GROUP BY customer_id;  
69  
70 • SELECT customer_id,  
71       MAX(purch_amt) AS highest_purchase  
72 FROM orders
```

Result Grid:

salesman_id	total_sales
5001	11271.46

Output Log:

#	Time	Action	Message	Duration / Fetch
11	19:41:02	SELECT AVG(purch_amt) AS average_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	19:41:07	SELECT MAX(purch_amt) AS highest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
13	19:41:16	SELECT MIN(purch_amt) AS lowest_order FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
14	19:41:19	SELECT COUNT(*) AS total_orders FROM orders LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
15	19:41:27	SELECT salesman_id, SUM(purch_amt) AS total_sales FROM orders GROUP BY salesman_id LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec