

Lectern Keyboard Shortcuts — current, planned, and reference keymaps

macOS keys shown (⌘ Command, ⌥ Option, ⇧ Shift, ^ Control). On Windows, ⌘ → Ctrl and ⌥ → Alt unless noted.

Part A is what Lectern has today (checked in EditorScreen.qml, TimelinePanel.qml, CanvasOverlay.qml). Part B is the planned Lectern keymap. Part C lists the After Effects, Premiere Pro, DaVinci Resolve and Final Cut Pro shortcuts that Lectern's optional keymap presets will reproduce. Part C is from general product knowledge of current versions; each vendor lets users print the live list (Adobe: *Edit* → *Keyboard Shortcuts*; Resolve: *DaVinci Resolve* → *Keyboard Customization*; Final Cut: *Final Cut Pro* → *Commands* → *Customize*) — verify against those before shipping a preset. Rows marked (*verify*) are ones most likely to differ by version.

A. Lectern today

A.1 Editor

Keys	Action
Space	Play / pause
S	Split at the playhead (selected clip, or every recording track)
⌘ / Delete	Delete selection (Cut mode: this track leaves a gap; all tracks closes it)
M	Add marker
← / →	Previous / next frame
⏮ / ⏭	Back / forward 1 second
Home / End	Go to start / end
I / O	Mark in / out (section to remove)
Esc	Deselect, clear in/out
⌘Z / ⌘⇧Z	Undo / redo
⌘A	Select all clips
⌘S	Save
⌘E	Export

A.2 Timeline mouse

Gesture	Action
Drag on the ruler or the playhead	Scrub (frame-accurate, snaps)
⌘ while dragging	No snapping
Drag a clip	Move (up/down = onto another layer of the same kind)
Drag a clip edge	Trim
Drag on empty lane	Box select (Select: Drag mode)
⏴ / ⌘ click, ⏴ / ⌘ box	Add to selection; ⌥ box removes
Wheel / trackpad	Scroll (vertical wheel scrolls time when all layers fit)
⏴ wheel	Horizontal scroll
⌘ wheel, pinch	Zoom around the pointer
Click / double-click a layer header	Select layer / rename
Right-click a layer header	Rename, move up/down, delete

A.3 Canvas (preview)

Gesture	Action
Click	Select the top layer under the pointer
Drag	Move (snaps to center and edges)
⌘ drag	Move without snapping
Drag a corner / edge handle	Resize (corners keep proportions)

Gesture	Action
Esc during a drag	Cancel, layer goes back
Double-click text	Edit in place
Right-click	Layer menu (edit text, reset, delete)

B. Planned Lectern keymap

Lectern default keeps A unchanged and adds the following, chosen to match Premiere Pro and Resolve where they agree.

B.1 Playback and navigation

Keys	Action
J / K / L	Play backward / stop / play forward (press again = faster)
K + J / K + L	Step one frame back / forward
↑ / ↓	Previous / next edit point
⇧↑ / ⇧↓	Previous / next marker
⏮ / ⏭	Previous / next keyframe on the selected layer
⌘L	Loop playback on/off
⇧⌘F	Full-screen preview
Click the timecode, or ^G	Type a time to go to

B.2 Editing

Keys	Action
⌘K	Split at playhead (alias of S)
⇧⌘K	Split every track at playhead
⇧⌘⌵	Ripple delete (always closes the gap)
Q / W	Ripple trim the start / end of the clip under the playhead to the playhead
[/]	Move the selected clip's start / end to the playhead
⌘[/ ⌘]	Trim the selected clip's start / end to the playhead
⌘D	Duplicate
⌘C / ⌘X / ⌘V	Copy / cut / paste at playhead
⌘⇧V	Paste attributes (effects, color, transform)
⌘R	Speed / duration
⌘⇧F	Freeze frame
⌘L	Link / unlink
⇧E	Enable / disable clip
N	Snapping on/off
⌘T	Add default transition at the edit point
⇧I / ⇧O	Go to in / out
⌘X	Clear in and out
⌘G / ⇧⌘G	Group / nest selection; ungroup

B.3 Tools (Pro mode)

Keys	Tool
V	Selection
C	Blade (razor)
B	Ripple edit
R	Rate stretch
Y / U	Slip / slide

Keys	Tool
H (hold Space in viewer)	Hand
Z	Zoom
Q (canvas)	Shape (cycles rectangle, ellipse, polygon, star)
G	Pen
T	Text
E	Rotation
X	Annotation (arrow, box, spotlight)

The Q/W edit keys apply only when the timeline has focus; Q/W as tools apply only in the canvas. This mirrors how After Effects and Premiere share letters.

B.4 Keyframes and animation

Keys	Action
⌘K	Add / remove keyframe for the selected property at the playhead
F9	Easy ease
⇧F9 / ⌘⇧F9	Ease in / ease out
⌘⌘H	Toggle hold keyframe
⇧F3	Graph editor
U	Show animated properties of the selected layer
P / S / R / T	Show position / scale / rotation / opacity

B.5 View and workspace

Keys	Action
= / -	Zoom timeline in / out
\	Fit timeline to window
⌘= / ⌘-	Zoom preview in / out
⇧Z	Fit preview
` (backtick)	Maximize the panel under the pointer
⌘'	Grid
⌘R	Rulers (<i>conflict with speed in Premiere; Lectern uses ⌘R for speed in the timeline, rulers in the canvas</i>)
⌘;	Guides
⇧1 ... ⇧7	Panels: Project, Viewer, Timeline, Effect Controls, Effects, Color, Audio
⌘1 / ⌘2 / ⌘3	Simple / Pro / Color workspace
⌘⇧P	Command palette
⌘,	Settings

B.6 Color workspace

Keys	Action
⌘S	Add corrector after the current one
⇧S	Add corrector before
⌘D (Color workspace only; ⌘D duplicates elsewhere)	Enable / disable current corrector
⇧D	Bypass all grades (before/after)
⌘W	Wipe compare on/off
⌘⌘G	Grab still
=	Copy the grade of the previous clip
⇧H	Highlight the qualifier/window matte
↑ / ↓ (color page)	Previous / next clip

B.7 Keymap presets

Settings → Keyboard: **Lectern** (default), **Premiere Pro**, **DaVinci Resolve**, **After Effects**, **Final Cut Pro**; every command can be rebound; conflicts are shown; export/import as JSON; print as PDF.

C. Reference keymaps

C.1 Adobe After Effects

Keys	Action
V	Selection tool
H	Hand tool
Z	Zoom tool
W	Rotation tool
C	Camera tools (cycle)
Y	Pan Behind (anchor point) tool
Q	Shape tools (cycle)
G	Pen tool (cycle)
⌘T	Type tool (cycle)
⌘B	Brush / Clone Stamp / Eraser (cycle)
⌘W	Roto Brush / Refine Edge
⌘P	Puppet tools (cycle)
Space	Preview play / stop
⌘N	New composition
⌘K	Composition settings
⌘Y	New solid
⌘⌘Y	New adjustment layer
⇧⌘Y	New null object
⇧⌘T	New text layer
⌘D	Duplicate
⇧⌘D	Split layer
⇧⌘C	Pre-compose
[/]	Move layer in / out point to the current time
⌘[/ ⌘]	Trim layer in / out to the current time
J / K	Previous / next visible keyframe or marker
⌘→ / ⌘←	Next / previous frame
Home / End	Start / end of composition
B / N	Set work area start / end
P S R T A	Show position / scale / rotation / opacity / anchor point
U / UU	Show animated / modified properties
E / M / F	Show effects / masks / mask feather
F9	Easy Ease
⇧F9 / ⌘⇧F9	Easy Ease In / Out
⌘H	Toggle hold keyframe (<i>verify</i>)
⇧F3	Graph Editor
⌘⌘F	Fit layer to composition
⌘= / ⌘-	Zoom in / out (viewer)
= / -	Zoom timeline in / out (<i>main keyboard</i>)
`	Maximize panel

Keys	Action
⌘ ' (Command-Single Quote)	Grid
⌘ R (Command-R)	Rulers
⌘ ; (Command-Semicolon)	Guides
⇧ ⌘ H (Shift-Command-H)	Show / hide layer controls
⌘ L / ⇧ ⌘ L (Command-L / Shift-Command-L)	Lock layer / unlock all
^ ⌘ M (Ctrl-Command-M)	Add to Render Queue (<i>verify</i>)
⌘ I (Command-I)	Import
⌘ Z / ⇧ ⌘ Z (Command-Z / Shift-Command-Z)	Undo / redo

C.2 Adobe Premiere Pro

Keys	Action
V	Selection tool
A / ⇧ A (Command-A / Shift-A)	Track Select Forward / Backward
B	Ripple Edit tool
N	Rolling Edit tool
R	Rate Stretch tool
C	Razor tool
Y	Slip tool
U	Slide tool
P	Pen tool
H	Hand tool
Z	Zoom tool
T	Type tool
J / K / L (Command-J / Command-K / Command-L)	Shuttle left / stop / right
Space	Play / stop
← / → (Left Arrow / Right Arrow)	Previous / next frame
↑ / ↓ (Up Arrow / Down Arrow)	Previous / next edit point
I / 0 (Command-I / Zero)	Mark in / out
⌘ X (Command-X)	Clear in and out
X	Mark clip
,	Insert
.	Overwrite
;	Lift
'	Extract
⌘ K (Command-K)	Add edit
⇧ ⌘ K (Shift-Command-K)	Add edit to all tracks
Q / W (Command-Q / Command-W)	Ripple trim previous / next edit to playhead
⌘ ⌫ (Command-Delete)	Ripple delete
M	Add marker
⇧ M / ⇧ ⌘ M (Shift-M / Shift-Command-M)	Next / previous marker
⌘ D (Command-D)	Apply default video transition
⇧ ⌘ D (Shift-Command-D)	Apply default audio transition
⇧ D (Shift-D)	Apply default transitions to selection
= / - (Equals / Minus)	Zoom timeline in / out
\ (Backslash)	Zoom to sequence

Keys	Action
S	Snap on/off
⌘L	Link / unlink
⌘R	Speed / Duration
⇧E	Enable / disable clip
⌘⇧V	Paste attributes
⇧⌘V	Paste insert
⌘N	New sequence
⌘I	Import
⌘M	Export media
⇧1 ... ⇧7	Project, Source, Timeline, Program, Effect Controls, Audio Track Mixer, Effects (<i>verify</i>)
`	Maximize panel

C.3 DaVinci Resolve

Keys	Action
⇧2 ... ⇧8	Media, Cut, Edit, Fusion, Color, Fairlight, Deliver pages (<i>verify for Resolve 21's extra page</i>)
⇧9	Project settings
A	Selection (Normal Edit) mode
T	Trim Edit mode
B	Blade Edit mode
⌘B	Split clip at playhead
N	Snapping on/off
⇧⌘L	Linked selection on/off
J / K / L	Shuttle reverse / stop / forward
Space	Play / stop
← / →	Previous / next frame
↑ / ↓	Previous / next edit
I / O	Mark in / out
⌘X	Clear in and out
F9	Insert
F10	Overwrite
F11	Replace
F12	Place on top
⇧F10	Ripple overwrite
⇧F11	Fit to fill
⇧F12	Append at end
⌘ / ⇧⌘	Delete / ripple delete (<i>which one leaves a gap differs by setup — verify</i>)
M	Add marker
⌘T	Add transition
⌘R	Retime controls
⇧Z	Zoom to fit
⌘= / ⌘-	Zoom in / out
⌘S	Color: add serial node
⇧S	Color: add serial node before current
⌘P	Color: add parallel node
⌘L	Color: add layer node

Keys	Action
⇧O	Color: add outside node
⌘D	Color: enable / disable current node
⇧D	Color: bypass all grades
⇧⌘G	Color: grab still
⌘W	Color: wipe on/off
=	Color: apply grade from previous clip
⇧H	Color: highlight mode
⇧F	Enhanced viewer
⌘F	Cinema (full-screen) viewer

C.4 Final Cut Pro

Keys	Action
A	Select tool
T	Trim tool
P	Position tool
R	Range Selection tool
B	Blade tool
Z	Zoom tool
H	Hand tool
⌘B	Blade at playhead
⇧⌘B	Blade all
Q	Connect to primary storyline
W	Insert
D	Overwrite
E	Append to storyline
J / K / L	Play reverse / stop / forward
Space	Play / pause
I / O	Set range start / end
M	Add marker
N	Snapping on/off
S	Skimming on/off
⌘T	Add default transition
⌘R	Retime editor
⇧Z	Zoom to fit
⇧G	New compound clip
⌘= / ⌘-	Zoom timeline in / out
⌘4 ... ⌘8	Inspector, Effects, Color board, Audio meters (<i>verify per version</i>)