BUILD GUIDE — COMPANION TO COMPLETE BUILD GUIDE v1.1

iCM SI Manager Dashboard

Customer Link Generation + Session Progress + Consent Log

Google SSO | admin.icaremanager.com | AntiGravity Build

iCareManager Technical Team | Version 1.0 | April 2026

1. What This Document Covers

This is a companion document to the iCM Voice Discovery Agent Complete Build Guide v1.1. It covers three additions that work alongside the agent you have already built:

- The SI Manager Dashboard — a separate internal web application at admin.icaremanager.com protected by Google SSO, where SI Managers add new customers, generate discovery links, and track session completion progress
- The Consent System — legal consent language added to the pre-session form on the agent page, plus a consent log that records who consented, when, and from which IP address
- The n8n Updates — two new webhook workflows that support the dashboard and the consent log

Build These in This Order

Step 1: Update the agent web page to add the consent form (Phase 2 of this document)
Step 2: Update n8n to capture consent data and write it to the Google Sheet (Phase 3)
Step 3: Build the SI Manager Dashboard in AntiGravity (Phase 4)
Step 4: Connect the dashboard to the Google Sheet and test everything end to end (Phase 5)
The agent itself (Vapi, Claude prompt, ElevenLabs) does not change in this document.

2. How Everything Connects

Before building anything, understand how the dashboard, the consent system, and the agent all share data through one central source of truth — the Google Sheet.

2.1 The Google Sheet as the Central Database

The Google Sheet you already have for link tracking now becomes the single data store for the entire system. It has four tabs. n8n writes to it. The dashboard reads from it. Nothing else changes.

Sheet Tab	What It Stores	Who Writes to It

Customers	One row per customer — name, link parameter, full link, PM name, PM email, date created, SI Manager, sessions complete count	SI Manager Dashboard (via n8n) when a new customer is added
Sessions	One row per completed session — customer name, respondent name, email, department, date, duration, Drive file link	n8n session-complete webhook after each session finishes
Consent Log	One row per consent — customer name, respondent name, email, timestamp, IP address, consent version, session ID	n8n consent webhook the moment the respondent checks the box
SI Managers	One row per SI Manager — name, email, Google account — used for SSO access control	Manually maintained by your admin — add or remove SI Manager access here

2.2 Full Data Flow Diagram

```
SI Manager logs into admin.icaremanager.com with Google SSO
         ↓
Adds new customer → n8n writes row to Customers tab → link generated
         ↓
SI Manager copies link → sends to customer PM by email
         ↓
Customer PM forwards link to all department heads
         ↓
Department head opens link → fills in Name and Email
         ↓
Reads full consent language → checks the consent box
         ↓
n8n consent webhook fires → writes row to Consent Log tab
         ↓
Vapi session starts → session completes
         ↓
n8n session-complete webhook fires:
   → Creates Google Drive file in customer folder
   → Increments Sessions Complete counter in Customers tab
   → Writes row to Sessions tab
   → Sends SI Manager notification email
   → Sends respondent confirmation email
         ↓
SI Manager opens dashboard → sees updated session count → sees consent log
```

3. Additional Accounts and Access Needed

Everything from the main build guide still applies. You only need these additional items for this build.

Item	What You Need and Where to Get It

Google Cloud OAuth 2.0 credentials	Go to Google Cloud Console — APIs and Services — Credentials — Create OAuth 2.0 Client ID — set authorized redirect URI to https://admin.icaremanager.com/auth/callback — download the client credentials JSON
Google Sheets API	Enable it in the same Google Cloud project you created for the agent — Google Cloud Console — APIs and Services — Enable APIs — search Google Sheets API — enable it
Google Sheet ID	Open your existing iCM Discovery Link Tracker Google Sheet — copy the long ID string from the URL — it goes in the dashboard config file
Domain for dashboard	admin.icaremanager.com — configure DNS to point to your Vercel deployment — Vercel handles the SSL certificate automatically
SI Managers tab pre-populated	Before launch: manually add one row per SI Manager to the SI Managers tab — include their full name and their @icaremanager.com Google email address — only people in this list can log in

4. Phase 1 — Add Consent to the Agent Web Page

Update the existing agent web page (onboarding.icaremanager.com) to add the legal consent language and checkbox. This is a code update in AntiGravity — paste this prompt to make only the consent changes and nothing else.

PHASE 1

Update Agent Web Page — Add Consent Form

Estimated time: 2 to 3 hours in AntiGravity

AntiGravity Prompt — Consent Addition

Paste This Into AntiGravity — Consent Update Only

Update the existing iCM Voice Discovery Agent web page to add a legal consent and acknowledgment step before the session can begin. Make only the changes described below. Do not touch anything else.

CHANGE 1 — CONSENT MODAL BEFORE SESSION STARTS:
After the user fills in First Name, Last Name, and Email and clicks Start Session, before the resume check and before Vapi initializes, show a full-screen modal overlay containing the complete consent language below. The modal must have a scrollable content area so users on mobile can scroll through the full text. The modal must have a fixed footer that is always visible at the bottom regardless of scroll position. The footer contains one checkbox and one button.

The checkbox label reads: I have read and understood the above. I consent to this session being recorded and my responses being used to support my organization's iCareManager implementation.

The button is labeled: I Agree — Start My Session

The button must remain disabled and grayed out until the checkbox is checked. When the user checks the checkbox and clicks the button, capture the following consent data: timestamp in ISO format, the

respondent email from the form, the respondent first name, the respondent last name, the customer name from the URL parameter, a consent version string set to 'iCM-Consent-v1.0-2026', and the session ID. Send this data via POST request to the n8n consent webhook URL stored in config.js as N8N_CONSENT_URL. The request should fire and not block the UI — fire and forget. Then proceed immediately to the resume check and Vapi initialization.

CHANGE 2 — CONSENT MODAL CONTENT:
The scrollable content area of the modal must display exactly this text, formatted with clear section headings and readable body text:

HEADING: iCareManager Voice Discovery Session — Informed Consent and Recording Authorization
SUBHEADING: Effective Date: April 2026
INSTRUCTION LINE: Please read this carefully before starting your session.

SECTION 1 — Nature of This Session
This voice session is conducted by an artificial intelligence assistant developed and operated by iCareManager. You are not speaking with a human employee. The AI assistant is designed to ask questions about your organization's current workflows, processes, staffing, and technology use for the purpose of supporting your organization's implementation of the iCareManager platform.

SECTION 2 — Recording and Transcription
By proceeding, you expressly consent to the recording, transcription, and storage of this session. Your voice and responses will be captured, converted to text, and retained by iCareManager for the purposes described in this agreement.

SECTION 3 — How Your Information Will Be Used
The information you provide during this session will be used exclusively for the following purposes: to understand your organization's current workflows and operational processes; to configure and customize the iCareManager platform for your organization's specific needs; to prepare iCareManager's implementation team for analysis and planning calls with your organization; and to generate workflow documentation and implementation planning materials. Your responses will not be sold, shared with third parties, used for marketing purposes, or used to train AI models that are made available to other customers. iCareManager may use anonymized and aggregated insights to improve the quality of its discovery process, but no identifying information about your organization will be used in any externally facing capacity.

SECTION 4 — Your Authority to Participate
By proceeding, you represent and warrant that you are an authorized representative of your organization and that you have the authority to share information about your organization's internal workflows, processes, systems, and operations with iCareManager for the purposes of this implementation engagement.

SECTION 5 — No Collection of Client or Patient Data
Do not share the names, diagnoses, social security numbers, or any other personally identifiable information about the individuals your organization serves. This session is intended to capture organizational and operational information only. You are solely responsible for ensuring that no protected health information or other regulated personal data is disclosed during this session.

SECTION 6 — Data Security
iCareManager maintains administrative, technical, and physical safeguards designed to protect the information you share. Session transcripts are stored in a secured environment accessible only to your assigned iCareManager implementation team.

SECTION 7 — Right to Stop

You may end this session at any time by closing your browser. Partial sessions may be saved to allow you to resume at a later time. You may request deletion of your session data by contacting help@icaremanager.com.

SECTION 8 — Contact
If you have questions about how your information is used or wish to request deletion of your session data, contact: help@icaremanager.com

CLOSING LINE: By checking the acknowledgment box and clicking I Agree — Start My Session, you confirm that you have read and understood this consent, that you agree to its terms, and that you consent to the recording and use of your responses as described above.

CHANGE 3 — CONFIG FILE ADDITION:
Add one new entry to config.js: N8N_CONSENT_URL — the n8n consent webhook URL from Phase 2 of the companion build guide.

CHANGE 4 — CONSENT IN SESSION METADATA:
When initializing the Vapi session, add a field called consentGiven set to true and consentTimestamp set to the ISO timestamp captured when the user clicked I Agree. This ensures the consent record is also embedded in the Vapi session metadata and appears in the webhook payload.

Do not change anything else on the page. The form, the branding, the active session screen, the progress bar, the mute button, the thank you screen, and all other existing behavior stay exactly as they are.

Add This to config.js

```
N8N_CONSENT_URL: 'your-n8n-consent-webhook-url-from-phase-2',
```

5. Phase 2 — n8n Updates

PHASE 2

n8n — Consent Webhook and Dashboard Support Workflows

Estimated time: 2 to 3 hours

Workflow 1 — Consent Capture Webhook

This workflow fires the moment a respondent checks the consent box and clicks I Agree. It captures the consent record and writes it to the Google Sheet Consent Log tab before the Vapi session even starts.

1. Create new workflow: iCM Discovery — Consent Capture
2. Add Webhook trigger node — method POST — copy URL — this becomes N8N_CONSENT_URL in config.js
3. Add Code node — extract from payload: customerName, firstName, lastName, email, timestamp, consentVersion, sessionId

4. Add Google Sheets node — action: Append Row — target the Consent Log tab — write one row with these columns: Timestamp, Customer Name, First Name, Last Name, Email, Session ID, Consent Version, IP Address
5. To capture IP address: read the X-Forwarded-For header from the webhook request in the Code node — store it as ipAddress in the payload before writing to Sheets
6. Respond with 200 OK — no email, no Drive action — this workflow is only for logging consent

Workflow 2 — Add Customer (Called by Dashboard)

This workflow fires when an SI Manager adds a new customer in the dashboard. It creates the customer record in the Google Sheet and generates the formatted link.

7. Create new workflow: iCM Discovery — Add Customer
8. Add Webhook trigger node — method POST — copy URL — this is called by the dashboard
9. Add Code node — extract from payload: customerOrgName, pmName, pmEmail, siManagerEmail — then auto-format the link parameter: remove all spaces and special characters from customerOrgName, apply CamelCase, store as linkParameter
10. Build the full link: https://onboarding.icaremanager.com/discovery?customer= plus the linkParameter
11. Add Google Sheets node — action: Append Row — target the Customers tab — write: Customer Name, Link Parameter, Full Link, PM Name, PM Email, SI Manager Email, Date Created, Sessions Complete set to 0
12. Respond with JSON containing: success true, linkParameter, fullLink — the dashboard displays this immediately

Workflow 3 — Get All Customers (Called by Dashboard)

This workflow returns all customer rows from the Google Sheet for the dashboard to display. Called every time an SI Manager loads or refreshes the dashboard.

13. Create new workflow: iCM Discovery — Get Customers
14. Add Webhook trigger node — method GET
15. Add Google Sheets node — action: Get All Rows — target the Customers tab
16. Respond with the full array of customer rows as JSON

Workflow 4 — Get Consent Log (Called by Dashboard)

Returns all consent log rows for display in the dashboard consent log section. Can optionally be filtered by customer name.

17. Create new workflow: iCM Discovery — Get Consent Log
18. Add Webhook trigger node — method GET
19. Add Code node — read optional query parameter customerName
20. Add Google Sheets node — action: Get All Rows — target the Consent Log tab
21. Add Code node — if customerName was passed, filter rows to only that customer before responding
22. Respond with filtered or full consent log rows as JSON

Update Existing Session Complete Workflow

Add one step to your existing iCM Discovery — Session Complete workflow to increment the session counter in the Customers tab.

23. Open your existing Session Complete workflow
24. After the Google Drive file creation node, add a new Google Sheets node
25. Action: Find Row — search the Customers tab for the row where Link Parameter matches the customerName from the webhook payload
26. Add another Google Sheets node — action: Update Row — increment the Sessions Complete column by 1 for that row
27. This keeps the dashboard session count accurate without any manual updates

6. Phase 3 — Build the SI Manager Dashboard in AntiGravity

PHASE 3

SI Manager Dashboard — admin.icaremanager.com

Estimated time: 6 to 10 hours in AntiGravity

Open AntiGravity — Paste This Complete Dashboard Build Prompt

AntiGravity Dashboard Build Prompt — Paste This Exactly

Build a complete internal web application for iCareManager's System Implementation team. This is a separate standalone application from the customer-facing voice discovery agent. It lives at admin.icaremanager.com and is protected by Google SSO — only authorized iCareManager team members can access it. Here is everything it needs to do.

AUTHENTICATION — GOOGLE SSO:
Implement Google OAuth 2.0 sign-in using the credentials from config.js. When a user navigates to any page on this application, check if they have a valid session. If not, redirect them to the Google sign-in page. After successful Google sign-in, check that their email address exists in the SI Managers list returned by the n8n get-si-managers webhook. If their email is not in the list, show an access denied page with the message: 'You do not have access to the iCareManager SI Manager Dashboard. Contact your system administrator.' If their email is in the list, allow access and store their session. Show the SI Manager's name and Google profile photo in the top right corner of every page. Include a Sign Out button.

OVERALL LAYOUT:
The application has a fixed left sidebar for navigation and a main content area on the right. The sidebar contains the iCareManager logo at the top, then three navigation items: Customers, Consent Log, and Account. The active page is highlighted in iCM orange. The application uses iCM brand colors: primary orange #E5521A, dark background #1E293B, white text, and light gray surfaces. The design should feel clean, professional, and trustworthy — consistent with the customer-facing agent page.

PAGE 1 — CUSTOMERS (Default Page on Login):
This is the main page. It has two sections.

Section A — Add New Customer:

A clean form at the top of the page with four fields: Customer Organization Name (text, required), Customer PM First and Last Name (text, required), Customer PM Email (email, required), and Assigned SI Manager (pre-filled with the logged-in SI Manager's name and email but editable via a text field). Below the form, a button labeled Generate Link and Create Customer. When clicked, the form data is sent via POST to the n8n Add Customer webhook URL. Show a loading spinner while waiting for the response. When the response returns, show a success banner containing: the full generated discovery link in a copy-to-clipboard box with a Copy Link button, and a message: 'Customer added successfully. Copy the link below and send it to [PM Name] at [PM Email].' Clear the form after success. If the request fails show a clear error message.

Section B — All Customers Table:
Below the add form, show a table of all customers loaded from the n8n Get Customers webhook. The table has these columns: Customer Name, PM Name, PM Email, Assigned SI Manager, Sessions Complete, Date Created, Discovery Link, Actions. The Sessions Complete column shows just a number — for example 4. No expected total. The Discovery Link column shows a Copy button — clicking it copies the full link to clipboard and briefly shows a Copied confirmation. The Actions column has one button: View Consent Log — clicking it navigates to the Consent Log page filtered to that customer. Include a search box above the table that filters the customer list in real time by customer name. Include a Refresh button that reloads the customer data from n8n. Sort the table by Date Created descending so the newest customer appears at the top.

PAGE 2 — CONSENT LOG:
This page shows all consent records from the n8n Get Consent Log webhook. It has two modes: All Customers view and Single Customer view (when navigated to from the customer table).

The consent log table has these columns: Timestamp (formatted as Month Day Year at Hour:Minute AM/PM), Customer Name, First Name, Last Name, Email, Department (if available from session metadata), Session ID, Consent Version, IP Address.

At the top of the page show three summary stats in card format: Total Consents (count of all rows), Unique Customers with at least one consent, and Consents Today (count of rows where timestamp date equals today).

Include a search box that filters by customer name or respondent email in real time. Include a date range filter with From and To date pickers. Include an Export to CSV button that downloads the visible filtered rows as a CSV file. Include a Refresh button.

If navigated to from a specific customer's View Consent Log button, pre-filter the table to that customer and show a breadcrumb at the top: Customers > [Customer Name] > Consent Log with a Back to Customers link.

PAGE 3 — ACCOUNT:
A simple page showing the logged-in SI Manager's name, email, and Google profile photo. Show their role as System Implementation Manager. Include a Sign Out button. No other functionality on this page.

ERROR STATES:
If any n8n webhook call fails, show a banner at the top of the relevant section with a friendly error message and a Retry button. Never show raw error text or stack traces to the user.

LOADING STATES:
Show skeleton loading placeholders while data is being fetched. Never show a blank table or empty state without explanation.

EMPTY STATES:

If no customers have been added yet, show a friendly empty state in the customer table: 'No customers yet. Add your first customer using the form above.' If the consent log is empty for a customer, show: 'No consent records yet for this customer. Consent records will appear here as department heads complete their sessions.'

CONFIG FILE — config.js:
Store all settings in a config.js file: GOOGLE_CLIENT_ID, GOOGLE_CLIENT_SECRET, GOOGLE_REDIRECT_URI set to https://admin.icaremanager.com/auth/callback, N8N_ADD_CUSTOMER_URL, N8N_GET_CUSTOMERS_URL, N8N_GET_CONSENT_LOG_URL, N8N_GET_SI_MANAGERS_URL, APP_NAME set to iCareManager SI Dashboard, SUPPORT_EMAIL set to support@icaremanager.com.

TECHNICAL REQUIREMENTS:
Must work on Chrome, Safari, Firefox, and Edge on desktop. Mobile support is not required — this is an internal tool used on laptops and desktops only. All Google OAuth tokens must be stored server-side — never in the browser. Use secure HTTP-only cookies for session management. Session timeout after 8 hours of inactivity — redirect to login. All n8n webhook calls must include a shared secret header for basic security — store the secret in config.js as N8N_SECRET and include it as a header called X-ICM-Secret on every request. The n8n workflows must validate this header and reject requests that do not include it.

Dashboard config.js — Complete File

```
const CONFIG = {
  GOOGLE_CLIENT_ID:        'your-google-oauth-client-id',
  GOOGLE_CLIENT_SECRET:    'your-google-oauth-client-secret',
  GOOGLE_REDIRECT_URI:     'https://admin.icaremanager.com/auth/callback',
  N8N_ADD_CUSTOMER_URL:    'your-n8n-add-customer-webhook-url',
  N8N_GET_CUSTOMERS_URL:   'your-n8n-get-customers-webhook-url',
  N8N_GET_CONSENT_LOG_URL: 'your-n8n-get-consent-log-webhook-url',
  N8N_GET_SI_MANAGERS_URL: 'your-n8n-get-si-managers-webhook-url',
  N8N_SECRET:              'your-shared-secret-for-n8n-security',
  APP_NAME:                'iCareManager SI Dashboard',
  SUPPORT_EMAIL:           'support@icaremanager.com',
};
```

7. Phase 4 — Deployment

PHASE 4

Deploy Dashboard to admin.icaremanager.com

Estimated time: 1 to 2 hours

Deploy to Vercel

28. Go to vercel.com — sign in with Google
29. Create a new project — connect the GitHub repository where AntiGravity saved the dashboard code
30. Set the framework to Node.js if AntiGravity built it as an Express app — or Static if it is a pure frontend app

31. Add all config.js values as Vercel Environment Variables — do not commit config.js with real credentials to GitHub
32. Click Deploy — takes about 60 seconds
33. Go to Settings — Domains — add admin.icaremanager.com
34. Update your DNS: add a CNAME record pointing admin.icaremanager.com to cname.vercel-dns.com
35. Wait for DNS propagation — 5 to 30 minutes
36. Visit https://admin.icaremanager.com — confirm the Google sign-in page appears
37. Sign in with your @icaremanager.com Google account — confirm you reach the dashboard
38. Try signing in with a non-iCareManager Google account — confirm you see the access denied page

Add SI Managers to the Google Sheet

Before going live, populate the SI Managers tab in the Google Sheet. This is what controls who can log in.

Column	What to Enter
Full Name	The SI Manager's full name exactly as it appears in their Google account
Email Address	Their @icaremanager.com Google Workspace email address
Role	System Implementation Manager
Active	Yes — change to No to revoke access without deleting the row

How to Add or Remove SI Manager Access

To add a new SI Manager: add a new row to the SI Managers tab with their name and @icaremanager.com email. They can log in immediately — no code change needed.

To remove access: change the Active column to No for that person's row. They will see the access denied page on their next login attempt.

Never share the admin URL externally. It is protected by Google SSO but should still be treated as an internal tool.

8. Phase 5 — Testing and QA

PHASE 5

Full End-to-End Test

Estimated time: 2 to 3 hours

Test the Consent Flow

39. Open a private browser — navigate to the customer agent page with a test customer parameter
40. Fill in First Name, Last Name, and Email — click Start Session
41. Confirm the consent modal appears with the full legal text before anything else
42. Confirm the I Agree button is disabled until the checkbox is checked
43. Check the checkbox — confirm the button activates
44. Click I Agree — confirm the modal closes and the session resume check begins

45. Check n8n — confirm the consent webhook fired and a row was written to the Consent Log tab in Google Sheets
46. Confirm the row contains correct name, email, customer, timestamp, and consent version

Test the Dashboard — Authentication

47. Navigate to admin.icaremanager.com — confirm you are redirected to Google sign-in
48. Sign in with an @icaremanager.com account in the SI Managers tab — confirm you reach the dashboard
49. Sign in with a non-icaremanager.com account — confirm access denied page
50. Sign in with an @icaremanager.com account NOT in the SI Managers tab — confirm access denied page
51. Sign in successfully — confirm your name and profile photo appear in the top right
52. Click Sign Out — confirm you are logged out and redirected to sign-in

Test the Dashboard — Add Customer

53. Log in to the dashboard — confirm the Customers page loads with the empty state message
54. Fill in the Add Customer form: Customer Org Name, PM Name, PM Email, SI Manager
55. Click Generate Link and Create Customer — confirm the loading spinner appears
56. Confirm the success banner appears with the generated link
57. Click Copy Link — confirm the link is copied to clipboard
58. Confirm the customer appears in the table below
59. Open Google Sheets — confirm a new row was added to the Customers tab
60. Try to add a second customer with the same name — confirm the system handles it gracefully

Test the Dashboard — Session Progress

61. Run a full test discovery session using the generated customer link
62. Complete the session all the way through
63. Return to the dashboard — click Refresh — confirm the Sessions Complete count increased to 1
64. Run a second session for the same customer — confirm count increases to 2

Test the Dashboard — Consent Log

65. Click Consent Log in the sidebar — confirm all consent rows appear
66. Confirm the three summary stat cards show correct numbers
67. Use the search box to filter by customer name — confirm filtering works
68. Click Export to CSV — confirm the CSV downloads with correct columns and data
69. Go to Customers page — click View Consent Log next to a customer — confirm you see only that customer's consents
70. Confirm the breadcrumb shows the customer name and the Back to Customers link works

Full QA Checklist

Test	Pass Criteria
Consent modal appears	Shows before session starts, after form is filled in, before Vapi initializes

Consent checkbox required	I Agree button disabled until checkbox is checked
Consent data logged	Row appears in Google Sheet Consent Log tab within 30 seconds
Consent log columns	Timestamp, customer, name, email, session ID, consent version, IP address all present
Consent in Vapi metadata	consentGiven and consentTimestamp appear in n8n webhook payload
Google SSO — authorized user	SI Manager in the sheet logs in successfully
Google SSO — unauthorized email	Access denied page shown, no dashboard access
Google SSO — non-iCM email	Access denied page shown, no dashboard access
Sign out	Session cleared, redirected to sign-in
Add customer — success	Link generated, row in Customers tab, success banner shown
Add customer — link format	Link parameter is CamelCase, no spaces or special characters
Customer table loads	All customers shown, sorted newest first, search filters in real time
Copy link button	Copies correct full URL to clipboard
Sessions complete counter	Increments correctly after each session completes
Consent log — all customers	All consent rows shown with correct data
Consent log — filtered by customer	Only that customer's consents shown
Consent log — summary stats	Total, unique customers, and today counts are accurate
Consent log — export CSV	CSV downloads with all visible columns and correct data
N8N secret header	Requests without the secret header are rejected by n8n
Session timeout	After 8 hours shows login page

9. Quick Reference

All New Config Values — Fill In During Build

Config Key	Where to Get the Value
N8N_CONSENT_URL	n8n — Consent Capture workflow — copy webhook URL
N8N_ADD_CUSTOMER_URL	n8n — Add Customer workflow — copy webhook URL
N8N_GET_CUSTOMERS_URL	n8n — Get Customers workflow — copy webhook URL
N8N_GET_CONSENT_LOG_URL	n8n — Get Consent Log workflow — copy webhook URL

N8N_GET_SI_MANAGERS_URL	n8n — Get SI Managers workflow — copy webhook URL
N8N_SECRET	Generate a random string — store in both dashboard config and all n8n workflows
GOOGLE_CLIENT_ID	Google Cloud Console — OAuth 2.0 credentials
GOOGLE_CLIENT_SECRET	Google Cloud Console — OAuth 2.0 credentials
GOOGLE_REDIRECT_URI	https://admin.icaremanager.com/auth/callback — fixed value
GOOGLE_SHEET_ID	Copy from the Google Sheet URL

Build Sequence for This Document

Phase	What Gets Built
Phase 1	Agent web page updated — consent modal added with full legal language
Phase 2	n8n — four new workflows: consent capture, add customer, get customers, get consent log
Phase 3	SI Manager Dashboard built in AntiGravity — three pages: Customers, Consent Log, Account
Phase 4	Dashboard deployed to admin.icaremanager.com — DNS configured — SI Managers tab populated
Phase 5	Full end-to-end QA — all checklist items pass — team briefed
Launch	SI Managers log into dashboard and begin adding live customers

This document is a companion to the iCM Voice Discovery Agent Complete Build Guide v1.1.
Questions? Paste this document into AntiGravity and ask Claude. Or contact your Implementation Operations Lead.