

Langkah Langkah branching dan perintah git yang digunakan

1. Membuat branch admin/main

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git checkout -b admin
Switched to a new branch 'admin'
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git branch -r
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ echo "#bootcamp devops salman" > README.md
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git add . -v
add 'README.md'
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git commit -m "initial commit"
[admin (root-commit) 47824d6] initial commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git push -u origin admin
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 234 bytes | 21.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:salman17/bootcamp-devops-dla-ss001-Salman.git
* [new branch]      admin -> admin
branch 'admin' set up to track 'origin/admin'.
```

2. Membuat branch development

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git checkout -b development
Switched to a new branch 'development'
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git push -u origin development
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'development' on GitHub by visiting:
remote:   https://github.com/salman17/bootcamp-devops-dla-ss001-Salman/pull/new/development
remote:
To github.com:salman17/bootcamp-devops-dla-ss001-Salman.git
* [new branch]      development -> development
branch 'development' set up to track 'origin/development'.
```

3. Membuat branch feature

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git checkout -b feature
Switched to a new branch 'feature'
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git push -u origin feature
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'feature' on GitHub by visiting:
remote:   https://github.com/salman17/bootcamp-devops-dla-ss001-Salman/pull/new/feature
remote:
To github.com:salman17/bootcamp-devops-dla-ss001-Salman.git
* [new branch]      feature -> feature
branch 'feature' set up to track 'origin/feature'.
```

4. Melakukan pengecekan branch

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git branch -r
origin/admin
origin/development
origin/feature
```

5. Melakukan pengembangan fitur dengan menambahkan index.html

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ echo "<h1>tugas week 1 salman sebagai devops</h1>" > index.html
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ ls
index.html
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git add . -v
add 'index.html'
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git commit -m "menambahkan index.html"
[feature (root-commit) f8d1a5d] menambahkan index.html
1 file changed, 1 insertion(+)
create mode 100644 index.html
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git push -u origin feature
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 264 bytes | 6.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:salman17/bootcamp-devops-dla-ss001-Salman.git
* [new branch]      feature -> feature
branch 'feature' set up to track 'origin/feature'.
```

6. Menggabungkan ke branch development

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git checkout development
Switched to branch 'development'
Your branch is up to date with 'origin/development'.
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git pull origin development
From github.com:salmann17/bootcamp-devops-dla-ss001-Salman
 * branch                development -> FETCH_HEAD
Already up to date.
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git merge feature
Updating 47824d6..2d313b0
Fast-forward
 index.html | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 index.html
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git push origin development
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:salmann17/bootcamp-devops-dla-ss001-Salman.git
 47824d6..2d313b0  development -> development
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ |
```

7. Mempromosikan ke admin

```
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git checkout admin
Switched to branch 'admin'
Your branch is ahead of 'origin/admin' by 1 commit.
(use "git push" to publish your local commits)
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git pull origin admin
From github.com:salmann17/bootcamp-devops-dla-ss001-Salman
 * branch                admin -> FETCH_HEAD
Already up to date.
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git merge development
Already up to date.
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ git push origin admin
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:salmann17/bootcamp-devops-dla-ss001-Salman.git
 47824d6..2d313b0  admin -> admin
cz4r@LAPTOP-VUUTHRV5:/mnt/c/github/bootcamp_w1$ |
```