

Performance



Accessibility

Best
Practices

SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



METRICS

[Expand view](#)

First Contentful Paint

0.2 s

Largest Contentful Paint

1.0 s

Total Blocking Time


100 ms

Cumulative Layout Shift

0

Speed Index

0.4 s[View Treemap](#)



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

DIAGNOSTICS

▲	Serve images in next-gen formats — Potential savings of 2,061 KiB	▼
▲	Page prevented back/forward cache restoration — 3 failure reasons	▼
	Image elements do not have explicit width and height	▼
	Minify JavaScript — Potential savings of 5 KiB	▼
	Properly size images — Potential savings of 1,682 KiB	▼
	Defer offscreen images — Potential savings of 1,339 KiB	▼
	Avoid serving legacy JavaScript to modern browsers — Potential savings of 0 KiB	▼
	Reduce unused JavaScript — Potential savings of 40 KiB	▼
	Avoid enormous network payloads — Total size was 3,747 KiB	▼
○	JavaScript execution time — 0.4 s	▼
○	Minimizes main-thread work — 0.5 s	▼
○	Avoid long main-thread tasks — 2 long tasks found	▼
○	Initial server response time was short — Root document took 30 ms	▼
○	Avoids an excessive DOM size — 155 elements	▼
○	Largest Contentful Paint element — 1,040 ms	▼

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (23)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

- ▲ Document doesn't have a `<title>` element
- ▼

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

TABLES AND LISTS

- ▲ List items (``) are not contained within ``, `` or `<menu>` parent elements.
- ▼

These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

BEST PRACTICES

- ▲ Touch targets do not have sufficient size or spacing.
- ▼

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (33)

Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks



GENERAL

- ▲ Missing source maps for large first-party JavaScript



PASSED AUDITS (13)

[Show](#)

NOT APPLICABLE (3)

[Show](#)

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

- ▲ Document doesn't have a `<title>` element



- ▲ Document does not have a meta description



Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (6)

Show

NOT APPLICABLE (2)

Show

Captured at Jan 22, 2025, 9:56 PM GMT+5	Emulated Desktop with Lighthouse 12.2.1	Single page session
Initial page load	Custom throttling	Using Chromium 132.0.0.0 with devtools