<u>S3 TASKS</u>

1. Create an S3 bucket and upload some objects to S3.

Steps:

Amazon S3 → Buckets → Create bucket → Bucket name : salman-s3-task → Created new bucket.



Open the created bucket → Upload files → Select files to be uploaded → Upload.





2. Deploy a static website in the S3 bucket.









3. Enable cross-region replication on S3 buckets.






Amazon S3 > Buckets > salman-s3-task > Replication rules
Replication configuration successfully updated
If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose Create replication job.
Create replication job
should be applied to a group of objects during replication.
Replication now includes replicating any annotations attached to your objects, which might increase your costs. To understand the potential cost impact, review your replication rules and annotations usage.
Replication configuration settings
Create replication job
Edit
Configuration settings affect all replication rules in the bucket.
Source bucket
salman-s3-task
IAM role
s3crr_role_for_salman-s3-task
Source Region
US East (N. Virginia) us-east-1


salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 cp task-3-test.jpg s3://salman-s3-task/
upload: .\task-3-test.jpg to s3://salman-s3-task/task-3-test.jpg


Buckets > salman-s3-task-bucket
salman-s3-task-bucket Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems - new
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Show versions
Name | Type | Last modified | Size | Storage class
task-3-test.jpg | jpg | July 21, 2026, 16:06:08 (UTC+05:30) | 1.8 MB | Standard


Buckets > salman-s3-task
Objects (4)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Show versions
Name | Type | Last modified | Size | Storage class
Linux_test1.pem | pem | July 21, 2026, 14:26:23 (UTC+05:30) | 1.6 KB | Standard
task-3-test.jpg | jpg | July 21, 2026, 16:06:08 (UTC+05:30) | 1.8 MB | Standard
test.jpg | jpg | July 21, 2026, 15:03:22 (UTC+05:30) | 1.6 MB | Standard
tomcat.png | png | July 21, 2026, 15:05:51 (UTC+05:30) | 272.5 KB | Standard

4. Configure a bucket policy so only the Admin user can see the objects of the S3 bucket.

Amazon S3 > Buckets > my-salmanvpc-bucket > Edit bucket policy

```json
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "AllowAdminListBucket",
            "Effect": "Allow",
            "Principal": {
                "AWS": "arn:aws:iam::979769296996:user/Salman-AWS"
            },
            "Action": "s3:ListBucket",
            "Resource": "arn:aws:s3:::my-salmanvpc-bucket"
        },
        {
            "Sid": "AllowAdminReadObjects",
            "Effect": "Allow",
            "Principal": {
                "AWS": "arn:aws:iam::979769296996:user/Salman-AWS"
            },
            "Action": "s3:GetObject",
            "Resource": "arn:aws:s3:::my-salmanvpc-bucket/*"
        }
    ]
}
```

This bucket has the bucket owner enforced setting applied for Object Ownership
When bucket owner enforced is applied, use bucket policies to control access. Learn more

Grantee	Objects	Bucket ACL
Bucket owner (your AWS account) Canonical ID: 5f2f9367dd2f03d2c62af98e8637648a52ed4ad7031dcaafdfab2aaa8ec13944	List, Write	Read, Write
Everyone (public access) Group: http://acs.amazonaws.com/groups/global/AllUsers	-	-
Authenticated users group (anyone with an AWS account) Group: http://acs.amazonaws.com/groups/global/AuthenticatedUsers	-	-
S3 log delivery group Group: http://acs.amazonaws.com/groups/s3/LogDelivery	-	-

5. Set up lifecycle policies to automatically transition or delete objects based on specific criteria.







6. Push some objects to S3 using the AWS CLI.

```
salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws configure
AWS Access Key ID [****************Q5WX]: AKIA6IHWNBBSLSXTQ5WX
AWS Secret Access Key [****************8JuN]: Q57tf3j716GS6oGD98/2mjzvR81rhy7iOE
g38JuN
Default region name [us-east-1]:
Default output format [json]: json

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 ls
2026-07-16 13:09:26 my-salmanvpc-bucket
2026-07-21 14:22:40 salman-s3-task

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 cp test.jpg s3://salman-s3-task/
upload: .\test.jpg to s3://salman-s3-task/test.jpg

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 ls
2026-07-16 13:09:26 my-salmanvpc-bucket
2026-07-21 14:22:40 salman-s3-task
```

```
salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 ls s3://salman-s3-task/
2026-07-21 14:26:23       1674 Linux_test1.pem
2026-07-21 15:03:22    1678172 test.jpg

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 cp tomcat.png s3://salman-s3-task/
upload: .\tomcat.png to s3://salman-s3-task/tomcat.png

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 ls s3://salman-s3-task/
2026-07-21 14:26:23       1674 Linux_test1.pem
2026-07-21 15:03:22    1678172 test.jpg
2026-07-21 15:05:51     279083 tomcat.png
```

7. Write a Bash script to create an S3 bucket.

MINGW64:/c/Users/salma/OneDrive/Desktop

```bash
#!/bin/bash

BUCKET_NAME="salman-s3-script-bucket"
REGION="us-east-1"


echo "Creating bucket: $BUCKET_NAME in region: $REGION"

if [ "$REGION" = "us-east-1" ]; then
        aws s3api create-bucket \
                --bucket "$BUCKET_NAME" \
                --region "$REGION"
                else
                        aws s3api create-bucket \
                                --bucket "$BUCKET_NAME" \
                                --region "$REGION" \
                                --create-bucket-configuration LocationConstraint="$REGION"
fi

if [ $? -eq 0 ]; then
    echo "Bucket '$BUCKET_NAME' created successfully."
else
    echo "Failed to create bucket."
    exit 1
fi
```

```
salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ vi s3-bucket-new.sh

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ ./s3-bucket-new.sh
Creating bucket: salman-s3-script-bucket in region: us-east-1
{
    "Location": "/salman-s3-script-bucket",
    "BucketArn": "arn:aws:s3:::salman-s3-script-bucket"
}
Bucket 'salman-s3-script-bucket' created successfully.

salma@SALMANBABSAIL MINGW64 ~/OneDrive/Desktop
$ aws s3 ls
2026-07-16 13:09:26 my-salmanvpc-bucket
2026-07-21 15:26:03 salman-s3-script-bucket
2026-07-21 14:22:40 salman-s3-task
```

8. Upload a 1 GB file to S3 using the CLI.