

INFUSION Pine CE/PE Logic Review - v3.3

Prepared for development review | Generated: 2026-08-05 01:05 IST

Scope: Explain why the TradingView Pine companion shows different CE/PE lines on 5-minute and 15-minute charts, document the current logic, and recommend the corrected engineering model for a stable options-first confirmation tool.

1. Executive conclusion

- ? The current v3.3 Pine is cleaner than previous versions, but CE/PE levels are still partly chart-timeframe dependent.
- ? The 5M and 15M screenshots differ because stable pivots, swing high/low, compression box, ORB handling, EMA/VWAP gates, volume and retest checks are calculated on the active chart timeframe.
- ? This behavior is normal in Pine, but it is not ideal for your workflow. You want the same CE/PE decision levels across 5M and 15M, with 5M/15M used only to confirm candle sustain and entry timing.
- ? Recommended fix: separate Level Engine and Confirmation Engine. Level Engine must use fixed higher timeframe anchors. Confirmation Engine can read active chart timeframe plus MTF gates.

2. What the screenshots show

Observation	5-minute chart	15-minute chart	Meaning
CE line	Around 3905.6	Around 4061.3	Different because the script reads local timeframe structures and locks
PE line	Around 3924.1	Around 3923.6	PE is similar because the same gap/range base is selected, but still no
Status	WAIT	WAIT	Both agree no trade, but the CE decision level differs too much.
Problem	CE appears below/near current price for gap/resistance. The 5M high is closer to what you expect for a breakout trigger.		

3. Why 5M and 15M differ

In Pine Script, calculations use the chart timeframe unless they are explicitly wrapped in `request.security()` with a fixed timeframe. In v3.3, several important variables still use the active chart timeframe. Therefore, changing TradingView from 5M to 15M changes the raw candles, pivots, swing highs/lows, volume averages and retest calculations.

Component	Current source in v3.3	Timeframe stable?	Impact
stablePivotHigh / stablePivotLow	ta.pivohigh/ta.pivotlow on active chart	No	5M creates more pivots; 15M creates fewer, stronger pivots.
swingHigh / swingLow	ta.highest/ta.lowest on active chart	No	Lookback of 40 means 40 x 5M vs 40 x 15M, totally different history w
boxHigh / boxLow	active chart compression range	No	5M range can sit inside a 15M range, causing lower CE lines.
ORB high/low	built from active chart bars	Partly	Opening range can be approximated differently depending on bar size
EMA/VWAP trend gate	active chart EMA/VWAP	No	This is acceptable for confirmation, not for anchor levels.
volume pressure	active chart volume bars	No	This should remain timeframe-specific because 5M volume pressure a
1H/4H/D/W levels	request.security fixed timeframes	Yes	These are reliable anchors and should become the primary level sourc

4. Current v3.3 logic summary

4.1 Level selection

The script currently forms CE and PE candidates from a mixture of local timeframe and fixed higher timeframe levels.

CE candidate sources:

- ? confirmed pivot high
- ? opening range high
- ? previous day high
- ? compression high
- ? 1H swing high

- ? 4H swing high
 - ? previous week high
 - ? active timeframe swing high fallback
- PE candidate sources:
- ? confirmed pivot low
 - ? opening range low
 - ? previous day low
 - ? compression low
 - ? 1H swing low
 - ? 4H swing low
 - ? previous week low
 - ? active timeframe swing low fallback

The script then applies an ATR buffer and a working-level lock. CE is not allowed to drift downward during the same session; PE is not allowed to drift upward. Confirmed breakouts can freeze the level.

4.2 Confirmation gates

Gate	CE condition	PE condition
Break	Candle closes above CE line	Candle closes below PE line
Trend	Close > EMA20, EMA20 >= EMA50, Close > VWAP	Close < EMA20, EMA20 <= EMA50, Close < VWAP
Volume	Relative volume >= minimum threshold	Relative volume >= minimum threshold
MTF score	Bullish states across 1M/5M/15M/1H/4H/1D >= threshold	Bearish states across 1M/5M/15M/1H/4H/1D >= threshold
Anti-chase	Reject if VWAP stretch or candle size is too high	Reject if VWAP stretch or candle size is too high
Sniper upgrade	Buyer pressure or retest hold plus strong MTF	Seller pressure or retest hold plus strong MTF

4.3 Target and stop logic

SL is based on nearby structure plus VWAP and then clamped with ATR so the stop is not absurdly wide. Targets are generated from a hybrid of historical levels and ATR R:R. If previous day/week or 1H/4H level is useful, it becomes a target; otherwise ATR-based targets are used.

5. Main problem to fix

For an options trader, the breakout/breakdown level should be stable enough that the same stock does not tell one story on 5M and a different story on 15M. The chart timeframe should only affect confirmation sensitivity, not the core CE/PE decision map.

Current issue: active timeframe data still influences the anchor. Recommended architecture:

Layer	Purpose	Recommended timeframe behavior
Level Engine	Find CE above and PE below	Use fixed anchors only: 15M ORB, 1H pivot, 4H pivot, previous day/week levels. Same output on all timeframes.
Confirmation Engine	Confirm candle sustain	Use active chart timeframe plus fixed MTF checks. 5M can be early, 15M can be stronger.
Risk Engine	SL/T1/T2/T3	Use fixed CE/PE anchor plus 15M/1H/4H structure and ATR.
Display Engine	Show clean action	Same CE/PE line across 5M/15M. Panel can say 5M early or 15M confirmed.

6. Recommended v3.4 correction

- ? Remove active timeframe pivot/swing/box from the primary CE/PE anchor calculation.
- ? Use fixed anchor timeframes: 15M for intraday structure, 60M for major intraday resistance/support, 240M for swing context, D/W for previous high/low.
- ? Use chart timeframe only for entry confirmation: close above CE, close below PE, retest, candle pattern and volume pressure.
- ? Add an input called Level Anchor Mode with default: Fixed MTF Anchors.

- ? Optional aggressive mode can use local 5M micro levels, but it should be labelled Micro Mode, not default.
- ? Add panel row: Anchor TF = Fixed 15M/1H/4H/D/W so users know levels are stable.
- ? Add panel row: Confirmation TF = current chart so users understand why signal readiness can differ between 5M and 15M.

7. Proposed v3.4 pseudocode

The engineer can use this as the intended design logic, not as a full Pine replacement:

```
// Fixed anchor levels, independent of chart timeframe anchor15High = request.security(syminfo.tickerid, "15", ta.highest(high, 24)[1]) anchor15Low = request.security(syminfo.tickerid, "15", ta.lowest(low, 24)[1]) anchor1HHigh = request.security(syminfo.tickerid, "60", ta.highest(high, 20)[1]) anchor1HLow = request.security(syminfo.tickerid, "60", ta.lowest(low, 20)[1]) anchor4HHigh = request.security(syminfo.tickerid, "240", ta.highest(high, 20)[1]) anchor4HLow = request.security(syminfo.tickerid, "240", ta.lowest(low, 20)[1]) pdh = request.security(syminfo.tickerid, "D", high[1]) pdl = request.security(syminfo.tickerid, "D", low[1]) pwh = request.security(syminfo.tickerid, "W", high[1]) pwl = request.security(syminfo.tickerid, "W", low[1]) ceAbove = nearest meaningful resistance above close from fixed anchors peBelow = nearest meaningful support below close from fixed anchors // Active chart only confirms ceConfirmed = close > ceAbove and volumeOk and trendOk and not antiChase peConfirmed = close < peBelow and volumeOk and trendOk and not antiChase
```

8. Acceptance checklist for AI engineer

Check	Expected result
Open same stock on 5M and 15M	CE and PE anchor prices should be identical or nearly identical.
Change chart timeframe	Only confirmation status should change, not the structural CE/PE map.
Price inside range	Status should be WAIT, CE BUILDING or PE BUILDING, not forced buy/sell.
Price closes above CE	Show CE CONFIRMED only if trend, volume, MTF and anti-chase gates pass.
Price closes below PE	Show PE CONFIRMED only if trend, volume, MTF and anti-chase gates pass.
Target generation	Targets should use historical resistance/support first, ATR fallback second.
Visual clarity	Only CE/PE lines by default; SL/T targets only after confirmation; panel must explain why.

9. Final recommendation

Do not use v3.3 as the final production chart companion yet. It is good for visual testing, but the CE/PE anchor must be moved to a fixed-MTF architecture before production. The recommended production model is: fixed 15M/1H/4H/D/W level anchors plus active 5M/15M confirmation gates. This will make the same stock tell the same structural story across chart timeframes while still letting the trader use 5M for early timing and 15M for stronger confirmation.