

Adaptive Web Vulnerability Scan Report

Target: https://music.youtube.com/watch?v=eiWFOA-8Wks&list=LM

Scan ID: b983c115-d666-4ab8-b71b-1ebc844a94fe

Pages 1	Forms 4	Endpoints 10	Findings 12	API endpoints 6
GraphQL endpoints 2	Average anomaly 0	Passive score 78	High-risk endpoints 3	Schema fuzz probes 5
Open ports 0	Authenticated context No			

Scan Profile

Profile Recon Sweep	Detectors sqli, xss, csrf, auth_bypass, advanced_surface, advanced_injection, advanced_client, advanced_auth, advanced_server	API fuzzing Enabled	GraphQL checks Enabled	Rate limit / sec 3.0
------------------------	--	------------------------	---------------------------	-------------------------

Severity split: High 3, Medium 9, Low 0

Recon Intelligence

WAF Not detected	TLS TLSv1.3	Screenshot disabled	Missing headers 1
---------------------	----------------	------------------------	----------------------

Technologies: none

Open ports: none

Endpoint Risk Ranking

Risk	Method	Source	URL	Reasons
65	post	common-probe	https://music.youtube.com/rest/user/login	login keyword, rest keyword, user keyword
60	post	common-probe	https://music.youtube.com/api/graphql	graphql keyword, api keyword
55	get	common-probe	https://music.youtube.com/rest/products/search?q=apple	rest keyword, search keyword, parameterized
45	post	common-probe	https://music.youtube.com/graphql	graphql keyword

Risk	Method	Source	URL	Reasons
25	get	crawler	https://www.google.com/sorry/index?continue=https://music.youtube.com/watch%3Fv%3DeiWWhoA-8Wks%26list%3DLm&q=EgQxJfgOGPmX3dAGljDsIxXoRfScYtMwwJXQfSqaq60-iVsL-FqWA0wzsokL307FtnV1TU2XMjxJnNWizlgyAnJSWgFD	parameterized
25	get	common-probe	https://music.youtube.com/api	api keyword
25	get	common-probe	https://music.youtube.com/rest	rest keyword
25	get	common-probe	https://music.youtube.com/api/Products	api keyword
25	get	common-probe	https://music.youtube.com/rest/products	rest keyword
10	post	crawler	https://www.google.com/sorry/index	standard surface

Scan Timeline

Progress	Phase	Message	Timestamp
5%	startup	Target reachable and scan initialized	2026-05-27T19:54:27.408624+00:00
30%	crawl	Mapped 1 pages, 4 forms, and 10 endpoints	2026-05-27T19:55:21.099703+00:00
88%	validation	Validated 12 candidate findings	2026-05-27T20:06:43.834791+00:00
92%	recon	Passive recon, endpoint risk, TLS, and low-impact discovery completed	2026-05-27T20:06:53.967857+00:00

Detector Registry

sqli injection

query / form / api

Tests query parameters, forms, and API-like inputs for error-based, boolean-based, and time-delay SQL injection signals.

xss client-side

query / form / api / dom

Checks reflected, DOM-rendered, and persistence-oriented XSS indicators across common input surfaces.

csrf workflow

form

Flags state-changing forms and endpoints that appear to lack anti-CSRF protections.

auth_bypass authorization

page / api

Looks for privileged or admin-style resources that are reachable without expected access controls.

advanced_surface attack-surface

api / graphql / spa / auth / websocket / file-upload

Safely flags GraphQL, OpenAPI, admin, upload, auth, and WebSocket surfaces for advanced validation workflows.

advanced_injection injection

nosql / command / ldap / xpath / ssti / xxe / deserialization

Heuristically identifies NoSQL, command, LDAP, XPath, Ssti, XXE, and deserialization validation candidates.

advanced_client client-side

dom-xss / stored-xss / blind-xss / prototype-pollution / dom-clobbering

Flags DOM XSS, stored/blind XSS, prototype pollution, and DOM clobbering candidate surfaces.

advanced_auth auth

jwt / oauth / mfa / session / idor / bola / rbac

Flags JWT, OAuth/OIDC, MFA/session, IDOR, BOLA, and RBAC bypass validation candidates.

advanced_server server-side

ssrf / file-upload / path-traversal / cache-poisoning / host-header / websocket / race / request-smuggling

Flags SSRF, file upload, traversal, cache poisoning, host header, WebSocket, race, and request smuggling candidates.

API Surface

API endpoints
6

GraphQL endpoints
2

Parameterized endpoints
3

Methods
GET, POST

Discovery sources: common-probe, crawler

Enterprise Intelligence

Assets
11

High-risk assets
3

Validation proof
0.3

AI high exploitability
3

Mapped compliance
12

Endpoint drift
Detected

New endpoints: https://music.youtube.com/api, https://music.youtube.com/api/Products, https://music.youtube.com/api/graphql, https://music.youtube.com/graphql, https://music.youtube.com/rest, https://music.youtube.com/rest/products, https://music.youtube.com/rest/products/search?q=apple, https://music.youtube.com/rest/user/login, https://www.google.com/sorry/index, https://www.google.com/sorry/index?continue=https://music.youtube.com/watch%3Fv%3DeiWHOA-8Wks%26list%3DLm&q=EgQxJfgOGPmX3dAGljDslxXoRfScYtMwwJXQfSqaq60-iVsL-FqwA0wzsokL307FtnV1TU2XMjxJnNWizlgyAnJSWgFD

Validation engines: response-diff, timing-analysis, anomaly-analysis, safe-replay

Compliance frameworks: OWASP ASVS OWASP Top 10 PCI DSS 4.0 ISO 27001 NIST CSF

Web Recon Intelligence

Favicon SHA
6c432b8ca2524250

Robots disallow
3

Sitemap URLs
0

Source maps
0

Sensitive robots paths: none

MX records: none

NS records: none

Schema-Aware Fuzzing

Method	URL	Fields	Status	Reflected Fields
GET	https://music.youtube.com/api		200	-
GET	https://music.youtube.com/rest		200	-
GET	https://music.youtube.com/api/Products		200	-
GET	https://music.youtube.com/rest/products		200	-
GET	https://music.youtube.com/rest/products/search?q=apple	q	200	-

GraphQL URL	Fields	Status	Data Keys	Errors
No GraphQL schema probes recorded.				

Detector Timings

Detector	Elapsed (ms)	Findings
sqli	588325.97	0
xss	88353.73	0
csrf	0.06	4
auth_bypass	2022.29	0
advanced_surface	0.05	2
advanced_injection	0.1	2
advanced_client	0.05	0
advanced_auth	0.05	2
advanced_server	0.07	2

Findings

CSRF | MEDIUM | CVSS 6.1

POST form does not expose an obvious CSRF token field

- **URL:** <https://www.google.com/sorry/index>
- **Method:** post
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** -
- **OWASP Category:** Unknown
- **Request PoC:** POST <https://www.google.com/sorry/index> with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Add per-request CSRF tokens and validate them server-side.

CSRF | MEDIUM | CVSS 6.1

POST form does not expose an obvious CSRF token field

- **URL:** <https://music.youtube.com/rest/user/login>
- **Method:** post
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** -
- **OWASP Category:** Unknown
- **Request PoC:** POST <https://music.youtube.com/rest/user/login> with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Add per-request CSRF tokens and validate them server-side.

CSRF | MEDIUM | CVSS 6.1

POST form does not expose an obvious CSRF token field

- **URL:** <https://music.youtube.com/graphql>
- **Method:** post

- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** -
- **OWASP Category:** Unknown
- **Request PoC:** POST https://music.youtube.com/graphql with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Add per-request CSRF tokens and validate them server-side.

CSRF | MEDIUM | CVSS 6.1

POST form does not expose an obvious CSRF token field

- **URL:** https://music.youtube.com/api/graphql
- **Method:** post
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** -
- **OWASP Category:** Unknown
- **Request PoC:** POST https://music.youtube.com/api/graphql with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Add per-request CSRF tokens and validate them server-side.

ADVANCED_SURFACE | MEDIUM | CVSS 6.1

GraphQL endpoint requires schema and authorization review

- **URL:** https://music.youtube.com/graphql
- **Method:** get
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Passive attack surface heuristic
- **OWASP Category:** Unknown
- **Request PoC:** GET https://music.youtube.com/graphql with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Validate authorization, input handling, rate limits, and monitoring for this exposed surface.

ADVANCED_SURFACE | MEDIUM | CVSS 6.1

GraphQL endpoint requires schema and authorization review

- **URL:** https://music.youtube.com/api/graphql
- **Method:** get
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Passive attack surface heuristic
- **OWASP Category:** Unknown
- **Request PoC:** GET https://music.youtube.com/api/graphql with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -

- **Remediation:** Validate authorization, input handling, rate limits, and monitoring for this exposed surface.

ADVANCED_INJECTION | HIGH | CVSS 8.7

NoSQL injection candidate parameter requires operator injection validation

- **URL:** `https://music.youtube.com/graphql`
- **Method:** `get`
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P1
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Parameter and endpoint naming heuristic
- **OWASP Category:** Unknown
- **Request PoC:** `GET https://music.youtube.com/graphql with parameter - using payload -`
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status -> -, length -> -
- **Remediation:** Use strict input allowlists, parameterized APIs, parser hardening, and targeted regression tests for this sink.

ADVANCED_INJECTION | HIGH | CVSS 8.7

NoSQL injection candidate parameter requires operator injection validation

- **URL:** `https://music.youtube.com/api/graphql`
- **Method:** `get`
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P1
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Parameter and endpoint naming heuristic
- **OWASP Category:** Unknown
- **Request PoC:** `GET https://music.youtube.com/api/graphql with parameter - using payload -`
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status -> -, length -> -
- **Remediation:** Use strict input allowlists, parameterized APIs, parser hardening, and targeted regression tests for this sink.

ADVANCED_AUTH | MEDIUM | CVSS 6.1

Login flow requires MFA, brute-force, session fixation, and CSRF validation

- **URL:** `https://music.youtube.com/rest/user/login`
- **Method:** `get`
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Authenticated workflow heuristic
- **OWASP Category:** Unknown
- **Request PoC:** `GET https://music.youtube.com/rest/user/login with parameter - using payload -`
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status -> -, length -> -
- **Remediation:** Enforce server-side authorization, strong session lifecycle controls, MFA policy, and role-based regression tests.

ADVANCED_AUTH | HIGH | CVSS 8.7

IDOR/BOLA candidate requires role-differential authorization validation

- **URL:** `https://music.youtube.com/rest/user/login`
- **Method:** `get`
- **Parameter:** -
- **Confidence:** medium (-)

- **Priority:** P1
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Authenticated workflow heuristic
- **OWASP Category:** Unknown
- **Request PoC:** GET https://music.youtube.com/rest/user/login with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Enforce server-side authorization, strong session lifecycle controls, MFA policy, and role-based regression tests.

ADVANCED_SERVER | MEDIUM | CVSS 6.1

WebSocket/GraphQL transport requires auth, origin, and message validation

- **URL:** https://music.youtube.com/graphql
- **Method:** get
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Server-side attack surface heuristic
- **OWASP Category:** Unknown
- **Request PoC:** GET https://music.youtube.com/graphql with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Validate this server-side surface with scoped safe replay, strict allowlists, canonicalization, and monitoring.

ADVANCED_SERVER | MEDIUM | CVSS 6.1

WebSocket/GraphQL transport requires auth, origin, and message validation

- **URL:** https://music.youtube.com/api/graphql
- **Method:** get
- **Parameter:** -
- **Confidence:** medium (-)
- **Priority:** P2
- **Validation state:** requires-review
- **Validation signals:** -
- **Reason:** Server-side attack surface heuristic
- **OWASP Category:** Unknown
- **Request PoC:** GET https://music.youtube.com/api/graphql with parameter - using payload -
- **Payload:** -
- **Request snapshot:** -
- **Response snapshot:** -
- **Response evidence:** status - -> -, length - -> -
- **Remediation:** Validate this server-side surface with scoped safe replay, strict allowlists, canonicalization, and monitoring.

Raw Findings Table

Detector	Severity	CVSS	Priority	Confidence	Signals	Method	Parameter	URL
csrf	medium	6.1	P2	medium (-)	-	post	-	https://www.google.com/sorry/index
csrf	medium	6.1	P2	medium (-)	-	post	-	https://music.youtube.com/rest/user/logir

Detector	Severity	CVSS	Priority	Confidence	Signals	Method	Parameter	URL
csrf	medium	6.1	P2	medium (-)	-	post	-	https://music.youtube.com/graphql
csrf	medium	6.1	P2	medium (-)	-	post	-	https://music.youtube.com/api/graphql
advanced_surface	medium	6.1	P2	medium (-)	-	get	-	https://music.youtube.com/graphql
advanced_surface	medium	6.1	P2	medium (-)	-	get	-	https://music.youtube.com/api/graphql
advanced_injection	high	8.7	P1	medium (-)	-	get	-	https://music.youtube.com/graphql
advanced_injection	high	8.7	P1	medium (-)	-	get	-	https://music.youtube.com/api/graphql
advanced_auth	medium	6.1	P2	medium (-)	-	get	-	https://music.youtube.com/rest/user/logir
advanced_auth	high	8.7	P1	medium (-)	-	get	-	https://music.youtube.com/rest/user/logir
advanced_server	medium	6.1	P2	medium (-)	-	get	-	https://music.youtube.com/graphql
advanced_server	medium	6.1	P2	medium (-)	-	get	-	https://music.youtube.com/api/graphql