




1. void AddProduct()



2. List<Product> GetAllProducts(),



3. Product GetProductById(Integer id) throws ProductNotFoundException

This screenshot shows the Postman interface with a GET request to `localhost:8082/product/101`. The request is successful, returning a 200 OK status. The response body is displayed in the Pretty view, showing a JSON object with the following details:

```
{  "pid": 101,  "pname": "chair",  "price": 300}
```



The left sidebar shows a history of requests, including several GET requests to `localhost:8082/product/101` and `localhost:8082/product`.

This screenshot shows the Postman interface with a GET request to `localhost:8082/product/105`. The request results in a 500 Internal Server Error. The response body is displayed in the Pretty view, showing a JSON object with the following details:



```
{  "timestamp": "2024-09-05T05:23:13.883+00:00",  "status": 500,  "error": "Internal Server Error",  "message": "Product not found with id: 105",  "path": "/product/105"}
```

The left sidebar shows a history of requests, including several GET requests to `localhost:8082/product/105` and `localhost:8082/product`.

4. List<Product> GetAllProductsBetweenPrice(Integer low,Integer high);



5. void UpdateProduct(Integer id,Product product)throws ProductNotFoundException



HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImportPOST localhost:8082/planPUT localhost:8082/get/saloni

Today

PUT localhost:8082/product/1010GET localhost:8082/product/101GET localhost:8082/product/101GET localhost:8082/productPUT localhost:8082/product/102GET localhost:8082/product/200/1000GET localhost:8082/product/200/600GET localhost:8082/product/105GET localhost:8082/productGET localhost:8082/productPOST localhost:8082/productPOST localhost:8082/productGET localhost:8082/productDEL localhost:8082/productDEL localhost:8082/product/105DEL localhost:8082/product/102DEL localhost:8082/product/101GET localhost:8082/productDEL localhost:8082/product/105GET localhost:8082/productGET localhost:8082/product

localhost:8082/get/saloni

PUTlocalhost:8082/product/1010Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettingsCookies

noneform-datax-www-form-urlencodedrawbinaryJSON

```
1 {
2   .. "pid": 1010,
3   ... "pname": "TV",
4   ... "price": 999999
5 }
6
```

BodyCookiesHeaders (4)Test Results500 Internal Server Error13 ms311 BSave Response

PrettyRawPreviewVisualizeJSON

```
1 {
2   "timestamp": "2024-09-05T05:31:50.288+00:00",
3   "status": 500,
4   "error": "Internal Server Error",
5   "message": "Product not found with id: 1010",
6   "path": "/product/1010"
7 }
```

ConsoleNot connected to a Postman account

6. void DeleteProduct(Integer id) throws ProductNotFoundException

This screenshot shows the Postman interface with a DELETE request selected. The request is sent to `localhost:8082/product/102`. The response status is 200 OK, and the body contains the message "Product deleted successfully".

Request Details:

- Method: DELETE
- URL: `localhost:8082/product/102`
- Body:

```
{  "pid": 1010,  "pname": "TV",  "price": 900000}
```

Response Details:

- Status: 200 OK
- Time: 20 ms
- Size: 192 B
- Body:

```
1 Product deleted successfully
```

This screenshot shows the Postman interface with a GET request selected. The request is sent to `localhost:8082/product`. The response status is 200 OK, and the body contains a JSON object representing a product.

Request Details:

- Method: GET
- URL: `localhost:8082/product`

Response Details:

- Status: 200 OK
- Time: 8 ms
- Size: 205 B
- Body:

```
{  "pid": 101,  "pname": "chair",  "price": 300}
```

HomeWorkspacesExplore

Search Postman

Sign InCreate Account

You are using the Lightweight API Client, sign in or create an account to work with collections, environments and unlock all free features in Postman.

History

NewImportPOST localhost:8082/planDEL localhost:8082/get/saloni+...

Today

DEL localhost:8082/product/2022

GET localhost:8082/product

DEL localhost:8082/product/102

GET localhost:8082/product

PUT localhost:8082/product/1010

GET localhost:8082/product/101

GET localhost:8082/product/101

GET localhost:8082/product

PUT localhost:8082/product/102

GET localhost:8082/product/200/1000

GET localhost:8082/product/200/600

GET localhost:8082/product/105

GET localhost:8082/product

GET localhost:8082/product

POST localhost:8082/product

POST localhost:8082/product

GET localhost:8082/product

DEL localhost:8082/product

DEL localhost:8082/product/105

DEL localhost:8082/product/102

DEL localhost:8082/product/101

localhost:8082/get/saloni

DELETElocalhost:8082/product/2022

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettingsCookies

noneform-datax-www-form-urlencodedrawbinaryJSON

Beautify

123456

```
{  "pid": 1010,  "pname": "TV",  "price": 999999}
```

BodyCookiesHeaders (4)Test Results

500 Internal Server Error15 ms311 BSave Response

PrettyRawPreviewVisualizeJSON

1234567

```
{  "timestamp": "2024-09-05T05:34:32.754+00:00",  "status": 500,  "error": "Internal Server Error",  "message": "Product not found with id: 2022",  "path": "/product/2022"}
```

ConsoleNot connected to a Postman account