Lumière Beauty Co.
Diwali 2025 Campaign Analysis

Step-by-step Power BI solution guide: from raw Excel to a 13-page client report

Item	Detail
Client	Lumière Beauty Co., D2C premium skincare, India
Campaign	Diwali 2025 Festive Sale, 15 Oct – 15 Nov 2025 (32 days)
Pre-campaign window	15 Sep – 14 Oct 2025 (30 days)
Planned budget	₹50,00,000: Meta 20L, Google 12L, YouTube 10L, Influencer 8L
Channels	Meta Ads, Google Search, YouTube, Influencer marketing
Tool	Power BI Desktop (Power Query, DAX, report pages)
Your role	Digital Marketing Analyst presenting to the CMO and Head of Growth

How to use this guide

Work through the phases in order. Every phase ends with a **checkpoint** of expected numbers, so you know your build is right before moving on. Each step is numbered continuously from 1 to the final export.

Phase	What you do	Time
1	Load the data	10 min
2	Clean every table in Power Query	45 min
3	Build the data model	15 min
4	Write the DAX measures and format them	30 min
5	Build the benchmark scorecard	20 min
6	Build the report pages (Meta, Google, YouTube, Influencers, Sales, Summary)	2–3 hrs
7	Recommendations, appendix and export	30 min
8	Troubleshooting	reference

Understand the data first

Sheet	Grain	Rows	Issues found
Meta Ads	Day × campaign × placement × strategy	160	**\N** or blank in impressions, reach, link_clicks, conversions (16 rows)
Google Search	Day × city × keyword group × device	13,374	29 spellings of 20 cities; **\N** in CPC, clicks, conversions, value
YouTube	Day × ad format	160	Clean
Influencers	One row per creator deliverable	42	Clean (10 Macro, 25 Micro, 7 Nano)
Sales	Day × SKU × sales channel	2,333	23 blank units_sold
Media Plan, Benchmarks	Reference sheets	–	Merged cells and title rows: re-enter manually

Currency: every column named **_dollars** actually holds Indian rupees (₹), as the case brief states. **Spend vs plan:** actual spend is about ₹74.2L against ₹50L. Meta ₹24.8L (plan 20L), Google ₹12.8L (12L), YouTube ₹11.4L (10L), Influencer ₹25.2L (8L). Flag the influencer figure (about 3× plan) to the client.

Phase 1 · Load the data

1. Open **Power BI Desktop**, then **Home → Get data → Excel workbook** and choose the Lumière campaign file.
2. Tick these five sheets: **Meta Ads, Google Search, YouTube, Influencers, Sales**. Leave Media Plan and Benchmarks unticked.
3. Click **Transform Data** to open Power Query. All cleaning happens here.
4. Right-click each query and rename it to a short name: **Meta, Google, YouTube, Influencers, Sales**. Short names make every DAX formula simpler.

Phase 2 · Clean each table in Power Query

Steps for all five tables

5. **Home → Use First Row as Headers** if the headers are in row 1.
6. Select all columns (click a header, then Ctrl+A). **Transform → Replace Values**: find **\N**, replace with **null**.
7. Set data types: the date column to **Date**; count and money columns to **Whole Number** or **Decimal Number**. A column left as text (ABC icon) breaks SUM later.
8. Keep the original column names (**datestr**, **spend_dollars** and so on) if you want the DAX in this guide to work as written.

Meta table: impute the 16 blank rows

9. **Add Column → Custom Column** for each rule below. Document each one in your appendix.

New column	Rule
impressions (fill)	if null: round(reach_unique_users × frequency)
reach_unique_users (fill)	if null: round(impressions ÷ frequency)
link_clicks (fill)	if null: round(unique_link_clicks ÷ 0.8)
conversions_purchases (fill)	if null (4 rows): conversion_value ÷ average value per purchase for the same placement and strategy

If you replaced the original columns in place, the DAX uses the original names. If you created separate **_clean** columns, point the SUMs at those instead. Whichever you pick, stay consistent.

Google table: standardise 29 city spellings to 20 cities

10. Select **city**. **Transform → Format → Trim**, then **Format → Capitalize Each Word**.

11. **Replace Values** three times: **Bengaluru → Bangalore**, **Bombay → Mumbai**, **New Delhi → Delhi**; also **Delhi Ncr → Delhi**.
12. Check **View → Column distribution** shows **20 distinct** cities.
13. Replace null with **0** in **clicks, conversions, conversion_value_dollars** (no conversion means no value).
14. Leave null **impressions** alone (about 217 rows, not imputed). Do not use the avg_cpc column: compute CPC as spend ÷ clicks.

Sales and Influencers

15. **Sales:** leave blank units_sold as is (not used). Optionally add **IsGiftSet = [sku_id] = "LUM-GS-001"**.
16. **Influencers:** optionally add **total_cost = flat_fee_paid_dollars + commission_paid_dollars**.
17. Click **Close & Apply**.

Checkpoint: Google shows 20 cities. Spend totals: Meta ≈ ₹24.8L, Google ≈ ₹12.8L, YouTube ≈ ₹11.4L, Influencer cost ≈ ₹25.2L.

Phase 3 · Build the data model

18. **Modeling → New table** and paste the calendar table:

```
Dim_Date =
ADDCOLUMNS(
  CALENDAR(DATE(2025,9,15), DATE(2025,11,15)),
  "Period", IF([Date] < DATE(2025,10,15), "Pre-Campaign", "Campaign"),
  "Weekday", FORMAT([Date], "ddd"),
  "WeekdayNo", WEEKDAY([Date], 2)
)
```

19. Select the **Weekday** column, then **Column tools → Sort by column → WeekdayNo**.
20. Open **Model view**. Drag **Dim_Date[Date]** onto the date column (**datestr**) of **Meta, Google, YouTube and Sales**. Each relationship must be **One to many, single direction**.
21. **Influencers** has no date and stays standalone. Filter it by **tier** or creator.
22. **Home → Enter data**. Create **Plan_Budget**:

Channel	Budget
Meta	2000000
Google Search	1200000
YouTube	1000000
Influencer	800000

23. **Modeling → New table** for the actual spend by channel:

```
Spend_Actual =
UNION(
  ROW("Channel","Meta","Actual", SUM(Meta[spend_dollars])),
  ROW("Channel","Google Search","Actual", SUM(Google[spend_dollars])),
  ROW("Channel","YouTube","Actual", SUM(YouTube[spend_dollars])),
  ROW("Channel","Influencer","Actual",
      SUM(Influencers[flat_fee_paid_dollars]) + SUM(Influencers[commission_paid_dollars]))
)
```

24. In Model view, relate **Plan_Budget[Channel]** to **Spend_Actual[Channel]** (one to one).

Checkpoint: the relationship lines from Dim_Date to the four fact tables exist. If one is missing, the date was probably still stored as text. Set it to Date in Power Query first.

Phase 4 · Write the DAX measures

25. **Home → Enter data**: create an empty table called **_Measures** to hold all measures. Then **Modeling → New measure** for each block below.

Why ratios of sums? Every rate is calculated as a sum divided by a sum, so rollups are weighted correctly. A simple average of daily CTR or ROAS would be wrong.

Meta and Google

```
Meta Spend  = SUM(Meta[spend_dollars])
Meta CTR    = DIVIDE(SUM(Meta[link_clicks]), SUM(Meta[impressions]))
Meta CVR    = DIVIDE(SUM(Meta[conversions_purchases]), SUM(Meta[link_clicks]))
Meta ROAS   = DIVIDE(SUM(Meta[conversion_value_dollars]), SUM(Meta[spend_dollars]))
Meta CPM    = DIVIDE(SUM(Meta[spend_dollars]), SUM(Meta[impressions])) * 1000

GS Spend    = SUM(Google[spend_dollars])
GS CTR      = DIVIDE(SUM(Google[clicks]), SUM(Google[impressions]))
GS CVR      = DIVIDE(SUM(Google[conversions]), SUM(Google[clicks]))
GS CPC      = DIVIDE(SUM(Google[spend_dollars]), SUM(Google[clicks]))
GS ROAS     = DIVIDE(SUM(Google[conversion_value_dollars]), SUM(Google[spend_dollars]))
```

YouTube and Influencers

```
YT VTR  = DIVIDE(SUM(YouTube[paid_views]), SUM(YouTube[impressions]))
YT CTR  = DIVIDE(SUM(YouTube[clicks]), SUM(YouTube[impressions]))
YT CPV  = DIVIDE(SUM(YouTube[spend_dollars]), SUM(YouTube[paid_views]))

Inf Cost = SUM(Influencers[flat_fee_paid_dollars]) + SUM(Influencers[commission_paid_dollars])
Inf Revenue = SUM(Influencers[revenue_generated_dollars])
Inf ER = DIVIDE(SUM(Influencers[likes]) + SUM(Influencers[comments])
```

```
              + SUM(Influencers[shares]) + SUM(Influencers[saves]), SUM(Influencers[reach]))
Inf Redemption = DIVIDE(SUM(Influencers[code_redemptions]), SUM(Influencers[reach]))
Inf ROAS = DIVIDE(SUM(Influencers[revenue_generated_dollars]), [Inf Cost])
```

Sales and spend check

```
Revenue       = SUM(Sales[revenue_dollars])
Orders        = SUM(Sales[orders])
Daily Revenue = DIVIDE([Revenue], DISTINCTCOUNT(Sales[datestr]))
AOV           = DIVIDE([Revenue], [Orders])
AOV ex Gift Set =
  DIVIDE(CALCULATE([Revenue], Sales[sku_id] <> "LUM-GS-001"),
         CALCULATE([Orders],  Sales[sku_id] <> "LUM-GS-001"))
New Customers = SUM(Sales[new_customers])
Repeat Customers = SUM(Sales[repeat_customers])
New Cust %    = DIVIDE([New Customers], [New Customers] + [Repeat Customers])
Gift Set Share = DIVIDE(CALCULATE([Revenue], Sales[sku_id] = "LUM-GS-001"), [Revenue])
D2C Share = DIVIDE(CALCULATE([Revenue], Sales[sales_channel] = "D2C Website"), [Revenue])
Daily Lift (x) =
  DIVIDE(CALCULATE([Daily Revenue], Sales[period] = "Campaign"),
         CALCULATE([Daily Revenue], Sales[period] = "Pre-Campaign"))
Daily Lift ex Gift Set =
  DIVIDE(CALCULATE([Daily Revenue], Sales[period] = "Campaign",     Sales[sku_id] <> "LUM-GS-001"),
         CALCULATE([Daily Revenue], Sales[period] = "Pre-Campaign", Sales[sku_id] <> "LUM-GS-001"))

Actual Spend = SUM(Spend_Actual[Actual])
Plan         = SUM(Plan_Budget[Budget])
Overshoot %  = DIVIDE([Actual Spend] - [Plan], [Plan])
```

Format the measures once, in the Data pane

26. Click a measure, then **Measure tools → Format**. Do not wrap measures in FORMAT(): that makes them text and breaks charts and colouring.

Measures	Format
Meta CTR, Meta CVR, GS CTR, GS CVR, YT VTR, YT CTR, Inf ER, Inf Redemption, New Cust %, D2C Share, Gift Set Share, Overshoot %	Percentage, 2 decimals
Meta ROAS, GS ROAS, Inf ROAS, Daily Lift (x)	Model view → Properties → Format string: **0.00"x"**
Meta CPM, GS CPC, YT CPV	Currency ₹, 2 decimals
Revenue, Daily Revenue, AOV, Actual Spend	Currency ₹, 0 decimals

Common problem: cards showing 0.01 and 0.03 are not wrong. They are raw fractions that need the Percentage format. After formatting they read 1.42% and 2.80%.

Checkpoint: Meta ROAS 2.39x · GS ROAS 5.79x · YT VTR 49% · Daily Lift (x) 3.41x · AOV ₹1,652 (campaign) vs ₹1,318 (pre) · AOV ex Gift Set ₹1,249 · Overshoot % +48%.

Phase 5 · Benchmark scorecard (slide 9)

27. **Home → Enter data**. Name the table **Bench** and enter 14 rows. Keep it standalone (no relationships).

Channel	Metric	Benchmark	HigherBetter	Unit
Meta	CTR	0.012	1	%
Meta	CVR	0.02	1	%
Meta	ROAS	3	1	x
Meta	CPM	180	0	₹
Google Search	CTR	0.035	1	%
Google Search	CVR	0.045	1	%
Google Search	ROAS	5	1	x
Google Search	CPC	25	0	₹
YouTube	VTR	0.25	1	%
YouTube	CTR	0.004	1	%
YouTube	CPV	1.5	0	₹
Influencer	Engagement Rate	0.03	1	%
Influencer	Code Redemption	0.0045	1	%
Influencer	Blended ROAS	2.5	1	x

28. Make sure **Benchmark** and **HigherBetter** are numeric (Σ icon). Then add the scorecard measures:

```
Actual =
VAR ch = SELECTEDVALUE(Bench[Channel])
VAR mt = SELECTEDVALUE(Bench[Metric])
RETURN SWITCH(TRUE(),
  ch="Meta" && mt="CTR", [Meta CTR],            ch="Meta" && mt="CVR", [Meta CVR],
  ch="Meta" && mt="ROAS", [Meta ROAS],          ch="Meta" && mt="CPM", [Meta CPM],
  ch="Google Search" && mt="CTR", [GS CTR],     ch="Google Search" && mt="CVR", [GS CVR],
  ch="Google Search" && mt="ROAS", [GS ROAS],   ch="Google Search" && mt="CPC", [GS CPC],
  ch="YouTube" && mt="VTR", [YT VTR],           ch="YouTube" && mt="CTR", [YT CTR],
  ch="YouTube" && mt="CPV", [YT CPV],
  ch="Influencer" && mt="Engagement Rate", [Inf ER],
  ch="Influencer" && mt="Code Redemption", [Inf Redemption],
  ch="Influencer" && mt="Blended ROAS", [Inf ROAS], BLANK())

Benchmark Value = SELECTEDVALUE(Bench[Benchmark])

Index vs Benchmark =
VAR a = [Actual]
VAR b = [Benchmark Value]
VAR hb = SELECTEDVALUE(Bench[HigherBetter])
RETURN IF(ISBLANK(a), BLANK(), IF(hb = 1, DIVIDE(a, b), DIVIDE(b, a)))

Status = VAR i = [Index vs Benchmark]
  RETURN SWITCH(TRUE(), ISBLANK(i), BLANK(), i >= 1.1, "Green", i >= 0.9, "Amber", "Red")
Status Color = SWITCH([Status], "Green","#2E7D32", "Amber","#F9A825", "Red","#C62828", BLANK())

Actual (Display) =
VAR u = TRIM(SELECTEDVALUE(Bench[Unit]))
VAR a = [Actual]
RETURN IF(ISBLANK(a), "n/a", SWITCH(u,
  "%", FORMAT(a, "0.00%"), "x", FORMAT(a, "0.00") & "x",
  "₹", "₹" & FORMAT(a, "#,##0.00"), FORMAT(a, "0.0000")))

Benchmark (Display) =
VAR u = TRIM(SELECTEDVALUE(Bench[Unit]))
VAR b = [Benchmark Value]
RETURN SWITCH(u, "%", FORMAT(b, "0.00%"), "x", FORMAT(b, "0.00") & "x",
  "₹", "₹" & FORMAT(b, "#,##0.00"), FORMAT(b, "0.0000"))
```

Why Index vs Benchmark flips for CPM, CPC and CPV: lower is better for cost metrics, so the ratio is benchmark ÷ actual. Green means beats benchmark by 10% or more, amber means within 10%, red means worse by more than 10%.

29. Insert a **Matrix** (or a plain **Table**). Rows: **Bench[Channel]** then **Bench[Metric]**. Values: **Actual (Display), Benchmark (Display), Index vs Benchmark, Status**.
30. **Format → Row subtotals: off** and **Grand total: off**. Otherwise SELECTEDVALUE is blank on subtotal rows.
31. **Format visual → Cells → Cell elements**, choose **Status**, turn on **Background color → fx → Field value → Status Color**. Set the font to white.
32. Title: **Google and YouTube beat benchmark; Meta ROAS and influencer redemption fall short.**

Channel	Metric	Actual	Benchmark	Status
Meta	CTR	1.42%	1.20%	Green
Meta	CVR	2.80%	2.00%	Green
Meta	ROAS	2.39x	3.00x	**Red**
Meta	CPM	₹188.54	₹180	Amber
Google Search	CTR	3.54%	3.50%	Amber
Google Search	CVR	7.93%	4.50%	Green
Google Search	ROAS	5.79x	5.00x	Green
Google Search	CPC	₹31.64	₹25	**Red**
YouTube	VTR	49.0%	25.0%	Green
YouTube	CTR	0.34%	0.40%	**Red** (normal for video)
YouTube	CPV	₹1.25	₹1.50	Green
Influencer	Engagement Rate	2.72%	3.00%	Amber
Influencer	Code Redemption	0.24%	0.45%	**Red**
Influencer	Blended ROAS	5.22x	2.50x	Green

If the scorecard is blank: a matrix hides rows where every value is blank. Add the measures one at a time, starting with Benchmark (Display). If Actual (Display) says n/a, the Channel or Metric text in Bench does not match the spelling used in the Actual measure, or a source column is still text.

Phase 6 · Build the report pages

Rules for every chart: write the takeaway as the visual **Title** (not just "CTR by placement"), add the benchmark as a **Analytics pane → Constant line**, keep one message per chart, and prefer bars and lines over pies. Percent benchmark lines are entered as decimals (1.2% = 0.012). Compare each channel only against its own benchmark.

Page 3–4 · Meta

33. Four **Cards**: Meta CTR, CVR, ROAS, CPM. Put the benchmark in each card title.

34. **Clustered bar:** Y **ad_set_placement**, X **Meta ROAS**, constant line **3**. Title: *Stories lead at 2.7x; Reels is weakest at 1.5x.*

35. **Column:** X **strategy**, Y **Meta ROAS**, line **3**. Title: *Retargeting returns 6.6x; Prospecting only 1.2x.*

36. **Bar:** Y **ad_set_placement**, X **Meta CVR**, line **0.02**. Title: *Reels converts at about 1.6% vs 3.0% on Feed and Stories.*

37. **Line:** X **datestr** (the plain date, not the hierarchy), Y **Meta ROAS**, line **3**.

38. **Matrix:** rows **ad_set_placement**, columns **strategy**, values **Meta ROAS**, with a colour scale.

Cut	Expected result
Overall	CTR 1.42%, CVR 2.80%, ROAS 2.39x, CPM ₹189
ROAS by placement	Stories 2.73x · Feed 2.41x · Reels 1.47x
ROAS by strategy	Retargeting 6.56x (₹5.6L) · Prospecting 1.17x (₹19.2L)

So what: Prospecting drags Meta under benchmark, but its job is new customers, so judge it with new-customer share. Reels attracts clicks that do not convert. Stories is the best placement for prospecting.

Page 5 · Google Search

39. Add the waste measure first:

```
Zero-Return Spend =
CALCULATE([GS Spend], FILTER(Google,
  Google[keyword_group] IN {"Competitor", "Generic_Beauty"} || Google[device_type] = "Tablet"))
Zero-Return Spend % = DIVIDE([Zero-Return Spend], [GS Spend])
```

40. Four **Cards**: GS CTR (3.5%), CVR (4.5%), ROAS (5.0x), CPC (₹25).

41. **Bar:** Y **keyword_group**, X **GS ROAS**, sort descending, line **5**. Title: *Brand returns 11.2x and Gift Set 6.6x; Competitor and Generic return almost nothing.*

42. **Bar:** Y **keyword_group**, X **GS Spend**. Add a card for **Zero-Return Spend %** (about 14%, ₹1.8L).

43. **Matrix:** rows **keyword_group**, columns **device_type**, values **GS CVR**, background colour gradient (red low, green high).

44. **Column:** X **device_type**, Y **GS ROAS**, line **5**. **Bar:** Y **city**, X **GS ROAS**, all 20 cities.

Cut	Expected result
ROAS by keyword group	Brand 11.2x · Gift Set 6.6x · Serum 4.0x · Sunscreen 2.9x · Hair Care 2.3x · Generic 0.04x · Competitor 0x
ROAS by device	Mobile 6.4x · Desktop 2.6x · Tablet 0x
ROAS by city	Top: Chennai, Hyderabad, Delhi (about 6.7–6.8x). Bottom: Bhopal, Kochi, Ludhiana (about 2.7–2.9x)

Directional: the weaker cities also have fewer clicks (about 750 vs 3,200+), so treat the city result as a signal, not proof.

Page 6 · YouTube

45. Three **Cards**: YT VTR (25%), YT CTR (0.40%), YT CPV (₹1.50).

46. **Bar:** Y **ad_format**, X **YT VTR**, line **0.25**. **Bar:** same axis, X **YT CPV**, line **1.5**. **Column:** X **ad_format**, Y **YT CTR**, line **0.004**.

Format	VTR	CPV
Bumper	93%	₹0.84
Shorts	55%	₹1.09
15s skippable	41%	₹1.39
30s skippable	32%	₹1.79
Masthead	24%	₹2.55

So what: a 0.34% CTR is normal for video. YouTube is judged on VTR (49% vs 25%) and CPV (₹1.25 vs ₹1.50). Add a text box explaining that its job is awareness, which shows up later as branded search.

Page 7 · Influencers

47. Three **Cards**: Inf ER (3.0%), Inf Redemption (0.45%), Inf ROAS (2.5x).
48. **Column:** X **tier**, Y **Inf ROAS**, line **2.5**. **Table:** tier, Inf ER, Inf Redemption, Inf Cost, Inf Revenue, Inf ROAS.
49. **Top 3:** bar with Y **influencer_handle**, X **Inf ROAS**. In the Filters pane choose **Top N → 3 → By value Inf ROAS**. **Bottom 3:** same with **Bottom N**.

Tier	ROAS	ER	Redemption	Cost
Micro	7.10x	3.8%	0.47%	₹10.4L
Nano	5.43x	3.9%	0.50%	₹0.5L
Macro	3.85x	2.3%	0.14%	₹14.3L

So what: more followers did not mean more revenue. Top three creators are all Micro (9.5–9.9x). Macro took 57% of creator cost for the lowest return.

Page 8 · Platform sales impact

50. Cards: **Daily Lift (x)**, **Daily Lift ex Gift Set**, **AOV**, **AOV ex Gift Set**, **Gift Set Share**.
51. **Column:** X **period**, Y **Daily Revenue**. Title: *Daily revenue rose 3.4x, from ₹1.5L to ₹5.2L, beating the 2.5x goal.*
52. **Line:** X **datestr**, Y **Revenue**, legend **period**. Expect a step up on 15 October, not a smooth climb.
53. **Matrix:** rows **Dim_Date[Weekday]**, columns **period**, values **Daily Revenue**. This is the day-of-week control.
54. **Clustered column:** X **period**, values **AOV** and **AOV ex Gift Set**.
55. **100% stacked column:** X **period**, values New Customers and Repeat Customers. **Bar:** Revenue by **sku_name**, legend **period**. **100% stacked column:** Revenue by **sales_channel** and period.

Metric	Pre-campaign	Campaign
Daily revenue	₹1.52L	₹5.17L (3.41x; goal 2.5x)
Daily lift excluding Gift Set	–	about 1.98x
AOV	₹1,318	₹1,652 (₹1,249 excluding Gift Set, down 5%)
New-customer share	29%	56%
D2C website share of revenue	44%	49%
Gift Set share of revenue	–	about 42% (about ₹69L)

Flat line fix: if the revenue-by-date chart is a straight line, **datestr** is probably text, or the Dim_Date relationship is missing. Set the type to Date, create the relationship, and use the plain date field on the axis.

Page 1–2 · Executive summary and campaign overview

56. **Page 1 cards:** Actual Spend (₹74.2L), Daily Lift (x) (3.41x), New Cust % (56% on campaign period), Overshoot % (+48%). Add three headline text boxes:

- Daily sales rose 3.4x vs the 2.5x goal. About 2.0x came from the core range and the rest from the new Gift Set.
- Retargeting, Google Brand and Micro creators drove returns; Meta Prospecting (1.2x), Reels and Macro creators dragged them down.
- Spend ran ₹74L against a ₹50L plan, with influencers at 3× budget. Cap spend and reallocate before Holi.

57. Page 2: clustered bar (Y **Plan_Budget[Channel]**, values **Plan** and **Actual Spend**), an overshoot table, and a flight-dates text box.

Channel	Plan	Actual	Overshoot
Meta	₹20.0L	₹24.8L	+24%
Google Search	₹12.0L	₹12.8L	+7%
YouTube	₹10.0L	₹11.4L	+14%
Influencer	₹8.0L	₹25.2L	+215%
Total	**₹50.0L**	**₹74.2L**	**+48%**

Phase 7 · Recommendations, appendix and export

Page 10 · What to do differently

Action	Size	Expected effect
Cut Google Competitor, Generic and Tablet; move to Gift Set keywords	₹1.8L	They returned about ₹2K. At a conservative 4x (observed 6.6x) the move is worth about ₹7L revenue
Move Meta Reels budget to Stories	₹3.3L	1.47x vs 2.73x: about +₹4L if ROAS holds at scale
Replace YouTube Masthead with Shorts	₹0.7L	About 2.3× the paid views (CPV ₹1.09 vs ₹2.55)
Shift Macro budget to Micro creators	₹5L	Macro 3.9x vs Micro 7.1x: about +₹5.8L at a conservative 5x
Test a reduction in Meta Prospecting	–	Run a holdout first: it returns 1.17x but feeds new customers
Hard budget caps and weekly pacing per channel	all	Every channel overshot; influencers by 3×

Page 11 · What to keep

- The **Gift Set** as hero SKU (about ₹69L, 42% of campaign revenue).
- **Meta Retargeting** (6.6x) and **Google Brand** (11.2x).
- **Micro and Nano creators** with unique promo codes.
- The **D2C-first** push (share rose from 44% to 49%) and **mobile-first** search bidding.

Page 12 · Measurement roadmap for Holi 2026

- **Geo holdout test** to prove incrementality: attributed ROAS overlaps across channels.
- **Consistent UTMs** on every ad, and creator-level promo codes.
- **New vs repeat tagging by ad channel**, which this dataset cannot answer.
- **Brand-lift study** for YouTube and **branded-search tracking** as the halo measure.
- **Frequency caps** and weekly spend-to-plan reconciliation.

Page 13 · Appendix: assumptions and caveats

- **Cleaning rules:** \N set to null; Meta impressions, reach, clicks imputed (about 10% of Meta rows); Google counts set to 0; 29 city spellings merged into 20.
- **Currency:** every _dollars column is in ₹.
- **Spend:** ₹74.2L vs ₹50L plan. Verify the influencer figure (₹25.2L vs ₹8L) with the client before presenting.
- **New customers by ad channel** cannot be derived: new vs repeat is recorded only by sales channel and SKU.
- **AOV** is calculated at SKU-line level, so it is approximate.
- **Attributed ROAS** overlaps between platforms and will not sum to total sales.
- **Period lengths differ** (30 vs 32 days), so every sales comparison uses daily averages.
- **Benchmarks are references, not targets**: Prospecting is read alongside new-customer rate.

Export

58. Check every page: takeaway title on each chart, benchmark lines present, one colour theme (**View → Themes**), consistent number formats.

59. Order pages: Executive summary, Overview, Meta, Google, YouTube, Influencers, Sales, Scorecard, Recommendations (3), Appendix.

60. **File → Export → Export to PDF**, or **Publish** to the Power BI service. Save the **.pbix** file as the analysis appendix.

Phase 8 · Troubleshooting

Symptom	Likely cause	Fix
Scorecard matrix shows only headers and Total	Every measure returns blank, so rows are hidden	Add measures back one at a time; use the robust Display measures; check Channel and Metric spelling
Cards show 0.01 and 0.03	Ratios are unformatted	Set the measure format to Percentage, 2 decimals
Revenue-by-date line is flat	datestr is text, or Dim_Date is not related	Set type Date, add the relationship, use the plain date on the axis
ROAS shows 0 for all keyword groups	conversion_value column is text	Change to Decimal in Power Query
More than 20 cities	A spelling variant was missed	Extend the Replace Values steps
CTR blank or wrong	impressions contains text from \N	Set the column to Whole Number
Matrix is empty	A measure was placed in Rows	Measures belong only in Values
Scorecard subtotal rows blank	SELECTEDVALUE has no single value	Turn row subtotals and grand total off

Data is synthetic and for educational use. All ROAS figures are platform-attributed.