CS211: Algorithms & Data structures

Dr. Sameer M. Alrehaili

September 27, 2021

srehail@taibahu.edu.sa college of computer science and engineering ,yanbu, Taibah University

Lab06

1 Laboratory Objectives:

• To understand the basic operations of arrays and analysing their cost in terms of Big- \mathcal{O} .

2 Exercises

1. Write Java program to update an item of an array and calculate its time complexity?

Listing 1: Updating

```
public static void update(int[] a, int loc, int k){
   a[loc]=k;
}
```

The time complexity of updating an item in array is : $\mathcal{O}(1)$.

2. Write Java program to lookup an item of an array and calculate its time complexity?

Listing 2: lookup

```
public static void lookup(int[] a, int loc){
    System.out.println(a[loc]);
}
```

The time complexity of inspecting an item in array is : O(1).

3. Write Java program to print all elements in an array and calculate its time complexity?

Listing 3: Traverse

```
public static void print_ar(int[] a){
  for(int i=0;i<a.length;i++)
    System.out.print(a[i] + " ,");
  System.out.println();
}</pre>
```

The time complexity of traversing all items in array is : O(n).

4. Write Java code to insert an item into an array and calculate its time complexity?

Listing 4: Insertion

```
public static void insert(int[] a, int loc, int k){
  for (int i=a.length-1;i>loc;i--)
    a[i]=a[i-1];
  a[loc]=k;
}
```

Or you can write it like the following:

Listing 5: Insertion

```
public static void insert(int[] a, int loc, int k){
int i=a.length-1;
  while(i>loc){
    a[i]=a[i-1];
    i--;
  }
  a[loc]=k;
}
```

The time complexity of insertion in array is : $\mathcal{O}(n)$, which is in linear time.

5. Write Java code for deleting an item from an array

Listing 6: Deleting an array's element

```
public static void delete(int[] a, int loc){
  int i=loc;
  while (i<a.length-1){
    a[i]=a[i+1];
    i++;
  }
  a[a.length-1]=0;
}</pre>
```

The time complexity of deleting an array's item is : $\mathcal{O}(n)$, which is in linear time.