

- **PENYEWA**

➤ **Penyewacontroller**

```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use Auth;
7 use App\penyewa_model;
8 use JWTAuth;
9 use DB;
10 use Illuminate\Support\Facades\Validator;
11 use Tymon\JWTAuth\Exceptions\JWTException;
12
13 class penyewacontroller extends Controller
14 {
15     public function index($id)
16     {
17         if(Auth::user()->level=="admin"){
18             $dt_penyewa=penyewa_model::get();
19             return response()->json($dt_penyewa);
20         }
21     }
22     else{
23         return response()->json(['status'=>'anda bukan admin']);
24     }
25 }
26 public function store(Request $req)
27 {
28     $validator=Validator::make($req->all(),
29     [
30         'nama_penyewa'=>'required',
31         'alamat'=>'required',
32         'telp'=>'required',
33         'no_ktp'=>'required',
34         'foto'=>'required',
35     ]);
36
37     if($validator->fails()){
38         return Response()->json($validator->errors());
39     }
40
41     $simpan=penyewa_model::create([
42         'nama_penyewa'=>$req->nama_penyewa,
43         'alamat'=>$req->alamat,
44         'telp'=>$req->telp,
45         'no_ktp'=>$req->no_ktp,
46         'foto'=>$req->foto,
47     ]);
48     if($simpan){
49         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Ditambahkan!"]);
50     } else{
51         return Response()->json(['status'=>0]);
52     }
53 }
54 public function tampil_penyewa()
55 {
56     $data_penyewa=penyewa_model::count();
57     $data_penyewa1=penyewa_model::all();
58     return Response()->json(['count'=> $data_penyewa, 'penyewa'=> $data_penyewa1, 'status'=>1]);
59 }
60
61 public function update($id,Request $req)
62 {
63     $validator=Validator::make($req->all(),
64     [
65         'nama_penyewa'=>'required',
66         'alamat'=>'required',
67         'telp'=>'required',
68         'no_ktp'=>'required',
69         'foto'=>'required',
70     ]);
71
72     if($validator->fails()){
73         return Response()->json($validator->errors());
74     }
75
76     $ubah=penyewa_model::where('id',$id)->update([
77         'nama_penyewa'=>$req->nama_penyewa,
78         'alamat'=>$req->alamat,
79         'telp'=>$req->telp,
80         'no_ktp'=>$req->no_ktp,
81         'foto'=>$req->foto,
82     ]);
83     if($ubah){
84         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Diubah!"]);
85     } else {
86         return Response()->json(['status'=>0]);
87     }
88 }
89
90 public function destroy($id)
91 {
92     $hapus=penyewa_model::where('id',$id)->delete();
93     if($hapus){
94         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Dihapus!"]);
95     } else {
96         return Response()->json(['status'=>0]);
97     }
98 }
99 }
100
```

## ➤ Penyewamodel

```
petugas_model.php  penyewaccontroller.php  penyewa_model.php x
1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class penyewa_model extends Model
8  {
9      protected $table="penyewa";
10     protected $primaryKey="id";
11     public $timestamps= false;
12     protected $fillable = [
13         'nama_penyewa', 'alamat', 'telp', 'no_ktp', 'foto'
14     ];
15 }
16
```

## ❖ CREATE

POST localhost/rental\_mobil/public/api/simpan\_penyewa Send Save

<input checked="" type="checkbox"/>	nama_penyewa	puput	
<input checked="" type="checkbox"/>	alamat	malang	
<input checked="" type="checkbox"/>	telp	087762	
<input checked="" type="checkbox"/>	no_ktp	3324512	
<input checked="" type="checkbox"/>	foto	-	
	Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 1352ms Size: 403 B Save Response

Pretty Raw Preview Visualize JSON 🔍

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Ditambahkan"
4 }
```

## ❖ READ

GET localhost/rental\_mobil/public/api/tampil\_penyewa Send Save

Pretty Raw Preview Visualize JSON 🔍

```
2 {
3   "count": 6,
4   "penyewa": [
5     {
6       "id": 1,
7       "nama_penyewa": "puput",
8       "alamat": "malang",
9       "telp": "087762",
10      "no_ktp": "3324512",
11      "foto": "-",
12      "created_at": "2020-04-15 21:54:47",
13      "updated_at": "2020-04-15 21:54:47"
14    },
15    {
16      "id": 2,
17      "nama_penyewa": "puput",
18      "alamat": "malang",
19      "telp": "087762",
20      "no_ktp": "3324512",
21      "foto": "-",
22      "created_at": "2020-04-15 21:55:32",
23      "updated_at": "2020-04-15 21:55:32"
24    },
25    {
26      "id": 3,
27      "nama_penyewa": "bila",
28      "alamat": "solo",
29      "telp": "0817262",
30      "no_ktp": "314678",
31      "foto": "-",
32      "created_at": "2020-04-15 21:59:21",
33      "updated_at": "2020-04-15 21:59:21"
34    }
35  ]
36 }
```

## ❖ UPDATE

PUT localhost/rental\_mobil/public/api/ubah\_penyewa/6

Send Save

Params Authorization Headers (11) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL

KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/> nama_penyewa	salsa			
<input checked="" type="checkbox"/> alamat	tuban			
<input checked="" type="checkbox"/> telp	0812345			
<input checked="" type="checkbox"/> no_ktp	3680287			
<input checked="" type="checkbox"/> foto	-			
Key	Value	Description		

Body Cookies Headers (11) Test Results Status: 200 OK Time: 996ms Size: 398 B Save Response

Pretty Raw Preview Visualize JSON

```

1 {
2   "status": 1,
3   "message": "Data Berhasil Diubah!"
4 }
```

## ❖ DELETE

DELETE localhost/rental\_mobil/public/api/hapus\_penyewa/6

Send Save

Body Cookies Headers (11) Test Results Status: 200 OK Time: 1680ms Size: 399 B Save Response

Pretty Raw Preview Visualize JSON

```

1 {
2   "status": 1,
3   "message": "Data Berhasil Dihapus!"
4 }
```

## • MOBIL

### ➤ Mobilcontroller

```

petugas_model.php  penyewacontroller.php  mobil_model.php  mobilcontroller.php x
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use Auth;
7  use App\mobil_model;
8  use JWTAuth;
9  use DB;
10 use Illuminate\Support\Facades\Validator;
11 use Tymon\JWTAuth\Exceptions\JWTException;
12
13 class mobilcontroller extends Controller
14 {
15     public function index($id)
16     {
17         if(Auth::user()->level=="admin"){
18             $dt_mobil=mobil_model::get();
19             return response()->json($dt_mobil);
20         }
21     }
22     else{
23         return response()->json(['status'=>'anda bukan admin']);
24     }
25 }
26
27 public function store(Request $req)
28 {
29     $validator=Validator::make($req->all(),
30     [
31         'plat_nomor'=>'required',
32         'merk'=>'required',
33         'foto'=>'required',
34         'keterangan'=>'required',
35     ]);
36 }
```

```

35
36     if($validator->fails()){
37         return Response()->json($validator->errors());
38     }
39
40     $simpan=mobil_model::create([
41         'plat_nomor'=>$req->plat_nomor,
42         'merk'=>$req->merk,
43         'foto'=>$req->foto,
44         'keterangan'=>$req->keterangan,
45     ]);
46     if($simpan){
47         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Ditambahkan!"]);
48     } else{
49         return Response()->json(['status'=>0]);
50     }
51 }
52
53 public function tampil_mobil()
54 {
55     $data_mobil=mobil_model::count();
56     $data_mobil1=mobil_model::all();
57     return Response()->json(['count'=> $data_mobil, 'mobil'=> $data_mobil1, 'status'=>1]);
58 }
59
60 public function update($id,Request $req)
61 {
62     $validator=Validator::make($req->all(),
63     [
64         'plat_nomor'=>'required',
65         'merk'=>'required',
66         'foto'=>'required',
67         'keterangan'=>'required',
68     ]);
69
70 }
71

```

```

71
72     if($validator->fails()){
73         return Response()->json($validator->errors());
74     }
75     $ubah=mobil_model::where('id',$id)->update([
76         'plat_nomor'=>$req->plat_nomor,
77         'merk'=>$req->merk,
78         'foto'=>$req->foto,
79         'keterangan'=>$req->keterangan,
80     ]);
81
82     if($ubah){
83         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Diubah!"]);
84     } else {
85         return Response()->json(['status'=>0]);
86     }
87 }
88
89 public function destroy($id)
90 {
91     $hapus=mobil_model::where('id',$id)->delete();
92     if($hapus){
93         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Dihapus!"]);
94     } else {
95         return Response()->json(['status'=>0]);
96     }
97 }
98
99 }
100

```

## ➤ Mobilmodel

```

petugas_model.php  penyewacontroller.php  mobil_model.php X
1  <?php
2
3  namespace App;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class mobil_model extends Model
8  {
9      protected $table="mobil";
10     protected $primaryKey="id";
11     public $timestamps=false;
12     protected $fillable = [
13         'plat_nomor', 'merk', 'foto', 'keterangan'
14     ];
15 }
16

```

## ❖ CREATE

POST localhost/rental\_mobil/public/api/simpan\_mobil Send Save

☐ none ☒ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE	DESCRIPTION	*** Bulk Edit
<input checked="" type="checkbox"/> plat_nomor	N 9034 BI		
<input checked="" type="checkbox"/> merk	inova		
<input checked="" type="checkbox"/> foto	-		
<input checked="" type="checkbox"/> keterangan	disewa		
Key	Value	Description	

Body Cookies Headers (11) Test Results Status: 200 OK Time: 2.41s Size: 403 B Save Response

Pretty Raw Preview Visualize JSON ⌵

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Ditambahkan!"
4 }
```

## ❖ READ

GET localhost/rental\_mobil/public/api/tampil\_mobil Send Save

Pretty Raw Preview Visualize JSON ⌵

```
1 {
2   "count": 2,
3   "mobil": [
4     {
5       "id": 1,
6       "plat_nomor": "N 9034 BI",
7       "merk": "Inova",
8       "foto": "-",
9       "keterangan": "disewa",
10      "created_at": "2020-04-16 21:37:39",
11      "updated_at": "2020-04-16 21:37:39"
12    },
13    {
14      "id": 2,
15      "plat_nomor": "S 9034 LN",
16      "merk": "avanza",
17      "foto": "-",
18      "keterangan": "disual",
19      "created_at": "2020-04-16 21:43:52",
20      "updated_at": "2020-04-16 21:43:52"
21    }
22  ],
23   "status": 1
24 }
```

## ❖ UPDATE

PUT localhost/rental\_mobil/public/api/ubah\_mobil/2 Send Save

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE	DESCRIPTION	*** Bulk Edit
<input checked="" type="checkbox"/> plat_nomor	B 9873 LN		
<input checked="" type="checkbox"/> merk	kalya		
<input checked="" type="checkbox"/> foto	-		
<input checked="" type="checkbox"/> keterangan	disewa		
Key	Value	Description	

Body Cookies Headers (11) Test Results Status: 200 OK Time: 5.80s Size: 398 B Save Response

Pretty Raw Preview Visualize JSON ⌵

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Diubah!"
4 }
```

## ❖ DELETE

DELETE localhost/rental\_mobil/public/api/hapus\_mobil/2 Send Save

Body Cookies Headers (11) Test Results Status: 200 OK Time: 1436ms Size: 399 B Save Response

Pretty Raw Preview Visualize JSON ⌵

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Dihapus!"
4 }
```

- Jenismobil

➤ Jeniscontroller

```
petugas_model.php  penyewacontroller.php  mobil_model.php  mobilcontroller.php  jeniscontroller.php x  api.php
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use Illuminate\Http\Request;
6  use Auth;
7  use App\jenis_model;
8  use JWTAuth;
9  use DB;
10 use Illuminate\Support\Facades\Validator;
11 use Tymon\JWTAuth\Exceptions\JWTException;
12
13 class jeniscontroller extends Controller
14 {
15     public function index($id)
16     {
17         if(Auth::user()->level=="admin"){
18             $dt_jenis=jenis_model::get();
19             return response()->json($dt_jenis);
20         }
21     }
22     }else{
23         return response()->json(['status'=>'anda bukan admin']);
24     }
25     }
26     public function store(Request $req)
27     {
28         $validator=Validator::make($req->all(),
29         [
30             'nama_jenis'=>'required',
31         ]);
32         if($validator->fails()){
33             return Response()->json($validator->errors());
34         }
35         $simpan=jenis_model::create([
36             'nama_jenis'=>$req->nama_jenis,
37         ]);
38     }
39 }
```

```
40
41     if($simpan){
42         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Ditambahkan!"]);
43     } else{
44         return Response()->json(['status'=>0]);
45     }
46 }
47
48 public function tampil_jenis()
49 {
50     $data_jenis=jenis_model::count();
51     $data_jenis1=jenis_model::all();
52     return Response()->json(['count'=> $data_jenis, 'jenis'=> $data_jenis1, 'status'=>1]);
53 }
54
55 public function update($id,Request $req)
56 {
57     $validator=Validator::make($req->all(),
58     [
59         'nama_jenis'=>'required',
60     ]);
61     if($validator->fails()){
62         return Response()->json($validator->errors());
63     }
64     $ubah=jenis_model::where('id',$id)->update([
65         'nama_jenis'=>$req->nama_jenis,
66     ]);
67     if($ubah){
68         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Diubah!"]);
69     } else {
70         return Response()->json(['status'=>0]);
71     }
72 }
73 }
```

```
74
75 public function destroy($id)
76 {
77     $hapus=jenis_model::where('id',$id)->delete();
78     if($hapus){
79         return Response()->json(['status'=>1, 'message'=>"Data Berhasil Dihapus!"]);
80     } else {
81         return Response()->json(['status'=>0]);
82     }
83 }
84 }
```

## ➤ Jenismodel

```
petugas_model.php  penyewacontroller.php  mobil_model.php  mobilcontroller.php  jenismodel.php  api.php
1 <?php
2
3 namespace App;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class Jenismodel extends Model
8 {
9     protected $table = "jenis_mobil";
10    protected $primaryKey = "id";
11    public $timestamps = false;
12    protected $fillable = [
13        'nama_jenis'
14    ];
15 }
16
```

## ❖ CREATE

POST localhost/rental\_mobil/public/api/simpan\_jenis Send Save

Params Authorization Headers (11) **Body** Pre-request Script Tests Settings Cookies Code

☐ none ☒ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> nama_jenis	Honda	
Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 1219 ms Size: 403 B Save Response

Pretty Raw Preview Visualize JSON ≡

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Ditambahkan!"
4 }
```

## ❖ READ

GET localhost/rental\_mobil/public/api/tampil\_jenis Send Save

key value description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 4.45 s Size: 586 B Save Response

Pretty Raw Preview Visualize JSON ≡

```
1 {
2   "count": 2,
3   "jenis": [
4     {
5       "id": 1,
6       "nama_jenis": "Honda",
7       "created_at": "2020-04-17 22:06:51",
8       "updated_at": "2020-04-17 22:06:51"
9     },
10    {
11      "id": 2,
12      "nama_jenis": "Suzuki",
13      "created_at": "2020-04-17 22:07:50",
14      "updated_at": "2020-04-17 22:07:50"
15    }
16  ],
17   "status": 1
18 }
```

## ❖ UPDATE

PUT localhost/rental\_mobil/public/api/ubah\_jenis/2 Send Save

☐ none ☐ form-data ☒ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> nama_jenis	Honda	
Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 4.52 s Size: 398 B Save Response

Pretty Raw Preview Visualize JSON ≡

```
1 {
2   "status": 1,
3   "message": "Data Berhasil Diubah!"
4 }
```

## ❖ DELETE



## ➤ Api.php

```
15
16 Route::middleware('auth:api')->get('/user', function (Request $request) {
17     return $request->user();
18 });
19
20 Route::post('register', 'petugascontroller@register');
21 Route::post('login', 'petugascontroller@login');
22 Route::get('user', 'petugascontroller@getAuthenticatedUser')->middleware('jwt.verify');
23
24 //penyewa
25 Route::post('/simpan_penyewa', 'penyewacontroller@store')->middleware('jwt.verify');
26 Route::put('/ubah_penyewa/{id}', 'penyewacontroller@update')->middleware('jwt.verify');
27 Route::delete('/hapus_penyewa/{id}', 'penyewacontroller@destroy')->middleware('jwt.verify');
28 Route::get('/tampil_penyewa', 'penyewacontroller@tampil_penyewa')->middleware('jwt.verify');
29
30 //mobil
31 Route::post('/simpan_mobil', 'mobilcontroller@store')->middleware('jwt.verify');
32 Route::put('/ubah_mobil/{id}', 'mobilcontroller@update')->middleware('jwt.verify');
33 Route::delete('/hapus_mobil/{id}', 'mobilcontroller@destroy')->middleware('jwt.verify');
34 Route::get('/tampil_mobil', 'mobilcontroller@tampil_mobil')->middleware('jwt.verify');
35
36 //jenis_mobil
37 Route::post('/simpan_jenis', 'jeniscontroller@store')->middleware('jwt.verify');
38 Route::put('/ubah_jenis/{id}', 'jeniscontroller@update')->middleware('jwt.verify');
39 Route::delete('/hapus_jenis/{id}', 'jeniscontroller@destroy')->middleware('jwt.verify');
40 Route::get('/tampil_jenis', 'jeniscontroller@tampil_jenis')->middleware('jwt.verify');
```