SECTION 1. LIST OF GOODS AND GENERAL REQUIREMENTS

No.	Item	Main technical specifications of the *product-*	Unit	Quan *tity*	Delivery date	Delivery location	Scope of warranty and warranty *period*	OKPD Code-2
1.	SKL 14-B-L-2-110 lamp, Technical Specifications ENSK.433137.14 (or equivalent) GID 1990187 SAP ERP 1051121189	Operating voltage: not less than 109 V, not more than 110 V; Light color: green; Mounting diameter: not less than d22 Luminous intensity: not less than 36 mcd; Operating current: not less than 9.9 mA, not more than 10 mA; Protection rating: not less than IP54; Lighting mode: constant	pcs	12	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.190 Other lighting fixtures not included in other groups
2.	TE-105 SQ0360-0002 (or equivalent) GID 2432172 SAP ERP 1010001041	Load range: 35 W minimum, 105 W maximum; Input voltage range: 220 V minimum, 240 V maximum; Output voltage: not less than 11.9 V and not more than 12 V; Maximum case temperature: not more than +80°C; Operating temperature range: not less than -20°C and not more than +50°C;	pcs	10	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the goods at the buyer's warehouse	27.11.42.000 Other transformers with a capacity of no more than 16 kVA

3.	LED lamp 1038920 PLED-HP- T120 40W E27 4000K JazzWay (or equivalent) GID 2134184 SAP ERP 1051144739	Base type E27; Power 40W; Rated voltage: not less than 220 V, not more than 230 V; Light color: white; Color temperature of at least 4000K; Luminous flux of at least 3400 lm; Weight not more than 0.78 kg	pcs	250	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street in, p. 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.15.150 LED lamps
4.	ECO LED T8-10W-840-G13- 600mm B0032974 ERA LED lamp (or equivalent) GID 1811011 SAP ERP 1011079938	Rated voltage: not less than 176, not more than 264 (V) Voltage type: AC. Base G13 Beam angle: no more than 230°. Diameter: no more than 26 mm Average rated service life: not less than 40,000 hours	pcs	500	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.15.150 LED lamps

5.	DH/1 marine floodlight, 350 mm LED matrix, 150 W, 2200 m range, Cyclone (or equivalent) GID 3187303 SAP ERP 1011356761	Voltage not exceeding 230 VAC. Beam range not less than 2200 m. Lamp power not less than 150 W. Lamp service life not less than 30,000 hours. Weight not exceeding 14 kg. Service life of at least 10 years. Luminous flux of at least 11,160 lm. Protection class of at least IP56.	pcs	5	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.33.190 Spotlights and similar narrow- beam luminaires with other types of lamps

6.	LED-A60-standard 15W 230V E27 LED lamp 4000K 1350 lm 4690612002101 ASD (or equivalent) GID 1509936 SAP ERP 1011008392	Power: at least 15W. Rated voltage: no more than 260V. Luminous flux: at least 1350 lm. Current type: alternating current (AC)	pcs	50	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.15.150 LED lamps
7.	ERA ECO LED T8-18W-865- G13-1200mm B0032977 ERA (or equivalent) GID 1809748 SAP ERP 1011079937	Voltage: 220V max. G13 base. Color temperature: 4000K min. Color rendering index: 80Ra min. Length not less than 599 mm, not more than 600 mm. Diameter not less than 25.99 mm, not more than 26 mm. Service life not less than 25,000 hours. Operating temperature not less than -25°C to $^{+50°C}$.	pcs	30	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.15.150 LED lamps
8.	FREGAT LED 110 (W) 5000K 1426000020 107W TU 3461-022-88466159-14 Lighting Technologies (or equivalent) GID 1035273 SAP ERP 710976172	Impact resistance: not less than IK09; Enclosure class not less than UHL1; Weight: no more than 10.7 kg; Color temperature: no less than 5000K; Light color: white; Power: no more than 105 W; Lamp type: LED; Mounting type: cantilever; Luminous flux: at least 14,400 lm; Protection rating: IP66 or higher	pcs	25	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.119 Lamps and lighting fixtures, not included in other groups, designed for use with lamps of other types

9.	Titan 270 CW T IP65 LED luminaire Beam (or equivalent) GID 1348210 SAP ERP 710976194	Housing: Aluminum; Rated voltage: not less than 210 V, not more than 220 V; Protection rating: not less than IP65; Power: not less than 269 W, not more than 270 W; Operating temperature range: not less than -40°C, not more than +40°C; Mounting method: cantilever	pcs	15	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.119 Lamps and lighting fixtures, not included in other groups, designed for use with lamps of other types
10.	Fregat 1426000320 LED 35 Light Fixture (W) 5000K Lighting Technologies (or equivalent) GID 2199039 SAP ERP 711165499	Impact resistance: not less than IK09; Enclosure class not less than UHL1; Weight: no more than 10.7 kg; Color temperature: no less than 5000K; Light color: white; Power: no more than 35 W; Lamp type: LED; Mounting method: bracket-mounted Luminous flux: not less than 4900 lm; Protection rating: IP rating of at least IP must comply with GOST 14254-96.	pcs	10	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.113 Lamps and lighting fixtures, not included in other groups, designed for use with LED lamps and other

11.	FREGAT LED 55 (W) 5000K 1426000040 55W Lighting Technologies (or equivalent) GID2712139 SAP ERP 711271032	Impact resistance: not less than IK09; Enclosure class not less than UHL1; Weight: no more than 10 kg; Rated voltage: no less than 210 V, no more than 220 V; Color temperature: not less than 5000 K; Light color: white; Power: 54 W minimum, 55 W maximum; Lamp type: LED	pcs	7	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.113 Lamps and lighting fixtures, not included in other groups, designed for use with LED lamps and other
12.	LZ.OPL ECO LED 1500 EM 5000K LED luminaire 1074000540 Lighting Technologies (or equivalent) GID1863587 SAP ERP 1011111266	Power: at least 57 W Luminous flux: at least 7200 lm Color temperature 5000K Power factor not less than 0.95 Supply voltage 230 V AC 50 Hz Environmental rating UHL2 Protection rating: at least IP65 Installation length: 1040 mm	pcs	16	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.111 Lamps and lighting fixtures, other, not included in other groups, designed for use with incandescent lamps

13.	L-220-1x55-2201-07 UV electronic ballast for germicidal lamps Product (or equivalent) GI D 1786697 SAP ERP 1011073489	Degree of protection against foreign objects and water — not less than IP20; Maximum housing temperature: not more than 70 °C; Permissible ambient temperature: not less than -25 °C and not more than +45 °C; Weight, not more than 0.28 kg.	pcs	10	10/30/2025 with the right to early delivery	Chukotsky AO, city of Pevek, PATE S, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.33.13.164 Magnetic amplifiers and controlled chokes
14.	LZ.OPL ECO LED 1500 5000K LED luminaire 1074000520 Lighting Technologies (or equivalent) GID1863582 SAP ERP 1011111265	Power: at least 57 W Luminous flux: at least 7200 lm Color temperature 5000K Power factor not less than 0.90 Supply voltage 230 V AC 50 Hz Environmental rating UHL2 Protection rating: at least IP65 Installation length: 1040 mm Operation with a backup power supply — at least 1 hour	pcs	27	10/30/2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetikov Street, Building 6	The warranty period is at least 24 months from the date the products are accepted at the buyer's warehouse	27.40.39.110 Other lamps and lighting fixtures not included in other groups

15.	CL-201CD-104502 or equivalent GID 3286335 SAP ERP 1011371957	Supply voltage not exceeding 220 V. Power not less than 32 W. Protection rating: at least IP 44/	Qty	256	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.25.123 Electric lighting fixtures— suspended, ceiling-mounted, recessed, and wall-mounted— designed for use with LED lamps and other LED light sources, without a built-in rechargeable battery or battery-powered operating mode
16.	Linear luminaire GL - 481CD-101536 or equivalent GID3295663 SAP ERP 1011373665	Supply voltage not exceeding 220 V. Power rating not less than 52 W. Protection rating: at least IP 67	pcs	223	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetikov Street, Building 6	The warranty period is at least 24 months from the date the products are accepted at the buyer's warehouse	27.40.25.123 Electric lighting fixtures— suspended, ceiling-mounted, recessed, and wall-mounted— designed for use with LED lamps and other LED light sources, without a built-in rechargeable battery or battery-powered

								mode

17.	Light fixture CL-207AD-105006 20W IP44 AMEO or equivalent GID 3178148 SAP ERP 1051354549	Supply voltage not exceeding 220 V. Power rating not less than 20 W. Protection rating: at least IP 44	pcs	300	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetiko Street, Building 6	Warranty period of at least 24 months from the date of acceptance of the products at the buyer's warehouse	27.40.39.113 Lamps and lighting fixtures, not included in other groups, designed for use with LED lamps and other LED light sources
18.	Linear luminaire GL-250CD-100580 or equivalent GID 3294090 SAP ERP 1011373163	Supply voltage not exceeding 220 V. Power not less than 21 W. Protection rating: at least IP 67	pcs	185	October 30, 2025 with the right to early delivery	Chukotsky AO, Pevek, PATES, Energetikov Street, Building 6	The warranty period is at least 24 months from the date the products are accepted at the buyer's warehouse	27.40.25.123 Electric lighting fixtures— suspended, ceiling-mounted, recessed, and wall-mounted— designed for use with LED lamps and other LED light sources, without a built-in rechargeable battery or battery-powered operating mode