



+ New Item

Build History

Build Queue ▾

No builds in the queue.

Build Executor Status 0/2 ▾



Add description

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job +

Set up a distributed build

Set up an agent

Configure a cloud

Learn more about distributed builds

REST API Jenkins 2.541.2



functionality of Jenkins.

Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

Clouds
Add, remove, and configure cloud instances to provision agents on-demand.

Appearance
Configure the look and feel of Jenkins

Security

Security
Secure Jenkins; define who is allowed to access/use the system.

Credentials
Configure credentials

Credential Providers
Configure the credential providers and types

Users
Create/delete/modify users that can log in to this Jenkins.

Status Information

System Information
Displays various environmental information to assist trouble-shooting.

System Log
System log captures output from `java.util.logging` output related to Jenkins.

Load Statistics
Check your resource utilization and see if you need more computers for your builds.

About Jenkins
See the version and license information.

Agents

TCP port for inbound agents ?

- ☐ Fixed
- ☒ Random
- ☐ Disable

CSRF Protection

Crumb Issuer

Default Crumb Issuer

☐ Enable proxy compatibility ?

Git plugin notifyCommit access tokens

Current access tokens ?


There are no access tokens yet.

Save

Apply



Jenkins / Manage Jenkins ▾ / Nodes



Nodes

+ New Node

Configure Monitors



S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	Built-In Node	Windows 11 (amd64)	In sync	99.83 GiB	12.81 GiB	99.83 GiB	0ms
	Data obtained	20 min	20 min	20 min	20 min	20 min	20 min

Icon: S M L

Legend



Jenkins / Manage Jenkins ▾ / Nodes ▾ / New node



New node

Node name

Slave

Type

☒ Permanent Agent

Adds a plain, permanent agent to Jenkins. This is called "permanent" because Jenkins doesn't provide higher level of integration with these agents, such as dynamic provisioning. Select this type if no other agent types apply — for example such as when you are adding a physical computer, virtual machines managed outside Jenkins, etc.

Create

Name ?

Slave

Description ?

Plain text: Preview

Number of executors ?

2

Remote root directory ?

C:\B2

Labels ?

S1

Usage ?

Use this node as much as possible

Launch method ?

Launch agent by connecting it to the controller

Availability ?

Save

Nodes

+ New Node

Configure Monitors

S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	Built-In Node	Windows 11 (amd64)	In sync	99.83 GiB	12.81 GiB	99.83 GiB	0ms
	Slave		N/A	N/A	N/A	N/A	N/A
Data obtained		3 ms	3 ms	0 ms	1 ms	27 min	1 ms

Icon: S M L

Legend



Jenkins

Manage Jenkins ▾ / Nodes ▾ / Slave



Status

Agent Slave

Add description

Mark this node temporarily offline

Delete Agent

Configure

Build History

Load Statistics

Log

Selenium node Management

Run from agent command line: (Unix)

```
curl -sO http://localhost:8080/jnlpJars/agent.jar
java -jar agent.jar -url http://localhost:8080/ -secret 254351276394b121969621f1358f4031b5959e849c14bde3ba850cd783234c9d -name Slave -webSocket -workDir "C:\B2"
```

Run from agent command line: (Windows)

```
curl.exe -sO http://localhost:8080/jnlpJars/agent.jar
java -jar agent.jar -url http://localhost:8080/ -secret 254351276394b121969621f1358f4031b5959e849c14bde3ba850cd783234c9d -name Slave -webSocket -workDir "C:\B2"
```

Build Executor Status

0/2 ▾

Command Prompt - java -jar X

Microsoft Windows [Version 10.0.22631.4317]
(c) Microsoft Corporation. All rights reserved.

```
C:\Users\MOAD>curl.exe -sO http://localhost:8080/jnlpJars/agent.jar & java -jar agent.jar -url http://localhost:8080/ -secret 254351276394b121969621f1358f4031b5959e849c14bde3ba850cd783234c9d -name Slave -webSocket -workDir "C:\B2"
Mar 09, 2026 10:53:14 AM org.jenkinsci.remoting.engine.WorkDirManager initializeWorkDir
INFO: Using C:\B2\remoting as a remoting work directory
Mar 09, 2026 10:53:14 AM org.jenkinsci.remoting.engine.WorkDirManager setupLogging
INFO: Both error and output logs will be printed to C:\B2\remoting
Mar 09, 2026 10:53:14 AM hudson.remoting.Launcher createEngine
INFO: Setting up agent: Slave
Mar 09, 2026 10:53:14 AM hudson.remoting.Engine startEngine
INFO: Using Remoting version: 3345.v03dee9b_f88fc
Mar 09, 2026 10:53:14 AM org.jenkinsci.remoting.engine.WorkDirManager initializeWorkDir
INFO: Using C:\B2\remoting as a remoting work directory
Mar 09, 2026 10:53:14 AM hudson.remoting.Launcher$Cuilistener status
INFO: WebSocket connection open
Mar 09, 2026 10:53:14 AM hudson.remoting.Launcher$Cuilistener status
INFO: Connected
```

New Item

Enter an item name

MasterSlave

Select an item type



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Maven project

Build a maven project. Jenkins takes advantage of your POM files and drastically reduces the configuration.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.



Multibranch Pipeline

Creates a set of Pipeline projects according to detected branches in one SCM repository.



Organization Folder

Creates a set of multibranch project subfolders by scanning for repositories.

OK

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

General

Enabled

Description

Plain text [Preview](#)☐ Commit agent's Docker container ?☐ Define a Docker template☐ Discard old builds ?☐ GitHub project☐ This project is parameterized ?☐ Throttle builds ?☐ Execute concurrent builds if necessary ?☒ Restrict where this project can be run ?

Label Expression ?

S1

Label S1 matches 1 node. Permissions or other restrictions provided by plugins may further reduce that list.

Advanced

Save

Apply

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Connect and manage your code repository to automatically pull the latest code for your builds.

☒ None

☐ Git ?

☐ Gradle Repo

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

☐ Trigger builds remotely (e.g., from scripts) ?

☐ Build after other projects are built ?

☒ Build periodically ?

Schedule ?

⚠ No schedules so will never run

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

☐ Inspect build log for published build scans

☐ Terminate a build if it's stuck

☐ With Ant ?

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Execute Windows batch command ?

Command

See the list of available environment variables

echo "Hello"

Advanced ▾

+ Add build step

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

+ Add post-build action

Save

Apply



Jenkins / Master Slave11 / #4

Status

Changes

Console Output

Edit Build Information

Delete build '#4'

Timings

Previous Build

Console

```
Started by user B2
Running as SYSTEM
Building remotely on Slave (S1) in workspace C:\DevOps 2026\workspace\Master Slave11
[Master Slave11] $ cmd /c call C:\Users\Lenovo\AppData\Local\Temp\jenkins10815159203238220688.bat

C:\DevOps 2026\workspace\Master Slave11>echo " Hello "
" Hello "

C:\DevOps 2026\workspace\Master Slave11>exit 0
Finished: SUCCESS
```



Jenkins / Master Slave

Status

Changes

Workspace

Build Now

Configure

Delete Project

Rename



Master Slave

Permalinks

- Last build (#4), 1 min 59 sec ago
- Last stable build (#4), 1 min 59 sec ago
- Last successful build (#4), 1 min 59 sec ago
- Last completed build (#4), 1 min 59 sec ago