

SKaMP. Tests

The goal of this report is to provide information on the performed testing of data acquisition and data pre-processing.

GitHub repository: <https://github.com/salveendutt/Big-Data-Analytics>.

1 Data acquisition

Test objective	Steps	Expected Result	Actual Result
Verify data incoming from stream API	1. Start the server using start_containers.bat; 2. Navigate to http://localhost:5000	Incoming data is available on /data/0	Passed. The screenshot is provided in Fig.1 and Fig.2
Verify correct setup of the stream	Run 'pytest' from the root folder	Data stream is configured as expected; Incoming data is not null; Returned status code - 200	PASSED. The screenshot is provided in Fig. 3

Table 1: Data acquisition tests




Figure 1: Data incoming via the stream




Figure 2: Kafka Dataset1




Figure 3: Kafka Dataset2




Figure 4: Kafka Dataset3

```
cassandra@cqlsh:transactions> select * from dataset1;
```

step	nameorig	amount	isflaggedfraud	isfraud	namedest	newbalancedest	newbalanceorig	oldbalanceorg	type
308	C1271426277	8790.47	0	0	M894155590	0.0	90308.53	0.0	PAYMENT
255	C811207725	467230.23	0	0	C44881505	2595549.49	0.0	49268.0	CASH_OUT
476	C1941387835	6764872.7	0	0	C1776296807	14253058.83	0.0	0.0	TRANSFER
373	C1252613171	567.6	0	0	M1731181881	0.0	20247.4	0.0	PAYMENT
619	C846225384	5842.46	0	0	C1125659327	55710.28	2487896.16	2482053.7	CASH_IN
178	C957709052	471495.44	0	0	C1597145256	2694271.24	7736623.8	3165766.68	CASH_IN
374	C360354097	141001.55	0	0	C658412810	9680246.55	0.0	9539245.0	TRANSFER
237	C1471684960	388343.92	0	0	C330275006	269101.34	5501251.43	657445.26	CASH_IN

Figure 5: Cassandra Dataset1

```
(3 rows)
cqlsh:transactions> SELECT * from dataset2;
```

distance_from_home	fraud	distance_from_last_transaction	online_order	ratio_to_median_purchase_price	repeat_retailer	used_chip	used_pin_number
10.0507045268	0.0	3.2548958564	1.0	1.7960398115	1.0	1.0	0.0
7.985095175	1.0	0.2846035856	1.0	10.3704160997	1.0	0.0	0.0
90.2713991962	0.0	1.4321074101	1.0	0.2900795345	1.0	1.0	1.0
129.0520429665	1.0	0.2886626647	1.0	4.4808100385	1.0	0.0	0.0
51.1519271851	0.0	4.9312800939	1.0	0.3240061986	1.0	0.0	1.0
19.1324294511	0.0	0.2513138846	1.0	0.2080500669	1.0	0.0	0.0
45.0485623736	0.0	0.063915503	1.0	0.3757732925	1.0	0.0	1.0
4.4410903729	0.0	3.6048193055	1.0	0.287497916	1.0	0.0	0.0
5.7715215211	0.0	0.9574837930000001	0.0	1.3188833977	1.0	0.0	0.0
5.1495384823	0.0	6.3765496903	0.0	0.11576361500000001	1.0	0.0	0.0
2.1308463022	0.0	1.9517062237	1.0	0.3579234811	1.0	0.0	0.0
108.3779250873	1.0	0.024877556300000003	1.0	0.8503891753	1.0	0.0	0.0

Figure 6: Cassandra Dataset2

```
(32 rows)
cqlsh:transactions> SELECT * from dataset3;
```

transaction_id	amt	bin	customer_id	entry_mode	fraud	fraud_scenario	post_ts
terminal_id							
_RZUGN1zTsSAaJtwL9f8Qg	31.07	375601	C00002263	Chip	0	0	2023-05-09 00:
53:27 T001006							
1oLNFTCKRwqqIKoFVZnGSw	53.26	375563	C00002135	Contactless	0	0	2023-02-07 19:
12:22 T001059							
ZqaSNo-jR9CpT01pzhabbw	74.4	364878	C00001018	Chip	0	0	2023-04-04 18:
51:20 T001075							
pbybsk0pSy-w0ZEK1y98kQ	73.17	510051	C00003620	Contactless	0	0	2023-05-18 04:
42:25 T001020							
uMCeVBR7ShWbn2EIJt06jg	68.45	375561	C00001752	Swipe	0	0	2023-02-20 09:
27:44 T001035							
KADnMvCYSGtKlaLFdbYRMQ	26.53	412657	C00005222	Chip	0	0	2023-04-27 12:
02:33 T001067							
2qnmHEM4STKh9TCT0CoShw	91.15	465008	C00004565	Chip	0	0	2023-04-22 14:
54:36 T001031							
jkFTYEzvQmK7bh0L5BzLXQ	78.01	360043	C00002356	Swipe	0	0	2023-06-28 04:
46:24 T001008							
pz2x8c-0QKySksukurLP-A	19.54	518772	C00005161	Swipe	0	0	2023-02-17 09:
21:37 T001097							

Figure 7: Cassandra Dataset3

2 Data pre-processing

Test objective	Steps	Expected Result	Actual Result
Verify correct data pre-processing of dataset 1	Run 'pytest' from the root folder	Feature 'type' is correctly transformed into numeric value (5 cases); Feature 'is-Merchant' is correctly prepared (2 cases)	PASSED. The screenshot is provided in Fig. 3
Verify correct data pre-processing of dataset 2	Run 'pytest' from the root folder	Numeric boolean values are transformed to int from float (4 cases)	PASSED. The screenshot is provided in Fig. 3
Verify correct data pre-processing of dataset 3	Run 'pytest' from the root folder	Feature 'entry_mode' is correctly transformed into numeric value (4 cases); Unnecessary features are omitted.	PASSED. The screenshot is provided in Fig. 3
Verify correct data pre-processing of dataset 4	Run 'pytest' from the root folder	Features 'Amount', 'Class' are renamed to 'amount' and 'is-Fraud'; Extra features are removed	PASSED. The screenshot is provided in Fig. 3

Table 2: Data pre-processing tests

```

===== test session starts =====
platform win32 -- Python 3.13.0, pytest-8.3.3, pluggy-1.5.0 -- C:\ProgramFiles\Anaconda3\envs\bigdata13\python.exe
cachedir: .pytest_cache
rootdir: C:\home\WUT\Semester_3\BigData\Big-Data-Analytics
collected 12 items

services/streaming_simulation/test_streaming_simulation.py::StreamingSimulationTestCase::test_data_stream PASSED [ 8%]
tests/data_utils/test_utils.py::test_preprocess_1_payment PASSED [ 16%]
tests/data_utils/test_utils.py::test_preprocess_1_cash_in PASSED [ 25%]
tests/data_utils/test_utils.py::test_preprocess_1_cash_out PASSED [ 33%]
tests/data_utils/test_utils.py::test_preprocess_1_debit PASSED [ 41%]
tests/data_utils/test_utils.py::test_preprocess_1_unknown PASSED [ 50%]
tests/data_utils/test_utils.py::test_preprocess_row_2 PASSED [ 58%]
tests/data_utils/test_utils.py::test_preprocess_3_contactless PASSED [ 66%]
tests/data_utils/test_utils.py::test_preprocess_3_chip PASSED [ 75%]
tests/data_utils/test_utils.py::test_preprocess_3_swipe PASSED [ 83%]
tests/data_utils/test_utils.py::test_preprocess_3_unknown PASSED [ 91%]
tests/data_utils/test_utils.py::test_preprocess_row_4 PASSED [100%]

===== 12 passed in 0.57s =====

```

Figure 8: Unit testing result

Unit testing is included in the CI/CD pipeline on GitHub and must be successful before any merge into the main branch.




Figure 9: GitHub checks before merge