

# Report from Jan 9, 2026, 2:19:03 AM

https://dev.salvemundi.nl/

Analyze



Discover what your real users are experiencing

 No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

 0–49    50–89    90–100




[Expand view](#)


METRICS


 First Contentful Paint  
**2.6 s**


 Total Blocking Time  
**30 ms**


 Speed Index  
**2.7 s**


 Largest Contentful Paint  
**2.6 s**


 Cumulative Layout Shift  
**0.021**


 Captured at Jan 9, 2026, 2:19 AM GMT+1


 Emulated Moto G Power with Lighthouse 13.0.1

 [Single page session](#)

 Initial page load

 [Slow 4G throttling](#)

 [Using HeadlessChromium 137.0.7151.119 with Ir](#)



Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Render blocking requests — Est savings of 2,220 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#) [Unscored](#)

☒ Show 3rd-party resources (1)

salvemundi.nl <a href="#">1st Party</a>	103.4 KiB	1,800 ms
...css/c396...f8edc.css (dev.salvemundi.nl)	98.3 KiB	1,200 ms
...css/ea0f30e41dec9c33.css (dev.salvemundi.nl)	2.9 KiB	150 ms
...css/d14bbe1dcc1b44d4.css (dev.salvemundi.nl)	2.2 KiB	450 ms
Google Fonts <a href="#">Cdn</a>	1.1 KiB	780 ms
URL	Transfer Size	Duration

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. [Unscored](#)

...chunks/35-b4372bbe9caa7342.js:1:21735 (dev.salvemundi.nl)	1 ms
...app/layout-b37a67a58f85527b.js:1:2793 (dev.salvemundi.nl)	1 ms
...chunks/35-b4372bbe9caa7342.js:1:127253 (dev.salvemundi.nl)	43 ms
...chunks/35-b4372bbe9caa7342.js:1:132462 (dev.salvemundi.nl)	17 ms
...chunks/35-b4372bbe9caa7342.js:1:81862 (dev.salvemundi.nl)	3 ms

Source

Total reflow time

▲ LCP request discovery

^

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

- ✓ lazy load not applied
- ✗ fetchpriority=high should be applied
- ✓ Request is discoverable in initial document

▲ Network dependency tree

∨


■ Use efficient cache lifetimes — Est savings of 5 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP FCP Unscored

salvemundi.nl 1st Party	6 KiB
...cloudflare-static/rocket-loader.min.js (dev.salvemundi.nl)	47m 47s 4 KiB

Request		Cache TTL	Transfer Size
Reducing the download time of images can improve the perceived load time of the page and LCP. <a href="#">Learn more about optimizing image size</a> <span>LCP</span>			
<span>FCP</span> <span>Unscored</span>			
salvemundi.nl	<span>1st Party</span>	445.3 KiB	430.5 KiB
https://ssceindhoven.tue.nl/ 		290.4 KiB	289.9 KiB
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.			24.9 KiB
This image file is larger than it needs to be (1862x876) for its displayed dimensions (85x40). Use responsive images to reduce the image download size.			289.8 KiB
https://www.fontys.nl/ 		55.1 KiB	54.8 KiB
This image file is larger than it needs to be (1200x606) for its displayed dimensions (79x40). Use responsive images to reduce the image download size.			54.8 KiB
https://deborrelbar.com/eindhoven/ 		40.9 KiB	40.4 KiB



```

```

This image file is larger than it needs to be (700x364) for its displayed dimensions (77x40). Use responsive images to reduce the image download size.

40.4 KiB

/ next/image?url=... (dev.salvemundi.nl)

48.7 KiB

35.4 KiB

This image file is larger than it needs to be (750x472) for its displayed dimensions (380x253). Use responsive images to reduce the image download size.

35.4 KiB

<https://hubble.cafe/>

![https://hubble.cafe/](/api/assets/8329f772-7210-4cdd-bfbf-59c8ce9c61ad)

```
...assets/8329f772-7210-4cdd-bfbf-59c8ce9c61ad (dev.salvemundi.nl)
```

10.3 KiB

10.0 KiB

URL

### Resource Size

### Est Savings

for its displayed dimensions (40x40). Use responsive images to reduce the image download size.

9.9 KiB

- Legacy JavaScript — Est savings of 12 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most](#)

salvemundi.nl 1st Party 11.5 KiB

...chunks/5964-2866bd979...f.js (dev.salvemundi.nl)		11.5 KiB
...chunks/5964-2866bd979...f.js:1:102399 (dev.salvemundi.nl)	Array.prototype.at	
...chunks/5964-2866bd979...f.js:1:101787 (dev.salvemundi.nl)	Array.prototype.flat	
...chunks/5964-2866bd979...f.js:1:101900 (dev.salvemundi.nl)	Array.prototype.flatMap	
...chunks/5964-2866bd979...f.js:1:102276 (dev.salvemundi.nl)	Object.fromEntries	
...chunks/5964-2866bd979...f.js:1:102534 (dev.salvemundi.nl)	Object.hasOwn	
...chunks/5964-2866bd979...f.js:1:101529 (dev.salvemundi.nl)	String.prototype.trimEnd	

URLWasted bytes

	URL	Resource Size	Est Savings
<input type="radio"/>			
<input type="radio"/>	LCP breakdown		▼
<input type="radio"/>	3rd parties		▼

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused CSS — Est savings of 96 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP Unscored

URL	Transfer Size	Est Savings
-----	---------------	-------------

▲ Minimize main-thread work — 2.5 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Style & Layout	1,350 ms
Script Evaluation	624 ms
Other	315 ms
Script Parsing & Compilation	109 ms
Rendering	95 ms
Category	Time Spent


■ Image elements do not have explicit width and height

^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

salvemundi.nl	1st Party
---------------	-----------





```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

https://ssceindhoven.tue.nl/

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

https://ssceindhoven.tue.nl/

``

...assets/ddcedd3d-c977-40c7-914d-  
c872747afbb0 (dev.salvemundi.nl)

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

```
https://ssceindhoven.tue.nl/
```

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

```
https://ssceindhoven.tue.nl/
```

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

```
https://ssceindhoven.tue.nl/
```

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

```
https://ssceindhoven.tue.nl/
```

```

```

```
...assets/ddcedd3d-c977-40c7-914d-
c872747afbb0 (dev.salvemundi.nl)
```

```
https://www.fontys.nl/
```

```

```

```
...assets/97d293c6-4f04-4c7f-a055-
3c86441458eb (dev.salvemundi.nl)
```

```
https://www.fontys.nl/
```

```

```

```
...assets/97d293c6-4f04-4c7f-a055-
3c86441458eb (dev.salvemundi.nl)
```

```
https://www.fontys.nl/
```

```

```

```
...assets/97d293c6-4f04-4c7f-a055-
3c86441458eb (dev.salvemundi.nl)
```

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`https://www.fontys.nl/`

``

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

`...assets/97d293c6-4f04-4c7f-a055-  
3c86441458eb (dev.salvemundi.nl)`

```

```

...assets/97d293c6-4f04-4c7f-a055-3c86441458eb (dev.salvemundi.nl)

 Mobile  Desktop

```
src="/api/assets/97d293c6-4f04-4c7f-a055-3c86441458eb">
```



```
class="sponsor-logo" loading="lazy"
src="/api/assets/fbd0124b-9df1-4dbf-8222-f199f949cb25">
```

URL

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

URL

```
src="/api/assets/fbd0124b-9df1-4dbf-8222-f199f949cb25">
```

https://deborrelbar.com/eindhoven/

```

```

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

https://deborrelbar.com/eindhoven/

```

```

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

https://deborrelbar.com/eindhoven/

```

```

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

https://deborrelbar.com/eindhoven/

```

```

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

```

```

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

https://deborrelbar.com/eindhoven/

```

```

...assets/fbd0124b-9df1-4dbf-8222-f199f949cb25 (dev.salvemundi.nl)

■ Reduce unused JavaScript — Est savings of 125 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). LCP FCP Unscored

URL	Transfer Size	Est Savings
salvemundi.nl <span>1st Party</span>	186.6 KiB	125.0 KiB
...chunks/9213-3a6d961c7de2b60f.js (dev.salvemundi.nl)	74.5 KiB	54.6 KiB
...chunks/35-b4372bbe9caa7342.js (dev.salvemundi.nl)	49.7 KiB	25.2 KiB
...chunks/13633bf0-4ca2ba09217d307d.js (dev.salvemundi.nl)	24.6 KiB	23.5 KiB
...chunks/13-b5903f53be5747e6.js (dev.salvemundi.nl)	37.9 KiB	21.7 KiB

○ Avoid long main-thread tasks — 2 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

...chunks/5964-2866bd979...f.js (dev.salvemundi.nl)	5,949 ms	110 ms
...chunks/main-app-7bd318ff7dcde053.js (dev.salvemundi.nl)	5,897 ms	52 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (12)

Show

URL



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

-  Background and foreground colors do not have a sufficient contrast ratio.





These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (24)

Show

NOT APPLICABLE (35)

Show

URL



Best Practices

TRUST AND SAFETY

- ☐

Ensure CSP is effective against XSS attacks

▼
- ☐

Use a strong HSTS policy

▼

The Cross-Origin-Opener Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

		URL	Severity
Description			
No frame control policy found			High

☐ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (13) Show



SEO

URL

score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- ☐ Structured data is valid



Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Show

More on PageSpeed Insights

- What's new
- Documentation
- Learn about Web Performance
- Ask questions on Stack Overflow
- Mailing list

Related Content

- Updates
- Web Fundamentals
- Case Studies
- Podcasts

Connect

- Twitter
- Youtube

URL