

Name: Pranav M. Salve

Roll NO: 55

Batch: I3

Sem: 7/ IT

Subject: ISLAB.

DOP	Doc	Marks	Sign

## Min-Max algorithm

### Min-Max algorithm

Min-Max algorithm is a recursive or backtracking algo which is used in decision-making and game theory.


It provides an optimal move for the player assuming that opponent is also playing optimally.

- Min Max algo uses recursion to search through the game-tree.
- In this algo two players play the game. One is called Max and other is called Min.
- Min-Max algo is mostly used for game playing in AI.

#### - Step 1:-

Let's take A is initial state of a tree.

Suppose maximizes takes first turn which has worst-case initial value: initially infinity and minimize will take next turn which has worst case initial value  $-\infty$ .



Step 2:

First we find the value for Maximizer, its initial value is  $-\infty$ , so we will compare each value in terminal state with initial value of Maximizers and determines the highest nodes value. It will find the Maximum among all.


For node D:  $\text{Max}(6, -\infty) \Rightarrow \text{Max}(6, 2) = 6$

For node E:  $\text{Max}(4, -\infty) \Rightarrow \text{Max}(4, -7) = 4$

For node F:  $\text{Max}(-4, -\infty) \Rightarrow \text{Max}(-4, -16) = -4$

For node G:  $\text{Max}(-17, -\infty) \Rightarrow \text{Max}(-17, -15) = -15$






Step 3 :-

in the next step, it is a turn for minimize  
so it will compare all nodes value with two & will find the 3<sup>rd</sup> layer node value.

For node B -  $\text{Min}(6, 4) = 4$


For node C -  $\text{Min}(-4, -15) = -4$



Step 4 :

Now its a turn for maximizes and it will again choose the maximum of all nodes value and find the maximum value for the root node.

For node A :  $\text{Max}(4, -4) = 4$



Hence, it is the complete workflow of the minmax algorithm with two player game.