Clinical Registries to Schemas | No ✕ | CH_MTC_Alzheimers_DataDictiona ✕

https://docs.google.com/spreadsheets/d/1Ribhnjqb3VpbsI16QNno_9k8rUVN0_Bh/edit?gid=1203118584#gid=1203118584

CH_MTC_Alzheimers_DataDictionary XLSX

File Edit View Insert Format Data Tools Gemini Help

Menus 100% $ % .0 .00 123 Calibri 11

Category

Summarize this data

Category	Variable	Description	Table	Column(s)	Criteria	Values	Distribution	Completeness (% Patient)	Extraction Type	Notes
Demographics	Ethnicity	The patient's self-identified ethnicity, distinguishing Hispanic/Latino orig	person	ethnicity_concept_name		Hispanic or Latino, Not Hispanic or Latino	N/A: 98.8 Not Hispanic or Latino: 1.2	1%	Structured	*Ethnicity is not reliably recorded; we are discussing potential ways to infer this with the clinic*
Demographics	Race	The patient's self-identified racial category, used for demographic classif	person	race_concept_name		White, Asian, Black or African American, Italian, N/A	Asian: 0.2, White: 0.1, N/A: 99.3, Black or African American: 0.2, Italian: 0.1	0.70%	Structured	*Race is not reliably recorded; we are discussing potential ways to infer this with the clinic*
Demographics	Sex	The patient's biological sex at birth.	person	gender_concept_name		Female, Male	N/A: 0.9% M: 43.9% F: 55.1%	99.10%	Structured	
Demographics	Birth Year	The year the patient was born, used for age calculation.	person	year_of_birth			Min: 1934, Q1: 1944, Median: 1948, Q3: 1952, Max: 1997	100%	Structured	
Demographics	ZIP code (first 3 digits)	The first 3 digits of the patient zip code	location	zip		006,014,017,021,023,024,025,026,027,028,030,038,040,042,046,060,063,064,065,070,077,078,085,086,087,105,109,112,115,117,119,121,123,125,130,136,140,141,144,148,150,153,160,184,190,194,199,214,230,231,234,237,254,276,279,282,285,292,294,295,296,300,301,304,305,306,310,311,313,315,316,317,320,321,322,323,325,326,327,328,329,330,331,334,335,336,337,338,339,341,342,344,346,347,349,363,368,371,378,383,385,391,400,405,409,410,430,435,440,441,442,447,450,452,453,455,461,463,465,466,468,469,472,480,481,483,484,486,490,491,494,497,501,510,524,531,545,546,548,550,554,577,580,600,601,604,605,606,609,615,617,620,625,627,630,631,633,640,641,700,741,763,773,805,815,837,840,841,880,890,891,894,895,897,902,905,952,961,980,998	*Top 5 categories by percentage:* 320: 18.1%, 321*: 3.7%, 322*: 20.1%, 339*: 23.2%, 341*: 26.1%,	100%	Structured	
Demographics	Payer Type	The category of entity responsible for covering a patient's healthcare co	payer_plan_period	payer_concept_name		FLORIDA MEDICARE, FLORIDA BLUE SHIELD, AARP SUPPLEMENTAL, UNITED HEALTHCARE-87726, AETNA MED ADVANTAGE, AARP MEDICARE COMPLETE, TRICARE FOR LIFE, HUMANA MEDICARE, FLORIDA BLUE MEDICARE SUPPLEMENT, AETNA, AARP MEDICARE COMP-WELM2, FLORIDA BLUE MED ADVANTAGE, CIGNA PPO, BLUE CROSS BLUE SHIELD, TRICARE EAST, MUTUAL OF OMAHA, UNITED AMERICAN INSURANCE COMPANY, VETERANS COMMUNITY CHOICE NETWORK, HUMANA, AETNA SENIOR SUPPLEMENTAL INSURANCE, BANKERS LIFE AND CASUALTY HEALTH, UNITED MEDICAL RESOURCES, CIGNA SUPPLEMENTAL, USAA, WELLMED, RAILROAD MEDICARE, SELF PAY, CHAMPVA, AMBETTER HEALTH, COLONIAL PENN LIFE	*Top 5 categories by percentage:* FLORIDA MEDICARE: 38.8% AARP SUPPLEMENTAL*: 12.4% FLORIDA BLUE SHIELD*: 6.7% FLORIDA BLUE MEDICARE SUPPLEMENT*: 5.9% AARP MEDICARE COMPLETE*: 4.8%	100%	Structured	
Demographics	Languages	The primary language of the patient.	observation	value_as_concept_name	observation_concept_name = 'Language'	English, Spanish, Acoli	English: 99.7% Acoli: 0.1% Spanish: 0.1%	89%	Structured	
Demographics	Marital Status	The marital status of the patient	observation	value_as_concept_name	observation_concept_name = 'Patient marital status'	SINGLE, MARRIED, UNKNOWN, WIDOWED, DIVORCED, LEGALLY SEPARATED	SINGLE: 78.4% MARRIED: 14.6% UNKNOWN: 6.3% WIDOWED: 0.5% DIVORCED: 0.1%	99.10%	Structured	
Demographics	Sexual Orientation	The sexual orientation of the patient	observation	value_as_concept_name	observation_concept_name = 'Sexual orientation'	Straight / Heterosexual, Decline to answer, Something else	Decline to answer: 33.3%, Something else: 33.3%, Straight / Heterosexual: 33.3%	0.40%	Structured	
Vitals	Blood pressure	Sitting blood pressure values taken at the office visit.	observation	value_as_string	observation_concept_name = 'Sitting blood pressure'	*Too many to display, showing top 50:* 120/70,110/70,130/80,140/80,128/84,110/84,110/74,128/86,118/72,128/80,150/80,120/80,130/78,132/80,128/82,130/70,122/80,128/76,122/84,136/82,122/72,132/86,138/80,118/78,130/82,128/72,128/70,126/80,118/84,120/76,124/86,110/64,110/60,142/86,132/78,126/76,142/80,122/76,124/82,130/86,138/82,132/82,138/78,118/76,124/74,124/68,116/70,126/74,138/84,130/74	*Top 5 categories by percentage:* 120/70: 1.1% 110/70: 1% 130/80: 0.9% 140/80: 0.9% 128/84: 0.8%	94.40%	Structured	
Vitals	Temperature	The patient's temperature taken at the office visit	observation	value_as_number	observation_concept_name = 'Temperature'		Min: 95.7, Q1: 97.5, Median: 98.1, Q3: 98.2, Max: 99.3	41.90%	Structured	
Vitals	Heart rate	The patient's heart rate taken at the office visit	observation	value_as_number	observation_concept_name = 'Heart rate'		Min: 40 Q1: 63 Median: 71 Q3: 79 Max: 146	94.10%	Structured	

Analyze this data

Variables Tables Schema

Cal Registries to Schemas | No ✕ CH_MTC_Alzheimers_DataDictiona ✕
https://docs.google.com/spreadsheets/d/1Ribhnjqb3VpbsI16QNno_9k8rUVN0_Bh/edit?gid=1203118584#gid=1203118584
Alzheimers DataDictionary XLSX
View Insert Format Data Tools Gemini Help
Share
Summarize this data

	B	C	D	E	F	G	H	I	J	K
	spo2	The patient's peripheral oxygen saturation percentage	observation	value_as_number	observation_concept_name = 'Peripheral oxygen saturation'		Min: 48 Q1: 96 Median: 97 Q3: 98 Max: 100	94.20%	Structured	
	Body Weight	The patient's weight taken at the office visit (lbs)	observation	value_as_number	observation_concept_name = 'Body weight'		Min: 61, Q1: 135, Median: 159, Q3: 185, Max: 309	96.10%	Structured	
	Respiratory rate	The patient's respiratory rate taken at the office visit	observation	value_as_number	observation_concept_name = 'Respiratory rate'		Min: 11, Q1: 12, Median: 14, Q3: 16, Max: 27	1.20%	Structured	
	Patient Height	The patient's height recorded at the office visit (Feet, Inches)	observation	value_as_string	observation_concept_name = 'Patient height'		*Top 5 categories by percentage:* [5,10]: 10.1%, [5,4]: 9.1%, [5,2]: 8.1%, [5,8]: 7.7%, [5,6]: 7.5%	96.10%		
	Allergies	Observation of patient allergies	observation	value_as_concept_name		NKDA, Penicillins, Sulfa (Sulfonamides), Codeine, Latex, Morphine, Donepezil, Cipro, Amoxicillin, Aspirin, Iodine, Bactrim, Lisinopril, Adhesive, Tramadol, Levaquin, Shellfish, Erythromycin Base, Gabapentin, IVP Dye, Iodine Containing, Oxycodone, Augmentin, Atorvastatin, Doxycycline, Keflex, Tetracyclines, Clindamycin, Demerol, NSAIDS, Azithromycin, Iodine; Iodine Containing, Hydrocodone, Percocet, Ibuprofen, Adhesive Tape, Prednisone, Compazine, Naproxen, Rosuvastatin, Amlodipine, Macrobid, Rivastigmine, Levofloxacin, Cephalexin, Opioid Analgesics, erythromycin, Ciprofloxacin,	*Top 5 categories by percentage:* NKDA: 37.8% Penicillins": 7.1% Sulfa (Sulfonamides)": 6.5% Codeine": 3.3% Donepezil": "2.9%"	96.50%	Structured	
	Diagnosis	Medical diagnoses and conditions recorded for the patient.	condition_occurrenc	condition_concept_name		*Too many to display, showing top 50:* Mild cognitive impairment of uncertain or unknown etiology, Alzheimer's disease, unspecified, Other symptoms and signs involving cognitive functions and awareness, Alzheimer's disease with late onset, Vitamin D deficiency, unspecified, Hyperlipidemia, unspecified, Encounter for examination for normal comparison and control in clinical research program, Deficiency of other vitamins, Impaired cognition, Vitamin B deficiency, unspecified,	*Top 5 categories by percentage:* Alzheimer's disease with late onset: 16.4% Alzheimer's disease, unspecified: 9.0% Other symptoms and signs involving cognitive fu Encounter for examination for normal comparisc Mild cognitive impairment of uncertain or unknc	87.80%	Structured	
	Prescriptions	Medications and drug exposures recorded for the patient.	drug_exposure	drug_concept_name	drug_type_concept_name = 'EHR prescription'	memantine hydrochloride 10 MG Oral Tablet, donepezil hydrochloride 10 MG Oral Tablet, donepezil hydrochloride 5 MG Oral Tablet, 24 HR rivastigmine 0.192 MG/HR Transdermal System, sildenafil 50 MG Oral Tablet, rivastigmine 3 MG Oral Capsule, rivastigmine 1.5 MG Oral Capsule, CEREFOLIN NAC CAPLET, rosuvastatin calcium 20 MG Oral Tablet, 1.5 ML inclisiran 189 MG/ML Prefilled Syringe [Leqvio], 24 HR rivastigmine 0.396 MG/HR Transdermal System, rosuvastatin calcium 10 MG Oral Tablet, memantine hydrochloride 5 MG Oral Tablet, rosuvastatin calcium 5 MG Oral Tablet, 20 ML donanemab-azbt 17.5 MG/ML Injection [Kisunla], escitalopram 10 MG Oral Tablet, donepezil hydrochloride 10 MG Oral Tablet [Aricept], 2 ML lecanemab-irmb 100 MG/ML Injection [Leqembi], Amlodipine 5 MG Oral Tablet, atorvastatin 40 MG Oral Tablet, lamotrigine 25 MG Oral Tablet, apixaban 5 MG Oral Tablet [Eliquis], ubrogepant 100 MG Oral Tablet [Ubrelvy], gabapentin 300 MG Oral Capsule, aspirin 81 MG Chewable Tablet, e.g., 2 ML lecanemab-irmb 100 MG/ML Injection [Leqembi], 20 ML	*Top 5 categories by percentage:* memantine hydrochloride 10 MG Oral Tablet: 5.5 donepezil hydrochloride 10 MG Oral Tablet: 5.7% donepezil hydrochloride 5 MG Oral Tablet: 2.6% sildenafil 50 MG Oral Tablet: 2.6% 20 ML donanemab-azbt 17.5 MG/ML Injection [K	98.70%	Structured	
	Administrations	Administrations recorded for the patient	drug_exposure	drug_concept_name	drug_type_concept_name = 'EHR administration recor	donanemab-azbt 17.5 MG/ML Injection [Kisunla]		100%	Abstraction	*Abstraction in progre*

Analyze this data
Variables Tables Schema

Clinical Registries to Schemas | No ✕ | CH_MTC_Alzheimers_DataDictiona ✕

https://docs.google.com/spreadsheets/d/1Ribhnjqb3VpbsI16QNno_9k8rUVN0_Bh/edit?gid=1203118584#gid=1203118584

MTC_Alzheimers_DataDictionary .xlsx

Edit View Insert Format Data Tools Gemini Help

Treatment History

ent History	Administrations	Administrations recorded for the patient	drug_exposure	drug_concept_name	drug_type_concept_name = 'EHR administration recor	e.g., 2 ML lecanemab-irmb 100 MG/ML Injection [Leqembi], 20 ML donanemab-azbt 17.5 MG/ML Injection [Kisunla]		100%	Abstraction	*Abstraction in progress - available in March 2026*
	AB 42/ AB 40	Measures the ratio of amyloid beta 42 to amyloid beta 40 in blood, a bic	measurement	value_as_number	measurement_concept_name = 'Amyloid beta 42 peptide/Amyloid beta 40 peptide [Mass Ratio] in Plasma by LC/MS/MS'		Min: 0, Q1: 0.151, Median: 0.162, Q3: 0.175, Max: 0.285	48.20%	Structured	
	GFAP	Quantifies GFAP in blood, a marker of astrocyte activation and neuroinfl	measurement	value_as_number	measurement_concept_name = 'Glial fibrillary acidic protein [Mass/volume] in Plasma by immunoassay'		Min: 52.6 Q1: 90.7 Median: 105 Q3: 129 Max: 356	6.10%	Structured	
	AB 42	Measures circulating amyloid beta 42 levels in blood, which tend to decr	measurement	value_as_number	measurement_concept_name = 'Amyloid beta 42 peptide [Mass/volume] in Plasma'		Min: 0.079 Q1: 39 Median: 44 Q3: 53 Max: 125	76.80%	Structured	
	AB 40	Measures circulating amyloid beta 40 levels in blood, commonly used as	measurement	value_as_number	measurement_concept_name = 'Amyloid beta 40 peptide [Mass/volume] in Plasma'		Min: 13.47, Q1: 256, Median: 292, Q3: 337, Max: 856	75.80%	Structured	
	pTau-217	Measures blood levels of phosphorylated tau at position 217, a sensitive	measurement	value_as_number	measurement_concept_name = 'Tau protein.phosphorylated 217 [Mass/volume] in Serum or Plasma by immunoassay'		Min: 0.05 Q1: 0.24 Median: 0.42 Q3: 0.7 Max: 4.81	62.30%	Structured	
	NFL	Measures NfL in blood, a nonspecific marker of neuronal injury and neur	measurement	value_as_number	measurement_concept_name = 'Neurofilament light chain [Mass/volume] in Serum or Plasma by immunoassay'		Min: 1.45 Q1: 3.76 Median: 4.59 Q3: 4.87 Max: 12.2	6.20%	Structured	
	pTau-181	Measures blood levels of phosphorylated tau at position 181, a biomark	measurement	value_as_number	measurement_concept_name = 'Phosphorylated tau 181 [Mass/volume] in Plasma by immunoassay'		Min: 0.05 Q1: 0.98 Median: 1.37 Q3: 1.87 Max: 6.17	68.80%	Structured	
s	pTau-217/ AB42	The pTau-217/Beta Amyloid 42 Ratio can aid in the identification of amy	measurement	value_as_number	measurement_concept_name = 'Phosphorylated Tau 217 (pTau-217)/Beta Amyloid 42 Ratio'		Min: 0.005 Q1: 0.010 Median: 0.027 Q3: 0.037 Max: 0.066	2.60%	Structured	
s	Other Laboratory Measurem	The order, result, and value for any other laboratory tests taken by the p	measurement	value_as_number		*Too many to display, showing top 50:* C reactive protein [Mass/volume] in Serum or Plasma by High sensitivity method,Laboratory comment [Text] in Report Narrative,Homocysteine [Moles/volume] in Serum or Plasma,Lipoprotein.beta.subparticle [Entitic length] in Serum or Plasma,Phosphorylated tau 181 [Mass/volume] in Plasma	*Top 5 categories by percentage:* C reactive protein [Mass/volume] in Serum or Pl Laboratory comment [Text] in Report Narrative: (Homocysteine [Moles/volume] in Serum or Plasr Lipoprotein.beta.subparticle [Entitic length] in Se	85%	Structured	*350+ distinct labs are available in the raw data. These labs are not included in the sample dataset*
its	Visit Type and Date	The type of healthcare visit or encounter.	visit_occurrence	visit_concept_name		Office Visit, Telehealth, Diagnostic, Ambulatory Infusion Therapy Clinic/Center, Other	Office Visit: 54.4% Telehealth: 5.4%" Ambulatory Infusion Therapy Clinic / Center: 32. Diagnostic": 5.9% Other: 1.6%	99.40%	Structured	
ncomes	MoCA	A brief screening test that measures multiple cognitive domains (memor	observation	value_as_number				96.20%	Abstracted	*Abstraction in progress - available in March 2026* *Completeness measure: [illegible] based on NLP of clinical text w*

Variables Tables Schema

Summarize this data

Analyze this data

cal Registries to Schemas | No ✕ | CH_MTC_Alzheimers_DataDictiona ✕

https://docs.google.com/spreadsheets/d/1Ribhnjqb3VpbsI16QNno_9k8rUVN0_Bh/edit?gid=1203118584#gid=1203118584

_Alzheimers_DataDictionary .xlsx

View Insert Format Data Tools Gemini Help

Outcomes

	B	C	D	E	I	J	K
							Abstraction in progress - available in March 2026
	MoCA	A brief screening test that measures multiple cognitive domains (memor	observation	value_as_number	96.20%	Abstracted	Completeness measures are estimates based on NLP of clinical text with manual validation Abstraction in progress - available in March 2026
	MMSE	A widely used short cognitive test assessing orientation, recall, attention	observation	value_as_number	83.20%	Abstracted	Completeness measures are estimates based on NLP of clinical text with manual validation Abstraction in progress - available in March 2026
	FAQ	An informant-based questionnaire that evaluates a patient's ability to pe	observation	value_as_number	92.60%	Abstracted	Completeness measures are estimates based on NLP of clinical text with manual validation Abstraction in progress - available in March 2026
	CDR	A clinician-rated staging scale that summarizes dementia severity across	observation	value_as_number	35.60%	Abstracted	Completeness measures are estimates based on NLP of clinical text with manual validation Abstraction in progress - available in March 2026
	ADL	Whether the patient can independently perform basic self-care tasks (e.	observation	value_as_number	3.60%	Abstracted	Completeness measures are estimates based on NLP of clinical text with manual validation Abstraction in progress - available in March 2026
	Dementia Severity Rating Scale	A 12-item, informant-based questionnaire used to assess the severity of	observation	value_as_number	21.20%	Abstracted	Completeness measures are estimates based on NLP of clinical text with manual validation Abstraction in progress - available in March 2026
	ARIA	Indication of increasing or stable ARIA-E and/or ARIA-H from the MRI Re	observation	value_as_concept_name	98%	Abstracted	Completeness measures are estimates based on the number of reports available Abstraction in progress - available in March 2026
	PET Scan Result	Indication of positive/ negative PET scan result	observation	value_as_concept_name	76.40%	Abstracted	Completeness measures are estimates based on the number of reports available
d	Clinical Note	The free text containing the office visit clinical note.	note	note_text		Unstructured	
d	EEG Report	The scanned PDF of the EEG report	document	document_type_concept_name		Unstructured	
d	MRI Report	The scanned PDF of the MRI report	document	document_type_concept_name		Unstructured	
d	PET Scan Report	The scanned PDF of the PET scan report	document	document_type_concept_name		Unstructured	
ed	Infusion Note	The free text or PDF of the infusion note.	document	document_type_concept_name		Unstructured	

Variables Tables Schema