

Instruction: Delete any examples in grey italic text that are not relevant/applicable to the study once the programming specification has been finalized

Section A: Data Source Selection			
Data source	Population Subset	Version	
Optum	Clinformatics Data Mart (CDM)	2025q2	

Section B: Define Study Time Periods					
Study Time Period	Label	Definition	Additional Notes	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)
STUDYPD	Full study period	01July2015 - 30June2025 (inclusive)	Full study time period		
ID_PD	Patient identification period	01Jan2016 - 30June2025 (inclusive)	Allows for 6mos lookback and no required minimum length of follow-up. ID_PD end at ends at the earliest of death or the end of the study period.		OK19012026
INDEX	Index date	Date of the patient's earliest qualifying multiple myeloma diagnosis date	Patients are required to have at least 1 inpatient cancer visit for multiple myeloma (ICD-9-CM=203.0x or ICD-10-CM code=C90.0x) or at least 2 outpatient visits in any position on claim, on separate days within 90 days, during identification period (Patients with 2 claims 30 or 60 days apart will also be flagged for consideration.) The index date is the date of the first medical claim for multiple myeloma. Diagnosis codes for MM are in tab 42. "MM dx code". Flags should also be made to distinguish which claims are non-diagnostic claims. A non-diagnostic claim refers to a claim for treatment of a condition (e.g., infusion) rather than diagnosis (see tab 49 "Diagnostic").		OK19012026
Baseline	Baseline period	The baseline period is fixed and is the six months before the index date.	Patients must have six months of CE with medical or pharmacy benefits before the index date. Patients with gaps in enrollment of ≤ 30 days are considered to be continuously enrolled Patients are only required to have ≥ 1 day of CE starting on the index date. Patients with gaps in enrollment of ≤ 30 days are considered to be continuously enrolled; consider medical and/or pharmacy benefits. Follow up period ends the earliest of death or the end of the study period (30June2025).		OK19012026

A	B	C	D	E	F	G	H	I
	FU_PD							
15								
16								
17	e.g., PST24	e.g., 24-month post-index period	e.g., INDEX DT through INDEX DT +730					
18	etc.							
19								
20								
21								
22								

Section C: Source Data Preparation

Instruction: Section C should ONLY be used to document decisions to the source data before the analytic file build. If decisions apply to a variable in the analytic file, document in the								
#	Source Table/Variable	Situation Requiring Resolution	Action	Reasoning / Comments	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)		
1	Days to months conversion	Assuming 30.4375 day per month	3 months = 91 days, 6 months=183 days, 9 months=274 days, 12 months=365 days	The team will additionally include patients who had ≥1 non-diagnostic medical claim for MM during the baseline period. These patients were excluded by Optum originally. If a patient has newly diagnosed or active MM, it would be likely that they would experience frequent activity, hence why we look for 2 non-diagnostic MM claims close together in the first step of the attrition table. A smoldering patient would have infrequent activity, hence why a claim for MM that falls outside of the 30, 60 or 90 days window requirement that's used to identify newly diagnosed patients is likely a smoldering patient.	Consistent with derivation other GSK Oncology studies			
2	ELUG_COH	Study team does not want to exclude smoldering MM patients. Optum built study cohort with the intention to exclude smoldering MM patients.		Study team will consider excluding patients with a stand alone treatment code (rather than any non-diagnostic code) on an MM claim in the baseline period for future sensitivity analysis. This would not remove smoldering patients but rather ensure our patients were <u>newly</u> active MM patients.		OK19012026		
27		Original IE criteria from Optum only considers		Will only require at least a day of CE post index,				

A	B	C	D	E	F	G	H
3	FU_PD	Original IE criteria from Optum only considers patients with at least 6mos of CE from index onwards.	Study team wants to keep criteria as broad as possible.	Will only require at least a day of CE post index, though will flag patients with 3 or more months of CE, to potentially subset on these patients for later consideration.		OK19012026	
28							
4	e.g. t_s_inpat_2021q2 / ADMDATE, SVCDATE	e.g., Claim date from an inpatient visit is different than the admission date	e.g. Set claim date equal to admission date	e.g., Claim dates from inpatient detail records may not be accurate; study lead in agreement			
29							
5	e.g. t_d_pharm_2021q2 / ENROLID, SVCDATE, NDCNUM, DAYSUPP	e.g., Negative, zero, or missing days' supply for drug(s) evaluated in primary objectives	e.g. Impute value to be the mode of non-missing/non-zero/non-negative values of days' supply for that drug across ID_PD time period	e.g., Invalid values have impact on discontinuation and switching analyses; study lead in agreement			
30							
6							
31							
7							
32							
8							
33							
9							
34							
8							
35							
9							
36							
10							
37							
11							
38							
12							
39							
13							
40							
14							
41							
15							
42							
16							
43							
17							
44							
18							
45							
46							