

FileHomeInsertDrawPage LayoutFormulasDataReviewViewAutomateHelp

CutCopyFormat PainterClipboard

Arial14A<sup>A</sup>A<sup>A</sup>

B I U Font

Align Center Merge & Center

General%0.000.00

Conditional Formatting

Format as Table

Cell Styles

|                  |                            |             |                                                                                                                                                                                                                                                                                                               |
|------------------|----------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1                | Clinformatics Data Mart    |             |                                                                                                                                                                                                                                                                                                               |
| 2                | Data Dictionary            |             |                                                                                                                                                                                                                                                                                                               |
| 3                | View: SES (Socio-economic) |             |                                                                                                                                                                                                                                                                                                               |
| 4                | Version: CDM = 9.0         |             |                                                                                                                                                                                                                                                                                                               |
| 5                |                            |             |                                                                                                                                                                                                                                                                                                               |
| 6                |                            |             |                                                                                                                                                                                                                                                                                                               |
| 7                |                            |             |                                                                                                                                                                                                                                                                                                               |
| 8                |                            |             |                                                                                                                                                                                                                                                                                                               |
| 9                |                            |             |                                                                                                                                                                                                                                                                                                               |
| Revision History |                            |             |                                                                                                                                                                                                                                                                                                               |
|                  | Date                       | Author      | Description                                                                                                                                                                                                                                                                                                   |
| 10               | 08-10-2023                 | Amy Andrews | Initial Implementation v9.0                                                                                                                                                                                                                                                                                   |
| 11               | 02-06-2024                 | Derek Chen  | Added BILL_PROC_CD, ETHNICITY, PROV_REGION, REGION, FAMILY_ID, RACE_SOURCE. Removed D_FED_POVERTY_STATUS_CODE, D_OCCUPATION_TYPE_CODE, NUM_CHILD, NUM_ADULT. Moved D_RACE_CODE from one file to another and renamed to RACE. Removed DIVISION and PROV_STATE. Added CCYY to end of member files and SES file. |
| 12               | 04-12-2024                 | Amy Andrews | Edit EXTRACT YM descriptions                                                                                                                                                                                                                                                                                  |
| 13               | 01-24-2025                 | Amy Andrews | Updated RACE description                                                                                                                                                                                                                                                                                      |
| 14               | 04-04-2025                 | Derek Chen  | Updated LABRESULT_HI_NRML, LOW_NRML, RSLT_NBR decimal lengths to the correct length no data changes.                                                                                                                                                                                                          |
| 15               | 04-14-2025                 | Derek Chen  | Edit Region Description from provider address to member address                                                                                                                                                                                                                                               |
|                  |                            |             | Edit YRDOB descriptions from capped 90 to capped at 89 years.                                                                                                                                                                                                                                                 |

~  
 Z  
 Sort & Filter  
 Filter ~ Sele

|   |             |                                                                               |
|---|-------------|-------------------------------------------------------------------------------|
| K | V9.0 Update | <p>Removed from<br/>EES file and<br/>named from<br/>RACE_COD</p> <p>Added</p> |
|---|-------------|-------------------------------------------------------------------------------|



CutCopyFormat PainterClipboard

Arial10A<sup>+</sup>A<sup>-</sup>

B

I

U

Font

Alignment

General

%

←0.00

→0.00

Conditional Formatting

Format as Table

Cell Styles

Insert

Delete

Format

AutoSum

Fill

Clear

Editing

Sort & Filter

Find & Select

Sensitivity

Add-ins

| A                                                                                                                                                                                                                                                                             |  | B   | C | D       | E   | F  | G | H | I | J     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----|---|---------|-----|----|---|---|---|-------|
| FAMILY_ID                                                                                                                                                                                                                                                                     |  | Num | 8 | Best32. | INT | 32 |   |   |   | Added |
| A dNHL, encrypted, system-generated number that uniquely identifies a family unit, based on a shared subscriber number within a group/policy. This identifier is not derived from or related to information about the individual, and is compliant with HIPAA §164.514(c)(1). |  |     |   |         |     |    |   |   |   |       |
|                                                                                                                                                                                                                                                                               |  |     |   |         |     |    |   |   |   |       |
|                                                                                                                                                                                                                                                                               |  |     |   |         |     |    |   |   |   |       |
|                                                                                                                                                                                                                                                                               |  |     |   |         |     |    |   |   |   |       |

| 1                                                                                                      |  | Char | 1  | \$1  | VARCHAR | 1  | ETHNICITY   | Intentionally Blank | Added                                           |
|--------------------------------------------------------------------------------------------------------|--|------|----|------|---------|----|-------------|---------------------|-------------------------------------------------|
| RACE                                                                                                   |  | Char | 1  | \$1  | VARCHAR | 1  | RACE        |                     | Moved from SES file and renamed from D_RACE_COD |
| Member's ethnicity flag.                                                                               |  |      |    |      |         |    |             |                     |                                                 |
| Reported race; depends on base sizes and compliance with HIPAA regulations:                            |  |      |    |      |         |    |             |                     |                                                 |
| African American, Asian, Caucasian, Other/Unknown (includes patients with HIPAA-restricted cell sizes) |  |      |    |      |         |    |             |                     |                                                 |
| 2                                                                                                      |  |      |    |      |         |    |             |                     |                                                 |
| RACE_SOURCE                                                                                            |  | Char | 15 | \$15 | VARCHAR | 15 | RACE_SOURCE |                     | Added                                           |
| 3                                                                                                      |  | Char | 9  | \$9  | VARCHAR | 9  | REGION      |                     | Added                                           |
| 4                                                                                                      |  |      |    |      |         |    |             |                     | Added                                           |
| The US Census Region associated with the member address.                                               |  |      |    |      |         |    |             |                     |                                                 |



FileHomeInsertDrawPage LayoutFormulasDataReviewViewAutomateHelp

CutCopyFormat PainterClipboard

Arial10A<sup>+</sup>A<sup>-</sup>

B I U Merge & Center

Font

Alignment

General

Conditional Formatting Table Cell Styles

InsertDeleteFormat

Cells

AutoSum Fill Sort Clear

Editing

| A       | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | C    | D  | E        | F            | G              | H               | I | J | K | L |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|----------|--------------|----------------|-----------------|---|---|---|---|
| DRG     | The Diagnosis Related Group (DRG) CPT assigned by the source system. A DRG classifies patients by diagnostic or surgical procedure into major diagnostic categories for the purpose of determining payment of hospitalization charges. Effective 10/1/2007, the Centers for Medicare and Medicaid Services (CMS) introduced the MS-DRG code set and retired the CMS-DRG set. The new code set refined the DRGs based on the presence of complications or co-morbidities. One affect of this change is that the MS-DRG descriptions are completely different from previous descriptions. The DRG code table contains historical CMS-DRGs as well as MS-DRG codes.<br>Facility Claims only | Char | 5  |          | \$5 VARCHAR  | 5              | DRG             |   |   |   |   |
| 18      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |      |    |          |              |                |                 |   |   |   |   |
| DSTATUS | Discharge status code. Identifies the discharge status of the member's inpatient stay as of the last service date on the claim.<br>Facility Claims only                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Char | 2  |          | \$2 VARCHAR  | 2              | DISCHSTA<br>TUS |   |   |   |   |
| 19      | Identifies if the service is fee-for-service or capitated.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Char | 2  |          | \$2 VARCHAR  | 2              | ENCOUNT<br>ER   |   |   |   |   |
| 20      | The beginning date for the service, event, or confinement being billed by the provider.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Num  | 8  | YYMMDD10 | DATE         | YYYY-<br>MM-DD |                 |   |   |   |   |
| 21      | Identifies an affiliated company's categorization of health care services.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Char | 2  |          | \$2 VARCHAR  | 2              | HCCC            |   |   |   |   |
| 22      | Identifies an affiliated company's categorization of health care services.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Char | 2  |          | \$2 VARCHAR  | 2              | ICD_FLAG        |   |   |   |   |
| 23      | ICD Version Code – will distinguish between ICD-9 and ICD-10 codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Char | 2  |          | \$2 VARCHAR  | 2              | ICD_FLAG        |   |   |   |   |
| 24      | Identifies if the claim is a facility claim or a non-facility claim.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Char | 1  |          | \$1 VARCHAR  | 1              | LOC_CD          |   |   |   |   |
| 25      | The service date for the service, event, or confinement being billed by the provider.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Num  | 8  | YYMMDD10 | DATE         | YYYY-<br>MM-DD |                 |   |   |   |   |
| NDC     | The unique code that identifies a drug product as defined by the National Drug Data File (all drug products regulated by the FDA must use an NDC).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Char | 11 |          | \$11 VARCHAR | 11             | See Tab         |   |   |   |   |
| 26      | The date the service, event, or confinement was paid.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Num  | 8  | YYMMDD10 | DATE         | YYYY-<br>MM-DD |                 |   |   |   |   |
| 27      | The payment determination of this service line.<br>When this column is NULL on the claim, CDM logic considers it: PAID if Sum of all Paid Amounts >= \$0<br>DENIED if Sum of all Paid Amounts < \$0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Char | 2  |          | \$2 VARCHAR  | 2              | PAID_STA<br>TUS |   |   |   |   |
| 28      | Identifies the place where the service was performed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Char | 5  |          | \$5 VARCHAR  | 5              | POS             |   | Y |   |   |
| 29      | CPT/HCPCS Procedure code that describes the service provided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Char | 7  |          | \$7 VARCHAR  | 7              | See Tab         |   |   |   |   |
| 30      | Provides additional information on the PROC_CD referenced in the claim. Standard modifiers will now be used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Char | 5  |          | \$5 VARCHAR  | 5              | PROCNO<br>D     |   |   |   |   |
| 31      | A unique system-generated number that identified the provider. It is possible for a provider to have multiple IDs or an ID to point to multiple physicians, particularly in the case of group practice. This data element is encrypted.                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Num  | 8  |          | 19 INT       | 19             |                 |   |   |   |   |
| 32      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |      |    |          |              |                |                 |   |   |   |   |

File Home Insert Draw Page Layout Formulas Data Review View Automate Help

Cut Copy Paste Format Painter

Arial 10 A A

B I U

Font

Alignment

Merge & Center

General % 1.00 00

Conditional Formatting

Table Styles

Cell Styles

Insert Delete Format

Cells

AutoSum Fill Clear

A33 PROV\_PAR PROV\_PAR

| A            |  | B                                                                                                                                                                                                                                                     |  | C    | D  | E    | F       | G    | H                 | I | J     | K | L |
|--------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|----|------|---------|------|-------------------|---|-------|---|---|
| PROV_PAR     |  | Identifies if the servicing provider has a contract to provide services to affiliate members at agreed upon rates. These contracts may be either with affiliate or with a customer.                                                                   |  | Char | 5  | \$5  | VARCHAR | 5    | PROV_PA<br>R      |   |       |   |   |
| PROVCAT      |  | Contains the four-character provider category code to indicate the type of provider for the provider responsible for the service.                                                                                                                     |  | Char | 4  | \$4  | VARCHAR | 4    | PROVCAT           |   |       |   |   |
| REFER_PROV   |  | Referring Provider. This data element is encrypted.                                                                                                                                                                                                   |  | Num  | 8  | 19   | INT     | 19   |                   |   |       |   |   |
| RVNU_CD      |  | Identifies a specific accommodation, ancillary service or billing calculation for facility claims.                                                                                                                                                    |  | Char | 4  | \$4  | VARCHAR | 4    | RVNU_CD           |   |       |   |   |
|              |  | Facility Claims only                                                                                                                                                                                                                                  |  |      |    |      |         |      |                   |   |       |   |   |
| SERVICE_PROV |  | Rendering Provider on Non-Facility Claim                                                                                                                                                                                                              |  | Num  | 8  | 19   | INT     | 19   |                   |   |       |   |   |
|              |  | Attending Provider on Facility Claim. This data element is encrypted.                                                                                                                                                                                 |  |      |    |      |         |      |                   |   |       |   |   |
| STD_COST     |  | An estimate of the allowed amount for the facility charges related to the confinement. Associated surgeon's fees are likely to be found in the medical table.                                                                                         |  | Num  | 8  | 15,2 | DECIMAL | 15,2 |                   | Y |       |   |   |
| STD_COST_YR  |  | The year when standard cost is updated in our source system                                                                                                                                                                                           |  | Char | 4  | \$4  | VARCHAR | 4    |                   |   |       |   |   |
| TOS_CD       |  | Type of Service Code                                                                                                                                                                                                                                  |  | Char | 13 | \$13 | VARCHAR | 13   | TOS_CD            |   |       |   |   |
| UNITS        |  | The revised number of units of the service based on the reasonable number of units for that service type.                                                                                                                                             |  | Num  | 8  | 8    | INT     | 8    |                   |   |       |   |   |
| EXTRACT_YM   |  | Year and Month of Optum data extraction for client data delivery, may not match across all records.                                                                                                                                                   |  | Char | 6  | \$6  | VARCHAR | 6    |                   |   |       |   |   |
| VERSION      |  | Version of the data format used.                                                                                                                                                                                                                      |  | Char | 6  | \$6  | VARCHAR | 6    |                   |   |       |   |   |
| ALT_UNITS    |  | The number of times the procedure was performed or for anesthesia services, adjudicated under the anesthesia contracts effective January 1, 2004, the number of minutes or units reported.                                                            |  | Num  | 8  | 8    | INT     | 8    |                   | Y |       |   |   |
| BILL_TYPE    |  | A code on the UB92 that provides three specific pieces of information. The first character identifies the type of facility. The second classifies the type of care. The third indicates the sequence of this bill in this particular episode of care. |  | Char | 20 | \$20 | VARCHAR | \$20 | BILL_TYP<br>E     | Y |       |   |   |
|              |  | Facility Claims only                                                                                                                                                                                                                                  |  |      |    |      |         |      |                   |   |       |   |   |
| NDC_UOM      |  | Measurement unit used for the National Drug Code Quantity amount                                                                                                                                                                                      |  | Char | 2  | \$2  | VARCHAR | \$2  | NDC_UOM           | Y |       |   |   |
| NDC_QTY      |  | It identifies the numeric quantity of drug administered to the patient                                                                                                                                                                                |  | Num  | 8  | 16,2 | DECIMAL | 16,2 |                   | Y |       |   |   |
| OP_VISIT_ID  |  | The OP_VISIT_ID value will be generated by the Standard Cost Algorithm upon each run.                                                                                                                                                                 |  | Num  | 8  | 19   | INT     | 19   |                   | Y |       |   |   |
| PROCMOD2     |  | The procedure Modifier code that is supplied by the client.                                                                                                                                                                                           |  | Char | 5  | \$5  | VARCHAR | \$5  |                   | Y |       |   |   |
| PROCMOD3     |  | The procedure Modifier code that is supplied by the client.                                                                                                                                                                                           |  | Char | 5  | \$5  | VARCHAR | \$5  |                   | Y |       |   |   |
| PROCMOD4     |  | The procedure Modifier code that is supplied by the client.                                                                                                                                                                                           |  | Char | 5  | \$5  | VARCHAR | \$5  |                   | Y |       |   |   |
| TOS_EXT      |  | The full type of service value derived by the algorithm.                                                                                                                                                                                              |  | Char | 34 | \$34 | VARCHAR | \$34 | TOS_EXT           | Y |       |   |   |
|              |  | This is the most specific level of classification.                                                                                                                                                                                                    |  |      |    |      |         |      |                   |   |       |   |   |
| BILL_PROC_CD |  | OPT/HPCS Procedure code that was supplied by the client for billing.                                                                                                                                                                                  |  | Char | 10 | 10   | VARCHAR | 10   | LU_PROCE<br>Added |   | Added |   |   |





File Home Insert Draw Page Layout Formulas Data Review View Automate Help

Cut Copy Paste Clipboard

Font Arial 12 A A I U Font Alignment

General Merge & Center Wrap Text

Conditional Formatting Styles

Format as Table

Cell Styles

Insert Delete Form Cells

Medical Procedure Data Fields

| Medical Procedure Data Fields |                                                                                                                                                                                                                                                                                                                                                                                                      |      |        |           |         |        |        |                         |  |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-----------|---------|--------|--------|-------------------------|--|
| filename: ses_procCCYYq#      |                                                                                                                                                                                                                                                                                                                                                                                                      |      |        |           |         |        |        |                         |  |
| VARIABLE                      | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                          | SAS  |        | TXT       |         |        |        |                         |  |
|                               |                                                                                                                                                                                                                                                                                                                                                                                                      | TYPE | LENGTH | FORMAT    | TYPE    | LENGTH | LOOKUP |                         |  |
| PATID                         | An encrypted, system-generated number that identifies an individual across multiple groups/policies. This identifier is not derived from information about the individual, and is compliant with HIPAA §164.514c.                                                                                                                                                                                    | Num  | 8      | 19        | INT     | 19     |        |                         |  |
| PAT_PLANID                    | An encrypted, system-generated number that identifies an individual within a group or policy. This identifier is not derived from or related to information about the individual, and is compliant with HIPAA §164.514(c)(1). If an individual is eligible for more than one type of insurance at a time (for example, a supplemental plan), then this variable links the claim to the correct plan. | Num  | 8      | 19        | INT     | 19     |        |                         |  |
| CLMID                         | Encrypted Claim ID. A provider can bill multiple revenue codes for services rendered on one claim. Each revenue code will generate a claim line. Providers typically submit separate claim for each visit they have with a patient.                                                                                                                                                                  | Char | 19     | \$19      | VARCHAR | 19     |        |                         |  |
| ICD_FLAG                      | ICD Version Code – will distinguish between ICD-9 and ICD-10 codes.                                                                                                                                                                                                                                                                                                                                  | Char | 2      | \$2       | VARCHAR | 2      |        | ICD_FLAG                |  |
| PROC                          | Claim Level 1 ICD-X procedure code off of the header portion of the claim.                                                                                                                                                                                                                                                                                                                           | Char | 7      | \$7       | VARCHAR | 7      |        | <a href="#">See Tab</a> |  |
| PROC_POSITION                 | Corresponds to the position on the claim form                                                                                                                                                                                                                                                                                                                                                        | Char | 3      | \$3       | VARCHAR | 3      |        |                         |  |
| EXTRACT_YM                    | Year and Month of Optum data extraction for client data delivery, may not match across all records.                                                                                                                                                                                                                                                                                                  | Char | 6      | \$6       | VARCHAR | 6      |        |                         |  |
| VERSION                       | Version of the data format used.                                                                                                                                                                                                                                                                                                                                                                     | Char | 6      | \$6       | VARCHAR | 6      |        |                         |  |
| FSI_DT                        | The beginning date for the service, event, or confinement being billed by the provider.                                                                                                                                                                                                                                                                                                              | Num  | 8      | YYMMDD10. | DATE    | 6      |        |                         |  |
| <<Home                        |                                                                                                                                                                                                                                                                                                                                                                                                      |      |        |           |         |        |        |                         |  |

TITLE NOTES

MEMBER\_CONTINUOUS\_ENROLLMENT

MEMBER\_ENROLLMENT

MEMBER

# Inpatient Confinement Data Fields

| FILENAME                | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                             | TYPE              | LENGTH  | SAS FORMAT    | TX                           | LENGTH     | LOOKUP  |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|---------------|------------------------------|------------|---------|
| 2 filename: ses_cccyyq# |                                                                                                                                                                                                                                                                                                                                                                                                         |                   |         |               |                              |            |         |
| 3 VARIABLE              |                                                                                                                                                                                                                                                                                                                                                                                                         |                   |         |               |                              |            |         |
| 4 PATID                 | An encrypted, system-generated number that identifies an individual across multiple groups/policies. This identifier is not derived from information about the individual, and is compliant with HIPAA §164.514c.                                                                                                                                                                                       | Num               | 8       | 19            | INT                          | 19         |         |
| 5 PAT_PLAND             | An encrypted, system-generated number that identifies an individual within in a group or policy. This identifier is not derived from or related to information about the individual, and is compliant with HIPAA §164.514(c)(1). If an individual is eligible for more than one type of insurance at a time (for example, a supplemental plan), then this variable links the claim to the correct plan. | Num               | 8       | YYMMDD10.     | DATE                         | YYYY-MM-DD |         |
| 6 ADMIT_DATE            | Admission Date of Confinement (YYYYMMDD)                                                                                                                                                                                                                                                                                                                                                                | Num               | 8       | 11.2          | DECIMAL                      | 11,2       |         |
| 7 CHARGE                | Amount the provider requested to be reimbursed for the service provided.                                                                                                                                                                                                                                                                                                                                | Num               | 8       | 11.2          | DECIMAL                      | 11,2       |         |
| 8 COINS                 | The amount (usually calculated as a percent of the provider's submitted charges) the member pays for a specific service as defined in their benefit plan. For example, 80% of the cost of an outpatient physical therapy visit.                                                                                                                                                                         | Num               | 21      | \$21          | VARCHAR                      | 21         |         |
| 9 CONF_ID               | Confinement identifier. Used to identify claims records associated with an inpatient hospitalization. This data element is encrypted.                                                                                                                                                                                                                                                                   | Num               | 8       | 11.2          | DECIMAL                      | 11,2       |         |
| 10 COPAY                | The fixed amount the member pays for a specific service as defined in their benefit plan. For example, \$10 for an office visit.                                                                                                                                                                                                                                                                        | Num               | 8       | 11.2          | DECIMAL                      | 11,2       |         |
| 11 DEDUCT               | The set amount a member pays for services until they reach a specified limit (usually defined on an annual basis). After the limit is reached, the member's payment for services changes (often insurance pays 100% of the cost of services).                                                                                                                                                           | Num               | 8       | 11.2          | DECIMAL                      | 11,2       |         |
| 12 DIAG1                | First ICD-X Diagnosis                                                                                                                                                                                                                                                                                                                                                                                   | Char              | 7       |               | \$7 VARCHAR                  | 7          | See Tab |
| 13 DIAG2                | Second ICD-X Diagnosis                                                                                                                                                                                                                                                                                                                                                                                  | Char              | 7       |               | \$7 VARCHAR                  | 7          | See Tab |
| 14 DIAG3                | Third ICD-X Diagnosis                                                                                                                                                                                                                                                                                                                                                                                   | Char              | 7       |               | \$7 VARCHAR                  | 7          | See Tab |
| 15 DIAG4                | Fourth ICD-X Diagnosis                                                                                                                                                                                                                                                                                                                                                                                  | Char              | 7       |               | \$7 VARCHAR                  | 7          | See Tab |
| 16 DIAG5                | Fifth ICD-X Diagnosis                                                                                                                                                                                                                                                                                                                                                                                   | Char              | 7       |               | \$7 VARCHAR                  | 7          | See Tab |
| 17 DISCH_DATE           | Discharge Date of Confinement (YYYYMMDD)                                                                                                                                                                                                                                                                                                                                                                | Num               | 8       | YYMMDD10.     | DATE                         | YYYY-MM-DD |         |
| 18 DRG                  | The Diagnosis Related Group (DRG) Code assigned by the source system. A DRG classifies patients by diagnostic or surgical procedure into major diagnostic categories for the                                                                                                                                                                                                                            | Char              | 5       |               | \$5 VARCHAR                  | 5          | DRG     |
| < >                     | TITLE NOTES                                                                                                                                                                                                                                                                                                                                                                                             | MEMBER_ENROLLMENT | MEDICAL | MED_DIAGNOSIS | MEMBER_CONTINUOUS_ENROLLMENT |            |         |

| A           | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | C    | D  | E    | F       | G    | H           | I | J | K |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|------|---------|------|-------------|---|---|---|
| DRG         | The Diagnosis Related Group (DRG) Code assigned by the source system. A DRG classifies patients by diagnostic or surgical procedure into major diagnostic categories for the purpose of determining payment of hospitalization charges. Effective 10/1/2007, the Centers for Medicare and Medicaid Services (CMS) introduced the MS-DRG code set and retired the CMS-DRG set. The new code set refined the DRGs based on the presence of complications or co-morbidities. One affect of this change is that the MS-DRG descriptions are completely different from previous descriptions. The DRG code table contains historical CMS-DRGs as well as MS-DRG codes. | Char | 5  | \$5  | VARCHAR | 5    | DRG         |   |   |   |
| DSTATUS     | Patient status code (01-99). Identifies the discharge status of the member's inpatient stay as of the last service date on the claim. (i.e., discharged to home; transferred to SNF, left against medical advice, expired)                                                                                                                                                                                                                                                                                                                                                                                                                                        | Char | 2  | \$2  | VARCHAR | 2    | DISCHSTATUS |   |   |   |
| ICD_FLAG    | ICD Version Code -- will distinguish between ICD-9 and ICD-10 codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Char | 2  | \$2  | VARCHAR | 2    | ICD_FLAG    |   |   |   |
| IPSTATUS    | Claims occurred in runout period (usually most recent three months) so there is a higher than usual chance of the confinement changing in the next build.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |      |    |      |         |      | IPSTATUS    |   |   |   |
| LOS         | Length of Stay from start of first confinement record to end of last confinement record.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Char | 1  | \$1  | VARCHAR | 1    |             |   |   |   |
| POS         | Client-defined code identifying the place where the service was performed. Standard POS is now being used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Nun  | 8  | 5    | INT     | 5    | POS         |   |   |   |
| PROC1       | First ICD-X Proc Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Char | 7  | \$7  | VARCHAR | 7    | See Tab     |   |   |   |
| PROC2       | Second ICD-X Proc Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Char | 7  | \$7  | VARCHAR | 7    | See Tab     |   |   |   |
| PROC3       | Third ICD-X Proc Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Char | 7  | \$7  | VARCHAR | 7    | See Tab     |   |   |   |
| PROC4       | Fourth ICD-X Proc Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Char | 7  | \$7  | VARCHAR | 7    | See Tab     |   |   |   |
| PROC5       | Fifth ICD-X Proc Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Char | 7  | \$7  | VARCHAR | 7    | See Tab     |   |   |   |
| PROV        | A unique system-generated number to identify providers. A provider may have multiple provider IDs. This data element is encrypted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Nun  | 8  | 19   | INT     | 19   |             |   |   |   |
| SID_COST    | An estimate of the allowed amount for the facility charges related to the confinement. Associated surgeon's fees are likely to be found in the medical table.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Nun  | 8  | 15.2 | DECIMAL | 15.2 |             |   |   |   |
| SID_COST_YR | The year when standard cost is updated in our source system                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Char | 4  | \$4  | VARCHAR | 4    |             |   |   |   |
| TOS_CD      | Type of Service Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Char | 13 | \$13 | VARCHAR | 13   | TOS         |   |   |   |
| EXTRACT_YM  | Year and Month of Optum data extraction for client data delivery. May not match across all records.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Char | 6  | \$6  | VARCHAR | 6    |             |   |   |   |
| VERSION     | Version of the data format used                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Char | 6  | \$6  | VARCHAR | 6    |             |   |   |   |
| ICU_IND     | Algorithm derived flag for a confinement type of ICU stay.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Char | 1  | \$1  | VARCHAR | 1    |             |   |   |   |

| A             | B                                                                                                                                                                                                                          | C    | D  | E | F            | G  | H       |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|---|--------------|----|---------|
| ICU_IND       | Algorithm derived flag for a confinement type of ICU stay, indicating ICU or critical care for the confinement. Based on ll logic that identifies them via ICU/CCU Revenue codes.                                          | Char | 1  |   | \$1 VARCHAR  | 1  |         |
| ICU_SURG_IND  | Algorithm derived flag for a confinement type of ICU surgery, indicating ICU and major surgery for the confinement. Based on ll logic that identifies them via NICU/ICU/CCU Revenue codes, or CRITN/CRT Confinement Types. | Char | 1  |   | \$1 VARCHAR  | 1  |         |
| MAJ_SURG_IND  | An algorithm derived flag that identifies a confinement type of major surgery.                                                                                                                                             | Char | 1  |   | \$1 VARCHAR  | 1  |         |
|               | Based on ll logic that identifies them via Major Surgery (MAJSURG) Confinement Type                                                                                                                                        |      |    |   |              |    |         |
| MATERNITY_IND | An algorithm derived flag for a confinement type of maternity for the confinement.                                                                                                                                         | Char | 1  |   | \$1 VARCHAR  | 1  |         |
|               | Based on ll logic that identifies them via OB Revenue, OB Dx, Outcome of Delivery Dx.                                                                                                                                      |      |    |   |              |    |         |
| NEWBORN_IND   | An algorithm derived flag for a confinement type of newborn for the confinement.                                                                                                                                           | Char | 1  |   | \$1 VARCHAR  | 1  |         |
|               | Based on ll logic that identifies them via newborn Revenue and/or Dx codes.                                                                                                                                                |      |    |   |              |    |         |
| TOS_EXT       | The full type of service value derived by the algorithm. This is the most specific level of classification.                                                                                                                | Char | 34 |   | \$34 VARCHAR | 34 | TOS_EXT |

File Home Insert Draw Page Layout Formulas Data Review View Automate Help

Paste Copy Cut Format Painter Clipboard

Font: Arial, 12, Bold, Italic, Underline, Text Color, Background Color, Paragraph, Styles

Alignment: Merge & Center, Wrap Text

General: Number, Percentage, Currency, Text, Conditional Formatting, Styles

Insert, Delete, Format Cells

Prescription Claims Data Fields

|    | A                               | B                                                                                                                                                                                                                                                                                                                                                                                                    | C    | D      | E   | F              | G    | H        | I        | J        |
|----|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-----|----------------|------|----------|----------|----------|
| 1  | Prescription Claims Data Fields |                                                                                                                                                                                                                                                                                                                                                                                                      |      |        |     |                |      |          |          |          |
| 2  | filename:                       | ses_rCCYq#                                                                                                                                                                                                                                                                                                                                                                                           |      |        |     |                |      |          |          |          |
| 3  |                                 |                                                                                                                                                                                                                                                                                                                                                                                                      |      |        |     |                |      |          |          |          |
| 4  | VARIABLE                        | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                          | TYPE | LENGTH | SAS | FORMAT         | TYPE | LENGTH   | LOOKUP   | Comments |
| 5  | PATID                           | An encrypted, system-generated number that identifies an individual across multiple groups/policies. This identifier is not derived from information about the individual, and is compliant with HIPAA §164.514c.                                                                                                                                                                                    | Num  | 8      |     | 19             | INT  | 19       |          |          |
| 6  | PAT_PLANID                      | An encrypted, system-generated number that identifies an individual within a group or policy. This identifier is not derived from or related to information about the individual, and is compliant with HIPAA §164.514(c)(1). If an individual is eligible for more than one type of insurance at a time (for example, a supplemental plan), then this variable links the claim to the correct plan. | Num  | 8      |     | 19             | INT  | 19       |          |          |
| 7  | AHFSCLSS                        | A code that identifies the therapeutic category of drug according to the American Hospital Formulary Service Classification system. *From NDC table                                                                                                                                                                                                                                                  | Char | 8      |     | \$8 VARCHAR    |      | 8        | AHFSCLSS |          |
| 8  | AVGWHLSL                        | The average wholesale price is the average cost to the pharmacy for a dispensed drug.                                                                                                                                                                                                                                                                                                                | Num  | 8      |     | 11.2 DECIMAL   |      | 11.2     |          |          |
| 9  | BRND_NM                         | Provides the drug name on the package label and frequently is a trademark name. For non-branded generic products, the description will usually be the generic name. *From NDC table                                                                                                                                                                                                                  | Char | 30     |     | \$30 VARCHAR   |      | 30       |          |          |
| 10 | CHARGE                          | Amount the pharmacy requested to be reimbursed for the service provided. This amount is what was entered into the source system and is also referred to as the claimed amount or billed charge amount.                                                                                                                                                                                               | Num  | 8      |     | 11.2 DECIMAL   |      | 11.2     |          |          |
| 11 | CHK_DT                          | Date claim was paid.                                                                                                                                                                                                                                                                                                                                                                                 | Num  | 8      |     | YYMMDD10. DATE |      | YYMMDD10 |          |          |
| 12 | CLMID                           | Encrypted Claim ID. A provider can bill multiple revenue codes for services rendered on one claim. Each revenue code will generate a claim line. Providers typically submit a separate claim for each encounter they have with a patient. The fixed amount the member pays for a specific service as defined in their benefit plan. For example, \$10 for an office visit.                           | Char | 19     |     | \$19 VARCHAR   |      | 19       |          |          |
| 13 | COPAY                           |                                                                                                                                                                                                                                                                                                                                                                                                      | Num  | 8      |     | 11.2 DECIMAL   |      | 11.2     |          |          |
| 14 | DAW                             | Dispense as written code (DAW) entered on a claim. Identifies if a prescription was filled as written or altered by Pharmacy, Physician or Member.                                                                                                                                                                                                                                                   | Char | 1      |     | \$1 VARCHAR    |      | 1        | DAW      |          |
| 15 | DAYS_SUP                        | Estimated day count the drug supply should last.                                                                                                                                                                                                                                                                                                                                                     | Num  | 8      |     | 11 INT         |      | 11       |          |          |
| 16 | DEA                             | Number assigned by the Federal DEA (Drug Enforcement Agency) to a physician, authorizing him/her to prescribe                                                                                                                                                                                                                                                                                        | Char | 9      |     | \$9 VARCHAR    |      | 9        |          |          |

File Home Insert Draw Page Layout Formulas Data Review View Automate Help

Clipboard Font Alignment Number Styles

Font: Arial, Size: 10, Bold, Italic, Underline, Color: Black, Background Color: White, Text Color: Black, Text Background Color: White, Text Direction: Horizontal, Text Alignment: Left, Text Indent: 0, Text Outdent: 0, Text Rotation: 0, Text Wrapping: Wrap Text, Merge & Center, General, Number, Percentage, Decimals, Conditional Formatting, Styles, Insert, Delete, Format, Clear

| DEA         | A                                                                                                                                                                                                                                                                                          | B                 | C       | D             | E             | F           | G        | H                                                                  | I | J | K |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------|---------------|---------------|-------------|----------|--------------------------------------------------------------------|---|---|---|
| DEDUCT      | Number assigned by the Federal DEA (Drug Enforcement Agency) to a physician, authorizing him/her to prescribe medications. This number is encrypted.                                                                                                                                       | Num               | 8       | 11.2          | DECIMAL       | 11.2        |          |                                                                    |   |   |   |
| DISPEE      | Amount the pharmacy charged to fill the prescription.                                                                                                                                                                                                                                      | Num               | 8       | 9.2           | DECIMAL       | 9.2         |          |                                                                    |   |   |   |
| FILL_DT     | Date the prescription was filled by the pharmacy.                                                                                                                                                                                                                                          | Num               | 8       | YYMMDD10      | DATE          | YYMMDD      |          |                                                                    |   |   |   |
| FORM_IND    | Indicates if the drug being dispensed is on the formulary list or not.                                                                                                                                                                                                                     | Char              | 1       | \$1           | VARCHAR       | 1           | FORM_IN  |                                                                    |   |   |   |
| FORM_TYP    | Type of formulary used to pay a claim. For example, open, closed, etc. NULL for Medicare.                                                                                                                                                                                                  | Char              | 2       | \$2           | VARCHAR       | 2           | FORM_T   | Content updated to add recent formulary information.               |   |   |   |
| FST_FILL    | Indicates if this is the first time a prescription is being filled.                                                                                                                                                                                                                        | Char              | 1       | \$1           | VARCHAR       | 1           | FST_FILL |                                                                    |   |   |   |
| GNRC_IND    | Indicates if the drug dispensed was Generic (Y) or Brand (N).                                                                                                                                                                                                                              | Char              | 1       | \$1           | VARCHAR       | 1           | GNRC_IN  | Prior to 9/2022 this field represented the multi-source indicator. |   |   |   |
| GNRC_NM     | Contains the drug ingredient name for a specific drug as adopted by the United States Adopted Names. The chemical name is used when the USAN name is not available. *From NDC table                                                                                                        | Char              | 50      | \$50          | VARCHAR       | 50          |          |                                                                    |   |   |   |
| MAIL_IND    | Indicates if the type of pharmacy utilized to fill the prescription was Mail Order.                                                                                                                                                                                                        | Char              | 1       | \$1           | VARCHAR       | 1           | MAIL_IND |                                                                    |   |   |   |
| NDC         | The unique code that identifies a drug product as defined by the National Drug Data File (all drug products regulated by the FDA must use an NDC).                                                                                                                                         | Char              | 11      | \$11          | VARCHAR       | 11          | See Tab  |                                                                    |   |   |   |
| NPI         | The National Provider Identifier (NPI) was adopted as the standard unique health identifier for health care providers to carry out a requirement in the Health Insurance Portability and Accountability Act of 1996 (HIPAA) for the adoption of such a standard. This number is encrypted. | Char              | 10      | \$10          | VARCHAR       | 10          |          |                                                                    |   |   |   |
| PHARM       | An encryption of a number assigned by the National Council for Prescription Drug Programs (NCPDP) to uniquely identify a pharmacy.                                                                                                                                                         | Char              | 9       | \$9           | VARCHAR       | 9           |          |                                                                    |   |   |   |
| PRC_TYP     | Indicates if a drug product should be priced as a generic or brand drug.                                                                                                                                                                                                                   | Char              | 1       | \$1           | VARCHAR       | 1           | PRC_TYP  |                                                                    |   |   |   |
| QUANTITY    | The number of metric units of medication dispensed.                                                                                                                                                                                                                                        | Num               | 8       | 12.3          | DECIMAL       | 12.3        |          |                                                                    |   |   |   |
| RFL_NBR     | Indicates if this is the first, second, or subsequent refill for the prescription.                                                                                                                                                                                                         | Char              | 2       | \$2           | VARCHAR       | 2           |          |                                                                    |   |   |   |
| SPCLT_IND   | Indicated if the pharmacy is a specialty pharmacy.                                                                                                                                                                                                                                         | Char              | 1       | \$1           | VARCHAR       | 1           | SPCLT_I  |                                                                    |   |   |   |
| TITLE NOTES | MEMBER_CONTINUOUS_ENROLLMENT                                                                                                                                                                                                                                                               | MEMBER_ENROLLMENT | MEDICAL | MED_DIAGNOSIS | MED_PROCEDURE | CONFINEMENT | RX       | LABRESULT                                                          | P |   |   |



## Lab Results Data Fields

| 1            | 2                                                                                                                                                                                                                                                                                                                                                                                                        | 3                            | 4          | 5             | 6             | 7           | 8                           | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------|---------------|---------------|-------------|-----------------------------|---|----|----|----|----|----|----|----|----|----|----|
| Filename:    | ses_lccyyq#                                                                                                                                                                                                                                                                                                                                                                                              |                              |            |               |               |             |                             |   |    |    |    |    |    |    |    |    |    |    |
| VARIABLE     | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                              | TYPE                         | SAS LENGTH | FORMAT        | TYPE          | TXT LENGTH  | LOOKUP                      |   |    |    |    |    |    |    |    |    |    |    |
| PATID        | An encrypted, system-generated number that identifies an individual across multiple groups/policies. This identifier is not derived from information about the individual, and is compliant with HIPAA \$164.514c.                                                                                                                                                                                       | Num                          | 8          | 19            | INT           | 19          |                             |   |    |    |    |    |    |    |    |    |    |    |
| PAT_PLAND    | An encrypted, system-generated number that identifies an individual within in a group or policy. This identifier is not derived from or related to information about the individual, and is compliant with HIPAA \$164.514(c)(1). If an individual is eligible for more than one type of insurance at a time (for example, a supplemental plan), then this variable links the claim to the correct plan. | Num                          | 8          | 19            | INT           | 19          |                             |   |    |    |    |    |    |    |    |    |    |    |
| ABNL_CD      | Code to signify if the result was abnormal or outside of the standard ranges for the test.                                                                                                                                                                                                                                                                                                               | Char                         | 2          | \$2           | VARCHAR       | 2           | ABNL_CD                     |   |    |    |    |    |    |    |    |    |    |    |
| ANLTSEQ      | A number assigned to uniquely identify a test result within a specimen number.                                                                                                                                                                                                                                                                                                                           | Char                         | 2          | \$2           | VARCHAR       | 2           |                             |   |    |    |    |    |    |    |    |    |    |    |
| FST_DT       | The beginning date for the service, event, or confinement being billed by the provider.                                                                                                                                                                                                                                                                                                                  | Num                          | 8          | YYMMDD10.     | DATE          | YYYY-MM-DD  |                             |   |    |    |    |    |    |    |    |    |    |    |
| HI_NRL       | Numeric value for high-end of the normal range for a specific test or analytic.                                                                                                                                                                                                                                                                                                                          | Num                          | 8          | 14.4          | DECIMAL       | 14.4        |                             |   |    |    |    |    |    |    |    |    |    |    |
| LABCLMID     | An encrypted, system-generated number that identifies an individual lab claim. This identifier is not derived from or related to information about the individual, and is compliant with HIPAA \$164.514(c)(1).                                                                                                                                                                                          | Char                         | 19         | \$19          | VARCHAR       | 19          |                             |   |    |    |    |    |    |    |    |    |    |    |
| LOINC_CD     | A universal identification number for a particular test or analytic. based on Logical Observation Identifiers Names and Codes (LOINC); a registered trademark of the Regenstrief Institute                                                                                                                                                                                                               | Char                         | 10         | \$10          | VARCHAR       | 10          | Available through LOINC.org |   |    |    |    |    |    |    |    |    |    |    |
| LOW_NRL      | Numeric value for low-end of the normal range for a specific test or analytic.                                                                                                                                                                                                                                                                                                                           | Num                          | 8          | 14.4          | DECIMAL       | 14.4        |                             |   |    |    |    |    |    |    |    |    |    |    |
| PROC_CD      | Procedure on the lab claim                                                                                                                                                                                                                                                                                                                                                                               | Char                         | 7          | \$7           | VARCHAR       | 7           | See Tab                     |   |    |    |    |    |    |    |    |    |    |    |
| RSLT_NBR     | Contains a numeric value if such is applicable for a particular test result. Please note that not all vendors give a separate numeric field. Numeric results may also be in the Result Text field.                                                                                                                                                                                                       | Num                          | 8          | 16.6          | DECIMAL       | 16.6        |                             |   |    |    |    |    |    |    |    |    |    |    |
| RSLT_TXT     | Result value of the test. This can be a numeric or alpha numeric value.                                                                                                                                                                                                                                                                                                                                  | Char                         | 18         | \$18          | VARCHAR       | 18          |                             |   |    |    |    |    |    |    |    |    |    |    |
| RSLT_UNIT_NM | Contains the units upon which the result is based (milliliters, deciliters, percentage, et al). Please note that not all vendors give this field.                                                                                                                                                                                                                                                        | Char                         | 18         | \$18          | VARCHAR       | 18          |                             |   |    |    |    |    |    |    |    |    |    |    |
| SOURCE       | Defines the system that is the source of this data and the claims processing system this data is supporting.                                                                                                                                                                                                                                                                                             | Char                         | 2          | \$2           | VARCHAR       | 2           |                             |   |    |    |    |    |    |    |    |    |    |    |
| TST_DESC     | Internal analytic name, specific to each laboratory vendor.                                                                                                                                                                                                                                                                                                                                              | Char                         | 30         | \$30          | VARCHAR       | 30          |                             |   |    |    |    |    |    |    |    |    |    |    |
| <            | TITLE NOTES                                                                                                                                                                                                                                                                                                                                                                                              | MEMBER_CONTINUOUS_ENROLLMENT | MEDICAL    | MED_DIAGNOSIS | MED_PROCEDURE | CONFINEMENT |                             |   |    |    |    |    |    |    |    |    |    |    |
| >            |                                                                                                                                                                                                                                                                                                                                                                                                          |                              |            |               |               |             |                             |   |    |    |    |    |    |    |    |    |    |    |







CutCopyPasteFormat PainterClipboard

Font

Alignment

General

Conditional Formatting

Styles

InsertDeleteFormat

Cells

Autosum

Sort & Find & Filter

A1

Socio-Economic Status Data Fields

| Socio-Economic Status Data Fields |                                                                                                                                                                                                                   |      |            |             |           |           |                          |  |  |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|-------------|-----------|-----------|--------------------------|--|--|
| filename:                         | ses_ses_CCYY                                                                                                                                                                                                      |      |            |             |           |           |                          |  |  |
| VARIABLE                          | DESCRIPTION                                                                                                                                                                                                       | TYPE | SAS LENGTH | FORMAT      | TX LENGTH | TX FORMAT | LOOKUP                   |  |  |
| PATID                             | An encrypted, system-generated number that identifies an individual across multiple groups/policies. This identifier is not derived from information about the individual, and is compliant with HIPAA §164.514c. | Num  | 8          | 19 INT      |           | 19        |                          |  |  |
| D_EDUCATION_LEVEL_CODE            | Education level Code                                                                                                                                                                                              | Char | 1          | \$1 VARCHAR |           | 1         | D_EDUCATION_LEVEL        |  |  |
| D_HOME_OWNERSHIP_CODE             | Rolled up Housing (Rent/Own) Code                                                                                                                                                                                 | Char | 1          | \$1 VARCHAR |           | 1         | D_HOME_OWNERSHIP         |  |  |
| D_HOUSEHOLD_INCOME_RANGE_CODE     | Rolled up Household Income Code                                                                                                                                                                                   | Char | 1          | \$1 VARCHAR |           | 1         | D_HOUSEHOLD_INCOME_RANGE |  |  |
| D_NETWORK_RANGE_CODE              | The rolled up total net worth of the primary customer.                                                                                                                                                            | Char | 1          | \$1 VARCHAR |           | 1         | D_NETWORK_RANGE          |  |  |
| EXTRACT_YM                        | Year and Month of Optum data extraction for client data delivery, may not match across all records.                                                                                                               | Char | 6          | \$6 VARCHAR |           | 6         |                          |  |  |
| VERSION                           | Version of the data format used. Extended CDM =6.0                                                                                                                                                                | Char | 6          | \$6 VARCHAR |           | 6         |                          |  |  |

Σ Autosum  
Fill  
Clear  
Sort & Filter

Counting

| A              |  | B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | C    | D      | E      | F       | G      | H      |
|----------------|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|--------|--------|---------|--------|--------|
| filename:      |  | Diagnosis Lookup Data Fields                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |      |        |        |         |        |        |
| Source:        |  | Iu_diagnosis<br>Medical Claims                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |      |        |        |         |        |        |
| VARIABLE       |  | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | SAS  |        |        |         |        |        |
| DIAG_CD        |  | ICD-10/MDC-9 (International Classification of Disease, 10th/9th Revision, Clinical Modification) as entered on the claim (without decimal point). ICD-10/MDC-9-CM is designed for the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations, for data storage retrieval. ICD-10/ID-9-CM is an accepted national standard for coding diagnostic and disease information.                                                                   |  | TYPE | LENGTH | FORMAT | TYPE    | LENGTH | LOOKUP |
| DIAG_DESC      |  | Describes the International Classification of Disease, 10th/9th Revision, Clinical Modification (ICD-9-CM/ICD-10-CM) code. ICD-9-CM/MCD-10-CM is designed for the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations, for data storage retrieval. ICD-9-CM/ICD-10-CM is an accepted national standard for coding diagnostic and disease information.                                                                                   |  | Char | 100    |        | VARCHAR | 100    |        |
| DIAG_FST3_CD   |  | The first three characters of the International Classification of Disease, 9th Revision, Clinical Modification (ICD-9-CM/ICD-10-CM) code. This used for grouping ICD-9-CM/MCD-10-CM code together. ICD-9-CM/ICD-10-CM is designed for the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations, for data storage retrieval. ICD-9-CM/ICD-10-CM is an accepted national standard for coding diagnostic and disease information.           |  | Char | 3      |        | VARCHAR | 3      |        |
| DIAG_FST3_DESC |  | Describes the first three characters of the International Classification of Disease, 9th Revision, Clinical Modification (ICD-9-CM/ICD-10-CM) code. This used for grouping ICD-9-CM/MCD-10-CM code together. ICD-9-CM/ICD-10-CM is designed for the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations, for data storage retrieval. ICD-9-CM/MCD-10-CM is an accepted national standard for coding diagnostic and disease information. |  | Char | 35     |        | VARCHAR | 35     |        |
| DIAG_FST4_CD   |  | The first four characters of the International Classification of Disease, 9th Revision, Clinical Modification (ICD-9-CM/ICD-10-CM) code. This used for grouping ICD-9-CM/MCD-10-CM code together. ICD-9-CM/ICD-10-CM is designed for the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations, for data storage retrieval. ICD-9-CM/ICD-10-CM is an accepted national standard for coding diagnostic and disease information.            |  | Char | 4      |        | VARCHAR | 4      |        |
| DIAG_FST4_DESC |  | Describes the first four characters of the International Classification of Disease, 9th Revision, Clinical Modification (ICD-9-CM/ICD-10-CM) code. This used for grouping ICD-9-CM/MCD-10-CM code together. ICD-9-CM/ICD-10-CM is designed for the classification of morbidity and mortality information for statistical purposes and for the indexing of hospital records by disease and operations, for data storage retrieval. ICD-9-CM/MCD-10-CM is an accepted national standard for coding diagnostic and disease information.  |  | Char | 35     |        | VARCHAR | 35     |        |
| GDR_SPEC_CD    |  | Identifies if the diagnosis is used for a specific gender.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | Char | 5      |        | VARCHAR | 5      |        |
| MDC_CD_DESC    |  | Identifies the grouping of diagnoses by organ system, etiology, or medical specialty. Major Diagnostic Category (MDC) Codes are more specific than Major Diagnosis Groups (MDG) and less specific than AHRQ Diagnosis Detail Categories.                                                                                                                                                                                                                                                                                              |  | Char | 75     |        | VARCHAR | 75     |        |
| MDC_CODE       |  | Identifies the grouping of diagnoses by organ system, etiology, or medical specialty. Major Diagnostic Category (MDC) Codes are more specific than Major Diagnosis Groups (MDG) and less specific than AHRQ Diagnosis Detail Categories.                                                                                                                                                                                                                                                                                              |  | Char | 10     |        | VARCHAR | 10     |        |
| ICD_VER_CD     |  | ICD Version Code – will distinguish between ICD-9 and ICD-10 codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | Char | 2      | \$2.00 | VARCHAR | 2      |        |

File Layout Formulas Data Review View Automate Help

Font Alignment Number Styles Conditional Formatting as Cell Styles Insert Delete Format Autosum Sort & Find & Filter Select

NDC Lookup Data Fields

|           | B                                                                                                                                                                                                                                                                                                                                                                                              | C    | D      | E         | F       | G          | H                       |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-----------|---------|------------|-------------------------|
|           | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                    | SAS  | TX     | TX        | TX      | TX         | TX                      |
|           |                                                                                                                                                                                                                                                                                                                                                                                                | TYPE | LENGTH | FORMAT    | TYPE    | LENGTH     | LOOKUP                  |
| u_ndc     | A code that identifies the therapeutic category of drug according to the American Hospital Formulary Service Classification                                                                                                                                                                                                                                                                    | Char | 8      | \$8       | VARCHAR | 8          | AHFSCSS                 |
| XX Claims | Description of the therapeutic category of drug according to the American Hospital Formulary Service Classification                                                                                                                                                                                                                                                                            | Char | 100    | \$100     | VARCHAR | 100        | AHFSCSS                 |
| System    | Provides the drug name on the package label and frequently is a trademark name. For non-branded generic products, the description will usually be the generic name.                                                                                                                                                                                                                            | Char | 30     | \$30      | VARCHAR | 30         |                         |
| System    | Provides a description of how the drug is to be taken by the patient.                                                                                                                                                                                                                                                                                                                          | Char | 10     | \$10      | VARCHAR | 10         |                         |
| System    | Description of drug potency in units of grams, milligrams, percentage, and other terms. This field includes needle sizes, length of devices, and release rates of transdermal patches.                                                                                                                                                                                                         | Char | 10     | \$10      | VARCHAR | 10         |                         |
| System    | Describes the strength of a drug product. For example: given a strength of 250 MG, 250 is the strength number. Only single ingredient products have values in this field.                                                                                                                                                                                                                      | Num  | 8      | 16.3      | DECIMAL | 16.3       |                         |
| System    | Provides a metric description of the strength of a drug product. For example, given a strength of 250 MG, MG is the strength unit.                                                                                                                                                                                                                                                             | Char | 10     | \$10      | VARCHAR | 10         |                         |
| System    | Indicates the volume or weight of the drug product that contains the indicated amounts of active ingredients. For example, given strength of 250 MG/5 ML, 5 is the strength volume.                                                                                                                                                                                                            | Num  | 8      | 12.3      | DECIMAL | 12.3       |                         |
| System    | A metric measure indicating the volume or weight of the drug product containing the indicated amounts of active ingredients. For example, given strength of 250 MG/5ML, ML is the strength volume unit.                                                                                                                                                                                        | Char | 10     | \$10      | VARCHAR | 10         |                         |
| System    | Indicates if the drug is multiple sourced.                                                                                                                                                                                                                                                                                                                                                     | Char | 1      | \$1       | VARCHAR | 1          | CHANGE: NDC MULTSRC_IND |
| System    | A unique number assigned by First DataBank representing the generic formulation of a drug, and is specific to generic ingredient combination, route of administration and drug strength across all drug forms.                                                                                                                                                                                 | Char | 10     | \$10      | VARCHAR | 10         |                         |
| System    | Contains the drug ingredient name for a specific drug as adopted by the United States Adopted Names. The chemical name is used when the USAN name is not available.                                                                                                                                                                                                                            | Char | 50     | \$50      | VARCHAR | 50         |                         |
| System    | Unique number assigned by First DataBank that represents a generic formulation of a drug product. Like the Generic Code Number, the Generic Code Sequence number is specific to generic ingredient combinations, route of administration, dosage form and drug strength. The generic code number may be the same for different dosage forms, the sequence number is specific to a dosage form. | Char | 10     | \$10      | VARCHAR | 10         |                         |
| System    | The unique code that identifies a drug product as defined by the National Drug Data File (all drug products regulated by the FDA must use an NDC).                                                                                                                                                                                                                                             | Char | 20     | \$20      | VARCHAR | 20         |                         |
| System    | First date the row became effective.                                                                                                                                                                                                                                                                                                                                                           | Num  | 8      | YYMMDD10. | DATE    | YYYY-MM-DD |                         |
| System    | Last date the row was effective.                                                                                                                                                                                                                                                                                                                                                               | Num  | 8      | YYMMDD10. | DATE    | YYYY-MM-DD |                         |
| System    | USC Identifier is an identifier that represents a unique universal standard classification. (Stable ID)                                                                                                                                                                                                                                                                                        | Char | 5      | \$5       | VARCHAR | 5          |                         |
| System    | 10-character alphanumeric column that provides the text description for a Medication ID.                                                                                                                                                                                                                                                                                                       | Char | 70     | \$70      | VARCHAR | 70         |                         |

Cut

Copy

Paste

Clipboard

Format Painter

Arial

I

U

B

Font

12

A

A

Align Left

Align Center

Align Right

Justify

Wrap Text

Merge & Center

General

Number

Percentage

Conditional Formatting

Format as Table

Format as Cell Styles

Insert Cells

Delete Cells

Format Cells

Fill

Clear

AI

Procedure Lookup Data Fields

| Procedure Lookup Data Fields |                                |                                                                                                                                                                               |      |               |           |                 |              |        |  |
|------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------------|-----------|-----------------|--------------|--------|--|
| Variable                     | lu_procedure<br>Medical Claims | Description                                                                                                                                                                   | Type | SAS<br>Length | Format    | Type            | TX<br>Length | Lookup |  |
| CATEGORY_DTL_CD              |                                | Identifies the AHRQ (Agency for Healthcare Research and Quality) detailed grouping of procedure codes. For example, Glaucoma Procedures, Repair of Retinal Tear & Detachment. | Char | 5             |           | \$5 VARCHAR     | 5            |        |  |
| CATEGORY_DTL_CODE_DESC       |                                | Describes the AHRQ (Agency for Healthcare Research and Quality) detailed grouping of procedure codes. For example, Glaucoma Procedures, Repair of Retinal Tear & Detachment.  | Char | 50            |           | \$50 VARCHAR    | 50           |        |  |
| CATEGORY_GENL_CD             |                                | Identifies the AHRQ (Agency for Healthcare Research and Quality) high-level grouping of procedure codes which is primarily by organ system.                                   | Char | 5             |           | \$5 VARCHAR     | 5            |        |  |
| CATEGORY_GENL_CODE_DESC      |                                | Describes the AHRQ (Agency for Healthcare Research and Quality) high-level grouping of procedure codes which is primarily by organ system.                                    | Char | 50            |           | \$50 VARCHAR    | 50           |        |  |
| PROC_CD                      |                                | Procedure Code describes the type of procedure performed or service provided. This procedure code is usually a CPT® OR HCPCS Level II Code.                                   | Char | 10            |           | \$10 VARCHAR    | 10           |        |  |
| PROC_DESC                    |                                | Describes a specific procedure performed or service provided. A procedure code can be an ICDX, CPT®, or HCPCS Level II code.                                                  | Char | 100           |           | \$100 VARCHAR   | 100          |        |  |
| PROC_END_DATE                |                                | The date that the procedure code was deleted from the Industry Standard Code listing.                                                                                         | Num  | 8             | YYMMDD10. | DATE YYYY-MM-DD |              |        |  |
| PROC_TYP_CD                  |                                | Identifies the industry standard code set where the procedure code is defined. This will identify the code as a ICDX, CPT®, or HCPCS Level II.                                | Char | 5             |           | \$5 VARCHAR     | 5            |        |  |

<< Home

CPT © 2013 American Medical Association.

All Rights Reserved. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use.

CPT is a registered trademark of the American Medical Association.