

Section A: Defining Medication Available Period (MAP) medications									
Title		Code Lists		Additional Notes		Date Modified (Initials + Date)		QC Reviewed (Initials + Date)	
Time Period	Variable	Label	Values	Definition					
FU_PD	ENDDATE	The end date of a patient's observation period due to study end date, death, disenrollment, etc.	date	from the ELUG_COH dataset, merge ENDDATE onto the dataset via PAT_ID.				OK13APR2026	
FU_PD	LOT1_START_DT	LOT1 Start Date	date	min(MAP_START_DT) where MAP_MED_CLASS != STERIOD	Patient level for LOT1_BASE dataset. Using the MAP_STACKED dataset, determine each patient's MAP_START_DT by identifying the earliest date that a patient received an MMA medication. Note that LOT1_START_DT will be equal to at least one LOT1_START_DT or potentially several if a patient started MAP_START_DT on the same day. In Figure 1 in Section B, the LOT1_START_DT is set by MAP [MED A]'s MAP_START_DT. Patient level for LOT1_BASE dataset. Identify induction regimen medications occurring MAP_STACKED to identify medications occurring (MAP_START_DT) during the 60 day window of LOT1_START_DT + 59. A patient's LOT1 induction regimen is broadly defined as those MMA medications found during the 60 day window following the patient's earliest MMA medication claim. Once the induction regimen medications are identified, the induction regimen period is defined as the time period beginning with the earliest MMA medication claim and continuing until a valid medication add is introduced (see list of permissible substitutions in LOT1_BASE_MEDS). all induction regimen medications discontinue, censoring, HSCT, or maintenance begins. The induction regimen and its corresponding period is referred to as LOT1 Base (see Figure 1 in Section B)				OK13APR2026
FU_PD	LOT1_MED [MED]	[MED] is an induction medication during LOT1 BASE.	0, 1	For all [MED]s: if MAP_MED_TYPE=[MED] and LOT1_START_DT <= MAP_START_DT <= (LOT1_START_DT+59) then = 1 Else 0.					OK13APR2026

FileHomeInsertDrawPage LayoutFormulasDataReviewViewAutomateHelp

PivotTable

Recommended

PivotTables

Pictures

Shapes

Icons

Illustrations

3D Models

SmartArt

Screenshot

Checkboxes

Recommended

Charts

Charts

Maps

PivotChart

Line

Column

Win/Loss

Sparklines

Slicer

Timeline

Filters

Link

Comments

Text Box

Header & Footer

WordArt

Signature Line

H16		A		B		C		D		E		F		G		H		I					
FU_PD		LOT1_BASE_DISCON_DT		LOT1 Base Discontinue Date		date		A patient's temporary LOT1 BASE discontinuation date (LOT1_BASE_DISCON_DT) may be calculated using their induction regimen's MAPs and other MMA medications' MAPs that are permissible substitutions (see the additional notes column). Note that the calculated discontinuation date may be not mark the actual end date of LOT1 BASE (e.g., censoring).		Obtain all induction regimen medication [MED] MAPs and all related permissible substitution [MED] MAPs that start on or after the established LOT1_Start_Dt and order them chronologically. Set the maximum MAP_END_DT observed as the LOT1_BASE_DISCON_DT.		Obtain all MAPs from MAP_STACKED where (LOT1_MED [MED]=1 and MAP_MED_TYPE = [MED]) and MAP_START_DT >= LOT1_START_DT		LOT1_BASE_DISCON_DT = max_map_end_dt.		IF ENDDATE - LOT1_BASE_DISCON_DT < 90 then LOT1_BASE_DISCON_DT =		If the obtained discontinuation date is within 90 days of the patient's ENDDATE, then set the discontinuation date to missing as there was not enough follow-up time to determine if a patient's LOT1 Base period truly discontinued.		OK13APR2026			
FU_PD		LOT1_BASE_MEDS		LOT1 induction regimen medications		CHAR		For each LOT1_MED [MED]=1, create a string of the medication abbreviations separated by a space.		For example, if LOT1_MED_BORT=1 and LOT1_MED_CARF=1 then this variable should equal "BORT LENA CARF".		Consider the list of permissible substitutions within a line, and that the line will ultimately be named according to the drug given for the longest duration within the line:		• Substitution of rituximab for rituximab/hyaluronidase and vice versa does not advance the LOT		• Substitution of daratumumab for daratumumab/hyaluronidase and vice versa does not advance the LOT		• Substitution of the reference product for a biosimilar or vice versa does not advance the LOT (e.g., trastuzumab and trastuzumab-anns)		• Substitution of bortezomib induction therapy for ixazomib as a maintenance therapy		OK13APR2026	

FileHomeInsertDrawPage LayoutFormulasDataReviewViewAutomateHelp

PivotTable

Recommended

Charts

Tables

Table

Forms

Pictures

Shapes

Icons

3D Models

SmartArt

Screenshots

Checkboxes

Recommended

Charts

Maps

PivotChart

Sparklines

Slicer

Timeline

Filters

Links

Comments

Text

Header

WordArt

Text

A	B	C	D	E	F	G	H	I
FU_PD	LOT1_BASE_LENGTH	Length of LOT1_BASE	continuous	If not missing(LOT1_BASE_DISCON_DT) then set to LOT1_BASE_DISCON_DT - LOT1_START_DT + 1 Otherwise if missing(LOT1_BASE_DISCON_DT) then set to ENDDATE - LOT1_START_DT + 1				OK13APR20
				For each patient: Obtain all of a patient's MAPs where [MED] not in LOT1_BASE_MEDS (or is not a permissible substitution) and ((LOT1_START_DT <= MAP_START_DT <= LOT1_BASE_DISCON_DT) or (LOT1_START_DT <= MAP_START_DT and LOT1_BASE_DISCON_DT =))				
FU_PD	LOT1_BASE_1ST_ADD_MED_DT	The day before the earliest date of a different medication occurring during LOT1_BASE	date or missing	Set LOT1_BASE_1ST_ADD_MED_DT = min(MAP_START_DT)-1 among the obtained MAPs. If there are multiple [MED]s present on the min(MAP_START_DT)-1, then select one of them at random using a fixed seed to ensure reproducibility. The [MED]'s unique MAP_MED_TYPE will be used when defining the next two variables				OK13APR
				If no such MAPs are found, set to missing				
FU_PD	LOT1_BASE_1ST_ADD_MED	Name of earliest medication of added during LOT1_BASE	[MED] e.g., BORT, LENA or missing	for each patient: If LOT1_BASE_1ST_ADD_MED_DT is not missing then: = MAP_MED_TYPE identified when defining LOT1_BASE_1ST_ADD_MED_DT if LOT1_BASE_1ST_ADD_MED_DT is missing then: = missing				OK13A

Section B: LOT1 Base Examples

Additional Notes

Date Modified
(Initials + Date)

Q

Tables: PivotTable, Recommended, PivotTables, Tables

Illustrations: Pictures, Shapes, Icons, SmartArt, 3D Models, Screenshots

Controls: Checkbox, Recommended Charts, Charts

Maps: PivotChart, Line, Column, Win/Loss, Sparklines

Filters: Slicer, Timeline

Links: Link

Comments: Comment, Text Box, Header & Footer, WordArt

H25



OK13APR2026

