

Section A: Inclusion / Exclusion Criteria - 'TimePeriod' Variable Note to Programmer: Use the naming convention 'TimePeriod' Variable														
Time Period	Variable	Label	Values	Definition	Code Lists Group	Additional Notes	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)						
INDEX	INDEX_DATE	Index Date	date	date of the first medical claim for multiple myeloma.	Tab 42	At least one inpatient medical claim with a diagnosis code for multiple myeloma (any ICD-9-CM=203.0x or ICD-10-CM code=C90.0x) OR ≥ 2 outpatient medical claims for multiple myeloma (any ICD-9-CM=203.0x or ICD-10-CM code=C90.0x) in any position on claim, on separate days within 30/60/90 days. (Suggest to program this as a macro, where 30, 60 & 90 day windows can be applied to the outpatient rule). The index date is the date of the first medical claim for multiple myeloma. Diagnosis codes for MM are in tab		OK19012026						
INDEX	INDEX_YR	Index Year	date	year(index date)	Tab 42									
ID_PD	AGE_DX	Age year of index	numeric	year(index date) - birthyear	N/A			OK19012026						
BASELINE	CE_b	Baseline Continuous Enrollment	Binary	if six months of CE with medical and pharmacy benefits before the index date then =1; else =0;	N/A	Patients with gaps in enrollment of ≤ 30 days are considered to be continuously enrolled.		OK19012026						
FU_PD	CE_f	Follow-up Continuous Enrollment of at least 1 day	Binary	Only 1 day of CE is required in the follow up period then =1; else =0;	N/A	Patients with gaps in enrollment of ≤ 30 days are considered to be continuously enrolled		OK19012026						
FU_PD	CE_3most	Follow-up Continuous Enrollment of at least 3mos	Binary	Please flag patients if ≥ 3 months of CE starting on the index date and ending on the earliest of death, health plan disenrollment, or the study period end for patients who do not have an assigned date of death < 3 months after the index date then =1; else =0;	N/A	For patients with an assigned date of death < 3 months after the index date, the follow-up period ended at the assigned date of death. No gaps in enrollment are allowable. This patients may be subset on in the future.		OK19012026						
FU_PD	MM_FU_agents	Evidence of treatment with agents for the purpose of treating MM	Binary	Evidence of an FDA-approved MM oncology therapy in claims during the follow-up period =1; else =0. Note: Receipt of corticosteroids only (eg. dexamethasone) will not be considered evidence of receiving an approved MM oncology therapy	Tab 41	Patients should have no gaps in enrollment for continuously enrolled days that exceed 3mos.		OK19012026						
BASELINE	MM_bl_agents	Evidence of MM oncology therapy in claims during the baseline period	Binary	≥ 1 medical or pharmacy claim for FDA-approved MM oncology therapy during the baseline period =1; else =0;	Tab 41	These will be identified with pharmacy claims (NDC) and medical claims (CPTs and HCPCS) codes.		OK19012026						
						Evidence of any MM here is defined use ≥ 1 non-diagnostic medical claim for MM (ICD-9-CM=203.0x) or ICD-10-CM code=C90.0x) during the baseline period. This flag is used to help better identify smoldering patients. From Optum: "When we refer to a non-diagnostic multiple myeloma (or any disease) claim, what we are referring to is a claim where one of the multiple myeloma diagnosis codes is present, but there is at least one service line on the claim that doesn't entail a diagnostic								
<	>	1.Cover	2.QC Review	3.Data Prep	4.StudyPop	5A. MMA_MED	5B. MAP_MED	6.LOT1_BASE	7.SCT	10.LOT1_BASE_END OK	11.LOT2_5_BASE	12.LOT2_5.BASE.END	13.SCT_CART_LOT_START	14.LOT2_5.SCT

Evidence of any MM here is defined use ≥1 non-diagnostic medical claim for MM (ICD-9-CM=203.0x) or ICD-10-CM code=C90.0x) during the baseline period. This flag is used to help better identify smoldering patients.													
From Optum: "When we refer to a non-diagnostic multiple myeloma (or any disease) claim, what we are referring to is a claim where one of the multiple myeloma diagnosis codes is present, but there is at least one service line on the claim that doesn't equal a diagnostic code. The idea is that a physician/facility might order labs for testing/diagnostics for multiple myeloma and on the claim they have to put something for the diagnosis so they will put what they ordered the lab to test for. e.g., diagnosis code for multiple myeloma. If the resulting facility claim had a diagnosis code for multiple myeloma and only one service line on the claim and that service line indicated a laboratory test, then we can't be certain that this is a true multiple myeloma diagnosis because the claim is suggesting that only testing was done. Alternatively, if the claim had the diagnosis codes for multiple myeloma and two service lines: the first line for testing and the second line a HCPCS code for medication or a CPT code for physician care													
Patients with either ≥ 1 inpatient or ≥2 outpatient ICD-9-CM or ICD-10-CM codes on separate days, within 30 days, for the same primary tumor type and/or metastatic cancer. Only the first of the 2 codes is required to occur inside the baseline period.													
Also flag patients with ≥ 2 outpatient claims on separate days within 60 or 90 days for consideration													
Patients with ≥ 2 ICD-9-CM or ICD-10-CM codes on separate days, within 30 days, for the same primary tumor type and/or metastatic cancer.													
≥ 1 of medical claim with a diagnosis, procedure, or revenue code indicating pregnancy or childbirth during the patient identification period. (baseline or follow-up identification (study period) will be flagged.													
Evidence of clinical trial participation during the patient identification (study period) will be flagged.													
When date of death is only available at month-level granularity, the date will be generalized to the middle of the month or year, respectively (e.g., a date of death in June 2014 will be treated as 15 June 2014). For patients with only death year available, the death date is assumed to be July 15th year of the year they died. For patients with only death year available and their year of death is the same year as their index date, the death date is assumed to be July 15th of that year if the index date is on or before July 15th. The death date is assumed to be December 31st of that year if the index date is after July 15th. Note: When the flag CE_3month=1 is applied health plan													
Note: When the flag CE_3month=1 is applied health plan													
13.SCT_CART_LOT1_START													
14.LOT2_5													

A	B	C	D	E	F
7	EXCLUSION		≥ 1 non-diagnosable medical claim has been filed during the baseline period. See tabs CL.MED and CL.WNL.FHS.	This criteria ensures that we are identifying newly diagnosed patients who do not have another MM claim prior to the index date.	OK19012026
7	EXCLUSION		Patients with ≥ 2 non-diagnostic diagnosis codes on separate days, within 30 days, for the same primary tumor type and/or metastatic cancer.	This is evidence of another cancer in the baseline period. Only the first of the 2 codes is required to occur inside the baseline period.	OK19012026
8	EXCLUSION		≥ 1 of medical claim with a diagnosis, procedure, or revenue code indicating pregnancy or childbirth during the baseline or follow-up period. See tab CL.PREG.		OK19012026
9	EXCLUSION		Evidence of clinical trial participation during each of the baseline and follow-up periods. See tab CL.CLINTRIAL.		OK19012026

Section C: Final Study Population

Dataset	Label	Definition	Additional Notes	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)
---------	-------	------------	------------------	------------------------------------	----------------------------------

ELG_COH	A patient level dataset containing those	The team will begin with the requirement that patients have at least one inpatient medical	Apply each criteria as a flag that can be carried forward or merged onto a later		OK19012026
---------	--	--	--	--	------------

1	2	3	4	5A	5B	6	7	10	11	12	13	14
Cover	QC Review	Data Prep	StudyPop	MMA.MED	MAP.MED	LOT1.BASE	SCT	LOT1.BASE.END.OK	LOT2.5.BASE	LOT2.5.BASE.END	SCT.CART.LOT.START	LOT2