

Section A: Defining Medication Available Period (MAP) medications									
Title	10.LOT1_BASE_END								
Time Period	Variable	Label	Values	Definition	Code Lists Group	Additional Notes	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)	
	LOT1_END_DT_TEMP	Temporary end date for LOT1 base period		The LOT will continue until the earliest of any of the following: (1) Discontinuation of all agents in the regimen (with or without switch to a new agent) -the LOT end date is based on the run-out date, defined as the last date that any MM medication in that LOT is considered to be available; (2) SCT / CAR-T events: if an autologous SCT occurs > 180 days following a previous autologous SCT, the LOT will end the day before the latter SCT. Any allogeneic SCTs are considered a new LOT and the current LOT will end the day before the allogeneic SCT. CAR-T cellular therapy infusions are classified as their own LOT; the preceding LOT transition for CAR-T is defined in the LOT1_TX_ENDDATE_REASON and LOT1_BASE_END_DT rows. (3) Death; (4) Health plan disenrollment; (5) End of the study period.		LOT1_BASE_END_DT derived from LOT1_BASE_DISCON_DT (max MAP_END_DT from T_MEDICAL_PROC_CD/NDC and T_RX_NDC for induction meds), LOT1_BASE_1ST_ADD_MED_DT (first MAP_START_DT from T_MEDICAL_RX for non-induction meds minus 1), LOT1_TX_ENDDATE (earliest LOT-ending SCT from T_MEDICAL procedure codes minus 1), and OBS_END_DT (LEAST of study_end from config.DEATH_DT from T_DDD_VYNDQ, disenrollment from T_MEMBER_CONT_ENROLLMENT_ELIGEND).		JM 15Apr/2026	
	LOT1_END_REASON_TEMP	Temporary LOT1 base period end reason		Note: Substitution of a biologic reference product with any of its biosimilars, or between biosimilars of the same reference product, does not advance the LOT (this is an exception, not an ending event). The LOT will continue until the earliest of any of the following: (1) Discontinuation of all agents in the regimen, with or without switch to a new agent. The LOT end date is the run-out date, defined as the last date that any MM medication in that LOT is considered to be available; if the current LOT is immediately interrupted by a new agent, the LOT end date is the day before the first administration / dispense date of the new agent. (2) SCT / CAR-T events: if an autologous SCT occurs > 180 days following a previous autologous SCT, the LOT will end the day before the latter SCT. Any allogeneic SCTs are considered a new LOT and the current LOT will end the day before the allogeneic SCT. CAR-T cellular therapy infusions are classified as their own LOT; the preceding LOT transition for CAR-T is defined in the LOT1_TX_ENDDATE_REASON and LOT1_BASE_END_DT rows. (3) Death; (4) Health plan disenrollment; (5) End of the study period.		End reason derived from matching the LOT1 end date against dates from: T_MEDICAL_UT_RX (discontinuation via MAP_END_DT), T_MEDICAL_UT_RX (new med via MAP_START_DT), T_DOD (death via VYNDQ), T_MEDICAL (SCT via procedure codes in T_MED_PROCEDURE), ENDDATE from T_MEMBER_CONT_ENROLLMENT (disenrollment) and study_end config.		JM 06Apr/2026	
FU_PD				Note: Substitution of a biologic reference product with any of its biosimilars, or between biosimilars of the same reference product, does not advance the LOT (this is an exception, not an ending event). Stem cell transplant (SCT): A LOT-specific binary variable is created to classify whether patients have an SCT during the LOT. SCT is operationalized as > 1 procedure code for an SCT. A single autologous SCT is one that is not part of a valid tandem pair. Single autologous SCTs and tandem SCTs are not unplanned SCTs and are considered a continuation of the line of therapy.		Autologous HSCT identified from T_MEDICAL procedure codes (PROC_CD, BILL_PROC_CD) matching SCT code list entries for AUTO type. Claims grouped by 14-day windows from T_MEDICAL_FST_DT. Gap validation (60 days) and tandem detection (180 days) applied to grouped dates.		JM 06Apr/2026	
FU_PD	LOT1_HSCT_AUTO_SING_FL	Flag: base period had single valid autologous HSCT						JM 06Apr/2026	
18								JM 06Apr/2026	
FU_PD	G	Flag: base period had tandem valid autologous HSCT		Patients will be classified as having a planned autologous tandem SCT if they receive a second autologous SCT more than or equal 60 days and less than or equal 180 days after their first planned autologous SCT within the same line of therapy (LOT). If the interval between the two autologous SCTs falls outside this window, the sequence will be considered unplanned. An autologous SCT followed by an allogeneic SCT will not be considered planned, because allogeneic SCTs typically follow failed autologous SCTs.		Tandem detection uses T_MEDICAL procedure codes for both AUTO events. The 180-day window is applied to grouped AUTO dates (after 14-day windowing and 60-day gap validation). ALLO events between AUTO_DT_1 and AUTO_DT_2 checked via T_MEDICAL.		JM 15Apr/2026	
19									
FU_PD	LOT1_TX_AUTO_MAX_DT	Latest date of patient's valid HSCT		This variable captures the date of the second valid tandem autologous (AUTO) SCT — where a tandem is two AUTOs >= 60 and <= 180 days apart — or, if only a single AUTO occurred, the date of that single AUTO.		Derived from T_MEDICAL procedure code dates for autologous HSCT, after 14-day windowing and 60-day gap validation.		JM 15Apr/2026	
20									

		B		C		D		E		F		G		H		I	
		PERMISSIBLE_SUBS_EFFECT	Permissible substitution rules affecting LOT1 end														
U_PD	LOT1_TX_ENDDATE_REASON (AUTO/ALLO/CART)	SCT end reason type															
U_PD	LOT1_TX_AUTO_DT_1/ LOT1_TX_AUTO_DT_2	Dates of first and second valid autologous HSCT															
U_PD	LOT1_BASE_DISCON_DT	LOT1 base period discontinuation date															
U_PD	LOT1_BASE_1ST_ADD_MED LOT1_BASE_1ST_ADD_MED	Date and name of first non-induction medication added															
U_PD	LOT1_BASE_1ST_ADD_MED	Date and name of first non-induction medication added															
U_PD	INDUCTION_WINDOW_DAYS	Induction regimen identification window (days)															
U_PD	ALLO_ALWAYS_ENDS_LOT	Allogeneic SCT always ends current LOT (protocol rule)															
U_PD	CART_45D_CONSOLIDATION	CAR-T 45-day supportive agent consolidation rule															
U_PD	NAMING_DISCREPANCY_SCT_VS_HSCT	Variable naming: spec uses HSCT prefix vs code uses SCT prefix															
U_PD	contains_mnt_reg	Regimen contains one or more valid maintenance-approved regimens 0 = no (or regimen combinations)															
U_PD	contains_mnt_reg	Regimen contains one or more valid maintenance-approved regimens 0 = no (or regimen combinations)															

[illegible]