

Section A: Defining Medication Available Period (MAP) medications

Code Lists
Group

Additional Notes

Definition

PRIMARY: earliest of (1) all-agent discontinuation (run-out date); (2) new qualifying MM agent (day before MAP_START_DT); (3) ALLO SCT (day before); (4) unplanned AUTO >180d after prior AUTO (day before); (5) CAR-T (day before FIRST_CART_DT); (6) death (YMDOD); (7) study_end.

max(MAP_END_DT) across LOT N induction agents. Used as LOT end when reason = DISCONTINUATION.

First non-steroid MM agent after the induction window with MAP_START_DT <= LOTN_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar.

Inherits LOT1.

Default for missing/anomalous DAY_SUPPLY (medical and pharmacy).

Any ALLO ends current LOT day before ALLO, and starts a new ALLO LOT.

Two AUTOs >=60 and <=180 days apart = planned tandem (same LOT). >180 days = unplanned (new LOT).

Agents within 45d of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team decision (Q11).

Earliest qualifying end event from LOTN_END_DT_TEMP.

CART / SCT_AUTO /
ADD /
N / DEATH /

If reason = DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_START_DT + 1. Else:
LOTN_BASE_END_DT - LOTN_START_DT + 1.

Biosimilar swap within a reference product family does not end/advance the LOT. Regimen named by longest-duration drug.

st add.
F POMA); death 2026-05-20. Priority resolves to CART_INIT.

JM Julia Moore

Include mention of the 45-day consolidation of a new med before CART

06 May 2026, 00:10

@mention or reply

Use COALESCE; do NOT delete claims.

Use datediff without +1.

Do NOT advance to LOT_(N+1) for consolidated

ALLO/CAR-T LOT span: see Q2.

DRAFT same-day priority (inherits LOT1 - confir

SCT_CART > SCT_AUTO > CART_INIT > MED_ADD >

DEATH > STUDY_END. CART_INIT logic inherits LO

of first add) - confirm applies to LOT2-5.

Confirm censored handling (LOT1 M1).

_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar.

E

F

G

to the programming module in the study

programming specification has been finalized

Section A: Defining Medication Available Period (MAP) medications

	Definition	Code Lists Group	Additional Notes
	PRIMARY: earliest of (1) all-agent discontinuation (run-out date); (2) new qualifying MM agent (day before MAP_START_DT); (3) ALLO SCT (day before); (4) unplanned AUTO >180d after prior AUTO (day before); (5) CAR-T (day before FIRST_CART_DT); (6) death (YMDOD); (7) study_end.		Primary path inherits LOT1 logic; only if
	max(MAP_END_DT) across LOT N induction agents. Used as LOT end when reason = DISCONTINUATION.		T_MEDICAL: FST_DT + medical_day_supply DAYS_SUP - 1. Missing DAY_SUPPLY -> 28d (claims).
OR	First non-steroid MM agent after the induction window with MAP_START_DT <= LOTN_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar. 	 Julia Moore E13 ... This might be left over from the prior LOT2-5 spec. Is this supposed to be the date of any biosimilar add? I suggest we remove this variable if so. 06 May 2026, 00:14 @mention or reply	... classifying
	Inherits LOT1.		... claims.
	Default for missing/anomalous DAY_SUPPLY (medical and pharmacy).		... for consolida
	Any ALLO ends current LOT day before ALLO, and starts a new ALLO LOT.		
	Two AUTOs >=60 and <=180 days apart = planned tandem (same LOT). >180 days = unplanned (new LOT).		
	Agents within 45d of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team decision (Q11).		
	Earliest qualifying end event from LOTN_END_DT_TEMP.		ALLO/CAR-T LOT span: see Q2.
CT_CART / SCT_AUTO / MED_ADD / ATION / DEATH /			DRAFT same-day priority (inherits LOT1 - cor SCT_CART > SCT_AUTO > CART_INIT > MED_AD DEATH > STUDY_END. CART_INIT logic inherits of first add) - confirm applies to LOT2-5.
	If reason = DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_START_DT + 1. Else: LOTN_BASE_END_DT - LOTN_START_DT + 1.		Confirm censored handling (LOT1 M1).
ance LOT	Biosimilar swap within a reference product family does not end/advance the LOT. Regimen named by longest-duration drug.		


5d of POMA); death 2026-05-20. Priority resolves to CART_INIT.

of first add.

_MED 6. LOT1_BASE 7. SCT 10. LOT1_BASE_END OK 11. LOT2_5_BASE 12. LOT2_5_BASE_END 13. SCT_CART_LOT_START 14. LOT2_5_Scenarios 40. CL



Search



ENG IN



Share

feels tired and want to sleep no

to the programming module in the study

programming specification has been finalized

Section A: Defining Medication Available Period (MAP) medications

	Definition	Code Lists Group	Additional Notes
	PRIMARY: earliest of (1) all-agent discontinuation (run-out date); (2) new qualifying MM agent (day before MAP_START_DT); (3) ALLO SCT (day before); (4) unplanned AUTO >180d after prior AUTO (day before); (5) CAR-T (day before FIRST_CART_DT); (6) death (YMDOD); (7) study_end.		Primary path inherits LOT1 logic; only in
	max(MAP_END_DT) across LOT N induction agents. Used as LOT end when reason = DISCONTINUATION.		T_MEDICAL: FST_DT + medical_day_supply DAYS_SUP - 1. Missing DAY_SUPPLY -> 28d (claims).
UBR	First non-steroid MM agent after the induction window with MAP_START_DT <= LOTN_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar.		Check permissible_subs before classifying
	Inherits LOT1.		
	Default for missing/anomalous DAY_SUPPLY (medical and pharmacy).		
	Any ALLO ends current LOT day before ALLO, and starts a new ALLO LOT.		
	Two AUTOS >=60 and <=180 days apart = planned tandem (same LOT). >180 days = unplanned (new LOT).		
	Agents within 45d of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team decision (Q11).		
	Earliest qualifying end event from LOTN_END_DT_TEMP.		
SCT_CART / SCT_AUTO / MED_ADD / UATION / DEATH /			DRAFT same-day priority (inherits LOT1 - conf SCT_CART > SCT_AUTO > CART_INIT > MED_ADD DEATH > STUDY_END. CART_INIT logic inherits L of first add) - confirm applies to LOT2-5.
	If reason = DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_START_DT + 1. Else: LOTN_BASE_END_DT - LOTN_START_DT + 1.		Confirm censored handling (LOT1 M1).
ance LOT	Biosimilar swap within a reference product family does not end/advance the LOT. Regimen named by longest-duration drug.		

 **Julia Moore** E14 ***

There is no 90d gap consideration for this study (from prior LOT rules).
Variable to be removed.
06 May 2026, 00:15

@mention or reply

5d of POMA); death 2026-05-20. Priority resolves to CART_INIT.

of first add.

MED 6.LOT1_BASE 7.SCT 10.LOT1_BASE_END OK 11.LOT2_5_BASE 12.LOT2_5_BASE_END 13.SCT_CART_LOT_START 14.LOT2_5_Scenarios 40.CL M



Share

feels tired and want to sleep no

programming module in the study

programming specification has been finalized

Section A: Defining Medication Available Period (MAP) medications

	Definition	Code Lists Group	Additional Notes
	PRIMARY: earliest of (1) all-agent discontinuation (run-out date); (2) new qualifying MM agent (day before MAP_START_DT); (3) ALLO SCT (day before); (4) unplanned AUTO >180d after prior AUTO (day before); (5) CAR-T (day before FIRST_CART_DT); (6) death (YMDOD); (7) study_end.		Primary path inherits LOT1 logic; only induction
	max(MAP_END_DT) across LOT N induction agents. Used as LOT end when reason = DISCONTINUATION.		T_MEDICAL: FST_DT + medical_day_supply - 1. T_DAYS_SUP - 1. Missing DAY_SUPPLY -> 28d default (claims).
	First non-steroid MM agent after the induction window with MAP_START_DT <= LOTN_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar.		Check permissible_subs before classifying as ne
	Inherits LOT1.		
	Default for missing/anomalous DAY_SUPPLY (medical and pharmacy).		Use COALESCE; do NOT delete claims.
	Any ALLO ends current LOT day before ALLO, and starts a new ALLO LOT.		
	Two AUTOs >=60 and <=180 days apart = planned tandem (same LOT). >180 days = unplanned (new LOT).		Use datediff without +1.
	Agents within 45d of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team decision (Q11).		Do NOT advance to LOT_(N+1) for consolidated age
	Earliest qualifying end event from LOTN_END_DT_TEMP.		
RT / SCT_AUTO / ADD / / DEATH /			ALLO/CAR-T LOT span: see Q2.
			DRAFT same-day priority (inherits LOT1 - confirm): SCT_CART > SCT_AUTO > CART_INIT > MED_ADD > DIS DEATH > STUDY_END. CART_INIT logic inherits LOT1 (of first add) - confirm applies to LOT2-5.
			Confirm censored handling (LOT1 M1).
OT	If reason = DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_START_DT + 1.		
	Biosimilar swap within a reference product family does not end/advance the LOT. Regimen named by longest-duration drug.		



Julia Moore

G19 ...

What is Q2?

06 May 2026, 00:16

@mention or reply

POMA); death 2026-05-20. Priority resolves to CART_INIT.

add.

6. LOT1_BASE

7. SCT

10. LOT1_BASE_END OK

11. LOT2_5_BASE

12. LOT2_5_BASE_END

13. SCT_CART_LOT_START

14. LOT2_5_Scenarios

40. CL MMA R

Search

ENG
IN

feels tired and want to sleep no

CART_INIT > MED_ADD > DISCONTINUATION > DEATH > STUDY_END. CART_INIT logic inherits LOT1 (CAR-T within 45d of first add) - confirm applies to LOT2

E

F

G

programming module in the study

programming specification has been finalized

Section A: Defining Medication Available Period (MAP) medications

	Definition	Code Lists Group	Additional Notes
	PRIMARY: earliest of (1) all-agent discontinuation (run-out date); (2) new qualifying MM agent (day before MAP_START_DT); (3) ALLO SCT (day before); (4) unplanned AUTO >180d after prior AUTO (day before); (5) CAR-T (day before FIRST_CART_DT); (6) death (YMDOD); (7) study_end.		Primary path inherits LOT1 logic; only induction
	max(MAP_END_DT) across LOT N induction agents. Used as LOT end when reason = DISCONTINUATION.		T_MEDICAL: FST_DT + medical_day_supply - 1. T_DAYS_SUP - 1. Missing DAY_SUPPLY -> 28d default claims).
	First non-steroid MM agent after the induction window with MAP_START_DT <= LOTN_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar. Inherits LOT1.		Check permissible_subs before classifying as ne
	Default for missing/anomalous DAY_SUPPLY (medical and pharmacy).		Use COALESCE; do NOT delete claims.
	Any ALLO ends current LOT day before ALLO, and starts a new ALLO LOT.		
	Two AUTOs >=60 and <=180 days apart = planned tandem (same LOT). >180 days = unplanned (new LOT).		Use datediff without +1.
	Agents within 45d of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team decision (Q11).		Do NOT advance to LOT_(N+1) for consolidated age
	Earliest qualifying end event from LOTN_END_DT_TEMP.		ALLO/CAR-T LOT span: see Q2.
CART / SCT_AUTO / ADD / DEATH /			DRAFT same-day priority (inherits LOT1 - confirm): SCT_CART > SCT_AUTO > CART_INIT > MED_ADD > DISCONTINUATION > DEATH > STUDY_END. CART_INIT logic inherits LOT1 (of first add) - confirm applies to LOT2-5. Confirm censored handling (LOT1 M1).
	If reason = DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_START_DT + 1.		
LOT	Biosimilar swap within a reference product family does not end/named by longest-duration drug.		



Julia Moore

G20 ...

Same comment as previous tab. Not sure about tie-breaking rules for same day AUTO/CART/ALLO (I can't imagine this would be showing up in the data)

06 May 2026, 00:17

@mention or reply

POMA); death 2026-05-20. Priority resolves to CART_INIT.

add.

6. LOT1_BASE

7. SCT

10. LOT1_BASE_END OK

11. LOT2_5_BASE

12. LOT2_5_BASE_END

13. SCT_CART_LOT_START

14. LOT2_5_Scenarios

40. CL MMA R

Search

ENG
IN

Share

feels tired and want to sleep no

programming module in the study

programming specification has been finalized

Section A: Defining Medication Available Period (MAP) medications

	Definition	Code Lists Group	Additional Notes
	PRIMARY: earliest of (1) all-agent discontinuation (run-out date); (2) new qualifying MM agent (day before MAP_START_DT); (3) ALLO SCT (day before); (4) unplanned AUTO >180d after prior AUTO (day before); (5) CAR-T (day before FIRST_CART_DT); (6) death (YMDOD); (7) study_end.		Primary path inherits LOT1 logic; only induction window
	max(MAP_END_DT) across LOT N induction agents. Used as LOT end when reason = DISCONTINUATION.		T_MEDICAL: FST_DT + medical_day_supply - 1. T_RX: FILL_DAYS_SUP - 1. Missing DAY_SUPPLY -> 28d default (do not claims).
	First non-steroid MM agent after the induction window with MAP_START_DT <= LOTN_BASE_DISCON_DT, not in LOTN_BASE_MEDS or its biosimilar.		Check permissible_subs before classifying as new add.
	Inherits LOT1.		
	Default for missing/anomalous DAY_SUPPLY (medical and pharmacy).		Use COALESCE; do NOT delete claims.
	Any ALLO ends current LOT day before ALLO, and starts a new ALLO LOT.		
	Two AUTOs >=60 and <=180 days apart = planned tandem (same LOT). >180 days = unplanned (new LOT).		Use datediff without +1.
	Agents within 45d of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team decision (Q11).		Do NOT advance to LOT_(N+1) for consolidated agents.
	Earliest qualifying end event from LOTN_END_DT_TEMP.		ALLO/CAR-T LOT span: see Q2.
T / SCT_AUTO / OD / / DEATH /			DRAFT same-day priority (inherits LOT1 - confirm): SCT_ALLC SCT_CART > SCT_AUTO > CART_INIT > MED_ADD > DISCONTINU DEATH > STUDY_END. CART_INIT logic inherits LOT1 (CAR-T wi of first add) - confirm applies to LOT2-5.
	If reason = DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_STA LOTN_BASE_END_DT - LOTN_START_DT + 1.		Confirm censored handling (LOT1 M1)
T	Biosimilar swap within a reference product family does not end/ named by longest-duration drug.		

DMA); death 2026-05-20. Priority resolves to CART_INIT.

dd.



Julia Moore

G21 ...

I think this can be removed, please
confirm

06 May 2026, 00:18

@mention or reply

6. LOT1_BASE 7. SCT 10. LOT1_BASE_END OK 11. LOT2_5_BASE 12. LOT2_5_BASE_END 13. SCT_CART_LOT_START 14. LOT2_5_Scenarios 40. CL MMA RC ...

Search

ENG
IN

Share

feels tired and want to sleep no

A	B	C	D	
FU_PD	LOTN_BASE_DISCON_DT	LOT N run-out date	Date	max(MAP_END_DT) DISCONTINUATION
FU_PD	LOTN_BASE_1ST_ADD_MED_DT / LOTN_BASE_1ST_ADD_MED	First non-induction agent during LOT N	Date / MED_ABBR	First non-induction agent during LOT N
FU_PD	LOT_DISCON_GAP_DAYS	Discontinuation gap (days)	90	LOTN_BASE_DISCON_DT
FU_PD	MEDICAL_DAY_SUPPLY	Assumed medical days supply	28	Inherits LOT1
FU_PD	ALLO_ALWAYS_ENDS_LOT	ALLO always ends current LOT	TRUE	Default for missing agent
FU_PD	AUTO_TANDEM_WINDOW	Tandem AUTO window	60-180 days	Any ALLO ends current LOT
FU_PD	CART_CONSOLIDATION_DAYS	CAR-T consolidation window	45	Two AUTOs >=60 and <=90 (new LOT).
FU_PD	LOTN_BASE_END_DT	Final LOT N end date (PRIMARY)	Date	Agents within 45d of FIRST LOT N end date (Q11)
FU_PD	LOTN_BASE_END_REASON	Final LOT N end reason (PRIMARY)	SCT_ALLO / SCT_CART / SCT_AUTO / CART_INIT / MED_ADD / DISCONTINUATION / DEATH / STUDY_END	Earliest qualifying end reason
FU_PD	LOTN_BASE_LENGTH	LOT N duration (days)	Integer	
FU_PD	PERMISSIBLE_SUBS_EFFECT	Biosimilar substitution rule	Do not advance LOT	If reason = DISCONTINUATION, LOTN_BASE_END_DT - LOTN_START_DT > 90d

WORKED EXAMPLE D - End-reason priority with CART_INIT

LOT3 starts 2025-11-01 (KRd). Competing events: run-out 2026-04-15; POMA add 2026-03-20; CAR-T 2026-04-02 (within 45d of POMA); death 2026-05-20. Priority resolves to CART_INIT.		
Variable	Value for this patient	How it was derived
LOTN_BASE_END_DT	2026-04-01	FIRST_CART_DT - 1.
LOTN_BASE_END_REASON	CART_INIT	CART_INIT outranks MED_ADD; CAR-T within 45d of first add.
LOTN_BASE_LENGTH	152	2026-04-01 - 2025-11-01 + 1.
LOT (N+1) START_DT	2026-04-02	LOT4_START_TYPE = CART.

WORKED EXAMPLE E - Discontinuation (run-out)

LOT2 starts 2025-08-20 (DARA+LENA). Last LENA MAP_END_DT 2026-02-06; last DARA 2026-01-15. No new agent in 90d.		
Variable	Value for this patient	How it was derived
LOTN_BASE_DISCON_DT	2026-02-06	max(MAP_END_DT) across LOT2 induction agents.
LOTN_BASE_END_DT	2026-02-06	Run-out date itself when reason = DISCONTINUATION.
LOTN_BASE_END_REASON	DISCONTINUATION	Run-out reached; no agent within 90d gap.
LOTN_BASE_LENGTH	2026-02-06 - 2025-08-20 + 1.	

JM

Julia Moore

C35 ...

We are not using the 90d gap rule
06 May 2026, 00:20

@mention or reply

E	F	G
across LOT N induction agents. Used as LOT end when reason =		T_MEDICAL: FST_DT + medical_day_supply - 1. T_RX: FILL_DT + DAYS_SUP - 1. Missing DAY_SUPPLY -> 28d default (do not delete claims).
MM agent after the induction window with MAP_START_DT <= N_DT, not in LOTN_BASE_MEDS or its biosimilar.		Check permissible_subs before classifying as new add.
ing/anomalous DAY_SUPPLY (medical and pharmacy).		Use COALESCE; do NOT delete claims.
urrent LOT day before ALLO, and starts a new ALLO LOT.		
and <=180 days apart = planned tandem (same LOT). >180 days = unplanned		Use datediff without +1.
ed of FIRST_CART_DT are consolidated into the CAR-T LOT. Apr 22 study-team		Do NOT advance to LOT_(N+1) for consolidated agents.
ing end event from LOTN_END_DT_TEMP.		ALLO/CAR-T LOT span: see Q2.
		DRAFT same-day priority (inherits LOT1 - confirm): SCT_ALLO > SCT_CART > SCT_AUTO > CART_INIT > MED_ADD > DISCONTINUATION > DEATH > STUDY_END. CART_INIT logic inherits LOT1 (CAR-T within 45d of first add) - confirm applies to LOT2-5.
DISCONTINUATION: LOTN_BASE_DISCON_DT - LOTN_START_DT + 1. Else:		Confirm censored handling (LOT1 M1).
ND_DT - LOTN_START_DT + 1.		
wrap with in a reference product family does not end/advance the LOT. Regimen		
ngest-duration drug.		

y resolves to CART_INIT.



Julia Moore

A31 ...

We are not using the 90d gap rule
06 May 2026, 00:20

@mention or reply