

tion:
 Progmodes tab can be copied (as required) of the
 update the "Title" of the Progmodes tab(s) in Section C of the
 list the newly added Progmodes tab(s) in Section C of the
 Delete any examples in grey italic text that are not relevant/appropriate

Section A: Defining Medication Available Period (MAP) medications

Title		Code Lists		Additional Notes		Date Modified (Initials + Date)	QC Reviewed (Initials + Date)
Time Period	Variable	Label	Values	Definition	Group		
10	LOT1_BASE_END						
11	FU_PD	LOT1_END_DT_TEMP	The end date for the tdate	= select the nonmissing value of min(LOT1_BASE_DISCON_DT, LOT1_BASE_MAINT_END_DT_TEMP, ENDDATE, LOT1_BASE_1ST_ADD_MED_DT, LOT1_TX_ENDDATE)			
12	FU_PD	LOT1_END_DT_ORIG	The original end date of the base period date	=LOT1_END_DT_TEMP		This is a copy of the original calculated LOT1 end date.	
13	FU_PD	LOT1_END_REASON_TEMP	The base period end reason	1=DISCONTINU 2=NEW MED 3= CENSOR 4= DEATH 5= SCT AUTO 6= SCT ALLO 7= CART Otherwise do: if LOT1_END_DT_TEMP = LOT1_DISCON_DT then = 1 else if LOT1_END_DT_TEMP = DEATH_DT then = 4 else if LOT1_END_DT_TEMP = ENDDATE then = 3 else if LOT1_END_DT_TEMP=LOT1_BASE_1ST_ADD_MED_DT = 2 else if LOT1_END_DT_TEMP=LOT1_TX_ENDDATE and LOT1_TX_ENDDATE_REASON=1 then = 5 else if LOT1_END_DT_TEMP=LOT1_TX_ENDDATE and LOT1_TX_ENDDATE_REASON=2 then = 6 else if LOT1_END_DT_TEMP=LOT1_TX_ENDDATE and LOT1_TX_ENDDATE_REASON=3 then = 7			
14	The next variables bring SCT dates and we have to check to see if we 1.) extend the LOT to include an HSCT occurring within 60d of the LOT discontinuing or 2.) set the LOT1 end date to be the date of the SCT. This end date is still temporary though because if the patient receives maintenance after the HSCT, then the LOT1 end date will be further extended out.						



A	B	C	D	E	F	G	H	I	J
FU_PD	LOT1_EXTEND_FLG	The patient had an HSCt occurring within 60 days of this conditioning period discontinuing	0,1	if LOT1_END_REASON_TEMP = 1 and (LOT1_HSCt_AUTO_TAND_FLG or LOT1_HSCt_AUTO_SING_FLG) and (LOT1_END_DT_TEMP <= LOT1_TX_AUTO_DT_1 <= LOT1_END_DT+60) and (LOT1_TX_AUTO_DT_1 < LOT1_TX_ENDDATE or missing(LOT1_TX_ENDATE)) and LOT1_TX_AUTO_DT_1 <= ENDDATE then = 1 else = 0		Check if an HSCt occurred within 60 days of LOT1 ending due to discontinuation. If so, did that HSCt date occur before ENDDATE or a transplant related end date? Note the 2_FLG variables come from the PREPROCESSED dataset.			
FU_PD	LOT1_END_DT_TEMP	The end date for the base period	date	if LOT1_HSCt_AUTO_SING_FLG then update LOT1_END_DT_TEMP to equal LOT1_TX_AUTO_DT_1 else if LOT1_HSCt_AUTO_TAND_FLG then update LOT1_END_DT_TEMP to equal LOT1_TX_AUTO_DT_2		Update based on whether we are extending LOT1 60 days out to include an HSCt (and if the HSCt that occurred was part of a tandem, then the date of the second HSCt sets LOT1_END_DT_TEMP).			
FU_PD	LOT1_EXTEND_LENGTH	The number of days between the conditioning period's discontinuation date and an HSCt that occurred at least	numeric	if LOT1_EXTEND_FLG then= LOT1_END_DT_TEMP - LOT1_END_DT_ORG		Recall that LOT_END_DT_TEMP would have been just updated with a later date reflecting the date of the HSCt			
FU_PD	LOT1_END_REASON_TEMP	The base period end	1=DISCONTINUATION 2=NEW MED ADD 3=CENSOR 4=DEATH 5=SCT AUTO 6=SCT ALLO 7=CART	if LOT1_EXTEND_FLG then set to . otherwise leave variable unchanged.		Update based on whether we are extending LOT1 60 days out to include an HSCt If we are extending the LOT to capture an HSCt, then the LOT1 end reason will change (either no maint following the hsc, or there will be maintenance period and the maintenance period will end for a variety of reasons).			
FU_PD	LOT1_HSCt_AUTO_SING	The base period had a single valid autologous HSCt	0,1	if (LOT1_HSCt_AUTO_SING_FLG and LOT1_END_DT_TEMP < LOT1_TX_AUTO_DT_1 THEN = 0 Otherwise leave variable unchanged.		Update based on whether LOT1 base ends before HSCt date, otherwise value remains unchanged from input dataset LOT1_BASE_HSCt			
FU_PD	LOT1_HSCt_AUTO_TAND	The base period had a tandem valid autologous HSCt	0,1	if (LOT1_HSCt_AUTO_TAND_FLG and LOT1_END_DT_TEMP < LOT1_TX_AUTO_DT_1 THEN = 0		Note that for patients with LOT1_EXTEND_FLG, their LOT1_END_DT_TEMP will already be updated and thus update based on whether LOT1 base ends before HSCt date, otherwise value remains unchanged from input dataset LOT1_BASE_HSCt			
FU_PD	LOT1_TX_AUTO_MAX_DT	The latest date of a patient's valid HSCt	date	if LOT1_HSCt_AUTO_TAND_FLG then = LOT1_TX_AUTO_DT_2 else if LOT1_HSCt_AUTO_SING_FLG then = LOT1_TX_AUTO_DT_1					
FU_PD	LOT1_TX_AUTO_FLG	whether or not a patient had a valid autologous HSCt during the base	0,1	if (LOT1_HSCt_AUTO_TAND_FLG or LOT1_HSCt_AUTO_SING_FLG) then = 1 else = 0		Recall that we updated these variables above (i.e., they maintain their original value from the input dataset unless the LOT ended prior to their date and there was no extension, which case they have been set to 0)			
FU_PD	LOT1_END_DT_TEMP	The end date for the base period	date	if (LOT1_HSCt_AUTO_SING_FLG or LOT1_HSCt_AUTO_TAND_FLG) and LOT1_TX_AUTO_DT_1 < LOT1_END_DT_TEMP		Update based on whether an HSCt occurs prior to the temporary LOT1 end date.			

A	B	C	D	E	F	G	H	I
FU_PD	LOT1_END_DT_TEMP	The end date for the base period	date	if (LOT1_HSCT_AUTO_SING_FLG or LOT1_HSCT_AUTO_TAND_FLG) and LOT1_TX_AUTO_DT_1 < LOT1_END_DT_TEMP then set to missing (.).		Update based on whether an HSCT occurs prior to the temporary LOT1 end date.		
FU_PD	LOT1_END_REASON_TE	The base period end	1=DISCONTINU 2=NEW MED 3= CENSOR 4 = DEATH	if (LOT1_HSCT_AUTO_SING_FLG or LOT1_HSCT_AUTO_TAND_FLG) and LOT1_TX_AUTO_DT_1 < LOT1_END_DT_TEMP then set to missing (.).		Update based on whether an HSCT occurs prior to the temporary LOT1 end date.		
FU_PD	SWITCH_FLG	Indicates that patient had a same class during LOT1_BASE period	0, 1	Otherwise leave unchanged if LOT1_SAMECLASS_1ST_DT <= LOT1_END_DT_TEMP then =1 else =0		If we identify an eligible single/tandem HSCT, then the LOT1 end reason will change (either no maint following the hsct, or there will be maintenance period and the		
FU_PD								
FU_PD	LOT1_BASE_MEDS	LOT1 induction medications	CHAR	=LOT1_BASE_MEDS		Originally from LOT1_BASE dataset		
FU_PD	LOT1_BASEMAINT_START	The start date of a maintenance period	date	if (min(LOT1_BASE_DISCON_DT, ENDDATE, LOT1_BASE_1ST_ADD_MED_DT, LOT1_TX_ENDDATE) - LOT1_BASE_MAINT_START_DT + 1) >= 120 and LOT1_BASE_MAINT_START_DT != ., then set to LOT1_BASE_MAINT_START_DT				
FU_PD	LOT1_BASEMAINT_TYPE	The maintenance medication abbr	char	if LOT1_MAINT_START_DT is not missing then set to the value of LOT1_MAINT_TYPE from the input dataset (LOT1_BASE_MAINT). Otherwise set to missing				
FU_PD	LOT1_BASEMAINT_END	The end date of a maintenance period (temp).	date	if LOT1_MAINT_START_DT is not missing then do: if LOT1_MAINT_ADD_FLG = 1 and LOT1_BASE_MAINT_END_DT_TEMP < min(LOT1_BASE_DISCON_DT, ENDDATE, LOT1_BASE_1ST_ADD_MED_DT, LOT1_TX_ENDDATE) - LOT1_TX_ENDDATE, then set to LOT1_BASE_MAINT_END_DT_TEMP from the input dataset Otherwise set to the value of LOT1_END_DT_TEMP calculated above For [MED] in (BOORT, DARA, KAZ, LENA, CARF): if LOT1_MAINT_START_DT is not missing then set to the value of LOT1_MAINT_MED_[MED] from the input dataset (LOT1_BASE_MAINT)				
FU_PD	LOT1_BASEMAINT_MED	Flag for maintenance medication [MED]	0, 1					



A	B	C	D	E	F	G	H	I
FU_PD	LOT1_BASEMAINT_MED	Flag for maintenance medication [MED].	0,1	For [MED] in (BORT, DARA, IXAZ, LENA, CARF): If LOT1_MAINT_START_DT is not missing then set to the value of LOT1_MAINT_MED [MED] from the input dataset (LOT1_BASE_MAINT). Otherwise set to missing				
FU_PD	LOT1_BASEMAINT_END	The maintenance period end reason (temp)	1=DISCONTINU E 2=NEW MED ADD 3= CENSOR 4 = DEATH 5 = HSCT AUTO 6 = HSCT ALLO	If LOT1_BASEMAINT_END_DT_TEMP = LOT1_BASE_MAINT_END_DT_TEMP and LOT1_MAINT_ADD_FLG=1 then set to 2, where LOT1_BASEMAINT_END_DT_TEMP is defined above and LOT1_BASE_MAINT_END_DT_TEMP is defined on the input dataset (LOT1_BASE_MAINT). Otherwise set to the value of LOT1_END_REASON_TEMP calculated above:				

Section B: maintenance Examples

Section B: maintenance Examples

Examples	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)
7		