

Instructions...
1) The PropMeds tab can be copied (as required) to create multiple PropMeds tabs, according to the programming module in the study
2) Update the "Title" of the PropMeds to be descriptive (e.g. 5A.Baseline Characteristics)
3) List the newly added PropMeds to be in Section C of the Cover tab
4) Delete any examples in grey italic text that are not relevant/applicable to the study once the programming specification has been finalized

11.LOT2_5.BASE

Title

Section A: Defining Medication Available Period (MAP) medications

Time Period	Variable	Label	Values	Definition	Code List Group	Additional Notes	Date Modified (Initials + Date)
FU_PD	LOT_MUM	Line of therapy number	2,3,4,5	Sequential index of the line of therapy after LOT1. LOT2 starts after LOT1 ends. LOT3 after LOT2, etc. up to LOT5		Derived sequentially, LOT1 (MUM)_START_DT must be >	
FU_PD	LOTN_START_DT	LOT N start date (N in 2-5)	Date	Earliest of: after LOT1 (N=1, BASE, END_DT) (a) first non-stored MM oncology agent (b) first ALLO SCT (c) first CAR-T infusion (d) first LFN+AMVED AUTO SCT (e) first after a prior AUTO (f) Planned single random AUTO is a combination, not a trigger of the prior line. Permissible bosimlar substitutions do not trigger an advancement in the type of the earliest qualifying trigger	CL_MMA_CODELIST, CL_SCT_CODELIST, CL_MMA_ROLLUP	Source: 1. MEDICAL/PROG_CD,BILL_PROG_CD,INDCT,1,PK(INDCT) Steroids excluded (MAP_MED_CLASS is STERIOD) LOT2-5 only. LOT1 retains protocol convention that first AUTO is part of induction	Earliest of: after LOT1 (MUM)_BASE, END_DT (a) first non-stored MM oncology agent (b) first ALLO SCT (c) first CAR-T infusion (d) first AUTO SCT EXCEPT (i) when it falls inside LOT1 (N=1) is applicable window (30d for MED/AUTO-stored LOTs, 45d for CAR-T-stored LOTs) or (ii) when it is 50-80 days after the immediately prior AUTO (planned random - continuation, not a trigger). Permissible bosimlar
FU_PD	LOTN_START_TYPE	Trigger that started LOT N	MED /SCT /AUTO/ SCT /ALLO /CAR-T			See tab 11.LOT2_5.BASE for details on SCT logic definition	
FU_PD	INDUCTN_WINDOW_DAYS	Induction window	30	Window for identifying LOT N trigger (LOT uses 60 days). The induction window for LOT2-5 is 30 days (unless specified right entered before the end of their 30d window)		MAP_START_DT in (LOTN)_START_DT (LOTN)_START_DT <= 30	
FU_PD	LOTN_BASE_MEDS	LOT N induction medications	Comma list of MED_ABBR	Non-stored MM oncology agents within the 30 day induction window. Permissible bosimlar substitutions do not advance the regimen	40 CL_MMA_ROLLUP	First MAP_MED_CLASS is STERIOD	
FU_PD	LOTN_MED_CNT	Distinct induction agents	Integer	Count of distinct MED_ABBR in CL_MMA_BASE_MEDS		Monitors LOT1 dynamic flag generation, steroid abbreviations excluded	
FU_PD	LOTN_MED_INEDI	Per-medication induction flags	0/1	One flag column per non-stored MED_ABBR in CL_MMA_BASE_MEDS		Monitors LOT1 dynamic class flag generation	
FU_PD	LOTN_CLASS_CLASS	Per-class induction flags	0/1	One flag column per non-stored MED_CLASS in CL_MMA_ROLLUP (e.g. LOTN_CLASS_FPROTMB, LOTN_CLASS_IMMUNOWD...) = 1 if any		Monitors LOT1 dynamic class flag generation	
FU_PD	LOTN_TX_AUTO_FLAG	Any valid AUTO SCT during LOT N	0/1	Patient has >1 valid AUTO during LOT N	47 SCT	Report LOT1 SCT logic: 14-day window, 60-day gap validation. See tab 11.LOT2_5.BASE for details on SCT logic definition	
FU_PD	LOTN_TX_AUTO_SINGLE_FLAG	Single (non-random) AUTO during LOT N	0/1	AUTO not part of a valid tandem pair	47 SCT	See tab 11.LOT2_5.BASE for details on SCT logic definition	
FU_PD	LOTN_TX_AUTO_RANDOM_FLAG	Planned random AUTO during LOT N	0/1	Two AUTOS > 60 and < 80 days apart	47 SCT	See tab 11.LOT2_5.BASE for details on SCT logic definition	
FU_PD	LOTN_TX_AUTO_DT_1	First / second valid AUTO date in LOT N	Date / Date	DT_2 populated only if planned random	47 SCT	See tab 11.LOT2_5.BASE for further details on SCT logic definition	
FU_PD	LOTN_TX_AUTO_DT_2	Latest valid AUTO in LOT N	Date	AUTO_DT_2 if random else AUTO_DT_1 else NULL	47 SCT	See tab 11.LOT2_5.BASE for further details on SCT logic definition	
FU_PD	LOTN_TX_AUTO_MAX_DT	LOT N regimen contains valid maintenance subset	0/1	Flag is 1 when LOT N induction has BOTH (a) >1 valid mono-maintenance agent OR, a valid dual combo, AND (b) in anchor agent Mono LENA, EBORT, DARFA, MAZ, THAL	40 CL_MMA_ROLLUP	Descriptive flag, no standalone maintenance LOT	
FU_PD	LOTN_AUTO_LOT_FLAG	LOT N is an AUTO SCT line	0/1	Flags when LOTN_START_TYPE = SCT, AUTO AUTO AUTO LOT contains no MM	47 SCT	See tab 11.LOT2_5.BASE for details on SCT logic definition	
FU_PD	LOTN_CART_LOT_FLAG	LOT N is a CAR-T line	0/1	Flags when LOTN_START_TYPE = CAR-T	47 SCT	See tab 11.LOT2_5.BASE for details on SCT logic definition	
WORKED EXAMPLES - LOT2 starts on a new medication							
When LOT1.DARFA ended 2025-08-20 (LOT1 ends 2025-08-18) MED_ADO1.LENA enters present within 30d. No SCT/CAR-T	Variable	Value for this patient	How it was derived				Date Modified (Initials + Date)
LOT_MUM	2						
LOTN_START_DT	2025-08-20		Either trigger after LOT1.BASE, END_DT (2025-08-19) + DARFA				
LOTN_START_TYPE	MED		Window [2025-08-20, 2025-08-19] DARFA excluded (steroid)				
LOTN_BASE_MEDS	DARFA,LENA						
LOTN_MED_CNT	2						
LOTN_MED_DATA							
LOTN_MED_LFNA							
LOTN_MED_LFNA							
LOTN_CLASS_ANTICD3							
LOTN_CLASS_IMMUNOWD							
contains_mnt_era_LOT							
LOTN_AUTO_LOT_FLAG	0/0		DARFA,LENA is a valid maintenance regimen, the two agents anchor each other				
WORKED EXAMPLES - LOT2 starts on a standalone SCT							
When LOT1.AUTO ended 2025-09-15 (LOT1 ends 2025-09-14) Next MM (MUM) enters 2025-09-14 (LOT1 ends 2025-09-15) LOT1 ends 2025-09-15	Variable	Value for this patient	How it was derived				Date Modified (Initials + Date)
LOT_MUM	2						
LOTN_START_DT	2025-09-15						
LOTN_START_TYPE	SCT						
LOTN_BASE_MEDS							
LOTN_MED_CNT							
LOTN_MED_DATA							
LOTN_MED_LFNA							
LOTN_MED_LFNA							
LOTN_CLASS_ANTICD3							
LOTN_CLASS_IMMUNOWD							
contains_mnt_era_LOT							
LOTN_AUTO_LOT_FLAG	1						

WORKED EXAMPLE A - LOT2 starts on a new medication									
Variable	Value for this patient	How it was derived							
LOT_NUM	2	Earliest trigger after LOT1_BASE_END_DT (2025-08-18) = DARA							
LOTN_START_DT	2025-08-20								
LOTN_START_TYPE	MED								
LOTN_BASE_MEDS	DARA, LENA	Window [2025-08-20, 2025-09-18] DARA excluded (steroid)							
LOTN_MED_CNT	2								
LOTN_MED_DARA	1								
LOTN_MED_LENA	1								
LOTN_MED_LENA	1								
LOTN_CLASS_ANICOD3	1	DARA							
LOTN_CLASS_IMMUNOD	1	LENA							
contains_mrx_req_LOT1	1	DARA+LENA is a valid maintenance regimen, the two agents anchor each other							
LOTN_ALLO_LOT_FLAG	0/0								
WORKED EXAMPLE B - LOT2 starts on an allogeneic SCT									
Variable	Value for this patient	How it was derived							
LOT_NUM	2								
LOTN_START_DT	2025-09-15								
LOTN_START_TYPE	SCT_ALLO								
LOTN_BASE_MEDS	(empty)	ALLO LOT contains NO MM therapies							
LOTN_MED_CNT	0								
LOTN_ALLO_LOT_FLAG	1	ALLO LOT spans a single day, so end = ALLO_DT							
LOTN_BASE_END_DT	SCT_ALLO	Q2 date (single-day) SCT_ALLO Alternative (extend to next agent) MED_ADD							
LOTN_BASE_END_RA	SCT_ALLO	DARA - first MM agent after LOT2							
LOT3_START_DT	2025-12-10								
WORKED EXAMPLE C - LOT2 starts on an unplanned autologous SCT									
Variable	Value for this patient	How it was derived							
LOT_NUM	3								
LOTN_START_DT	2025-12-10								
LOTN_START_TYPE	SCT_AUTO	AUTO outside LOT2's 30d window (LOT2 was (MED-started) and not a planned tandem. AUTO is a first-class LOT - start trigger for LOT2.5 (Q16). Planned tandem (50-180d after a prior AUTO) would NOT start a new LOT							
LOTN_BASE_MEDS	(empty)	No MM therapies recorded in the [2025-12-10, 2026-01-09] post-AUTO induction window							
LOTN_MED_CNT	0	AUTO-only LOT - med count is 0							
LOTN_TX_AUTO_FLAG	1	AUTO occurred during LOT3							
LOTN_TX_AUTO_SING	1	Single AUTO during LOT3 (no second AUTO within tandem window)							
LOTN_TX_AUTO_TAND	0								