

Instruction:

1) The ProgMods tab can be copied (as required) to create multiple ProgMods tabs, according to the programming module in the study

2) Update the "Title" of the ProgMods to be descriptive (e.g. 5A.Baseline Characteristics)

3) List the newly added ProgMods tab(s) in Section C of the Cover tab

4) Delete any examples in grey *italic* text that are not relevant/applicable to the study once the programming specification has been finalized

Title 13 SCT_CART LOT_START

Section A: Defining Medication Available Period (MAP) medications							
Trigger	When it starts a new LOT (N>=2)	LOT N start date	LOT N regimen scope	End-of-LOT (N-1) reason	Notes	Date Modified (Initials + Date)	QC Reviewed (Initials + Date)
ALLO SCT	Always.	ALLO_DT	No MM therapies in this LOT.	SCT_ALLO	ALLO LOT spans a single day: start = end = ALLO_DT.		
CAR-T	Always.	FIRST_CART_DT	Agents within 45d are consolidated into this LOT.	SCT_CART (or CART_INT if CAR-T within 45d of first add in LOT (N-1))	45-day consolidation window		
Unplanned AUTO	>180d after prior AUTO in LOT (N-1).	AUTO_DT	30d induction from AUTO_DT.	SCT_AUTO	A Planned tandem (2 AUTOS that occur between 60-180d of each other) does NOT start a new LOT.		JM 05May2026
New MM agent	Always after LOT (N-1) ended by DISCONTINUATION or MED_ADD with no SCT/CAR-T.	MAP_START_DT of new agent	30d induction window.	Discontinuation or med_add - set by LOT (N-1)'s own end logic; a new MM agent does not override it	Steroids and biosimilar subs do not start a LOT.		
Death / STUDY_END (PRIMARY)	Never starts a LOT, ends follow-up.	n/a	n/a	DEATH / STUDY_END			JM 05May2026

