AutoSave Off PROG_SPEC_RWDAP_DLBCL_DRAFT_Jan2026.xlsm - Read-Only Proprietary* • Last Modified: 12 February Search
File Home Insert Draw Page Layout Formulas Data Review View Automate Help Comments Share
Paste Cut Copy Format Painter Clipboard Arial 11 Font Wrap Text Merge & Center Alignment General Number Conditional Formatting Format as Table Cell Styles Styles Insert Delete Format Cells AutoSum Fill Clear Sort & Filter Find & Select Editing Sensitivity Add-ins Copilot
E7 'Numeric of LABPLA: 1='Present';

| Variable | Label | Values | Definition | Additional Notes |
|---|---|---|---|---|
| LABNEU | Neutrophil Value Present | 'Present'<br>'Unknown'<br>'Missing' | For records where lab_test/lab_name='absolute_neutrophil_count_anc' AND assessed='true' in the time period:<br><br>LABNEU='Present' if there is at least one record meeting ALL of the following criteria:<br>1) at least one of: lab_timedelta, reported_timedelta, documented_timedelta is not missing;<br>2) quantitative_result is not missing or NULL;<br>3) unit is not missing or NULL.<br><br>Otherwise, LABNEU='Unknown' if there is at least one record meeting ONE of the following criteria:<br>1) all of: lab_timedelta, reported_timedelta, documented_timedelta are missing;<br>2) quantitative_result is missing or NULL;<br>3) unit is missing or NULL.<br><br>Otherwise, LABNEU='Missing'. | |
| LABNEUN | Neutrophil Value Present (N) | 1,2,3 | Numeric of LABNEU:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| LABNEUDT | Neutrophil Value Date | Date | Date of record that is before and closest to index.<br><br>If LABNEU='Unknown' or 'Missing', then LABNEUDT=. (missing);<br><br>If LABNEU='Present', then among all records where lab_name='absolute_neutrophil_count_anc' AND assessed='true' in the time period:<br>1) First assign a timedelta for each record as following:<br>- If lab_timedelta is not missing or NULL, use lab_timedelta;<br>- Else if reported_timedelta is not missing or NULL, use reported_timedelta;<br>- Else use documented_timedelta<br>2) Then, pick the record with timedelta before and closest to index;<br>3) Finally, convert the timedelta to a date using disease_initial_diagnosis/date_initial_diagnosis and assign to LABNEUDT. | |
| LABNEUV | Neutrophil Value,10^9/L - Closest Index | Value | The standardized test value before and closest to index date.<br><br>If LABNEU='Unknown' or 'Missing', then LABNEUV=. (missing);<br><br>If LABNEU='Present', report the standardized value for the record with timedelta corresponding to LABNEUDT. If multiple records are present on LABNEUDT, take the **lowest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to 10^9/L unit (equivalent to COTA's standardized unit k_uL). |
| LABPLA | Platelets Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='platelet_count' in the time period. | |
| LABPLAN | Platelets Value Present (N) | 1,2,3 | Numeric of LABPLA:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| Original name in NSCLC: LABPLAVDT<br>Suggested name for consistency: LABPLADT | Platelets Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABPLA and LABPLADT. | |
| LABPLAV | Platelets Value,10^9/L - Closest Index | Value | The standardized test value before and closest to index date.<br><br>If LABPLA='Unknown' or 'Missing', then LABPLAV=. (missing);<br><br>If LABPLA='Present', report the standardized value for the record with timedelta corresponding to LABPLADT. If multiple records are present on LABPLADT, take the **lowest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to 10^9/L unit (which is equivalent to COTA's standardized unit k_uL). |
| LABHEM | Hemoglobin Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='hemoglobin' in the time period. | |
| | | | Numeric of LABHEM: | |

1.Cover 2.QC Review 3.Data Prep 4.StudyPop 5A. Demos 5B.ClinChars 5C.BioVars 5D.LabVars 6.TreatVars 7.Outcomes
Ready Accessibility: Investigate

AutoSave Off PROG_SPEC_RWDAP_DLBCL_DRAFT_Jan2026.xlsm - Read-Only Proprietary* • Last Modified: 12 February Search
File Home Insert Draw Page Layout Formulas Data Review View Automate Help Comments
Paste Cut Copy Format Painter Clipboard Arial 11 Font Wrap Text Merge & Center Alignment General Number Conditional Formatting Format as Table Cell Styles Styles Insert Delete Format Cells AutoSum Fill Clear Sort & Filter Find & Select Editing Sensitivity Add-ins Copilot

E16 'Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABCRE and LABCREDT.

| | B | C | D | E | F |
|---|---|---|---|---|---|
| | **Variable** | **Label** | **Values** | **Definition** | **Additional Notes** |
| 11 | LABHEMN | Hemoglobin Value Present (N) | 1,2,3 | Numeric of LABHEM<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| 12 | LABHEMDT | Hemoglobin Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABHEM and LABHEMDT. | |
| 13 | LABHEMV | Hemoglobin value, g/dL - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABHEM='Unknown' or 'Missing', then LABHEMV= (missing).<br><br>If LABHEM='Present', report the standardized value for the record with timedelta corresponding to LABHEMDT. If multiple records are present on LABHEMDT, take the **lowest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to g/dL unit (g_dL). |
| 14 | LABCRE | Serum creatinine Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='creatinine' in the time period. | |
| 15 | LABCREN | Serum creatinine Value Present (N) | 1,2,3 | Numeric of LABCRE:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| 16 | LABCREDT | Serum creatinine Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABCRE and LABCREDT. | |
| 17 | LABCREV | Serum creatinine value, mg/dL - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABCRE='Unknown' or 'Missing', then LABCREV= (missing).<br><br>If LABCRE='Present', report the standardized value for the record with timedelta corresponding to LABCREDT. If multiple records are present on LABCREDT, take the **highest value**. | We need to confirm with Sandra if it should be lowest value (as per NSCLC protocol) or highest value (as per NSCLC protocol) (discrepancy).<br><br>Can use COTA R package function standardize_lab_units() to standardize quantitative results to mg/dL unit (mg_dL). |
| 18 | LABBIL | Bilirubin Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='total_bilirubin' in the time period. | COTA has both 'total_bilirubin' and 'direct_bilirubin_conjugated'. In the Parent RCAP, the variable LABBIL corresponds to Total bilirubin. Therefore, we keep the variable name and label and use total_bilirubin. |
| 19 | LABBILN | Bilirubin Value Present (N) | 1,2,3 | Numeric of LABBIL:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| 20 | LABBILDT | Bilirubin Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABBIL and LABBILDT. | |
| 21 | LABBILV | Bilirubin value, mg/dL - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABBIL='Unknown' or 'Missing', then LABBILV= (missing).<br><br>If LABBIL='Present', report the standardized value for the record with timedelta corresponding to LABBILDT. If multiple records are present on LABBILDT, take the **highest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to mg/dL unit (mg_dL). |
| 22 | LABAST | Aspartate Aminotransferase Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='aspartate_aminotransferase_ast' in the time period. | |
| 23 | LABASTN | Aspartate Aminotransferase Value Present (N) | 1,2,3 | Numeric of LABAST:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| | LABASTDT | Aspartate Aminotransferase Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABAST and LABASTDT. | |

1.Cover 2.QC Review 3.Data Prep 4.StudyPop 5A. Demos 5B.ClinChars 5C.BioVars 5D.LabVars 6.TreatVars 7.Outcomes +
Ready Accessibility: Investigate

AutoSave Off PROG_SPEC_RWDAP_DLBCL_DRAFT_Jan2026.xlsm - Read-Only Proprietary* • Last Modified: 12 February Search
File Home Insert Draw Page Layout Formulas Data Review View Automate Help Comments
Paste Cut Copy Format Painter Clipboard Arial 11 Font Wrap Text Merge & Center Alignment General Number Conditional Formatting Format as Table Cell Styles Styles Insert Delete Format Cells AutoSum Fill Clear Sort & Filter Find & Select Editing Sensitivity Add-ins Copilot
E29 The standardized test value before and closest to index date.

| Variable | Label | Values | Definition | Additional Notes |
|---|---|---|---|---|
| LABASTDT | Aspartate Aminotransferase Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABAST and LABASTDT. | |
| LABASTV | Aspartate Aminotransferase value, U/L - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABAST='Unknown' or 'Missing', then LABASTV=. (missing).<br><br>If LABAST='Present', report the standardized value for the record with timedelta corresponding to LABASTDT. If multiple records are present on LABASTDT, take the **highest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to U/L unit (u_l). |
| LABALT | Alanine Aminotransferase Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='alanine_aminotransferase_alt' in the time period. | |
| LABALTN | Alanine Aminotransferase Value Present (N) | 1,2,3 | Numeric of LABALT:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| LABALTDT | Alanine Aminotransferase Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABALT and LABALTDT. | |
| LABALTV | Alanine Aminotransferase value, U/L - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABALT='Unknown' or 'Missing', then LABALTV=. (missing).<br><br>If LABALT='Present', report the standardized value for the record with timedelta corresponding to LABALTDT. If multiple records are present on LABALTDT, take the **highest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to U/L unit (u_l). |
| LABALP | Alkaline Phosphatase Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='alkaline_phosphatase' in the time period. | |
| LABALPN | Alkaline Phosphatase Value Present (N) | 1,2,3 | Numeric of LABALP:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| LABALPDT | Alkaline Phosphatase Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABALP and LABALPDT. | |
| LABALPV | Alkaline Phosphatase value, U/L - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABALP='Unknown' or 'Missing', then LABALPV=. (missing).<br><br>If LABALP='Present', report the standardized value for the record with timedelta corresponding to LABALPDT. If multiple records are present on LABALPDT, take the **highest value**. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to U/L unit (u_l). |
| LABALB | Serum albumin Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as LABNEU, but for for records where lab_test/lab_name='albumin' in the time period. | |
| LABALBN | Serum albumin Value Present (N) | 1,2,3 | Numeric of LABALB:<br>1='Present';<br>2='Unknown';<br>3='Missing'. | |
| LABALBDT | Serum albumin Value Date | Date | Date of record that is before and closest to index. Same as LABNEU and LABNEUDT, but with LABALB and LABALBDT. | |
| LABALBV | Serum albumin value, g/L - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABALB='Unknown' or 'Missing', then LABALBV=. (missing).<br><br>If LABALB='Present', report the standardized value (in g_dL, from COTA standardize_lab_units() function) for the record with timedelta corresponding to LABALBDT **multiplied by 10** (final unit is g/L). If multiple records are present on LABALBDT, take the **lowest value**, multiplied by 10. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to get values in g/dL (g_dL), but need to further multiply by 10 to get values in g/L units used in the Flatiron RWDAP. |

1.Cover 2.QC Review 3.Data Prep 4.StudyPop 5A. Demos 5B.ClinChars 5C.BioVars 5D.LabVars 6.TreatVars 7.Outcomes +
Ready Accessibility: Investigate Display Settings

File Home Insert Draw Page Layout Formulas Data Review View Automate Help
PROG_SPEC_RWDAP_DLBCL_DRAFT_Jan2026.xlsm - Read-Only · Proprietary* · Last Modified: 12 February
Paste Cut Copy Format Painter Clipboard
Calibri 11 Font
Wrap Text Merge & Center Alignment
General Number
Conditional Formatting Format as Table Cell Styles Styles
Insert Delete Format Cells
Fill Clear Editing
Filter Sensitivity
E42

| Variable | Label | Values | Definition | Additional Notes |
|---|---|---|---|---|
| LABALBV | Serum albumin value, g/L - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABALB='Unknown' or 'Missing', then LABALBV= (missing).<br><br>If LABALB='Present', report the standardized value (in g_dL, from COTA standardize_lab_units() function) for the record with timedelta corresponding to LABALBDT **multiplied by 10** (final unit is g/L). If multiple records are present on LABALBDT, take the **lowest value**, multiplied by 10. | Can use COTA R package function standardize_lab_units() to standardize quantitative results to get values in g/dL (g_dL), but need to further multiply by 10 to get values in g/L. This is to match the units used in the Flatiron RWDAP |
| LABLYM | Lymphocytes Value Present | 'Present'<br>'Unknown'<br>'Missing' | Same as **LABNEU**, but for for records where lab_test/lab_name='absolute_lymphocyte_count_alc' in the time period. | |
| LABLYMN | Lymphocytes Value Present (N) | 1,2,3 | Numeric of LABLYM<br>1='Present',<br>2='Unknown',<br>3='Missing' | |
| LABLYMDT | Lymphocytes Value Date | Date | Date of record that is **before and closest** to index. Same as LABNEU and LABNEUDT, but with LABLYM and LABLYMDT. | |
| LABLYMV | Lymphocytes value, $10^9$/L - Closest Index | Numeric | The standardized test value before and closest to index date.<br><br>If LABLYM='Unknown' or 'Missing', then LABLYMV= (missing).<br><br>If LABLYM='Present', report the standardized value for the record with timedelta corresponding to LABLYMDT. If multiple records are present on LABLYMDT, take the **highest value** | Can use COTA R package function standardize_lab_units() to standardize quantitative results to $10^9$/L unit (which is equivalent to COTA's standardized unit 10_3_mcl). |

1.Cover 2.QC Review 3.Data Prep 4.StudyPop 5A. Demos 5B.ClinChars 5C.BioVars 5D.LabVars 6.TreatVars 7.Outcomes +
Ready Accessibility: Investigate