

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

OFF

EK1 01MAY OMDB/DXB-EGLL/LHR A380-861 EUB CAPT:
 UAE1 SIGNATURE:

ATC CLRNC:
 DXBLHRPCE8: OMDB/30R DCT ANVIX R401 GIDIS G783 VAVIM T636 BUBUB Z889
 ULBIS DCT DEBAV G652 TOKRA DCT ALROK DCT BOSOB DCT ITRUX Y511 PMA
 Z712 WEJ L677 CVO L617 NOZ L551 ANTAR UN133 GUDIS DCT RIGRO DCT
 DISOR DCT LONTA UL608 DOLEV DCT TIVNU DCT GORPA DCT MODSA DCT BABEG
 DCT LIRSU DCT DENUT L608 LOGAN LOGAN2H EGLL/27R

PLND FL: 280 BUBUB/290 ULBIS/330 DEBAV/340 ALROK/380 ELONU/360
 ANTAR/400 DISOR/380

ENROUTE RECLRNC:

OFP:30/0/0 WX PROG: 03 - 15 CTOT: PARKING BAY:

	FUEL	TIME	CORR	ARR	1125		
TRIP EGLL	106901	0808		DEP	0245		
CONT 90	4553	0021		ET	0840		
ALTN EGPF	10037	0049		GND DIST		3690	
FRSV	4485	0030		AIR DIST		3945	
EXTRA WXX	1631	0010		CRZ DEG		P4.3	
T/O FUEL	127607			CID		250	
TAXI	2100	0035		CRZ		ECON	
RAMP FUEL	129.8	0959		CRZ FL/TEMP	FL280/M27		
				TOC TROP		56631	

ADJUST							
ADJ RAMP FUEL					AV TRK	303	CREW ...
FUEL REMN					AV W/C	M030	PAX
FUEL USED					AV ISA	P04	TOT

NO TANKERING RECOMMENDED (P) DISCR FUEL REASON: ATC WX MEL ALTN OTH

OMDB ATIS:

DOW RANGE 286.5 300.6 DOI RANGE 97.0 113.0

EZFW 360007	MZFW 373000	AZFW	AZFWCG
ETOW 487614	MTOW 510000		RTOW 509900
ELWT 380713	MLWT 395000		RLWT

RWY FLEX FLTOW V1 VR V2 ACC CONF EOP

.....

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

STATCONT	FUEL	TIME
CONT 90	4553	0021
CONT 95	5174	0024
CONT 99	6830	0031

----- OPERATIONAL IMPACTS -----					
ZFW CHANGE	UP 1.00 TONNE	BURN P 232	TIME M 0001		
	DN 1.00 TONNE	BURN M 234	TIME M 0001		
FL CHANGE	UP 2000FT	BURN P 463	TIME P 0003		
	DN 2000FT	BURN P 1349	TIME M 0002		
	DN 4000FT	NOT AVAILABLE			
SPD CHANGE	CI10	BURN M 2118	TIME P 0015		
	CI250	BURN M 338	TIME M 0001		

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

DEST	ALTN	DIST	TRK	FL	COMP	TIME	FUEL	ROUTING
EGPF/05		0308	332	300	P019	0049	10037	UMLAT1F UMLAT T418 WELIN T420 TNT UN57 POL UN601 RIBEL DCT ASLIB ASLIB1G
EGCC/23R		0240	329	240	P017	0044	8723	UMLAT1F UMLAT T418 WELIN T420 ELVOS ELVOS1M
EGKK/26L		0180	153	080	M003	0043	7491	DET2F DET DCT TIMBA DCT
LFPG/09L		0219	142	250	M018	0042	8547	MAXIT1F MAXIT Y803 SFD UM605 BIBAX BIBAX9E

DISPATCH BRIEFING INFO DISP: MILFORD TEL: 04 708 1013 NA1
- DRIFTDOWN/DEPRESSURIZATION PROCEDURES
REFER TO RAIG APPENDICES DRIFTDOWN STRATEGIES OFP AND
DEPRESSURIZATION STRATEGIES OFP FOR PROCEDURE INTERPRETATION.
DRIFTDOWN PROCEDURES ARE VALID FOR TAKEOFF WEIGHT UP TO 493614 KG.

-PLANNED WITH EGPF AS PRIMARY ALTERNATE DUE TO THE DESTINATION
WEATHER. CLOSER ALTERNATES INCLUDED AND MAY BE AVAILABLE TO BE
RENOMINATED FOR INCREASED ENDURANCE.

WXX FUEL FOR FCST WXX AT DEST

CREW NOTES:

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
OMDB/30R										121.4
ANVIX7F	302	064	25/029	CLB		330	012			
ANVIX	304		/P15	52	P011		0012			115.0
R401	179	011	25/034	CLB		330	001			
GIDIS	181		/P12	52	M011		0013			114.3
G783	219	027	26/048	CLB		330	004			
VAVIM	+ 221		/P12	52	M035		0017			112.8
T636		001	26/048	CLB		330	000			
TOC			/P13	22	M043	57	0017			112.7
T636	230	010	26/048	280	505	829	001			
GESAX	+ 232		01/P13	22	M044	57	0018			112.4
T636	193	015	26/047		507		002			
IMLON	+ 195		00/P13	21	M021	57	0020			111.9
T636	193	012	26/046		507		002			
KULMI	+ 195		00/P13	19	M020	57	0022			111.5
T636	193	043	26/041		507		005			
BUBUB	+ 195		01/P13	18	M018	57	0027			110.1
Z889		008	26/041	CLB		837	001			
TOC			/P14	17	P021	57	0028			109.8
Z889	= 140	005	26/041	290	511		000			
ULBIS	+ 142		01/P14	17	P022	57	0028			109.6
-----MUSCAT FIR/OOMM-----										
DCT		030	26/034	CLB		840	004			
TOC			/P14	17	P019	57	0032			108.4
DCT	140	017	26/031	330	511	855	002			
DEBAV	142		01/P13	17	P015	57	0034			107.9
G652		008	26/031	CLB		840	000			
TOC			/P13	16	M030	57	0034			107.6
-----JEDDAH FIR/OEJD-----										
G652	= 240	005	26/032	340	511	859	001			
TOKRA	+ 242		01/P13	16	M031	57	0035			107.4
DCT	263	160	25/040		513		020			
ALROK	+ 265		00/P13	19	M035	55	0055			102.5

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
DCT TOC		042	24/041 /P11	CLB 26		840 55	006 0101			100.8
DCT BOSOB	+ 279 281	222	24/053 01/P08	380 26	500 M036	856 57	029 0130			94.1
DCT ITRUX	+ 273 275	048	24/056 01/P08		500 M045		006 0136			92.7
Y511 KITUB	+ 272 275	044	24/059 01/P08		500 M048		006 0142			91.3
Y511 DANOM	+ 272 275	073	25/064 02/P08		500 M053		010 0152			89.1
Y511 ASMIS	+ 271 274	023	25/065 02/P08		500 M057	857 53	003 0155			88.4
Y511 NALBA	+ 285 289	064	24/071 01/P07		500 M049		008 0203			86.5
Y511 LAKMI	+ 285 288	025	24/072 01/P08		500 M050		004 0207			85.7
Y511 ASMUN	+ 285 288	022	24/072 01/P08		500 M050		003 0210			85.0
Y511 AMRAH	+ 284 288	027	24/073 01/P08		502 M050		003 0213			84.2
Y511 BOXEB	+ 284 288	017	24/074 01/P08		502 M052		003 0216			83.7
Y511 ALVIR	+ 284 288	013	25/074 01/P09		502 M054		001 0217			83.3
Y511 ALKAV	+ 284 287	012	25/075 01/P09		502 M056		002 0219			83.0
Y511 ASVIV	+ 284 287	012	25/075 01/P09		502 M057		002 0221			82.6
Y511 NAGBO	+ 284 287	023	25/076 01/P09		502 M059		003 0224			81.9
Y511 ELONU	+ 284 287	025	25/077 01/P08		502 M062		003 0227			81.1
Y511 BOD		006	25/079 /P10	DES 52		858 M058	001 0228			81.1

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
Y511 PMA	+ 294 298	044	26/079 01/P11	360 52	505 M058	860 52	006 0234			 79.7
Z712 PEGUR	+ 320 324	050	26/078 00/P10	67	503 M031	53	006 0240			 78.3
Z712 SIGRO	+ 299 303	087	26/071 02/P07	62	502 M052	53	012 0252			 75.7
Z712 IVUDA	+ 275 279	017	26/069 04/P06	62	500 M065	51	002 0254			 75.2
Z712 WEJ	+ 274 279	055	26/070 04/P06	62	500 M065	52	008 0302			 73.5
L677 DARAX	+ 310 314	053	26/066 03/P05	21	500 M036	50	007 0309			 72.0
L677 RAGPU	+ 309 314	063	26/059 02/P05	10	500 M033	48	008 0317			 70.2
-----CAIRO FIR/HECC-----										
L677 PASUM	= 312 + 317	036	26/058 02/P04	38	498 M031	43	005 0322			 69.2
L677 SHM	+ 313 317	004	26/058 02/P04	43	498 M032	42	000 0322			 69.1
L677 EMOVA	+ 305 309	051	26/056 02/P03	107	498 M039	39	007 0329			 67.6
L677 KUPTI	+ 305 309	009	27/056 02/P03	89	498 M040	39	001 0330			 67.3
L677 KAPIT	+ 305 309	063	27/056 02/P03	88	498 M042	38	008 0338			 65.6
L677 MENLI	+ 304 308	049	28/056 01/P03	52	498 M045	39	007 0345			 64.2
L677 GESON	+ 302 307	013	28/056 01/P03	31	498 M047	39	002 0347			 63.8
L677 CVO	+ 302 307	018	28/055 01/P03	31	498 M048	39	002 0349			 63.3
L617 MENKU	+ 312 317	082	29/052 01/P03	24	498 M043	40	011 0400			 60.9
L617 NOZ	+ 283 288	019	29/052 02/P03	13	498 M051	40	003 0403			 60.4

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
------------	------------	------	-----------------	------------	------------	--------------	------------	------------	-----	--------------

L551	327	056	29/057		498		007	...		
GOMVA	+ 332		00/P03	13	M040	40	0410			58.8

L551	327	014	29/059		496		002	...		
NOGLI	+ 332		00/P02	10	M044	39	0412			58.4

*** DEPRESSURISATION DIVERSION ***

DP N3250.1 E02854.2 - NOGLI PLUS 042 NM

BEFORE DP - RETURN DIRECT TO NOGLI.L551.NOZ(115.9).L617.CVO(115.2)
HECA

AFTER DP - TURN RIGHT AND DIVERT DIRECT TO HECA

-----HELLAS UIR/LGGG-----

L551	= 327	109	29/067		496		015	...		
ANTAR	+ 332		00/P02	10	M049	39	0427			55.3

*** DEPRESSURISATION DIVERSION ***

DP N3348.0 E02816.0 - ANTAR PLUS 000 NM

BEFORE DP - TURN RIGHT AND DIVERT DIRECT TO HECA

AFTER DP - TURN RIGHT AND DIVERT DIRECT TO LCLK

UN133		037	29/069	CLB			005	...		
TOC			/M01	10	M053	39	0432			53.9

*** DEPRESSURISATION DIVERSION ***

DP N3422.8 E02752.4 - ANTAR PLUS 040 NM

BEFORE DP - TURN RIGHT AND DIVERT DIRECT TO LCLK

AFTER DP - TURN LEFT AND DIVERT DIRECT TO LGAV

UN133	326	014	29/070	400	490		002	...		
GUDIS	+ 331		03/M02	10	M051	39	0434			53.5

DCT	329	205	28/068		490		027	...		
RIGRO	+ 334		02/M02	50	M044	37	0501			47.9

*** DEPRESSURISATION DIVERSION ***

DP N3924.4 E02422.5 - RIGRO PLUS 130 NM

BEFORE DP - TURN LEFT AND DIVERT DIRECT TO LGAV

AFTER DP - TURN LEFT AND DIVERT DIRECT TO LGTS

DCT	322	263	28/038		496		035	...		
DISOR	+ 328		01/P04	83	M035		0536			40.9

-----SKOPJE FIR/LWSS-----

DCT		007	28/039	DES			001	...		
BOD			/P07	83	M031		0537			40.9

-----BEOGRAD UIR/LYBA-----

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
DCT	= 307	075	29/031	380	502	861	009	...		
LONTA	+ 312		00/P07	83	M031	30	0546			38.9
UL608	305	063	31/025		502		008	...		
DOLEV	+ 311		00/P07	104	M027	30	0554			37.3

*** DEPRESSURISATION DIVERSION ***

DP N4327.5 E01923.7 - DOLEV PLUS 055 NM
BEFORE DP - TURN LEFT AND DIVERT DIRECT TO LGTS
AFTER DP - TURN RIGHT AND DIVERT DIRECT TO LHBP

-----SARAJEVO FIR/LQSB-----

*** DEPRESSURISATION DIVERSION ***

DP N4337.6 E01908.7 - DOLEV PLUS 070 NM
BEFORE DP - TURN RIGHT AND DIVERT DIRECT TO LHBP
AFTER DP - CONTINUE ALONG FLIGHT PLANNED ROUTE TO DESTINATION EGLL

DCT	= 308	190	02/035		500		024	...		
TIVNU	+ 313		02/P06	98	M018	32	0618			32.5

-----ZAGREB FIR/LDZO-----

-----LJUBLJANA FIR/LJLA-----

DCT	= 300	087	03/050		496		011	...		
GORPA	+ 305		02/P02	49	M005	37	0629			30.4

-----VIENNA FIR/LOVV-----

DCT	307	171	03/038		488		021	...		
MODSA	+ 312		01/M05	137	M008	39	0650			26.2

-----RHEIN UIR/EDUU-----

DCT	= 298	120	01/018		486		015	...		
BABEG	+ 302		01/M06	97	M005	41	0705			23.4

-----HANNOVER UIR/EDVV-----

DCT	= 303	155	29/004		486		019	...		
LIRSU	+ 307		00/M06	39	M006	40	0724			19.7

-----BRUSSELS UIR/EBUR-----

DCT	= 299	124	18/014		486		016	...		
DENUT	302		01/M07	34	P002	39	0740			16.9

-----AMSTERDAM FIR/EHAA-----

-----BRUSSELS UIR/EBUR-----

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
L608 COA	298 301	013	18/016 02/M06	12	486 P008	859	001 0741		...	 16.6
-----AMSTERDAM FIR/EHAA-----										
L608 SASKI	289 + 291	034	17/028 /M03	DES 12	398 P008		004 0745		...	 16.3
-----LONDON FIR/EGTT-----										
L608 LOGAN	288 290	035	17/031 /P01	DES 10	398 P015		005 0750		...	 16.0
LOGAN2H TOD		044	18/019 /P04	100 15	392 M001		007 0757		...	 15.5
LOGAN2H EGLL/27R	262 263	046	15/010 /P03	16	M006		011 0808		...	 14.5

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

***** ROUTE TO DESTINATION ALTERNATE - EGPF *****

AWY WPT	TRM ITT	DIST	WIND SR/TDEV	FL MORA	TAS W/C	SP/M TROP	STM ATM	ETA RTA	ATA	REMF MINR
EGLL/27R										14.5
UMLAT1F	323	018	18/019	CLB		250	005			
UMLAT	324		00/P02	20	P015		0005			12.8
T418	355	021	18/027	CLB		320	003			
WOBUN	356		00/P03	20	P023		0008			10.7
T418	341	014	18/031	CLB		320	002			
WELIN	342		00/P03	18	P028		0010			9.8
-----LONDON UIR/EGTT-----										
T420	328	017	19/027	CLB		320	002			
AKUPA	329		00/M00	18	P024		0012			8.9
T420	328	005	19/026	CLB		320	001			
TIMPO	329		00/M01	19	P020		0013			8.7
T420	328	010	19/025	CLB		320	001			
ELVOS	329		00/M02	20	P018		0014			8.2
T420		000	19/025	CLB		320	000			
T0C			00/M02	26	P019	39	0014			8.2
T420	328	025	19/026	300	450	755	003			
TNT	328		01/M02	26	P019	39	0017			7.8
UN57	339	044	18/026		447		006			
POL	340		01/M03	31	P024	39	0023			6.8
UN601	338	008	18/025		444	754	001			
NELSA	338		01/M03	29	P024	38	0024			6.6
UN601	= 338	010	18/025		443		001			
RIBEL	+ 338		01/M03	34	P023	38	0025			6.3
DCT		000	18/025		447	753	000			
T0D			/M03	41	P020		0025			6.3
-----LONDON FIR/EGTT-----										
DCT	331	055	19/028	DES		300	008			
ASLIB	+ 331		/P02	41	P026		0033			5.8
-----SCOTTISH FIR/EGPX-----										
ASLIB1G	331	080	17/008				016			
EGPF/05	331		/P02	41	P012		0049			4.5

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

EK COMP FREQ:
SPEC RQMTS:

PARKING BAY:

EGLL ATIS:

ATC CLRNC:

LDGWT: VREF: RLWT: RLDG DIST:

CLIMB	GESAX	IMLON	KULMI
100 252/017 P11	N2408.5	N2354.0	N2342.7
150 250/023 -02	E05526.3	E05522.0	E05518.8
200 245/030 -12	300 260/052 -29	300 260/050 -29	300 261/049 -29
310 260/052 -32	280 258/048 -28	280 259/047 -27	280 260/046 -27
350 252/047 -41	260 255/042 -25	260 256/041 -25	260 257/040 -25

BUBUB	ULBIS	DEBAV	TOKRA
N2301.8	N2252.1	N2215.5	N2209.4
E05506.6	E05515.0	E05546.3	E05533.8
300 262/043 -29	310 261/040 -32	350 253/032 -42	360 252/033 -44
280 261/041 -27	290 263/041 -28	330 259/031 -37	340 255/032 -39
260 255/036 -24	270 260/038 -26	310 266/032 -32	320 262/031 -35

ALROK	BOSOB	ITRUX	KITUB
N2154.0	N2241.5	N2245.7	N2249.4
E05242.3	E04802.3	E04710.6	E04623.7
360 246/040 -44	400 239/052 -54	400 238/053 -54	400 241/056 -54
340 251/040 -39	380 240/053 -49	380 241/056 -49	380 243/059 -49
320 255/040 -34	360 244/056 -44	360 245/059 -44	360 247/063 -44

DANOM	ASMIS	NALBA	LAKMI
N2254.9	N2256.5	N2316.7	N2324.4
E04505.2	E04440.2	E04334.3	E04308.5
400 246/060 -54	400 246/062 -54	400 244/068 -54	400 243/069 -54
380 246/064 -49	380 246/065 -49	380 244/071 -49	380 243/072 -49
360 246/068 -44	360 246/069 -44	360 244/074 -44	360 244/074 -44

ASMUN	AMRAH	BOXEB	ALVIR
N2331.3	N2339.5	N2344.7	N2348.4
E04245.2	E04217.3	E04159.4	E04146.3
400 242/069 -53	400 242/070 -53	400 243/071 -53	400 245/072 -53
380 242/072 -49	380 243/073 -48	380 244/074 -48	380 245/074 -48
360 244/075 -43	360 245/076 -43	360 246/077 -43	360 247/077 -43

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

ALKAV	ASVIV	NAGBO	ELONU
N2352.0	N2355.5	N2402.3	N2409.7
E04133.8	E04121.4	E04057.3	E04030.9
400 246/073 -53	400 247/073 -53	400 250/074 -52	400 252/074 -52
380 246/075 -48	380 247/075 -48	380 250/076 -48	380 253/077 -48
360 248/078 -43	360 249/078 -43	360 251/079 -44	360 253/079 -44

PMA	PEGUR	SIGRO	IVUDA
N2432.8	N2513.3	N2600.3	N2602.8
E03942.3	E03909.9	E03748.7	E03730.2
380 256/079 -49	380 257/082 -50	380 257/080 -52	380 258/079 -53
360 256/079 -46	360 257/078 -48	360 257/071 -51	360 258/069 -51
340 258/073 -44	340 258/070 -46	340 257/064 -47	340 257/061 -48

WEJ	DARAX	RAGPU	PASUM
N2610.8	N2647.2	N2730.8	N2757.2
E03629.3	E03547.1	E03455.7	E03427.7
380 258/078 -53	380 257/073 -53	380 258/062 -54	380 262/062 -55
360 257/070 -51	360 256/066 -51	360 258/059 -52	360 260/058 -53
340 257/063 -48	340 257/062 -48	340 257/059 -49	340 259/057 -49

SHM	EMOVA	KUPTI	KAPIT
N2759.9	N2832.2	N2837.8	N2917.0
E03424.8	E03339.8	E03332.0	E03236.1
380 262/061 -55	380 266/059 -56	380 267/059 -56	380 272/058 -56
360 261/058 -53	360 264/056 -53	360 265/056 -53	360 270/056 -53
340 259/057 -49	340 262/054 -49	340 263/054 -49	340 268/053 -50

MENLI	GESON	CVO	MENKU
N2947.0	N2954.9	N3005.5	N3105.5
E03152.1	E03139.8	E03123.3	E03018.1
380 277/058 -56	380 278/058 -56	380 280/058 -56	380 284/055 -56
360 275/056 -53	360 276/056 -53	360 277/055 -53	360 285/052 -53
340 272/052 -50	340 273/052 -50	340 274/052 -50	340 286/050 -50

NOZ	GOMVA	NOGLI	ANTAR
N3111.3	N3200.2	N3212.8	N3348.0
E02957.1	E02926.3	E02918.2	E02816.0
380 286/055 -56	380 290/060 -57	380 290/062 -57	380 291/069 -58
360 287/052 -53	360 291/057 -54	360 292/059 -54	360 292/067 -55
340 288/050 -50	340 292/055 -50	340 293/056 -51	340 294/064 -51

GUDIS	RIGRO	DISOR	LONTA
N3432.1	N3735.4	N4114.8	N4209.6
E02746.0	E02552.5	E02245.5	E02123.8
430 283/063 -58	430 278/058 -55	430 284/037 -52	400 297/031 -50
400 287/070 -59	400 276/068 -56	400 282/038 -51	380 293/031 -50
380 289/071 -58	380 278/076 -56	380 280/039 -50	360 290/030 -49

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

DOLEV	TIVNU	GORPA	MODSA
N4250.0	N4457.9	N4546.4	N4738.5
E02018.7	E01703.6	E01521.2	E01213.9
400 311/027 -50	400 011/030 -53	400 023/038 -56	400 023/034 -63
380 308/025 -50	380 023/035 -53	380 031/050 -58	380 030/038 -62
360 307/023 -49	360 034/044 -52	360 037/062 -57	360 033/042 -59

BABEG	LIRSU	DENUT	COA
N4840.3	N5011.2	N5114.2	N5120.9
E00939.9	E00627.2	E00339.5	E00321.3
400 006/017 -65	400 309/003 -66	400 187/012 -64	400 188/013 -64
380 008/018 -62	380 294/003 -63	380 178/014 -63	380 179/016 -63
360 014/019 -59	360 323/003 -60	360 184/015 -61	360 182/017 -60

SASKI	LOGAN	WESUL	T_O_D
N5132.9	N5144.9	N5140.3	N5140.1
E00230.0	E00136.7	E00029.2	E00026.9
300 176/025 -47	220 173/031 -27	110 180/021 -03	NO WX DATA
280 171/028 -42	200 175/031 -21	100 181/019 -01	NO WX DATA
260 168/030 -37	180 173/029 -16	090 183/018 P01	NO WX DATA

DESCENT

390 188/020 -62
350 182/030 -58
310 180/032 -49
200 176/031 -22
100 181/019 -01

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

ATC Flight Plan

FF OMDBZPZX OMAEZRZX OMDBUAES EGNJXHAB 00MMZQZX 0EJDZQZX HECCZQZX
EUCHZMFP EUCBZMFP
EDDFUA EK
(FPL-UAE1-IS
-A388/J-SADE3GHIJ1J2J3J4J5M1P2RWXYZ/LB1D1
-OMDB0245
-N0506F280 DCT ANVIX R401 GIDIS G783 VAVIM T636 BUBUB/N0510F290
Z889 ULBIS/N0511F330 DCT DEBAV/N0511F340 G652 TOKRA DCT
ALROK/N0499F380 DCT BOSOB DCT ITRUX Y511 ELONU/N0506F360 Y511 PMA
Z712 WEJ L677 CVO L617 NOZ L551 ANTAR/N0488F400 UN133 GUDIS DCT
RIGRO DCT DISOR/N0501F380 DCT LONTA UL608 DOLEV DCT TIVNU DCT
GORPA DCT MODSA DCT BABEG DCT LIRSU DCT DENUT L608 COA L608 LOGAN
LOGAN2H
-EGLL0808 EGPF
-PBN/A1B1C1D1L101S2T1 NAV/RNP2 DAT/1FANSE2PDC SUR/RSP180 260B
CANMANDATE DOF/260501 REG/A6EUB EET/00MM0028 0EJD0035 HECC0321
LGGG0426 LWSS0536 LYBA0546 LQSB0602 LDZ00621 LJLA0628 LOVV0636
EDUU0650 EDVV0723 EBUR0725 EHAA0740 EBUR0741 EHAA0742 EGT0747
SEL/ALDR CODE/896457 PER/C RMK/NRP HAR TCAS ADSB KULDR0)

Dispatch Information

D I S P A T C H B R I E F I N G I N F O EK1 OMDB/EGLL

CREW ALERT

C0718/26 COMPANY NOTAM - HOT SEASON PROCEDURES
REFER TO OM-C 10.7 FOR HOT SEASON PROCEDURES.
- FOS 29APR26

C0716/26 COMPANY NOTAM - SCB OPERATIONS RESTART
REFER TO "SCB 2026-010 OPERATIONS RESTART MARCH 2026" PUBLISHED IN
DOCUNET.
- SVP-F 28APR26

C0652/26 DXB/DWC CTOT/DEPARTURE DELAYS
GIVEN THE UAE AIRSPACE RESTRICTIONS AND THE LIMITED AVAILABILITY OF
DEPARTURE CORRIDORS, FLIGHTS DEPARTING FROM DXB/DWC TRANSITING TO
SAUDI AIRSPACE WILL EXPERIENCE CTOT/DEPARTURE DELAYS.
CTOT MAY BE SUBJECT TO CHANGES FOR COMPANY OPERATIONAL REQUIREMENTS.
- FOS 16APR26

C0560/26 COMPANY NOTAM - MBRIEFING V3.15.5
RELEASE DATE: 08APR26 - 09APR26
FIXES: LOG OUT INFLIGHT AND BP LOCKED.
IF CREWS EXPERIENCE UNDEMANDED LOGOUT INFLIGHT PLEASE COMPLETE
FEEDBACK FORM IN DOCUNET AND SEND FEEDBACK FROM APP MAIN MENU.
SEE CH5.3 OF USER GUIDE FOR ALL UPDATES.
USER GUIDE REV 13 PUBLISHED.
FOS - 08APR26

C0176/26 COMPANY NOTAM - A380: NSS/OIS VERSION CONTROL

=====

OIS VERSION

AIRAC 2604 (16APR26 - 13MAY26)

AIRAC 2603 (19MAR26 - 15APR26)

CHARTS

ERM 2615 (09APR26 - 13MAY26)


ERM 2611 (12MAR26 - 15APR26)

NOTE: THE LIDO/E-ROUTE MANUAL IN OIS ON-BOARD WILL BE UPDATED
EVERY 28 DAYS. THE LIDO/M-PILOT IS UPDATED EVERY WEEK. REFER TO
CHART NOTAMS AND/OR NOTAMS FOR THE LATEST CHANGES.

=====

- FOS 11APR26

Airline:EK Flt-No.:1 01May Dep:OMDB STD:010245 STA:011125 Dest:EGLL Reg:A6EUB OFP:30



Airline:EK Flt-No.:1 01May Dep:OMDB STD:010245 STA:011125 Dest:EGLL Reg:A6EUB OFP:30



Airline:EK Flt-No.:1 01May Dep:OMDB STD:010245 STA:011125 Dest:EGLL Reg:A6EUB OFP:30



Airline:EK Flt-No.:1 01May Dep:OMDB STD:010245 STA:011125 Dest:EGLL Reg:A6EUB OFP:30




PGDE14 EGRR 301200

ISSUED BY WAFC LONDON
PROVIDED BY WAFC LONDON

FIXED TIME PROGNOSTIC CHART
ICAO AREA EUR
FL100-FL450

FORECAST ISSUE TIME: 12 UTC ON 30 APR 2026
T+24 FORECAST VALID AT 12 UTC ON 01 MAY 2026

CB IMPLIES TS, GR, MOD OR SEV TURB AND ICE
UNITS USED: HEIGHTS IN FLIGHT LEVELS
CHECK SIGMET, ADVISORIES FOR TC AND VA, AND
ASHTAM AND NOTAM FOR VA



1 380
160

ISSUED BY WAFC LONDON
PROVIDED BY WAFC LONDON

FIXED TIME PROGNOSTIC CHART
ICAO AREA C
FL250-FL600


FORECAST ISSUE TIME: 06 UTC ON 30 APR 2026

T+24 FORECAST VALID AT 06 UTC ON 01 MAY 2026

CB IMPLIES TS, GR, MOD OR SEV TURB AND ICE
UNITS USED: HEIGHTS IN FLIGHT LEVELS
CHECK SIGMET, ADVISORIES FOR TC AND VA, AND
ASHTAM AND NOTAM FOR VA

TURBULENCE
(CAT + OROGRAPHIC)

- | | | |
|---|--|------------|
| 1 | | 300
XXX |
| 2 | | 380
XXX |
| 3 | | 400
XXX |
| 4 | | 400
XXX |
| 5 | | 400
XXX |



PGDE14 EGRR 300600


ISSUED BY WAFC LONDON
PROVIDED BY WAFC LONDON


FIXED TIME PROGNOSTIC CHART
ICAO AREA EUR
FL100-FL450

FORECAST ISSUE TIME: 06 UTC ON 30 APR 2026


T+24 FORECAST VALID AT 06 UTC ON 01 MAY 2026

CB IMPLIES TS, GR, MOD OR SEV TURB AND ICE
UNITS USED: HEIGHTS IN FLIGHT LEVELS
CHECK SIGMET, ADVISORIES FOR TC AND VA, AND
ASHTAM AND NOTAM FOR VA






Airline:EK Flt-No.:1 01May Dep:OMDB STD:010245 STA:011125 Dest:EGLL Reg:A6EUB OFP:30



Airline:EK Flt-No.:1 01May Dep:OMDB STD:010245 STA:011125 Dest:EGLL Reg:A6EUB OFP:30



Official VAA/TCA

NO DATA AVAILABLE

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

Weather

OMDB --> EGLL EK1 / 01May2026
LIDO/WEATHER SERVICE DATE : 01May2026 TIME : 01:18 UTC

AIRMETs:

No Wx data available

SIGMETs:

OEJD JEDDAH FIR

WS SIGMET 01 VALID 010100/010500 OEJN- OEJD JEDDAH FIR
EMBD TS OBS N OF LINE N2907 E03714 - N2818 E04452 TOP
ABV FL390 MOV E INTSF=

Tropical Cyclone SIGMETs:

No Wx data available

Volcanic Ash SIGMETs:

No Wx data available

Volcanic Ash Advisory:

No Wx data available

DEPARTURE AIRPORT:

OMDB/DXB DUBAI INTL

SA 010100 19003KT CAVOK 28/20 Q1006 NOSIG=

FT 302300 0100/0206 18005KT CAVOK
BECMG 0105/0107 30012KT
BECMG 0116/0118 24005KT -=

DESTINATION AIRPORT:

EGLL/LHR LONDON/HEATHROW

SA 010050 AUTO 08004KT 9999 NCD 11/05 Q1021 NOSIG=

FT 302253 0100/0206 09006KT CAVOK
BECMG 0109/0112 15010KT
PROB30 TEMPO 0111/0115 8000 -SHRA BKN040
BECMG 0112/0115 21010KT
TEMPO 0115/0119 7000 SHRA
PROB30 TEMPO 0115/0118 4000 +SHRA SCT020 BKN035CB
BECMG 0200/0203 VRB03KT
PROB30 0203/0206 8000=

DESTINATION ALTERNATE:

EGPF/GLA GLASGOW

SA 010050 AUTO 06003KT 9999 NCD 09/05 Q1021=

FT 302255 0100/0124 06012KT 9999 FEW040
BECMG 0100/0103 VRB03KT
PROB30 0100/0106 8000
PROB30 TEMPO 0108/0116 7000 -SHRA
PROB40 TEMPO 0113/0118 BKN012=

EGCC/MAN MANCHESTER (UK)

SA 010050 AUTO 09003KT 040V160 9999 NCD 12/M01 Q1020 NOSIG=

FT 302258 0100/0206 10004KT CAVOK
BECMG 0109/0112 17010KT
TEMPO 0113/0121 BKN045
BECMG 0115/0118 29006KT
TEMPO 0115/0121 6000 RA SHRA
PROB30 TEMPO 0115/0118 3000 +SHRA BKN012=

EGKK/LGW LONDON/GATWICK

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

SA 010050 05006KT CAVOK 09/03 Q1021=
FT 302253 0100/0206 10005KT CAVOK
BECMG 0112/0115 20010KT
TEMPO 0112/0119 7000 SHRA
PROB30 TEMPO 0114/0117 4000 +SHRA BKN035CB
BECMG 0123/0201 VRB03KT
PROB30 0201/0206 4000 BR=

LFPG/CDG PARIS/CHARLES DE GAULLE

SA 010100 10007KT CAVOK 14/M01 Q1021 NOSIG=
FT 302300 0100/0206 10010KT CAVOK TX25/0115Z TN12/0105Z
BECMG 0113/0115 20010KT
TEMPO 0114/0122 SCT050TCU
PROB40 TEMPO 0114/0122 4000 -TSRA SCT045CB
PROB30 TEMPO 0116/0118 VRB15G30KT
PROB30 TEMPO 0122/0124 4000 -SHRA
BECMG 0123/0201 16005KT
PROB30 TEMPO 0203/0205 3000 BR BKN006=

ESCAPE AIRPORT(S):

HECA/CAI CAIRO INTL

SA 010100 04008KT CAVOK 18/12 Q1012=
FT 302300 0100/0206 33010KT CAVOK
TEMPO 0100/0108 VRB03KT 4000 HZ NSC
PROB40 TEMPO 0101/0106 2000 BR
BECMG 0118/0120 03010KT=

LCLK/LCA LARNAKA INTL

SA 010100 28004KT CAVOK 14/11 Q1012 NOSIG=
FT 302330 0100/0200 31006KT CAVOK
PROB30 TEMPO 0101/0106 5000 BR BKN009
PROB30 TEMPO 0101/0105 0700 BCFG BKN001
BECMG 0108/0111 21017KT
BECMG 0116/0119 23006KT=

LGTS/SKG THESSALONIKI/MAKEDONIA

SA 010050 33014KT 9999 FEW020 BKN035 11/05 Q1020 NOSIG=
FT 302300 0100/0124 34015KT 9999 BKN030
PROB40 TEMPO 0100/0103 5000 RA BKN025
PROB30 TEMPO 0100/0102 3000 TSRA FEW018CB OVC025
PROB40 TEMPO 0110/0121 5000 RA=

LHBP/BUD BUDAPEST LISZT FERENC INTL

SA 010100 34005KT CAVOK M01/M04 Q1027 NOSIG=
FT 302315 0100/0124 VRB03KT CAVOK
BECMG 0105/0108 02006KT
BECMG 0115/0118 VRB03KT=

LGAV/ATH ATHENS/ELEFThERIOS VENIZEL0S

SA 010050 36014KT 9999 -RA FEW025 BKN070 14/10 Q1015 NOSIG=
FT 302300 0100/0124 02017KT 9999 FEW025 SCT070
BECMG 0102/0104 02018G28KT
BECMG 0100/0102 SCT020 BKN070
PROB40 TEMPO 0100/0109 5000 RA FEW018TCU BKN020
OVC070=

ENROUTE AIRPORT(S):

OMSJ/SHJ SHARJAH INTL

FT 302300 0100/0206 18005KT CAVOK
BECMG 0106/0108 29012KT
BECMG 0116/0118 23005KT -=

OMDW/DWC DUBAI/AL MAKTOUM INTL

FT 302300 0100/0206 18005KT 8000 NSC
BECMG 0105/0107 32014KT

BECMG 0116/0118 24005KT -=
 OMRK/RKT RAS AL KHAIMAH INTL
 FT 302300 0100/0206 20005KT 8000 NSC
 BECMG 0106/0108 29013KT
 BECMG 0115/0117 VRB02KT -=
 OMAA/AUH ABU DHABI/ZAYED INTL
 FT 302300 0100/0206 VRB02KT 8000 NSC
 BECMG 0106/0108 32013KT
 BECMG 0119/0121 VRB02KT=
 OMAL/AAN AL AIN INTL
 FT 302300 0100/0206 05005KT 8000 NSC
 BECMG 0105/0107 32013KT
 BECMG 0119/0121 06005KT -=
 OOSH/OHS SUHAR
 FT 302300 0100/0206 VRB02KT 8000 NSC
 BECMG 0108/0110 05015KT
 BECMG 0115/0117 VRB02KT=
 OOMS/MCT MUSCAT INTL
 FT 302300 0100/0206 VRB02KT 8000 NSC
 BECMG 0107/0109 03012KT
 BECMG 0115/0117 VRB02KT=
 OOSA/SLL SALALAH
 FT 302340 0100/0206 VRB02KT 9999 BKN025
 BECMG 0104/0106 18012KT FEW025
 BECMG 0123/0201 VRB02KT BKN025=
 OERK/RUH RIYADH/KING KHALED INTL
 FT 302300 0100/0206 09005KT CAVOK
 BECMG 0106/0108 13014KT 7000 SCT040=
 OEJN/JED JEDDAH/KING ABDULAZIZ INTL
 FT 302300 0100/0206 03006KT CAVOK
 BECMG 0106/0108 32015KT
 BECMG 0118/0120 02006KT=
 OEMA/MED MADINAH/PR.MOHAMMAD BIN ABDULA
 FT 302300 0100/0206 VRB03KT CAVOK
 BECMG 0106/0108 25015KT 9999 FEW040
 BECMG 0120/0122 VRB03KT CAVOK=
 HESH/SSH SHARM EL SHEIKH INTL
 FT 302300 0100/0206 32012KT CAVOK=
 HEGN/HRG HURGHADA INTL
 FT 302300 0100/0206 29008G20KT CAVOK=
 OETB/TUU TABUK/PRI.SULTAN BIN ABDULAZIZ
 FT 302300 0100/0206 30010KT 9999 FEW040
 BECMG 0200/0202 VRB03KT=
 OJAQ/AQJ AQABA/KING HUSSEIN INTL
 FT 302203 0100/0206 35010KT 7000 NSC
 PROB40 TEMPO 0108/0116 36018KT 5000 BLDU=
 LBSF/SOF VASIL LEVSKI - SOFIA
 FT 302300 0100/0124 VRB03KT 9999 SCT015 OVC030
 TEMPO 0103/0106 3000 BR SCT005 BKN010
 BECMG 0107/0109 10010KT
 BECMG 0110/0112 04012KT
 BECMG 0117/0119 VRB03KT=
 LTFM/IST ISTANBUL AIRPORT
 FT 302240 0100/0206 03018KT 9999 -SHRA BKN012 BKN020
 TEMPO 0100/0104 02022G33KT 2500 SHRA BKN006 FEW017TCU
 BKN020
 TEMPO 0104/0107 02022G32KT 4000 SHRA BKN006 BKN018
 BECMG 0107/0110 03018G28KT BKN025 BKN080
 BECMG 0116/0119 03015KT SCT035=

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

LOWW/VIE VIENNA/SCHWECHAT
FT 302315 0100/0206 VRB04KT CAVOK TX20/0115Z TN04/0103Z
BECMG 0106/0108 35008KT
BECMG 0117/0119 VRB04KT=

LOWG/GRZ GRAZ
FT 302315 0100/0124 VRB04KT CAVOK TX19/0115Z TN01/0103Z
BECMG 0109/0111 11010KT
BECMG 0117/0119 VRB03KT=

LIRF/FCO ROME/FIUMICINO
FT 302300 0100/0206 02011KT 9999 SCT025
TEMPO 0114/0117 33012KT=

EDDM/MUC MUNICH
FT 302300 0100/0206 07006KT CAVOK
BECMG 0107/0109 09012KT
BECMG 0117/0119 08004KT=

LIPZ/VCE VENICE/TESSERA
FT 302300 0100/0206 01007KT CAVOK
BECMG 0108/0110 15010KT
BECMG 0116/0118 VRB05KT=

LSZH/ZRH ZURICH
FT 302325 0100/0206 33006KT CAVOK TX23/0114Z TN02/0105Z
BECMG 0108/0110 05008KT
BECMG 0118/0120 35004KT=

EDDF/FRA FRANKFURT/MAIN
FT 302300 0100/0206 04007KT CAVOK
BECMG 0108/0110 11011KT
BECMG 0119/0121 06005KT=

EDDK/CGN COLOGNE/BONN
FT 302300 0100/0206 11007KT CAVOK
BECMG 0106/0108 13013KT
TEMPO 0109/0114 24015G25KT
BECMG 0117/0119 12006KT=

EDDL/DUS DUESSELDORF
FT 302358 0100/0206 11006KT CAVOK
TEMPO 0100/0102 10012KT
BECMG 0106/0108 14013KT
PROB40 TEMPO 0110/0114 14015G25KT
BECMG 0115/0118 15008KT=

EBBR/BRU BRUSSELS/BRUSSELS NATIONAL
FT 302300 0100/0206 11007KT CAVOK
PROB30 TEMPO 0204/0206 4500 SHRA FEW050CB=

EHAM/AMS AMSTERDAM/SCHIPHOL
FT 302301 0100/0206 11010KT CAVOK
BECMG 0107/0110 14015KT
BECMG 0115/0118 13008KT
PROB30 TEMPO 0203/0206 6000 SHRA FEW060CB=

EGSS/STN LONDON/STANSTED
FT 302255 0100/0206 12007KT CAVOK
TEMPO 0115/0120 8000 SHRA
PROB30 TEMPO 0116/0120 4000 +SHRA BKN035CB=

EKCH/CPH COPENHAGEN/KASTRUP
FT 302327 0100/0124 33007KT CAVOK=

EGBB/BHX BIRMINGHAM
FT 302257 0100/0124 11006KT CAVOK
BECMG 0109/0112 18010KT
PROB30 TEMPO 0112/0115 8000 -SHRA BKN045
BECMG 0113/0116 24010KT
TEMPO 0115/0120 6000 SHRA BKN040
PROB40 TEMPO 0115/0119 3000 +SHRA

PROB30 0122/0124 8000=
 EGNX/EMA DERBY/EAST MIDLANDS
 FT 302257 0100/0124 10006KT CAVOK
 BECMG 0109/0112 17010KT
 PROB30 TEMPO 0112/0115 8000 -SHRA BKN045
 BECMG 0114/0117 23010KT
 TEMPO 0115/0120 6000 SHRA BKN040
 PROB40 TEMPO 0115/0119 3000 +SHRA
 PROB30 0122/0124 8000=
 EIDW/DUB DUBLIN INTL
 FT 302300 0100/0124 14005KT 9999 FEW020
 BECMG 0105/0107 VRB03KT
 PROB30 TEMPO 0106/0110 BKN010
 BECMG 0107/0109 22007KT
 PROB30 TEMPO 0109/0115 16006KT=
 EGPK/PIK PRESTWICK
 FT 302255 0100/0124 VRB03KT 9999 FEW040
 PROB30 TEMPO 0106/0116 8000 -SHRA
 PROB40 TEMPO 0113/0118 BKN012=
 EINN/SNN SHANNON
 FT 010000 0100/0124 11008KT 9999 BKN015
 TEMPO 0100/0109 4000 BR BKN010
 PROB30 TEMPO 0102/0107 2000 -RADZ BR BKN004
 BECMG 0104/0106 16010KT
 BECMG 0112/0114 19010KT
 PROB40 TEMPO 0114/0119 4000 SHRA FEW020CB
 BECMG 0116/0118 VRB03KT=

AIRPORTLIST ENDED

NOTAM

LIDO-NOTAM-BULLETIN INCLUDES NOTAM, CONOTAM AND CHART NOTAM
 VALID: 2605010245 - 2605011517 ETD+TRIP+**ALTN**+3HRS
 UAE 1/01MAY OFP-NR: 30
 ROUTE: OMDB - EGLL **ALTN**:EGPF EGCC EGKK LFPG
 N0506F280 DCT ANVIX R401 GIDIS G783 VAVIM T636 BUBUB/N0510F290 Z889
 ULBIS/N0511F330 DCT DEBAV/N0511F340 G652 TOKRA DCT ALROK/N0499F380
 DCT BOSOB DCT ITRUX Y511 ELONU/N0506F360 Y511 PMA Z712 WEJ L677 CVO
 L617 NOZ L551 ANTAR/N0488F400 UN133 GUDIS DCT RIGRO DCT
 DISOR/N0501F380 DCT LONTA UL608 DOLEV DCT TIVNU DCT GORPA DCT MODSA
 DCT BABEG DCT LIRSU DCT DENUT L608 COA L608 LOGAN LOGAN2H

=====

DEPARTURE AIRPORT

=====

OMDB /DXB DUBAI INTL - DETAILED INFO

+++++ RUNWAY +++++

1A1615/26 VALID: 2605011100 - 2605291400
 01 06 07 12 15 21 22 26 29 1100-1400
 RWY 12L/30R **CLSD**.

+++++ APPROACH PROCEDURE +++++

1A1485/26 VALID: 2604210300 - 2606191500
 DUE TO CRANES ACTIVITIES WI OMDDB AD,
 SID RWY 12L MNM TURN ALTITUDE 490FT AMSL AND MNM OBSTACLE CLIMB
 GRADIENT 3.4 (206 FT PER NM) UP TO 500FT AMSL, REF OMDDB 2-41.
 OMNIDIRECTIONAL SID RWY 12L MNM OBSTACLE CLIMB GRADIENT 3.4 (206
 FT
 PER NM) UP TO 500FT AMSL, REF OMDDB 2-48.
LNAV/VNAV RWY 30R TO READ AS CAT A 380(347), CAT B 390(357), CAT C
 400(367), CAT D/DL 410 (377) REF CHART OMDDB AD 2-70.
LNAV/VNAV RWY 30L TO READ AS CAT A 380(320), CAT B 390(330) CAT C
 400(340), CAT D/DL 410 (350) REF CHART OMDDB AD 2-71.

+++++ AIRPORT +++++

1A1577/26 VALID: 2604300800 - 2607211400
 SECN OF TWY M BTN TWY M3A AND TWY M5B **CLSD**.
 TWY M4, TWY M5B AND TWY M6 **CLSD**.
 TWY M5A WEST LINK ONTO TWY M **CLSD**.
 TWY M3A EAST LINK ONTO TWY M **CLSD**.
 TWY M3 EAST LINK ONTO TWY M **CLSD**.

1A1574/26 VALID: 2604271410 - 2605041200 EST
RNAV 1 ATS RTE Z889 EB ESTABLISHED AS FLW:
 BUBUB MAG BRG 139 DEG 12 NM FL265/FL600 ULBIS FIR BOUNDARY
 (225207N
 0551458E).
 ULBIS IS THE TRANSFER POINT BETWEEN EMIRATES ACC AND MUSCAT ACC
 BEYOND ULBIS RTE BY MUSCAT ACC EXPECT DCT DEBAV
 THIS APPLIES ONLY TO DEPARTURES FROM OMDDB, OMSJ, OMDW AND OMRK
 WITH
 DESTINATION OOSA AND BEYOND SOUTH OF OOMM FIR.
 OPERATORS TO EXPECT ONLY FL270 AND FL290.
 FROM **FL265** TO **FL600**

+++++ COMPANY NOTAM +++++

C0724/26 VALID: 2604300800 - 2607211400
 C0724/26 COMPANY NOTAM - DXB/OMDB - TWY M WORKS
 IN CONJUNCTION WITH STATE NOTAM, CREW MAY REFER TO AMM IN
 LIDO/MPILLOT THAT REFLECT TWY M RESTRICTIONS.

- FOS 30APR26
C0512/26 VALID: 2604010000 - UFN
C0512/26 COMPANY NOTAM - DXB/OMDB - AIRPORT WITH GPS SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.
CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR BOTH ARRIVAL AND DEPARTURE AT DXB.
- MFOR 01APR26
C0341/26 VALID: 2603040635 - UFN
C0341/26 COMPANY NOTAM - DXB/OMDB - **GNSS** AND **RNAV 1** REQUIREMENTS ON SIDS AND STARS
IN CASE OF GPS INTERFERENCE, THE FOLLOWING IS APPLICABLE:
GNSS:
CREWS ARE TO DISREGARD THE "**GNSS**" REQUIREMENT ON THE SIDS AND STARS.
RNAV 1:
CREWS ARE TO PLAN TO FLY THE FILED SID OR STAR. ATC IS TO BE INFORMED ONLY IN THE CASE OF ACTUAL DEGRADED NAVIGATION CAPABILITY (UNABLE **RNAV 1**) SHOWN BY "NAV ACCUR **DOWNGRADED**" MFD MESSAGE (IN THE FMS MESSAGE AREA) AND ON THE ND.
CREWS SHOULD REQUEST RADAR VECTORS, ONLY IF THE DEGRADED NAV MESSAGES OCCUR WHEN AIRBORNE.
IF THE NAVIGATION MODE IS NOT IRS/GPS, AT TAKEOFF:
AN AUTOMATIC POSITION UPDATE ON THE RWY THRESHOLD OCCURS AND WILL PROVIDE **RNAV 1** CAPABILITY.
THE ABOVE GUIDANCE IS ISSUED IN COORDINATION WITH DUBAI ATC (DANS).
- FTPA 04MAR26
C01115/25 VALID: 2507070826 - UFN
C01115/25 COMPANY NOTAM - **ADS-B** OUT MANDATE IN UAE
ADS-B OUT MANDATE IS TEMPO **SUSPENDED** WI THE UAE CONTROLLED AIRSPACE REF GCAA SAFETY DECISION 2025-02
- FOS 07JUL25
+++++ CHART NOTAM ++++++
CC16/26 - CHART NOTAM VALID: 2506100000 - UFN
IAC **ILS** 12L:
REF: SUP 23/2025
TEMPO MINIMA ESTABLISHED
LOC **DME** GA 2.7% 12L
CAT C: MDH 520FT, MDA 530FT, 1.6KM
CAT D: MDH 520FT, MDA 530FT, 1.6KM
+++++ AMDB NOTAM ++++++
CA13/26 VALID: 2604080000 - UFN
AMDB/AMM WIP:
FOR WIP REFER TO THE RESPECTIVE TEMPO GROUND CHARTS AND STATE NOTAM FOR ACTIVATION.
CA11/26 VALID: 2604080000 - UFN
AMDB/AMM WIP:
REF SUP 40/2025
TWYS AND STANDS TEMPO CLOSURES
AREA C02
-TWY Z5 **CLSD**
-TWY Z BTN TWYS Z5 AND Y **CLSD**
-TWYS J1 AND Y **CLSD** NORTH OF TWY Z
-TEMPO TWY U2A AVBL BTN TWYS J AND U WEST OF STAND B3
-PRKG STANDS C61, F2 AND F3 **CLSD**
AREA J1
-TWY J BTN PRKG STANDS C63 AND B3 **CLSD**

-TEMPO TWY U2A AVBL BTN TWYS J AND U WEST OF STAND B3
 -PRKG STANDS C64, F2 AND F3 **CLSD**
 AREA B17
 -TWY U BEHIND STAND B17 **CLSD**
 -TWY U3 **CLSD**
 -STAND B17 **CLSD**
 EFFECTIVE DATE OF TWY CLOSURES WILL BE NOTIFIED BY NOTAM AND/OR
 AIRSIDE ADVISE NOTICE AHEAD OF THE CLOSURES.

=====

DESTINATION AIRPORT

=====

EGLL /LHR LONDON/HEATHROW /ESC AP - DETAILED INFO

+++++ RUNWAY +++++

1A1644/26 VALID: 2604302230 - 2605010315
 RWY 09L/27R AND RWY 09R/27L **CLSD**. RWY 09R/27L CAN BE MADE AVBL
 FOR EMERG TFC AT 30 MIN NOTICE. FOR FLT PLANNING, AIRLINES ARE
 REQUESTED NOT TO USE AD AS AN **ALTN**. START OF RWY **CLSD** WILL BE
 DELAYED UNTIL SCHEDULED MOVEMENTS ARE COMPLETED. MOVEMENTS DELAYED
 INTO THE NIGHT QUOTA PERIOD ARE STILL SUBJECT TO AD AUTHORITY
 APPROVAL. FOR INFO CTC AD DUTY MANAGER 020 8745 7373

1A1460/26 VALID: 2604190638 - 2605202250
 RWY 09L/27R ENRTY/EXIT A10W **CLSD**.

1A1267/26 VALID: 2604011245 - 2605312259
 RWY 09L/27R MANDATORY SIGN AT A8 ON WESTERN SIDE REMOVED DUE WIP.

+++++ APPROACH PROCEDURE +++++

1A1484/26 VALID: 2604200738 - PERM
 INSTRUMENT APPROACH CHART - **RNP** RWY 27R - MOCA BETWEEN IVLAR AND
 L27RF TO INCREASE FROM 900 (822) TO 1100 (1022).
 UK AIP AD 2.EGLL-8-12 REFERS.

1A1483/26 VALID: 2604200720 - PERM
 INSTRUMENT APPROACH CHART - **RNP** RWY 27L - MOCA BETWEEN NEKSA AND
 L27LF TO INCREASE FROM 900 (823) TO 1100 (1023).
 UK AIP AD 2.EGLL-8-9 REFERS.

1A1482/26 VALID: 2604200721 - PERM
 INSTRUMENT APPROACH CHART - **ILS/DME** I-RR RWY 27R - PROCEDURE
 OCA(H)
 FOR **CAT I ILS** TO INCREASE AS FOLLOWS:
 CAT C INCREASE FROM 247 (169) TO 249 (171)
 CAT D INCREASE FROM 263 (185) TO 268 (190)
 UK AIP AD 2.EGLL-8-10 REFERS.

1A1481/26 VALID: 2604200736 - PERM
 INSTRUMENT APPROACH CHART - **RNP** RWY 09R - MOCA BETWEEN BENPA AND
 L09RF TO INCREASE FROM 800 (725) TO 900 (825).
 UK AIP AD 2.EGLL-8-6 REFERS.

1A1480/26 VALID: 2604200723 - PERM
 INSTRUMENT APPROACH CHART - **ILS/DME** I-RR RWY 27R - PROCEDURE
 OCA(H)
 FOR **CAT II ILS** TO INCREASE AS FOLLOWS:
 CAT D INCREASE FROM 171 (93) TO 172 (94)
 UK AIP AD 2.EGLL-8-10 REFERS.

1A1478/26 VALID: 2604200648 - PERM
 INSTRUMENT APPROACH CHART - **RNP** RWY 09L - PROCEDURE OCA(H) FOR
LNAV/VNAV TO INCREASE AS FOLLOWS:
 CAT A INCREASE FROM 450 (371) TO 500 (421)
 CAT B INCREASE FROM 460 (381) TO 510 (431)
 CAT C INCREASE FROM 470 (391) TO 520 (441)

UK AIP AD 2.EGLL-8-3 REFERS.

1A1477/26 VALID: 2604200713 - PERM

INSTRUMENT APPROACH CHART - **ILS/DME** I-LL RWY 27L - PROCEDURE
OCA(H)

FOR **CAT I ILS** TO INCREASE AS FOLLOWS:

CAT B INCREASE FROM 238 (161) TO 241 (164)

CAT C INCREASE FROM 252 (175) TO 255 (178)

CAT D INCREASE FROM 270 (193) TO 273 (196)

UK AIP AD 2.EGLL-8-7 REFERS.

1A1476/26 VALID: 2604200709 - PERM

INSTRUMENT APPROACH CHART - **ILS/DME** I-BB RWY 09R - PROCEDURE
OCA(H)

FOR **CAT II ILS** TO INCREASE AS FOLLOWS:

CAT B INCREASE FROM 134 (59) TO 136 (61)

CAT C INCREASE FROM 148 (73) TO 151 (76)

CAT D INCREASE FROM 165 (90) TO 174 (99)

UK AIP AD 2.EGLL-8-4 REFERS.

1A1475/26 VALID: 2604200650 - PERM

INSTRUMENT APPROACH CHART - **ILS/DME** I-BB RWY 09R - PROCEDURE
OCA(H)

FOR **CAT I ILS** TO INCREASE AS FOLLOWS:

CAT A INCREASE FROM 215 (140) TO 221 (146)

CAT B INCREASE FROM 226 (151) TO 233 (158)

CAT C INCREASE FROM 240 (165) TO 248 (173)

CAT D INCREASE FROM 258 (183) TO 266 (191)

UK AIP AD 2.EGLL-8-4 REFERS.

1A1474/26 VALID: 2604200644 - PERM

INSTRUMENT APPROACH CHART - **ILS/DME** I-AA RWY 09L - PROCEDURE
OCA(H)

FOR **CAT I ILS** TO INCREASE AS FOLLOWS:

CAT A INCREASE FROM 222 (143) TO 224 (145)

CAT B INCREASE FROM 234 (155) TO 236 (157)

CAT C INCREASE FROM 248 (169) TO 251 (172)

CAT D INCREASE FROM 267 (188) TO 271 (192)

UK AIP AD 2.EGLL-8-1 REFERS.

+++++ AIRPORT ++++++

1A1314/26 VALID: 2604090800 - 2607091900

VOR/DME LON/LONDON 113.60MHZ CH083X **VOR** PART **U/S**

+++++ CHART NOTAM ++++++

CC13/26 - CHART NOTAM VALID: 2604240000 - UFN

IAC **RNP** 09L:

REF NOTAM A1478/2026:

RNP LNAV/VNAV 09L

CAT C: DH 450FT, DA 520FT, 1.4KM

CAT D: DH 470FT, DA 540FT, 1.5KM

=====

EGPF /GLA GLASGOW - DETAILED INFO

+++++ APPROACH PROCEDURE ++++++

1I2416/26 VALID: 2604030559 - PERM

INSTRUMENT APPROACH CHART - **LOC/DME/VOR** OR **NDB(L)** RWY 23 - MOCA
BETWEEN I-00 D2 AND I-00 D4 TO BE INCREASED FROM 640 (619) TO 650
(629). UK AIP AD 2.EGPF-8-7 REFERS.

1I2317/26 VALID: 2603311220 - PERM

INSTRUMENT APPROACH CHART - **VOR/DME** RWY 23 - PROCEDURE OCA(OCH)

MINIMA TO BE INCREASED FROM 610 (589) TO 660 (639).

UK AIP AD 2.EGPF-8-9 REFERS.

1I2316/26 VALID: 2603311218 - PERM

INSTRUMENT APPROACH CHART - **ILS/DME/VOR** OR **NDB(L)** RWY 23 -
PROCEDURE OCA(OCH) FOR **CAT I ILS** TO INCREASE AS FOLLOWS:

CAT B INCREASE FROM 173 (152) TO 175 (154)

CAT C INCREASE FROM 185 (164) TO 193 (172)

CAT D INCREASE FROM 198 (177) TO 217 (196)

UK AIP AD 2.EGPF-8-6 REFERS.

1I2315/26 VALID: 2603311216 - PERM

INSTRUMENT APPROACH CHART - **NDB(L)/DME** RWY 05 - PROCEDURE OCA(OCH)
MINIMA TO BE INCREASED FROM 540 (514) TO 860 (834).

UK AIP AD 2.EGPF-8-5 REFERS.

1I2314/26 VALID: 2603311215 - PERM

INSTRUMENT APPROACH CHART - **ILS/DME/VOR** OR **NDB(L)** RWY 05
PROCEDURE OCA(H) FOR **CAT I ILS** (3.3 PERCENT) TO INCREASE AS
FOLLOWS:

CAT A INCREASE FROM 173 (147) TO 175 (149)

CAT B INCREASE FROM 181 (155) TO 183 (157)

CAT C INCREASE FROM 190 (164) TO 197 (171)

CAT C INCREASE FROM 201 (175) TO 215 (189)

PROCEDURE OCA(H) FOR **CAT II ILS** (3.3 PERCENT) TO INCREASE AS
FOLLOWS:

CAT A INCREASE FROM 79 (53) TO 84 (58)

CAT B INCREASE FROM 88 (62) TO 89 (63)

CAT C INCREASE FROM 100 (74) TO 102 (76)

CAT C INCREASE FROM 112 (86) TO 121 (95)

UK AIP AD 2.EGPF-8-1 REFERS.

1I2313/26 VALID: 2603311214 - PERM

INSTRUMENT APPROACH CHART - **VOR/DME** RWY 05 - PROCEDURE OCA(OCH)
MINIMA TO BE INCREASED FROM 510 (484) TO 520 (494).

UK AIP AD 2.EGPF-8-4 REFERS.

1I2312/26 VALID: 2603311205 - PERM

VM(C)OCA(OCH AAL) CAT C MINIMA TO BE INCREASED FROM 1400 (1374) TO
1550 (1524).

UK AIP AD 2.EGPF-8-1,8-2,8-3,8-4,8-5,8-6,8-7,8-8,8-9,8-10 REFERS.

+++++ AIRPORT +++++

1I2560/26 VALID: 2604101146 - 2605311500

1100-1500

RFFS CAT 9. RFFS CAT 10 AVBL BY REQUEST

1I1966/26 VALID: 2603190000 - PERM

WHEN THE LEAD OFF LIGHTS AT LINK DELTA, ECHO AND FOXTROT ARE
SELECTED, THE STOPBARS ARE DESELECTED. VEHICLES AND/OR AIRCRAFT
TRAVELLING WEST TO EAST ON TAXIWAY GOLF MAY MISTAKENLY FOLLOW THE
(RUNWAY) LEAD OFF LIGHTS RATHER THAN THE TAXIWAY LIGHTS AND
SUBSEQUENTLY ONTO THE RUNWAY. UK AIP EGPF AD 2.20-4 REFERS.

+++++ CHART NOTAM +++++

CC34/26 - CHART NOTAM VALID: 2604220000 - 2605132359

IAC **NDB** + **DME** 05:

DISREGARD D2 IUU / 820FT IN **DME/ALT** TABLE.

CC33/26 - CHART NOTAM VALID: 2604220000 - 2605132359

IAC LOC **DME** + **VOR** OR **NDB** 23:

MOCA BTN D2 I00 AND D4 I00 INCREASED FROM **640FT** TO **650FT**

CC30/26 - CHART NOTAM VALID: 2604220000 - 2605132359

AFC, SID, STAR, IAC MSA GLW AND GOW:

MSA **NDB** GLW AND **VOR** GOW 345 TO 070 SEGMENT

INCREASED FROM **4900FT** TO **5000FT**.

CC23/26 - CHART NOTAM VALID: 2604070000 - 2605132359

IAC/AFC MINIMA MINIMA:

REF: NOTAMS I2312-17/2026

VOR DME 05

CAT B: MDH 500FT, MDA 520FT, 1.5KM

CAT C: MDH 500FT, MDA 520FT, 1.5KM

CAT D: MDH 500FT, MDA 520FT, 1.5KM

NDB DME 05

CAT B: MDH 840FT, MDA 860FT, 1.5KM

CAT C: MDH 840FT, MDA 860FT, 2.4KM

CAT D: MDH 840FT, MDA 860FT, 2.4KM

CIRCLING NDB 05

CAT B: MDH 840FT, MDA 860FT, V 1.6KM

CAT C: MDH 1530FT, MDA 1550FT, V 2.4KM

CAT D: MDH 1680FT, MDA 1700FT, V 3.6KM

VOR DME 23

CAT B: MDH 640FT, MDA 660FT, 1.5KM

CAT C: MDH 640FT, MDA 660FT, 2.2KM

CAT D: MDH 640FT, MDA 660FT, 2.2KM

CIRCLING SRA 05

CAT B: MDH 1060FT, MDA 1080FT, V 1.6KM

CAT C: MDH 1530FT, MDA 1550FT, V 2.4KM

CAT D: MDH 1680FT, MDA 1700FT, V 3.6KM

CIRCLING SRA 23

CAT B: MDH 790FT, MDA 810FT, V 1.6KM

CAT C: MDH 1530FT, MDA 1550FT, V 2.4KM

CAT D: MDH 1680FT, MDA 1700FT, V 3.6KM

CIRCLING ALL APPROACHES (EXCEPT NDB 05, SRA 05/23)

CAT B: MDH 780FT, MDA 800FT, V 1.6KM

CAT C: MDH 1530FT, MDA 1550FT, V 2.4KM

CAT D: MDH 1680FT, MDA 1700FT, V 3.6KM

EGCC /MAN MANCHESTER (UK) - DETAILED INFO

+++++ APPROACH PROCEDURE +++++

1A1636/26 VALID: 2604301050 - 2605072359

ILS RWY 05L U/S

+++++ AIRPORT +++++

1A1525/26 VALID: 2604220931 - 2607212259

ICAO CODE E ARRIVALS ONTO STAND 113 TO USE MINIMUM THRUST TURNING ONTO STAND

1A1487/26 VALID: 2604200932 - 2605112359

TWY ECHO **CLOSED** BTN HOLDING POINTS E9 AND E10 DUE WIP. TEMPORARY DIVERTED CENTRELINE AVBL. FOLLOW ME SERVICE AVBL HN AND LVP

1J904/26 VALID: 2605010600 - 2605162200

TUE 0600-1500, WED-FRI 0600-1800, SAT 1200-2200

TEMPO DANGER AREA (TDA) EGD392A INSTALLED WI AREA BOUNDED BY STRAIGHT LINES JOINING

532821N 0021146W - 532821N 0021142W - 532819N 0021140W -

532818N 0021126W - 532811N 0021049W - 532808N 0021018W -

532807N 0021018W - 532807N 0021025W - 532808N 0021038W -

532811N 0021106W - 532804N 0021059W - 532804N 0021100W -

532811N 0021111W - 532815N 0021129W - 532815N 0021246W -

532800N 0021223W - 532759N 0021225W - 532827N 0021314W -

532828N 0021313W - 532819N 0021253W - 532822N 0021229W -

532820N 0021210W - 532828N 0021234W - 532830N 0021235W -

532830N 0021234W - 532819N 0021158W - 532819N 0021148W -

532821N 0021146W (LONGSIGHT, MANCHESTER). BEYOND VISUAL LINE OF SIGHT (BVLOS) UAS OPS WITHOUT VISUAL OBSERVERS CONTAINED WHOLLY WI THE TDA. MAX HGT 400FT AGL. EMERG SERVICES ACFT MAY ENTER THE AIRSPACE IN ACCORDANCE WITH LOCAL DECONFLICTION AGREEMENTS.

FOR INFO 07484 424457. AR-2026-833/09.

F) SFC G) 700FT AMSL

+++++ CHART NOTAM +++++
CC65/26 - CHART NOTAM VALID: 2604280000 - 2605012359

* SUP 017/2026:

REF AIP SUP 017/2026 END 30 APR 2026

BTN 2300-0659++ QC16, QC8 AND QC4 ACFT WILL NOT BE ALLOWED

TO ARR OR DEP, EXCEPT IN CASE OF EMERG OR WHERE EXEMPT.

EGCC HAS STRICT LIMITS ON THE NUMBERS OF QC POINTS FOR EACH

OPERATIONAL SEASON BTN 2330-0600++. FROM 28 MAR 2026, AN

ADDITIONAL QC POINT LIMIT WILL BE INTRODUCED FOR THE 8HR

NIGHT PERIOD 2300-0700++.

DUE TO AD CAPACITY AND TO MAINTAIN COMPLIANCE WITH THE NIGHT

NOISE LIMITS, ANY ARR ACFT WITH A SKED TIME OF 0615++ OR

LATER WILL NOT BE ALLOWED TO LDG UNTIL AFTER 0600++, AND AS SUCH

WILL BE SUBJECT TO AIRBORNE HLDG UNTIL A LDG TIME CAN BE

ACHIEVED OF AFTER 0600++. DEP ACFT WITH A SKED TIME OF 0555++

WILL NOT BE PERMITTED TO TKOF BEFORE 0600++.

EGKK /LGW LONDON/GATWICK - DETAILED INFO

+++++ RUNWAY +++++

1A1606/26 VALID: 2604282200 - 2605020430

2200-0430

RWY 08R/26L **CLSD**. RWY 08L/26R IN USE 2200 - 0430. LIGHTS FOR **CLSD**

RWY 08R/26L AND PARALLEL TWY NOT VISIBLE ON APCH. FROM 2200-2210

AND 0420 - 0430 NEITHER RWY 08R/26L OR RWY 08L/26R WILL BE AVBL TO

ALLOW FOR THE CHANGE OF RWY. LAST DEPARTURE 5 MIN BEFORE

CHANGEVER.

1A1072/26 VALID: 2603181000 - 2606160900

APCH LIGHTING BARRETTE RWY 08R (570M FROM THRESHOLD) **U/S** DUE WIP

+++++ AIRPORT +++++

1A1615/26 VALID: 2604290306 - 2605060400

TEMPO STUD CENTRE LINE LIGHTS ON TWY KILO SOUTH OF TWY KILO

ALPHA, DURING LOW VIS ACFT WILL REQUIRE LEADER ESCORT

1A1588/26 VALID: 2604272230 - 2605020400

2230-0400

TWY LIMA EAST OF STAND 49 **CLSD**.

1A1585/26 VALID: 2604261927 - 2605010400

TWY YANKEE **CLSD**

SX13/26 VALID: 2603240000 - 2608242359

SX0013/26 AIP SUPPLEMENT

EGKK/LONDON/GATWICK

VALIDITY: 24MAR26 - 24AUG26

DUAL GND OPS AND INSTL OF NEW INTERMEDIATE TWY HLDG PSN

TWO GMC CHANNELS WILL BE IN OPERATION AS FLW:

GMC (N): 121.540.

GMC (S): 121.805.

DEP ACFT SHOULD FST CTC **ATIS** ON 136.525 MHZ. IF THE DELIVERY FREQ

IS ACT, THEY SHOULD THEN CALL DELIVERY ON CHANNEL 121.955.

DEP ACFT SHOULD CTC THE GMC FREQ ASSIGNED TO THEIR STAND.

GMC NORTH CHANNEL 121.540:

PIER 6 ALL STANDS

PIER 5 ALL STANDS

PIER 4 ALL STANDS

PIER 3 ALL STANDS

PIER 2 (NORTHSIDE) 13, 15, 17, 19, 21, 23, 25

REMOTE STANDS 41 TO 43, 64 TO 68, 130 TO 136, 150 TO 159, 160 AND

161, 170 TO 180.

GMC SOUTH CHANNEL 121.805:

PIER 2 (SOUTHSIDE) 10, 11, 12, 14, 16, 18, 20, 22, 24, 28, 27

PIER 1 ALL STANDS

REMOTE STANDS 140 TO 145, 230 TO 235

SIX NEW ITHPS, NAMELY R2, Q2, P2, N2, MARLO AND JACKA WILL BE INTRODUCED. ILLUMINATED SIGNBOARDS AND GND MARKINGS WILL BE INSTL. ARR ACFT MAY BE HELD BY ATC AT THESE LOCATIONS. THE HLDG PSN NAMELY U1, T1, S1, R1, Q1, P1, N1 AND J8 HAVE PREVIOUSLY BEEN USED DRG RWY 08L/26R OPS BUT WILL NOW BE USED H24 DRG RWY 08R/26L AND 08L/26R OPS. FOR A PERIOD OF TIME AFT THIS CHANGE IS EFFECTIVE, THE SIGNS AT THESE LOCATIONS WILL NOT BE ILLUMINATED EXC DRG RWY 08L/26R OPS.

+++++ COMPANY NOTAM +++++
C0577/26 VALID: 2604070958 - 2606302359

C0577/26 COMPANY NOTAM- EGKK A380 OPS PLAN

FOLLOWING TWYS **NOT AVBL** FOR A380:

- TWY R BTN TWYS RA AND L.

- TWY L BTN TWYS R AND Q.

OPS PLAN TO BE UPDATED.

REVISION 0

-FOP 07APR26

+++++ CHART NOTAM +++++

CC39/26 - CHART NOTAM VALID: 2508200000 - UFN

ALL AGC, APC TWY T:

REF AIP SUP 067/2025

FROM 21 AUG TILL UNF

TWY T NORTH OF TWY J **CLSD**.

CC38/26 - CHART NOTAM VALID: 2502060000 - UFN

AOI TIME BASED SEPARATION:

REF AIP SUP 006/2025.

EFF MAR 2025 - UFN.

EXACT TIMINGS WILL BE CONFIRMED IN NOTAMS AND AIRPORT NOTICES.

INTRODUCTION OF TIME BASED SEPARATION (TBS) - ADVANCED MIXED MODE (AMM):

- RECAT-EU WAKE SEPARATION SCHEME FOR BOTH ARR AND DEP.

- APPROACH DELIVERY USING TIME-BASED RECAT-EU WAKE SEPARATION MINIMA.

- MIXED MODE SPACING OPTIMIZED FOR ARR ACFT TYPE RWY OCCUPANCY TIME AND GENERIC DEP INFORMATION.

ARR: WHEN IN STRONGER HEADWIND CONDITIONS, A MODERATE REDUCTION IN SEPARATION DISTANCES FROM LEAD AND FOLLOWER ACFT MAY BE OBSERVED IN COMPARISON TO RECAT-EU DISTANCE BASED WAKE TURBULENCE MINIMA.

SPEED CONTROL: EXPECT FOLLOWING SPEED RESTRICTIONS: 220KT FROM HOLDING FACILITY DURING INITIAL APPROACH PHASE; 180KT ON BASE LEG/CLOSING HEADING TO FINAL APPROACH; BETWEEN 180KT AND 160KT WHEN ESTABLISHED ON FINAL APPROACH AND THEREAFTER 160KT TO 4

DME.

IF UNABLE, INFORM ATC AND STATE WHAT SPEEDS CAN BE USED. ADVISE ATC IF CHANGE OF SPEED IS NEEDED FOR ACFT PERFORMANCE REASONS.

DEP: WHEN RECEIVING LINE UP CLEARANCE, INFORM ATC IF GREATER WAKE TURBULENCE SEPARATION THAN THE MINIMUM SPECIFIED WILL BE REQUIRED BEHIND THE PRECEDING ACFT. FAILURE TO DO SO MAY RESULT IN ADDITIONAL DELAY.

RWY OCCUPANCY: IT IS IMPORTANT THAT RWY OCCUPANCY TIME IS KEPT TO A MINIMUM CONSISTENT WITH THE PREVAILING CONDITIONS.

MROT PROCS REMAIN UNCHANGED.

CC37/26 - CHART NOTAM VALID: 2402230000 - UFN

AGC TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD.
CC36/26 - CHART NOTAM VALID: 2602040000 - UFN

AGC TEMPO AGC:

REF AIP SUP 117/2025

FROM 05 FEB TO 31 MAR 2026.

EXACT TIMINGS WILL BE CONFIRMED IN AIRPORT NOTICES, NOTAMS AND
ATIS MESSAGES AS APPROPRIATE.

TAXIWAYS:

- TAXIWAY QUEBEC CHARLIE WILL BE **CLOSED**.

- TAXIWAY QUEBEC WILL BE TEMPORARILY DIVERTED AROUND THE WIP TO
INTERSECT WITH TAXIWAY QUEBEC ALPHA ADJACENT TO STAND 566.
THE DIVERTED CENTRELINE WILL BE PAINTED YELLOW AND LIT BY GREEN
LED SOLAR REFLECTIVE STUDS.

- A TEMPORARY INTERMEDIATE TAXIWAY HOLDING POSITION WILL BE
PROVIDED ON TAXIWAY QUEBEC DENOTED BY YELLOW PAINT MARKINGS
AND AMBER LED SOLAR REFLECTIVE STUDS.

- TAXIWAY QUEBEC ALPHA WILL BE **CLOSED** BETWEEN STANDS 561 AND 565
GREEN LED SOLAR REFLECTIVE STUDS WILL BE USED TO REPLACE
TAXIWAY CENTRELINE LIGHTS ON TAXIWAY QUEBEC ALPHA NORTH OF THE
WORKS SITE. SOUTH OF THE WORKS SITE THE TEMPORARY END OF THE
TAXIWAY WILL BE DENOTED BY YELLOW MARKINGS AND RED LIGHTS.

- WHERE APPROPRIATE, TAXIWAY MARKINGS WILL BE BLACKED OUT,
TAXIWAY CENTRELINE LIGHTING SUPPRESSED AND TAXIWAY SIGNS COVERED
OR UPDATED.

- IN AREAS WHERE GREEN LED SOLAR STUDS ARE PROVIDED ON TAXIWAY
CENTRELINES, AIRCRAFT WILL ONLY NEED TO BE ESCORTED BY GAL
AIRFIELD OPERATIONS DURING PERIODS OF LOW VISIBILITY; FURTHER
INFORMATION WILL BE CONTAINED IN NOTAMS.

- REMOTE HOLDING FROM STAND 567 TO STAND 66L AND STAND 569 TO
STAND 66R WILL BE UNAVAILABLE.

STANDS:

- STANDS 66, 66L, 67, 68, 562, 563 AND 564 WILL BE **CLOSED**.

- SEGS FOR **CLOSED** STANDS WILL SHOW STOP AND SNIS WILL BE COVERED
THE WORKS AREAS AND **CLOSED** TAXIWAYS WILL BE MARKED WITH BARRIERS
AND RED LIGHTS.

CC35/26 - CHART NOTAM VALID: 2511060000 - UFN

AOI APRON RESTRICTIONS SUP 84/25:

REF AIP SUP 84/25

TO OPTIMISE STAND AVAILABILITY AND REDUCE TWY CONGESTION, REMOTE
HOLDING AVBL BY PUSHING-BACK FROM AND INTO STANDS:

FROM STANDS 103, 104, 105 TO STAND 130 OR 131.

ADDITIONAL BLAST FENCE WILL BE ADDED AROUND STANDS 130 AND 131
TO PROTECT THE ADJACENT ROADS AND EQUIPMENT PARKING.

CC34/26 - CHART NOTAM VALID: 2603130000 - UFN

AGC, APC AGC, APC:

REF AIP SUP 13/26

FROM 24 MAR 2026

INTERMEDIATE TAXIWAY HOLDING POSITIONS: J8, N1, P1, Q1, R1,
S1, T1, U1 WILL NOT BE ILLUMINATED.

+++++ AMDB NOTAM ++++++

CA43/26 VALID: 2604220000 - UFN

AMDB/AMM WIP:

REF SUP 117 2025

WIP FM 05 FEB 2026 TILL 31 MAR 2026

TWY QC **CLSD**

TWY Q TEMPO DIVERTED AROUND WIP TO INT TWY QA AND STAND 566

TEMPO IHP ON TWY Q ESTABLISHED

TWY QA **CLSD** BTN STANDS 561-565

STANDS 66, 66L, 67, 68, 562, 563 AND 564 **CLSD**

FURTHER INFO WILL BE CONTAINED IN NOTAM.
 CA42/26 VALID: 2604220000 - UFN
 AMDB/AMM TWY:
 TWY T NORTH OF TWY J **CLSD**.

LFPG /CDG PARIS/CHARLES DE GAULLE - DETAILED INFO

 ++++++ APPROACH PROCEDURE ++++++

1A1856/26 VALID: 2604010000 - 2606102359

MNM OPS **LNAV-VNAV**:

- **RNP** RWY 08L :

CAT DA(H) **RVR**

A 770 (430) 1300

B 770 (430) 1300

C 770 (430) 1300

D 770 (430) 1300

- **RNP** RWY 08R :

CAT DA(H) **RVR**

A 760 (420) 1200

B 770 (440) 1300

C 790 (450) 1400

D 820 (480) 1500

- **RNP** RWY 09L :

CAT DA(H) **RVR**

A 770 (400) 1100

B 790 (410) 1200

C 810 (430) 1300

D 840 (460) 1400

- **RNP** RWY 09R :

CAT DA(H) **RVR**

A 720 (350) 900

B 740 (370) 1000

C 750 (380) 1000

D 770 (400) 1100

- **RNP** RWY 26L :

CAT DA(H) **RVR**

A 730 (410) 1200

B 740 (430) 1300

C 750 (430) 1300

D 750 (430) 1300

- **RNP** RWY 26R :

CAT DA(H) **RVR**

A 750 (430) 1300

B 760 (440) 1300

C 780 (460) 1400

D 810 (490) 1500

- **RNP** RWY 27L :

CAT DA(H) **RVR**

A 810 (420) 1200

B 820 (430) 1300

C 840 (450) 1400

D 870 (480) 1500

- **RNP** RWY 27R :

CAT DA(H) **RVR**

A 810 (420) 1200

B 820 (430) 1300

C 840 (450) 1400

D 870 (480) 1500

REF:

AD2 LFPG IAC RWY08L FNA **RNP**
 AD2 LFPG IAC RWY08R FNA **RNP**
 AD2 LFPG IAC RWY09L FNA **RNP**
 AD2 LFPG IAC RWY09R FNA **RNP**
 AD2 LFPG IAC RWY26L FNA **RNP**
 AD2 LFPG IAC RWY26R FNA **RNP**
 AD2 LFPG IAC RWY27L FNA **RNP**
 AD2 LFPG IAC RWY27R FNA **RNP**

+++++ AIRPORT +++++
 1A2208/26 VALID: 2604091151 - 2610151600

TWY BD4 **CLSD**

1A1611/26 VALID: 2603230400 - 2605112359

AIRAC AIP SUP 019/26 : PHASE 1 ACTIVATED

*****LIDO REMARK*****

PHASE 1: 19MAR - 11MAY

- CLOSURE OF TWY F BTN **FN1** AND **FN3** EXCLUDED, OF TWY E BTN N **AND** TB2 EXCLUDED AND OF LANE FN2.

- THE SANCTUARY AREA REMAINS **CLSD** ON NGT AND WEEKENDS DRG THE DEFINED PERIOD.

- CREATION OF FOUR INTERMEDIATE HLDG POINTS: WORKS N1, WORKS N2, WORKS E AND WORKS F. STOPPING AT THESE HLDG POINTS IS ONLY NECESSARY UPON REQ FM ATC OR WO CLR BEYOND THEM.

- THE SECTION OF TWY F BTN **FN3** AND **FN5** IS NOT ACCESSIBLE FOR A380 AND B748 TFC (WINGSPAN > 65M).

*****END OF LIDO REMARK*****

1A991/26 VALID: 2602171618 - 2605102359

ADDITION TO AIP AD2.21.2.2.1 DEP OPERATIONAL PROCEDURES : REACHING 3000FT (ABOVE AERODROME LEVEL), AFTER NADP1, CONTINUE ACCELERATION UP TO 250KT MAXIMUM MAINTAINING A POSITIVE CLIMB GRADIENT.

SX19/26 VALID: 2603190000 - 2606262359

SX0019/26 AIP SUPPLEMENT
 LFPG/PARIS/CHARLES DE GAULLE

VALIDITY:19MAR26-26JUN26

REHABILITATION AND CLOSURE OF PART OF TWY F AND E

PHASE 1: 19MAR - 11MAY

- CLOSURE OF TWY F BTN **FN1** AND **FN3** EXCLUDED, OF TWY E BTN N **AND** TB2 EXCLUDED AND OF LANE FN2.

- THE SANCTUARY AREA REMAINS **CLSD** ON NGT AND WEEKENDS DRG THE DEFINED PERIOD.

- CREATION OF FOUR INTERMEDIATE HLDG POINTS: WORKS N1, WORKS N2, WORKS E AND WORKS F. STOPPING AT THESE HLDG POINTS IS ONLY NECESSARY UPON REQ FM ATC OR WO CLR BEYOND THEM.

- THE SECTION OF TWY F BTN **FN3** AND **FN5** IS NOT ACCESSIBLE FOR A380 AND B748 TFC (WINGSPAN > 65M).

PHASE 2: 11MAY - 26JUN

- F TWY CLOSURE BTN **FN1** AND **FN2** EXCLUDED.

- GND TFC: THE SANCTUARY AREA REMAINS **CLSD** ON NGT AND WEEKENDS DRG THE DEFINED PERIOD.

- CREATION OF THREE INTERMEDIATE HLDG POINTS: WORKS N1, WORKS N2 AND WORKS F. STOPPING AT THESE WAITING POINTS IS ONLY NECESSARY O/R FM CTL.

- WHEN TRAVELLING N ON THE FOX LANE, THE LEFT TURN ONTO FN2 IS FORBIDDEN.

- THE SECTION OF TRACK F BTN **FN2** AND **FN5** IS NOT ACCESSIBLE FOR A380 AND B748 ACFT (WINGSPAN > 65M).

+++++ COMPANY NOTAM +++++

C01318/25 VALID: 2508150615 - UFN

C01318/25 COMPANY NOTAM - CDG/LFPG - TAXI-OUT PROCEDURE

PRONOUNCED UPSLOPE WHEN LEAVING APRON C, CREW TO ANTICIPATE AND
MANAGE AIRCRAFT ENERGY WHEN TAXING OUT.

- DCPA 15AUG25

C01044/24 VALID: 2408130803 - UFN

C01044/24 COMPANY NOTAM - CDG/LFPG - PARKING STAND 'CFE' IN OANS
STAND CFE IN OANS HAS BEEN LABELLED INCORRECTLY. REFER LIDO/MPILLOT
AMM FOR CORRECT DEPICTION OF LEAD-IN LINE FOR STAND CFE.

- FOS 13AUG24

C0384/24 VALID: 2403270855 - 2612312359

C0384/24 COMPANY NOTAM-LFPG A380 OPS PLAN

-RETI NOT AUTHORIZED FOR A380. IGNORE CCI NOTE

REVISION 2

-FOP 24MAR26

+++++ CHART NOTAM ++++++

CC89/26 - CHART NOTAM VALID: 2602260000 - UFN

TEMPO AGC, TEMPO APC WIP:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD.

CC88/26 - CHART NOTAM VALID: 2512170000 - UFN

AOI TWY RESTRICTIONS:

REF SUP 209/2025

EST END 30 JUN 2026

USE OF TWY P2:

- ENTRY FROM TE1 AND TE2 LIMITED TO ACFT WITH WINGSPAN LESS THAN
65M / 213FT.

- EXIT VIA TE2 FORBIDDEN TO ACFT WITH ENGS ON FOR WINGSPAN
GREATER THAN 36M / 118FT.

- EXIT VIA TE1 AUTHORIZED WITH ENGS ON AFTER BEING
PUSHED-BACK FACING SOUTH ON THE E08 PUSH-BACK AREA AND FOR
ACFT BEING PUSHED-BACK FACING WEST FROM E14 AND E16.

CC87/26 - CHART NOTAM VALID: 2603130000 - UFN

AGC, APC AREA SOUTH EAST CONFIGURATION:

REF AIP SUP 004/26

FROM 16 MAR 0400Z TO 19 JUN 2026 0400Z.

CLOSURE OF TJ2 INTERMEDIATE HOLDING POSITION AND EXIT FROM E9
TAXIWAY TO ABEAM PARKING STAND J57.

AS A MATTER OF FACT E9 IS A DEAD-END.

RISK OF TAXIWAY INCURSION FROM TJ1 IF TAXIING ON E BEARING EAST.

ANY CHANGE TO THE INITIAL DATES WILL BE CONFIRMED BY NOTAM.

+++++ AMDB NOTAM ++++++

CA95/26 VALID: 2604220000 - UFN

AMDB/AMM WIP:

REF **AIRAC** SUP 209/2025

03 FEB 2026 - 30 JUN 2026

-TWY P2 **CLSD** BTN STANDS E32 AND E34 INCLUDED

-TWYS P3 ORANGE AND P3 BLUE **CLSD**

-STAND E08 **CLSD** (USE ONLY AS A PUSHBACK AREA)

FURTHER DETAILS WILL BE PUBLISHED BY NOTAM.

CA94/26 VALID: 2604220000 - UFN

AMDB/AMM WIP:

REF **AIRAC** SUP 019/2026

FM 19 MAR 2026 TILL 26 JUN 2026

WORKS IN PHASES ON TWY E AND F:

PHASE 1

19 MAR - 11 MAY 2026

TWY F **CLSD** BTN TWY FN1 AND TWY FN3 EXCLUDED

TWY E **CLSD** BTN TWY N AND TWY TB2 EXCLUDED

TWY FN2 **CLSD**

TWY F BTN TWYS FN3 AND FN5 MAX WINGSPAN 65M

FREQ USED ON TWY E IS 121.580

TEMPO IHP AVBL:

- WORKS E ON TWY E WEST OF TWY GE1
- WORKS N1 ON TWY N NORTH OF TWY NA1
- WORKS N2 ON TWY N SOUTH OF TWY FN2
- WORKS F ON TWY F SOUTH OF TWY G3

PHASE 2

11 MAY - 26 JUN 2026

TWY F **CLSD** BTN TWY FN1 AND TWY FN2 EXCLUDED

TWY F BTN TWYS FN3 AND FN5 MAX WINGSPAN 65M

TEMPO IHP AVBL:

- WORKS N1 ON TWY N NORTH OF TWY NA1
- WORKS N2 ON TWY N SOUTH OF TWY FN2
- WORKS F ON TWY F SOUTH OF TWY G3

DATES WILL BE CONFIRMED BY NOTAM.

CA93/26 VALID: 2604220000 - UFN

AMM TWY RESTR:

MIND ALL TWYS WHICH HAVE WIDTH SET AS 22.99M

ARE INDEED PUBLISHED AS LESS THAN 23M WIDE.

APPLICABLE FOR MPILOT 6.6 AND NEWER

CA92/26 VALID: 2604220000 - UFN

AMDB/AMM TWY **CLSD**:

REF **AIRAC** SUP 004/2026

FM 16 MAR 2026 0400EST TO 19 JUN 2026 0400EST

TWY E9 BTN TWY E AND STAND J57 **CLSD**

STAND J57 **CLSD**

ACTIVATION, EXACT PERIOD OF TIME, LOCATION, **CLOSED** AREAS BY FURTHER NOTAMS

CA91/26 VALID: 2604220000 - UFN

AMDB/AMM TWY:

TWY P2 EXTENDED NW, W OF PRKG STAND E08

=====

ESCAPE AIRPORT(S)

=====

HECA /CAI CAIRO INTL - DETAILED INFO

+++++ RUNWAY +++++

1A165/26 VALID: 2604291700 - 2605062100

APR 29 1700-2100, APR 30 0500-0900 1700-2100, MAY 01-06 0500-0900 1700-2100

RWY 05C/23C AVBL FOR TKOF ONLY.

1A164/26 VALID: 2604290900 - 2605070500

APR 29 0900-1700 2100-2359, APR 30 0000-0500 0900-1700 2100-2359, MAY 01-06 0000-0500 0900-1700 2100-2359, MAY 07 0000-0500

RWY 05C/23C **CLSD** DUE TO MAINT.

+++++ AIRPORT +++++

1A167/26 VALID: 2604300900 - 2605020500

APR 30 0900-1700 2100-2359, MAY 01 0000-0500 0900-1700 2100-2359, MAY 02 0000-0500

TWY R **CLSD** PORTION BTN 60M AFT TWY R1 TILL 60M BFR TWY T.

SX24/26 VALID: 2604160000 - 2612312359 EST

SX0024/26 AIP SUPPLEMENT

HECC/CAIRO FIR

VALIDITY: 16APR26 - 31DEC26 EST

THE FOLLOWING RESTRICTIONS ARE APPLYING ON CAIRO ATS RTE

UNLESS OTHERWISE PRESCRIBED BY THE APPROPRIATE ATS AUTHORITY

TFC OVER PASOS

- INBOUND TFC FM PASOS TO CVO SHALL NOT ROUTE VIA ARH OR

SISIM/PSD.

- INBOUND TFC FM PASOS EXIT SIKNO OR DEDLU OR LDG HEGN OR HEMA OR HELX AD SHALL NOT ROUTE VIA AWY G183 OR AWY L550.

TFC OVER PASUM

- INBOUND TFC OVER PASUM SHALL NOT ROUTE VIA PASOS.

- INBOUND TFC OVER PASUM EXIT LAKTO SHALL ROUTE ONLY VIA L677- GESON-Q777-IMPIP-N307-LAKTO.

TFC OVER LAKTO

- TFC TO / FM LAKTO / CVO SHALL NOT ROUTE VIA J863.

- INBOUND TFC FM LAKTO EXIT SIKNO OR DEDLU OR LDG HEGN OR HEMA OR HELX AD SHALL NOT ROUTE VIA AWY L324 AND AWY L550.

TFC OVER DITAR

- INBOUND/OUTBOUND TFC OVER DITAR AVBL..

- A 7 DAYS **PPR** EACH FLIGHT SEPARATELY FOR TFC INBOUND, OUTBOUND AND OVERFLY CAIRO FIR VIA DITAR.

TFC FM CVO / SHM

- TFC FM CVO TO SHM SHALL NOT ROUTE VIA OBTAV / SEMRU OR KAPIT.

- TFC FM SHM TO CVO SHALL NOT ROUTE VIA SEMRU.

TFC FM CVO / ARH

- TFC TO / FM CVO / ARH SHALL NOT ROUTE VIA V606.

TFC FM HEGN AP

- SHALL NOT ROUTE VIA M872-SEMUR.

TFC DEPARTING HEGN AP TO LCCC FIR

- SHALL ROUTE VIA HGD-V608-NABED-T55-GINDI-W8-ALPID DCT GESON-Q777- IMPIP-AZMEY-RASDA OR IMPIP-LAKTO.

TFC DEPARTING HEGN AP TO LGGG FIR

- SHALL ROUTE VIA HGD-V608-NABED-T55-KUNKI-L321-REXUM-M872-SOBAX DCT NOGLI-ANTAR OR

- SHALL ROUTE VIA HGD-V608-NABED-T55-KUNKI-T55-TANSA(FL340 OR ABV) OR -KUNKI-P751-MMA-L613-TANSA OR -MMA-P751-METRU.

TFC DEPARTING HEGN AP TO ULLI , UUWW AND UUEE ONLY

- SHALL ROUTE VIA HGD-V603-GIDID-T91-EMOVA-L677-GESON-Q777-AZMEY RASDA OR Q777-IMPIP-N307-LAKTO

TFC TO / FM HEMA

- INBOUND TFC FM LCCC FIR TO HEMA AP SHALL RTE VIA RASDA-A16-CVO-NABED-LXR-M999-ELELI-V730-MAK.

- INBOUND TFC FM LGGG FIR TO HEMA AP SHALL RTE VIA SALUN-MMA-TAKRI-AST-LXR-M999-ELELI-V730-MAK OR

PAXIS-NABSI-LOTOB DCT KUNKI-AST-LXR-M999-ELELI-V730-MAK

- OUTBOUND TFC FM HEMA AP TO LCCC FIR SHALL RTE VIA MAK-V730-MEMPO-LXR-AST-W8-ALPID DCT GESON-Q777-IMPIP-AZMEY-RASDA OR

IMPIP-LAKTO.

- OUTBOUND TFC FM HEMA AP TO LGGG FIR SHALL RTE VIA MAK-V730-MEMPO-LXR-AST-KUNKI-L321-REXUM-SOBAX DCT NOGLI-ANTAR OR MAK-V730-MEMPO-LXR-AST-KUNKI-T55-TANSA(FL340 OR ABV) OR KUNKI-P751-MMA-L613-TANSA OR MMA-P751-METRU.

TFC OVER LOSUL

- TFC OVER LOSUL AND LDG CAIRO SHALL NOT PROCEED VIA MMA / NABSI.

TFC OVER SALUN

- INBOUND TFC OVER SALUN AND EXIT DEDLU SHALL NOT PROCEED VIA TAKRI-FYM-LUBOS-SEMUR-LXR.

- INBOUND TFC OVER SALUN AND EXIT CAIRO FIR VIA NUBAR SHALL NOT ROUTE VIA N705 / MMA.

TFC OVER PAXIS

- INBOUND TFC FM PAXIS EXIT DEDLU OR LDG HELX AD SHALL NOT ROUTE VIA OBRAN / FYM

OR TAKRI / FYM.

TFC DEPARTING HECA TO LCCC

- SHALL ROUTE VIA CVO-A16-DEGDI DCT SENTO-Q777-IMPIP-AZMEY-RASDA
OR
IMPIP- LAKTO.

TFC OVERFLYING CAIRO FIR AND EXIT VIA ULINA SHALL ENTER VIA LAKTO
OR PASOS.

+++++ COMPANY NOTAM +++++
C0506/26 VALID: 2604010000 - UFN

C0506/26 COMPANY NOTAM - CAI/HECA - AIRPORT WITH **GNSS** SIGNAL
INTERFERENCE AFFECTING A380 SURV TERR FUNCTION - ARRIVAL ONLY.
CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY
PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL
INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR
ARRIVAL ONLY AT CAI.

- MFOR 01APR26

+++++ CHART NOTAM +++++
CC65/26 - CHART NOTAM VALID: 2601130000 - UFN

* WARNING:

REF SUP 21/26

01 JAN 2026 - 30 JUN 2026 EST

CAUTION ADVISED: UNAUTHORIZED GROUND BASED LASER BEAMS HAVE BEEN
OBSERVED IN THE VICINITY OF AD.

PILOTS SHOULD REPORT TO ATC IMMEDIATELY.

CC64/26 - CHART NOTAM VALID: 2601130000 - UFN

* WARNING:

REF SUP 22/26

01 JAN 2026 - 30 JUN 2026 EST

DUE TO GPS JAMMING WI RADIUS 10NM CENTRE CAIRO ARP N3006.7

E03124.8, **RNAV (GNSS)** APCH SHOULD NOT BE PLANNED AT

CAIRO INTL AP.

CC63/26 - CHART NOTAM VALID: 2602100000 - UFN

AOI TWY, APN:

ADD:

TAXIWAY RESTRICTIONS

MAX TAXI SPEED IS 30KT ON TWY.

APRON RESTRICTIONS

MAX TAXI SPEED IS 15KT ON APN.

CC62/26 - CHART NOTAM VALID: 2601130000 - UFN

AFC, AGC, IAC, STAR **D-ATIS**:

REF SUP 19/2026

01 JAN 2026 - 31 DEC 2026 EST

D-ATIS (DATA LINK) **U/S**. VOICE SER AVBL ON 122.600.

+++++ AMDB NOTAM +++++

CA67/26 VALID: 2604080000 - UFN

AMDB/AMM PRKG STAND:

REF AIP SUP 36/2025

PRKG STANDS M1-M3 **CLSD** TILL 30 JUN 2026 0800 EST.

CA66/26 VALID: 2604080000 - UFN

AMM COM FREQ:

REF SUP 39/2022

D-ATIS (DATA LINK) **U/S**.

RMK/VOICE SER AVBL ON FREQ 122.60 MHZ.

LCLK /LCA LARNAKA INTL - DETAILED INFO

+++++ APPROACH PROCEDURE +++++

1A478/26 VALID: 2604200706 - 2607202359 EST

DUE TO OBST ERECTED AS REFERRED IN LCNC NOTAM A0084/26, THE OCA
/(OCH) OF THE FOLLOWING IAP ARE CHANGED AS BELOW:

1. AD 2 LCLK 2.24.2.4 IAC **RNP** RWY 22 **LNAV** OCA/(OCH) FROM

370/(359) BECOMES 390/(379)

2. AD 2 LCLK 2.24.2.5 IAC **VOR/DME** S RWY 22 OCA/(OCH) FROM 370/(359) BECOMES 390/(379)

3. AD 2 LCLK 2.24.2.6 IAC **VOR/DME** X RWY 22 OCA/(OCH) FROM 370/(359) BECOMES 390/(379)

4. AD 2 LCLK 2.24.2.7 IAC **VOR/DME** Y RWY 22 OCA/(OCH) FROM 370/(359) BECOMES 390/(379)

1A430/26 VALID: 2603301110 - 2606292359 EST

DUE TO OBST ERECTED AS REFERRED IN LCNC NOTAM A0003/26, THE OCA /(OCH) OF THE AIP AD 2 LCLK 2.24.2.11 IAC **RNP** RWY 04 REVISED AS BELOW:

1. **LNAV/VNAV** OCA/(OCH)

CAT A FROM 280/(269) BECOMES 290/(279)

CAT B FROM 290/(279) BECOMES 300/(289)

CAT C FROM 300/(289) BECOMES 310/(299)

CAT D FROM 310/(299) BECOMES 320/(309)

2. **LNAV** OCA/(OCH)

FROM 390/(379) BECOMES 410/(399)

1A238/26 VALID: 2602191541 - 2605182359 EST

REFERENCE AD 2.LCLK 2.24.2.2-1 (**ILS/VOR** X, RWY 22) AND AD 2.LCLK 2.24.2.6-1 (**VOR/DME** X, RWY 22) TO REMAIN WITHIN CONTROLLED AIRSPACE

PILOTS SHOULD NOT EXCEED LCA 10 **DME** DURING TURN.

+++++ AIRPORT ++++++

1A522/26 VALID: 2604280706 - 2605311000 EST

TWY L **CLOSED** FROM INTERMEDIATE HOLDING POSITION Z1 TO L2

1A508/26 VALID: 2604241128 - 2606281600 EST

APPROACH SURVEILLANCE SERVICE AVAILABLE.

WORKING HOURS DAILY 0500-1600 EXTENDED TO H24 SUBJECT TO STAFF AVAILABILITY AS NOTIFIED BY **ATIS**.

1A459/26 VALID: 2604101100 - PERM

TWY A RWY HOLDING POSITION IS RELOCATED.

COORDINATES OF THE NEW LOCATION IS: 345303N 0333803E

1A172/26 VALID: 2602100801 - 2605092359 EST

LASER INTERFERENCE

THERE ARE FREQUENT REPORTS OF LASER LIGHTS DIRECTED AT AIRCRAFT MAINLY ON FINAL APPROACH

CREWS SHALL BE VIGILANT TO SUCH EVENTS AND REPORT THEM TO ATC, PASSING INFORMATION AS TO THE LOCATION, WHENEVER POSSIBLE

REF CYPRUS AIP AD 2 LCLK 2.23 ADDITIONAL INFORMATION

+++++ CHART NOTAM ++++++

CC12/26 - CHART NOTAM VALID: 2604210000 - UFN

APC APRON 2:

REF AIC 02/2026 (SEE NOTAMS A0471/26, A0478/26)

RECONFIGURATION OF APRON 2.

NEW STANDS NUMBERED AS 61 TO 65. THESE STANDS ARE ACCESSED VIA TXL CT.

TXL CT IS RESTRICTED FOR ACFT UP TO CODE C.

DEPARTING ACFT FROM ABOVE STANDS REQUIRE PUSH-BACK.

THE REST OF THE 60-SERIES STANDS ARE RENUMBERED AS 66 TO 69, AND ARE ACCESSED VIA TXL CU. THESE STANDS CONTINUE TO BE UTILIZED ALSO IN FRONT/REAR CONFIGURATION.

ARRIVING ACFT ASSIGNED ON THE REFERRED STANDS SHALL BE PROVIDED WITH FOLLOW-ME GUIDANCE.

CC9/26 - CHART NOTAM VALID: 2604210000 - UFN

IAC MINIMA:

TEMPO MINIMA REF NOTAM A0478/26:

RNP LNAV 22

CAT C: MDH 380FT, MDA 390FT, 1.5KM

CAT D: MDH 380FT, MDA 390FT, 1.5KM

VOR DME YANKEE/XRAY/SIERRA 22

CAT C: MDH 380FT, MDA 390FT, 1.5KM

CAT D: MDH 380FT, MDA 390FT, 1.5KM

CC7/26 - CHART NOTAM VALID: 2604160000 - UFN

APC PRKG STANDS:

REF NOTAM A0471/26

NEW PRKG STANDS COORD:

61A: N34 52.9 E033 37.7

61B: N34 52.9 E033 37.7

62A: N34 52.9 E033 37.7

62B: N34 52.9 E033 37.7

63A: N34 52.9 E033 37.7

63B: N34 53.0 E033 37.7

64A: N34 53.0 E033 37.6

64B: N34 53.0 E033 37.6

65: N34 53.0 E033 37.6

LGTS /SKG THESSALONIKI/MAKEDONIA - DETAILED INFO

+++++ RUNWAY ++++++

1A1364/26 VALID: 2604300900 - 2607312359

INTERSECTION TAKE OFF FROM **A2** TO **A5** ARE NO LONGER PERMITTED UNTIL FURTHER NOTICE.

+++++ AIRPORT ++++++

1A1373/26 VALID: 2604301402 - 2605302100

FLW RWY GUARD LGT **U/S**:

-RIGHT UNIT ON TWY A5

-BOTH UNITS ON TWY A SOUTH OF RWY 10/28.

1A1206/26 VALID: 2604201747 - 2607152100

ARRIVING AND DEPARTING AIRCRAFT TO AND FROM PRKG STAND 12C SHALL RECEIVE MANDATORY FOLLOW-ME GUIDANCE. THE PRESENCE OF WING WALKER(S)

IS MANDATORY. PILOT IN COMMAND SHALL EXPECT TO RECEIVE FOLLOW-ME GUIDANCE AND SHALL STRICTLY ADHERE TO FOLLOW-ME, WING WALKER(S) AND

MARSHALLER'S INSTRUCTIONS.

1A1205/26 VALID: 2604201744 - 2607152100

NEW POWER IN, POWER OUT PARKING STANDS POSITION 12C. **TRIAL** OPERATION IN PROGRESS.

1A1204/26 VALID: 2604201740 - 2607152100

CONCENTRATION OF BIRDS INCLUDING GULLS, DUCKS, BIRDS OF PREY PIGEONS, WADERS AND OTHER SMALL PASSERINES IN THE VICINITY OF THE AIRPORT. CAUTION ADVISED.

1A1074/26 VALID: 2604110725 - 2607110715

THESSALONIKI RADAR TAR, PSR PART **U/S**.

1A996/26 VALID: 2604031024 - PERM

TWY LINKS N, O, R DESIGNATORS CHANGED.

TWY LINK N RENAMED TO N1.

TWY LINK O RENAMED TO N2.

TWY LINK R RENAMED TO N3.

REF AIP GREECE AD 2-LGTS-ADC.

1A734/26 VALID: 2603171339 - 2605302359

APRON TAXILANES C AND D ARE NOT PART OF THE AIRPORT MANOEUVRING AREA. THE RESPONSIBILITIES OF ATC ON TAXILANES ONLY EXTEND TO THE PROVISION OF PUSHBACK AND TAXI INSTRUCTIONS IN ORDER TO PREVENT COLLISIONS BETWEEN AIRCRAFT.

1A710/26 VALID: 2603161740 - 2606162359

FISKA **VOR/DME** FSK 116.40MHZ/CH111X **U/S**.

LHBP /BUD BUDAPEST LISZT FERENC INTL - DETAILED INFO

 ++++++ AIRPORT ++++++

1A2664/26 VALID: 2605010000 - 2607012359

THE INSTALLATION OF PSN R280 AND 45A NOT COMPLETED. PSN R280 AND 45A **NOT AVBL**.

REFERRING TO NON-**AIRAC** AIP SUP 004/2026.

1A2663/26 VALID: 2605010000 - 2607012359

THE COORDINATES OF PSN R280 IS 472600.01N 0191559.42E.

REFERRING TO NON-**AIRAC** AIP SUP 004/2026.

1A2662/26 VALID: 2605010000 - 2607012359

THE COORDINATES OF PSN 45A IS 472604.25N 0191549.82E.

REFERRING TO NON-**AIRAC** AIP SUP 004/2026.

1A2601/26 VALID: 2604291238 - 2605101800 EST

ALTERNATE PARKING POSITION ACTIVATED ON STAND R101 AT APRON 1.

MAXIMUM PERMISSIBLE WINGSPAN 60.5M, LENGTH 59M.

ARRIVAL ACFT ESCORTED BY MARSHALLER. PARKING AND PUSH BACK

PROCEDURE COORDINATED BY MARSHALLER.

1A2539/26 VALID: 2604261225 - 2605031200

COMPASS CHECK POINT **CLOSED** DUE TO AIRCRAFT PARKING.

COMPASS CHECKS CAN BE MANAGED AT B5 HOLDING BAY.

1A1805/26 VALID: 2603290000 - PERM

TAXI PROCEDURES FOR ARRIVING AIRCRAFT READ AS FOLLOWS:

ATC EXPECTS ARRIVING ACFT TO VACATE RUNWAYS VIA THE RAPID EXIT

TAXIWAYS. IF UNABLE TO DO SO, NOTIFY BUDAPEST APPROACH ON FIRST

CONTACT. ARRIVALS ON RWY 13R TO T1, USE TWY B1 OR A1. RESTRICTIONS

ON RAPID EXIT TAXIWAYS J4, Y AND Z WILL BE PROVIDED BY BUDAPEST

TOWER WITH LANDING CLEARANCE. DURING LOW VISIBILITY OPERATIONS,

PILOTS SHALL REPORT RWY VACATION TO BUDAPEST TOWER ON 118.715CH.

THE BACKTRACK (180-DEGREE TURN) MANOEUVRES ON RUNWAYS WITH

AIRCRAFT

WINGSPAN AT OR HIGHER THAN 36M IS NOT ALLOWED DUE TO WIDTH OF RUNWAY.

AFTER VACATING THE RWY, WITHOUT FURTHER NOTICE, PILOTS SHALL

IMMEDIATELY CONTACT BUDAPEST GROUND ON 121.905CH FOR DETAILED TAXI

INSTRUCTIONS, IF NOT OTHERWISE INSTRUCTED BY ATC. FURTHER TAXIING

TO THE DESIGNATED STAND IS ONLY ALLOWED WHEN CLEARED BY BUDAPEST

GROUND OR BUDAPEST TOWER.

REF AIP LHBP AD 2.20 3.3.

+++++ CHART NOTAM ++++++

CC36/26 - CHART NOTAM VALID: 2604300000 - UFN

APC PRKG STANDS:

REF SUP 04/2026

01 MAY 2026 - PERM

NEW PRKG STAND 280, DIRECTION NW, PERPENDICULAR TO

PRKG STAND 278, MAX ACFT CODE C, PUSH-BACK, LIMITED USE AND

INTENDED FOR ACFT PARKED OVERNIGHT (2000-0500).

ARRIVALS ARE ESCORTED BY FOLLOW ME VEHICLES FROM EXIT POINT P4

OR FROM INTERSECTION P3 AND P4

NEW PRKG STAND 45A, DIRECTION SE, PERPENDICULAR TO

PRKG STAND 45, MAX ACFT CODE C, PUSH-BACK, LIMITED USE AND

INTENDED FOR ACFT PARKED OVERNIGHT (2000-0500).

ARRIVALS ARE ESCORTED BY FOLLOW ME VEHICLES FROM INTERSECTION

Q-R-S-H2

CC29/26 - CHART NOTAM VALID: 2604300000 - 2605302359

* OPS:

REF SUP 03/26

06 MAY 2026 2200 - 31 MAY 2026 2159

OPS AFFECTED BY UEFA FINAL.

DUE TO THE FORESEEN LACK OF PARKING STANDS, MAXIMUM SIZE ACFT CODE C.

AIRPORT WILL NOT BE AVAILABLE AS ALTERNATE AIRPORT WITH DESTINATION/ORIGIN OTHER THAN BUD/LHBP (INCLUDING FLIGHTS DECLARING DISTRESS OR EMERGENCY).

CARGO OPS WILL BE **SUSPENDED** 30 MAY 2026 0200 - 31 MAY 2026 1000.

NIGHT RESTRICTION IS IN FORCE BETWEEN 2000-0400 UTC:

MAXIMUM 50 MOVEMENTS, WITHIN WHICH BETWEEN 2200 AND 0300

MAXIMUM 6 MOVEMENTS CAN BE PLANNED.

AIRCRAFT OPERATORS PLANNING TO OPERATE FLIGHTS DURING THIS PERIOD MIGHT BE EXEMPTED FROM NIGHT RESTRICTION AND

THEREFORE MUST APPLY IN ADVANCE FOR A SPECIAL PERMISSION TO CAA.

CC23/26 - CHART NOTAM VALID: 2604240000 - 2605132359

AOI RUNWAY RESTRICTIONS:

CHANGE FROM:

LDG ACFT SHALL VACATE RWY VIA RAPID EXIT TWYS. IF UNABLE TO COMPLY NOTIFY TWR IN ADVANCE OR IMMEDIATELY AFTER LDG.

INTO:

LDG ACFT SHALL VACATE RWY VIA RAPID EXIT TWYS. IF UNABLE TO COMPLY NOTIFY APP ON FIRST CONTACT.

CC21/26 - CHART NOTAM VALID: 2603100000 - UFN

APC TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD

+++++ AMDB NOTAM ++++++

CA26/26 VALID: 2605010000 - 2605132359

AMDB/AMM PRKG STAND:

REF SUP 04/2026

NEW PRKG STANDS AVBL:

- R280 BTN PRKG STAND R278 AND TWY P5

- 45A N OF PRKG STAND 45.

CA17/26 VALID: 2604080000 - UFN

AMDB/AMM WIP:

REF SUP 01/2026

FM 27 FEB 2026 0800 TO 14 MAY 2026 1400 EST

WIP ON APN 1 NEXT TO INT OF TWYS A1/B1:

-TWY G **CLSD** BTN STANDS R110 AND R117

-STANDS 160 AND 172 **CLSD**

-STANDS R110-R114 REDESIGNED TO ALTERNATE STANDS G120-G125

-STANDS R115-R117A REDESIGNED TO ALTERNATE STANDS R130-R132

CA16/26 VALID: 2604080000 - UFN

AMM STOP BAR:

STOP BARS AVBL ON:

-TWY B5 W OF HLDG PAD

-TWY U ABM PRKG STAND 36

-TWY B3 SHORT OF TWY B2

LGAV /ATH ATHENS/ELEFTHERIOS VENIZELOS - DETAILED INFO

+++++ APPROACH PROCEDURE ++++++

1A558/26 VALID: 2602281520 - 2605312000

ATHINAI **ILS/LLZ** RWY 03L (IATL)110,50MHZ PART OF **ILS** IS OUT OF USABLE LIMITS FOR ANGLES GREATER THAN 33DEG FROM CENTER LINE ON BOTH FLY LEFT AND FLY RIGHT REGIONS OF CLEARANCE. REF AIP GREECE AD 2 LGAV-9.

1A557/26 VALID: 2602281517 - 2605312000

ATHINAI **ILS/LLZ** RWY 21L (IEVL)111,10 MHZ PART OF **ILS** IS OUT OF USABLE LIMITS FOR ANGLES GREATER THAN 32 DEG FROM CENTER LINE ON 150HZ REGION OF CLEARANCE. REF AIP GREECE AD 2 LGAV-9.

1A556/26 VALID: 2602281516 - 2605312000

ATHINAI **ILS** RWY 21R (IEVR) **LLZ** 110,5 MHZ PART OF **ILS** IS OUT OF USABLE LIMITS FOR ANGLES GREATER THAN 32 DEGREES FROM LINE IN THE FLY RIGHT REGION OF CLEARANCE AND FOR ANGLES GREATER THAN 23 DEG FROM

LINE IN THE FLY LEFT REGION OF CLEARANCE. REF AIP GREECE AD 2 LGAV-9.

1A555/26 VALID: 2602281514 - 2605312000

ATHINAI **ILS/LLZ** RWY 03R(IATR) 111,10 MHZ PART OF **ILS** IS OUT OF USABLE LIMITS FOR ANGLES GREATER THAN 32 DEGREES FROM CENTER LINE ON BOTH FLY LEFT AND FLY RIGHT REGIONS OF CLEARANCE. REF AIP GREECE AD 2 LGAV-9.

+++++ AIRPORT +++++

1A1350/26 VALID: 2604291124 - 2605152359

REF AIP GREECE GEN1.2-1 PARAGR 1.2.2 REPATRIATION/EVACUATION FLIGHTS, SHALL FOLLOW APPLICABLE HELLENIC **SLOT** COORDINATOR AUTHORITY

(HSCA) SCHEDULE FACILITATION PROCESSES AND LOCAL RULES DUE TO APRON CONGESTION.

1A940/26 VALID: 2603311320 - 2606302359

TWY LINK A14 **CLSD** FOR ACFT GREATER THAN CODE LETTER C (SPAN 36M), DUE TO WIP.

1A939/26 VALID: 2603311319 - 2606302359

TWY A BTN TWY LINK A13 AND TWY LINK A14 **CLSD** FOR ACFT GREATER THAN CODE LETTER C (SPAN 36M), DUE TO WIP.

1A936/26 VALID: 2603311317 - 2606302359

LOCAL PRE-**TRIAL** A-CDM OPERATIONAL PROCEDURES ARE IN FORCE AT AP.
-GROUND HANDLER (GH) ARE TO REPORT AND UPDATE TOBT (TARGET OFF-BLOCK TIME).

-TSAT (TARGET **START-UP** APPROVAL TIME) WILL BE COMMUNICATED TO AIRSPACE USER BY GROUND HANDLER (GH).

-WHERE A-VDGS (ADVANCED VISUAL DOCKING GUIDANCE SYSTEM) IS AVAILABLE

TOBT AND TSAT WILL BE DISPLAYED.

-THE PILOT SHALL REQUEST AN UPDATE TO THE TOBT FROM THE GROUND HANDLER (GH) IF THE TOBT CANNOT BE MET AT ANY MOMENT.

-THE PILOT SHALL ENSURE THAT THE AIRCRAFT WILL BE READY FOR START UP

CLEARANCE AND WILL HAVE CONTACT ON THE DELIVERY FREQUENCY WITHIN THE

TSAT WINDOW (+/-5 MINS).

-DEPARTURE CLEARANCE (EXCEPT SQUAWK) SHALL BE AVAILABLE 18 MINUTES BEFORE EOBT OR LATER.

- THE PILOT SHALL CONTACT GROUND CONTROL FOR PUSH BACK OR TAXI WITHIN 5 MIN FROM OBTAINING START UP CLEARANCE (ASAT).

- IF NO PUSH BACK OR TAXI REQUESTED AT ASAT+5, TSAT WILL EXPIRE, AND

A NEW TOBT WILL BE REQUIRED FOR THE FLIGHT TO BE INCLUDED IN THE DEPARTURE SEQUENCE AND RECEIVE A NEW TSAT.

-PUSH AND HOLD PROCEDURES WILL BE USED TO AVOID HOLDING ARRIVING AIRCRAFT IN CASE OF OCCUPIED STANDS.

1A802/26 VALID: 2603230828 - 2605301200

ATHINAI **VOR/DME** ATV 114.40MHZ/CH91X **U/S**. (AD2LGAV-8).

+++++ AMDB NOTAM +++++

CA27/26 VALID: 2604080000 - UFN

AMM NO ENTRY:

APPLICABLE FOR MPILOT 6.6 AND NEWER

NO-ENTRY SIGNS AVBL ON TWYS: D7, D8, A6 AND A9.

=====

ENROUTE AIRPORT(S)

=====

OOMS /MCT MUSCAT INTL - DETAILED INFO

+++++ RUNWAY +++++

1A148/26 VALID: 2603020400 - 2605290400

LANDING AND TAKE OFF LIMITED TO FLW RUNWAY ONLY :

RWY 08R/26L: FROM 0400 TO 1600 UTC

RWY 08L/26R: FROM 1600 TO 0400 UTC

LAST PUSHBACK 20 MIN PRIOR RWY SWITCHOVER

+++++ APPROACH PROCEDURE +++++

1A246/26 VALID: 2604230953 - 2607211000 EST

OOMS RWY 08L/26R ILS CAT II OPERATIONS SUSPENDED UNTIL FURTHER NOTICE.

+++++ AIRPORT +++++

1A131/26 VALID: 2602220521 - 2605232359

-REF AIRAC AIP 03/25, USE OF PUBLISHED STARS RWY 08L/26R AND RWY 08R/26L TEMPORARILY SUSPENDED. ALL ARRIVING TRAFFIC CAN EXPECT RADAR VECTORS TO THE APPROPRIATE IAP FOR FLIGHT PLANNING PURPOSES, ALL ARRIVING TRAFFIC TO OOMS SHALL FILE FLIGHT PLAN ROUTE TO MCT DVOR.

SX8/26 VALID: 2603300500 - 2703312359

SX0008/26 AIP SUPPLEMENT

OOMS/MUSCAT INTL

VALIDITY: 30MAR26 0500 - 31MAR27 2359

TWY Y3 CLSD.

+++++ COMPANY NOTAM +++++

C0641/26 VALID: 2604160805 - UFN

C0641/26 COMPANY NOTAM - MCT/OOMS - AIRPORT WITH GPS SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.

CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY PROCEDURES - GNSS INTERFERENCE: "AIRPORT WITH GNSS SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR BOTH

ARRIVAL AND DEPARTURE AT MCT.

-CREWS TO BRIEF THE RESPECTIVE TERRAIN THREATS RELEVANT TO THE EXPECTED SID AND STAR TO PROVIDE A HEIGHTENED AWARENESS.

DUE TO TERRAIN TO THE SOUTH OF THE AIRPORT, CREWS ARE INSTRUCTED TO MONITOR THE AIRCRAFT'S POSITION AND ALTITUDE RELATIVE TO THE MSA BY MANUALLY TUNING THE MCT VOR AND ADDING THE 270 AND 090 DEGREE RADIALS ON FMS FIX INFO PAGE.

- MFOR 16APR26

C0375/26 VALID: 2603090632 - UFN

C0375/26 COMPANY NOTAM - MCT/OOMS - ENHANCED SECURITY COMMUNICATION

CREW TO APPLY OMC 1.3.4 ENHANCED SECURITY COMMUNICATION.

60 MIN PRE DEP FROM DXB OR DWC, AND ETA -30 MIN FOR ALL FLIGHTS.

IN ADDITION TO NORMAL MEL RESTRICTIONS, THE FOLLOWING AIRCRAFT EQUIPMENT MUST BE FULLY SERVICEABLE FOR DISPATCH FROM DXB OR DWC SATCOM, ACARS, 3 VHF.

- MFOR 09MAR26

+++++ CHART NOTAM +++++

CC21/26 - CHART NOTAM VALID: 2604150000 - UFN

IAC/ AFC MINIMA ILS OR LOC 08L/26R:

AVAILABILITY OF ILS CAT 2 RWY 08L/26R UNDER CLARIFICATION.

DO NOT USE.

CC20/26 - CHART NOTAM VALID: 2601050000 - UFN

SID, SIDPT TEMPO RWY 08L/26R RCF DEP:

REF AIP SUP 36/2025

RCF PROC MURMA 1N RWY 08L

INTERCEPT AND FOLLOW R080 MCT **DVOR/DME**,

MAINTAIN 3000FT OR LAST ASSIGNED RADAR INSTRUCTIONS TO D20 MCT. THENCE,

-R462 TRACK T500 DCT VUSET, G216 TRACK DCT ITILA, THEN G216 ALL ROUTES CLIMB FL230 OR PLANNED LVL, IF LOWER,

OR LAST ASSIGNED LVL, IF HIGHER, ENR DEST

-FOR TRAFFIC ENTERING MUMBAI FIR VIA RASKI, PARAR AND TOTOX CONT ON R080 UNTIL PASSING 5000FT - DCT MUSRU PLANNED ROUTE

-ALL ROUTES CLIMB FL230 OR PLANNED LVL, IF LOWER,

OR LAST ASSIGNED LVL, IF HIGHER, ENR DEST

-OTHER ROUTES - LT, CLIMB TO SET COURSE OVER MCT **DVOR** AT

12000FT, THEN CONT CLIMB TO FL200 OR PLANNED LVL

IF LOWER (WESTBOUND) OR FL230 OR PLANNED LVL,

IF LOWER (EASTBOUND) OR LAST ASSIGNED LVL IF HIGHER, ENR DEST

NO TURN PERMITTED BELOW 3000FT.

RCF PROCEDURE ITLAK 1N (NOVEMBER) RWY 26R

INTERCEPT AND FOLLOW R268 MCT,

MAINTAIN 3000FT OR LAST ASSIGNED RADAR INSTRUCTIONS TO D20 MCT. THENCE,

-P899 (WESTBOUND) TRAFFIC - TRACK VIA Q978 TO IVETO,

THEN LOPIL TO ITRAX, P574, M762 OR B540

TRAFFIC VIA T508, BOTH ROUTES CLIMB FL200 OR PLANNED LVL,

IF LOWER OR LAST ASSIGNED LVL, IF HIGHER, ENR DEST

-OTHER ROUTES - RT CLIMB TO SET COURSE OVER MCT AT 12000FT,

THEN CONT CLIMB TO FL200 OR PLANNED LVL,

IF LOWER (WESTBOUND) OR FL230 OR PLANNED LVL,

IF LOWER (EASTBOUND) OR LAST ASSIGNED LVL, IF HIGHER, ENR DEST

NO TURN PERMITTED BELOW 3000FT.

NOTE: RCF ACFT OBSERVED ON RADAR FLYING OTHER THAN THE ABOVE

PROC WILL BE ASSUMED TO BE IN EMERG

AND WILL HAVE PRIO FOR LDG

CC19/26 - CHART NOTAM VALID: 2604010000 - UFN

AGC, APC TWY **CLSD**:

REF SUP 08/2026

TWY Y3 **CLSD**

CC18/26 - CHART NOTAM VALID: 2503040000 - UFN

AOI RCF:

REF AIP SUP 08/2025

AMEND SECTION (ARRIVAL / 2.2 COMMUNICATION FAILURE /

IF IN IMC, BELOW 9000FT / LAST ITEM) TO READ:

WHEN ON A HDG TO INTERCEPT RWY 08L/26R OR 08R/26L EXTENDED CL

AND A RCF IS EXPERIENCED OR SUSPECTED, MAKE THE SHORTEST TURN

TO HDG 020DEG MAG, CLIMB TO 6000FT, PROCEED TO MCT **DVOR/DME** AND

PROCEED WITH STANDARD PROC TO LAND ON RWY 08L/26R.

IF UNABLE TO LAND, CLIMB IN THE **DVOR/DME** HLDG PATTERN AND DEPART MCT TMA AT APPLICABLE MNM ENR LVL, PROCEED TO **ALTN**.

NOTE: DUE TO TERRAIN S OF RWY 08L/26R OR 08R/26L EXTENDED CL,

PILOTS MUST MONITOR PSN ON **DVOR/DME** OR LOC WHEN ON INTERCEPT

HDG. PILOTS MUST ENSURE THAT THEY DO NOT PROCEED THROUGH

EXTENDED CL UNLESS INSTRUCTED BY ATC.

CC17/26 - CHART NOTAM VALID: 2505140000 - UFN

AOI FLIGHT PROCEDURES:

REF SUP 16/2025

1. SPEED RESTRICTIONS:

MAX IAS 250KT BELOW FL100 WITHIN MUSCAT TMA.

2. FLT PLANNING:

ARR ACFT SHALL PLAN THE ROUTE TO MCT **DVOR/DME** THEN IT WILL BE VECTORED TO THE APPROPRIATE IAP.

3. VISUAL APCH:

VISUAL MANEUVERING AND **CIRCLING** NOT PERMITTED.

OMAL /AAN AL AIN INTL

 ++++++ AIRPORT ++++++
 1A1544/26 VALID: 2604271035 - 2605041200 EST
 REF ESCAT NOTAM, OPERATORS ARE ADVISED THAT OMAL AND OMFJ ARE AVBL AS **ALTN** AD FOR DIVERSIONS.
 ++++++ COMPANY NOTAM ++++++
 C0525/26 VALID: 2604010000 - UFN
 C0525/26 COMPANY NOTAM - AAN/OMAL - AIRPORT WITH **GNSS** SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.
 - CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR BOTH ARRIVAL AND DEPARTURE AT AAN.
 - DUE TO TERRAIN TO THE EAST OF THE AIRPORT, CREWS ARE INSTRUCTED TO MONITOR THE AIRCRAFT'S POSITION AND ALTITUDE RELATIVE TO THE MSA BY RAW DATA AND BY REFERENCE TO MRC CHART.
 - MFOR 01APR26
 ++++++ CHART NOTAM ++++++
 CC9/26 - CHART NOTAM VALID: 2603040000 - UFN
 AOI PCR:
 RWY CONCRETE ENDS: UNDER CLARIFICATION BY LUFTHANSA SYSTEMS
 FLIGHTNAV WITH AUTHORITIES.

OOSH /OHS SUHAR

 ++++++ CHART NOTAM ++++++
 CC4/26 - CHART NOTAM VALID: 2601050000 - UFN
 IAC/ AFC MNIMA TEMPO MINIMA:
 TEMPO MINIMA REF SUP 40/25:
RNP LNAV/VNAV 15
 CAT C: DH 430FT, DA 540FT, V 5.0KM
 CAT D: DH 440FT, DA 550FT, V 5.0KM
RNP LNAV 15
 CAT C: MDH 550FT, MDA 650FT, V 5.0KM
 CAT D: MDH 550FT, MDA 650FT, V 5.0KM
RNP LNAV/VNAV 33
 CAT C: DH 390FT, DA 540FT, V 5.0KM
 CAT D: DH 400FT, DA 550FT, V 5.0KM
RNP LNAV 33
 CAT C: MDH 530FT, MDA 670FT, V 5.0KM
 CAT D: MDH 530FT, MDA 670FT, V 5.0KM
CIRCLING ALL APCHS
 CAT C: MDH 1010FT, MDA 1150FT, V 5.0KM
 CAT D: MDH 1510FT, MDA 1650FT, V 5.0KM

OMAA /AUH ABU DHABI/ZAYED INTL - DETAILED INFO

 ++++++ AIRPORT ++++++
 1A1507/26 VALID: 2604300600 - 2605011400
 0600-1400
 TWY K4 BTN TWY B AND TXL K **CLSD**
 SX18/26 VALID: 2604300000 - UFN

SX0018/26 AIP SUPPLEMENT
OMAA/ABU DHABI/ZAYED INTL
VALIDITY: 30APR26 - UFN

CLOSED TAXIWAYS

SOUTH OF RWY 13R/31L

1. TWY E BETWEEN TWY E4 AND TWY E6 EXCLUDING THE INTERSECTIONS IS **CLOSED**.

2. TWY F6 **CLOSED**. 2 HOURS PRIOR NOTICE IS REQUIRED TO ACCESS.

3. TXL E4S **CLOSED** BETWEEN AIRCRAFT STAND 417 AND TWY E4.

SX17/26 VALID: 2604300000 - UFN

SX0017/26 AIP SUPPLEMENT
OMAA/ABU DHABI/ZAYED INTL
VALIDITY: 30APR26 - UFN

CLOSED AIRCRAFT STANDS

THE FOLLOWING AIRCRAFT STANDS ARE **CLOSED**:

- 201, 202, AND 203 ON APRON 2

SX11/26 VALID: 2604300000 - UFN

SX0011/26 AIP SUPPLEMENT
OMAA/ABU DHABI/ZAYED INTL
VALIDITY: 30APR26 - UFN

CONSTRUCTION CRANES

THE LOC OF THESE CRANES ARE DISPL ON THE CONS CRANES CHART

242557.45N 054372464E

MAX ELEV : 352FT

OBST ID : B1N-2021-006225-WKCI02

+++++ COMPANY NOTAM +++++

C0531/26 VALID: 2604010000 - UFN

C0531/26 COMPANY NOTAM - AUH/OMAA - AIRPORT WITH **GNSS** SIGNAL
INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.

CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY
PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL
INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR
BOTH ARRIVAL AND DEPARTURE AT AUH.

- MFOR 01APR26

C0190/25 VALID: 2502200001 - UFN

C0190/25 COMPANY NOTAM - AUH/OMAA- **RNP**-AR APCH PROCEDURES
RNP-AR APCH PROCEDURES IN THE FMS DATABASE ARE NOT AUTHORISED.

- FOS 03FEB25

+++++ CHART NOTAM +++++

CC60/26 - CHART NOTAM VALID: 2604300000 - UFN

APC PARKING STANDS:

REF AIP SUP 17/2026

PARKING STANDS 201 AND 202 **CLOSED**

CC58/26 - CHART NOTAM VALID: 2604300000 - UFN

AGC, APC TWY CLOSURE:

REF AIP SUP 18/2026

TWY E BETWEEN TWY E4 AND TWY E6 **CLOSED**

TWY F6 **CLOSED**. 2 HOURS PN REQUIRED TO ACCESS

TWY E4S BETWEEN STANDS 417 AND TWY E4 **CLOSED**

CC51/26 - CHART NOTAM VALID: 2602040000 - UFN

IAC MINIMA:

REF SUP 08/2026:

TEMPO MINIMA DUE TO TOWER CRANES OBST

RNP LNAV/VNAV ACFT MAX 65/7 ZULU 13R

CAT C: DH 420FT, DA 490FT, 1.2KM

CAT D: DH 450FT, DA 520FT, 1.4KM

RNP LNAV/VNAV ZULU 13R

CAT C: DH 450FT, DA 520FT, 1.4KM

CAT D: DH 450FT, DA 520FT, 1.4KM

VOR DME 31L

CAT C: MDH 510FT, MDA 590FT, 1.6KM

CAT D: MDH 510FT, MDA 590FT, 1.6KM

VOR DME WO D3.0 ADV 31L

CAT C: MDH 510FT, MDA 590FT, 1.6KM

CAT D: MDH 510FT, MDA 590FT, 1.6KM

RNP 0.30 ACFT MAX 65/7 AR YANKEE 31L

CAT C: DH 420FT, DA 500FT, 1.2KM

CAT D: DH 430FT, DA 510FT, 1.3KM

RNP 0.30 AR YANKEE 31L

CAT C: DH 430FT, DA 510FT, 1.3KM

CAT D: DH 430FT, DA 510FT, 1.3KM

RNP LNAV/VNAV ACFT MAX 65/7 GA 4.4% ZULU 31L

CAT C: DH 420FT, DA 500FT, 1.2KM

CAT D: DH 430FT, DA 510FT, 1.3KM

RNP LNAV/VNAV GA 4.4% ZULU 31L

CAT C: DH 430FT, DA 510FT, 1.3KM

CAT D: DH 430FT, DA 510FT, 1.3KM

RNP LNAV GA 4.4% ZULU 31L

CAT C: MDH 510FT, MDA 590FT, 1.6KM

CAT D: MDH 510FT, MDA 590FT, 1.6KM

CC50/26 - CHART NOTAM VALID: 2512080000 - UFN

IAC PROC **SUSPENDED**:

REF SUP 56/2025

FOLLOWING PROCEDURES ARE **SUSPENDED** UFN

ILS RWY 13R LOC ONLY W OR W/O SDF

ILS RWY 31L LOC ONLY W SDF

VOR DME RWY 13R

RNP Z RWY 13L **LNAV** ONLY

CC49/26 - CHART NOTAM VALID: 2508180000 - UFN

SID/SIDPT **RNAV** SIDS RWYS 31L/R:

REF SUP 36/2025

SID PROC TEMP **SUSPENDED**:

- RWY 31R: KANIP 3P

- RWY 31L: ATUDO 4K, KANIP 2U, ORNEL 2K

CC47/26 - CHART NOTAM VALID: 2602090000 - UFN

AOI TEMPO A-CDM:

REF. SUP 10/2026:

TEMPO A-CDM PROC:

TSAT ISSUE EOB T -40MIN

REQUEST ATC CLR VIA DLV EARLIEST EOB T -20MIN.

IN CASE OF A-CDM FAILURE OR SUSPENSION, NON-A-CDM DEPARTURE

PROC WILL BE IN FORCE:

- ATC CLR VIA DCL

REQ ATC CLR AT EOB T -20MIN

DCL IS ACKNOWLEDGED BY SENDING CDA MESSAGE.

IF AN ERROR IS DETECTED IN ANY OF THE MESSAGES, OR THE CDA IS

NOT RECEIVED WITHIN 10MIN FROM REQ ATC CLR, THE SYSTEM WILL

ISSUE A REVERT TO VOICE MESSAGE.CONTACT DLV.

- ATC CLR VIA RTF

REQ ATC CLR AT EOB T -20MIN AND REPORT:

- ACFT CALLSIGN;

- ACFT TYPE, AND FOR WTC H/J ACFT WITH THE WORD HEAVY OR

SUPER ACCORDINGLY;

- STAND.

AIRCRAFT READY / START REQUEST

1. AFTER RECEIVING ENR CLR, WHEN READY FOR PUSHBACK AND START,

DEP ACFT SHALL ACTIVATE THEIR TRANSPONDER IN XPDR MODE,

CONTACT DLV AND REPORT:

- ACFT TAPE;
- STAND;
- QNH;
- **ATIS** IDENTIFICATION LETTER.
- 2. MONITOR GND FREQ FOR PUSHBACK/**START-UP** CLR.
- 3. NON-COMPLIANCE WITH PBN **RNAV-1 (GNSS)** REQUIREMENTS SHALL BE REPORTED ON FIRST CONTACT WITH DLV.

TRANSPONDER MODE S

DEP ACFT

AT THE GATE/STAND: SELECT THE STBY;

AFTER REPORTING READY TO PUSH-BACK AND START:

ENTER THROUGH THE FMS OR TRANSPONDER CONTROL PANEL:

- FLIGHT IDENTIFICATION AS SPECIFIED IN ITEM 7 OF THE FPL, OR
- IN THE ABSENCE OF FLIGHT IDENTIFICATION, ENTER THE ACFT REGISTRATION;

- SELECT XPNDR OR ITS EQUIVALENT DEPENDING ON THE SPECIFICATIONS OF THE INSTALLED MODEL;

- SELECT AUTO MODE, IF AVBL;

- DO NOT SELECT THE OFF OR STBY FUNCTIONS;

- SET THE MODE A CODE ASSIGNED BY ATC.

WHEN LINING-UP ON THE RUNWAY: SELECT TA/RA.

CC45/26 - CHART NOTAM VALID: 2601150000 - UFN

AGC, APC; LVC HP, TWY:

SUP 51/25 EFF DATE POSPONED TO 20 JAN 2026

WITH NOTAM A0171/26:

-DISREGARD STOPBAR D10P1 AND D11P1 AND READ **CAT 2/3** HP INSTEAD

-DISREGARD **CAT 2/3** HP ON TWY DP10 AND TWY DP11 BEFORE ENTERING RWY 31L THR

-**CAT 2/3** HP AVBL ON TWY D BETWEEN TWY D9 AND TWY D10

-TWY D BETWEEN TWY D9 AND TWY D10 **CLOSED**

+++++ AMDB NOTAM ++++++

CA56/26 VALID: 2604300000 - UFN

AMDB/AMM WIP:

REF SUP 18/2026

TWY E BTN TWYS E4 AND E6 **CLSD** EXCL INT

TWY F6 **CLSD**, 2 HR PRIOR NOTICE IS RQRD TO ACCESS

TXL E4S **CLSD** BTN PRKG STAND 417 AND TWY E4.

CA54/26 VALID: 2604300000 - UFN

AMDB/AMM WIP:

REF SUP 17/2026

PRKG STAND 201-203 **CLSD**.

CA19/26 VALID: 2603190000 - UFN

AMDB/AMM RWY:

RWY 13R/31L **CLSD** EV TUE, THU AND SAT FM 1130 TO 1430

RWY 13L/31R **CLSD** EV MON, WED, FRI AND SUN FM 1130 TO 1430

OMDW /DWC DUBAI/AL MAKTOUM INTL

+++++ COMPANY NOTAM ++++++

C0635/26 VALID: 2604160600 - UFN

C0635/26 COMPANY NOTAM - SCB FERRY OPERATIONS BTN **DXB** AND **DWC**

CREW TO REF "SCB 2026-008 A350/A380-FERRY OPERATIONS DXB/DWC/DXB"

PUBLISHED IN DOCUNET. APPLICABLE FOR A350/A380 FERRY FLIGHTS

OPERATING BTN **DXB** AND **DWC** ONLY.

- FTPA 26FEB26

C0510/26 VALID: 2604010000 - UFN

C0510/26 COMPANY NOTAM - DWC/OMDW - AIRPORT WITH GPS SIGNAL

INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.

CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY

PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR BOTH ARRIVAL AND DEPARTURE AT DWC.

- MFOR 01APR26

C0342/26 VALID: 2603040638 - UFN

C0342/26 COMPANY NOTAM - DWC/OMDW - **GNSS** AND **RNAV 1** REQUIREMENTS ON SIDS AND STARS

IN CASE OF GPS INTERFERENCE, THE FOLLOWING IS APPLICABLE:

GNSS:

CREWS ARE TO DISREGARD THE "**GNSS**" REQUIREMENT ON THE SIDS AND STARS.

RNAV 1:

CREWS ARE TO PLAN TO FLY THE FILED SID OR STAR. ATC IS TO BE INFORMED ONLY IN THE CASE OF ACTUAL DEGRADED NAVIGATION CAPABILITY (UNABLE **RNAV 1**) SHOWN BY "NAV ACCUR **DOWNGRADED**" MFD MESSAGE (IN THE FMS MESSAGE AREA) AND ON THE ND.

CREWS SHOULD REQUEST RADAR VECTORS, ONLY IF THE DEGRADED NAV MESSAGES OCCUR WHEN AIRBORNE.

IF THE NAVIGATION MODE IS NOT IRS/GPS, AT TAKEOFF:

AN AUTOMATIC POSITION UPDATE ON THE RWY THRESHOLD OCCURS AND WILL PROVIDE **RNAV 1** CAPABILITY.

THE ABOVE GUIDANCE IS ISSUED IN COORDINATION WITH DUBAI ATC (DANS).

- FTPA 04MAR26

OMSJ /SHJ SHARJAH INTL - DETAILED INFO

+++++ RUNWAY +++++
1A1390/26 VALID: 2604140500 - 2607131300

0500-1300

RWY 12/30 STRIP WIP DUE EXCAVATION TRENCHES ALONG NORTHERN EDGE
120M FM RCL. ACFT TO EXER CTN.

+++++ APPROACH PROCEDURE +++++
SX35/25 VALID: 2508210000 - UFN

SX0035/25 AIP SUPPLEMENT

OMSJ/SHARJAH INTL

CHANGES TO APCH PROC RWY 12/30 OCA/H

VALIDITY: 21AUG25 - UFN

CRANE LOCATIONS

THE LOCATION AND DETAILS OF THE CONST CRANES ARE AS FLW:

LOCATION

251932.42N 0553104.65E

251930.24N 0553108.44E

251926.78N 0553106.03E

251926.57N 0553106.33E

251924.59N 0553104.96E

251920.37N 0553112.30E

251916.41N 0553109.54E

251921.21N 0553101.20E

251920.78N 0553100.89E

251922.36N 0553058.14E

251919.65N 0553056.26E

251922.50N 0553051.30E

251926.38N 0553054.00E

251927.77N 0553051.58E

251931.67N 0553054.30E

251929.67N 0553057.77E

251931.00N 0553058.69E

251928.96N 0553102.24E

251932.42N 0553104.65E
 ELEV(FT): 323
 TIME OF THE ACT: H24
 LGTD DAY AND NGT: YES
 RMK: PILOTS EXER CTN
 OBST CRANES ERECTED WI AREA BOUNDED BY LINES JOINING:
 APCH PROC
 DUE TO THE ABV CONST CRANES OPERATION, OCA/H VALUES FOR THE FLW
 APCH PROC SHALL BE AMD:
 PROC: OMSJ **ILS CAT I** RWY 12
 OCA/H
 CAT A: 406(316)
 CAT B: 418(328)
 CAT C: 426(336)
 CAT D/DL: 437(347)
 REFERENCE: CHART OMSJ-AD-2-63
 PROC: OMSJ GP INOP RWY 12
 OCA/H
 CAT A: 550(460)
 CAT B: 550(460)
 CAT C: 550(460)
 CAT D/DL: 550(460)
 REFERENCE: CHART OMSJ-AD-2-63
 PROC: OMSJ **RNP Z LNAV/VNAV** RWY 12
 OCA/H
 CAT A: 410(320)
 CAT B: 420(330)
 CAT C: 440(350)
 CAT D/DL: 470(380)
 REFERENCE: CHART OMSJ-AD-2-67
 PROC: OMSJ **RNP Z LNAV** RWY 12
 OCA/H
 CAT A: 580(490)
 CAT B: 580(490)
 CAT C: 580(490)
 CAT D/DL: 580(490)
 REFERENCE: CHART OMSJ-AD-2-67
 PROC: OMSJ **RNP Z LNAV/VNAV** RWY 30
 OCA/H
 CAT A: 390(277)
 CAT B: 400(287)
 CAT C: 420(307)
 CAT D/DL: 440(327)
 REFERENCE: CHART OMSJ-AD-2-68
 PROC: OMSJ **RNP Z LNAV** RWY 30
 OCA/H
 CAT A: 580(467)
 CAT B: 580(467)
 CAT C: 580(467)
 CAT D/DL: 580(467)
 REFERENCE: CHART OMSJ-AD-2-68
 PROC: OMSJ **RNP Y 0.3** RWY 12
 OCA/H
 CAT A: 464(374)
 CAT B: 476(386)
 CAT C: 484(394)
 CAT D/DL: 495(405)
 REFERENCE: CHART OMSJ-AD-2-70
 PROC: OMSJ **RNP Y 0.3** RWY 30

OCA/H

CAT A: 464(351)

CAT B: 476(363)

CAT C: 484(371)

CAT D/DL: 495(382)

REFERENCE: CHART OMSJ-AD-2-71

+++++ AIRPORT +++++

SX13/26 VALID: 2604300000 - 2606102359

SX0013/26 AIP SUPPLEMENT

OMSJ/SHARJAH INTL

VALIDITY: 30APR26 - 10JUN26

NEW STANDS

NEW AIRCRAFT STANDS INSTALLED AT SERVICE AREA WITH THE FOLLOWING DETAILS:

STAND	LATITUDE	LONGITUDE	ELEVATION(FT)	CODE
78	251959.45N	0553004.25E	83.6	C
79	251958.22E	0553003.38E	83.6	C

+++++ COMPANY NOTAM +++++

C0536/26 VALID: 2604010000 - UFN

C0536/26 COMPANY NOTAM - SHJ/OMSJ - AIRPORT WITH **GNSS** SIGNAL INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.

CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY

PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL

INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR BOTH ARRIVAL AND DEPARTURE AT SHJ.

- MFOR 01APR26

C0191/25 VALID: 2502200001 - UFN

C0191/25 COMPANY NOTAM - SHJ/OMSJ- **RNP**-AR APCH PROCEDURES

RNP-AR APCH PROCEDURES IN THE FMS DATABASE ARE NOT AUTHORISED.

- FOS 03FEB25

+++++ CHART NOTAM +++++

CC30/26 - CHART NOTAM VALID: 2512100000 - UFN

AGC, APC WIP TWY:

REF SUP 54/2025

WIP BEING CARRIED OUT BTN 0300-1400 UTC DAILY AT PORTIONS OF THE NORTH AND SOUTH STRIPS OF TWY A.

CC28/26 - CHART NOTAM VALID: 2506230000 - UFN

IAC TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD

CC47/25 - CHART NOTAM VALID: 2508180000 - UFN

IAC / AFC MINIMA MINIMA:

TEMPO MINIMA REF SUP 35/25:

ILS CAT 1 DME ACFT MAX 65/7 12

CAT C: DH 340FT, DA 430FT, 800M

CAT D: DH 350FT, DA 440FT, 900M

ILS CAT 1 DME 12

CAT C: DH 350FT, DA 440FT, 900M

CAT D: DH 350FT, DA 440FT, 900M

LOC **DME** 12

CAT C: MDH 460FT, MDA 550FT, 1.4KM

CAT D: MDH 460FT, MDA 550FT, 1.4KM

RNP LNAV/VNAV ACFT MAX 65/7 ZULU 12

CAT C: DH 350FT, DA 440FT, 900M

CAT D: DH 380FT, DA 470FT, 1.0KM

NOTE DELETED: WITH HGS **RVR** 600M

RNP LNAV/VNAV ZULU 12

CAT C: DH 380FT, DA 470FT, 1.0KM

CAT D: DH 380FT, DA 470FT, 1.0KM

NOTE DELETED: WITH HGS **RVR** 600M

RNP LNAV ZULU 12

CAT C: MDH 490FT, MDA 580FT, 1.5KM

CAT D: MDH 490FT, MDA 580FT, 1.5KM

RNP 0.30 ACFT MAX 65/7 YANKEE 12

CAT C: DH 400FT, DA 490FT, 1.1KM

CAT D: DH 410FT, DA 500FT, 1.2KM

RNP 0.30 YANKEE 12

CAT C: DH 410FT, DA 500FT, 1.2KM

CAT D: DH 410FT, DA 500FT, 1.2KM

RNP LNAV/VNAV ACFT MAX 65/7 ZULU 30

CAT C: DH 310FT, DA 420FT, 700M

CAT D: DH 330FT, DA 440FT, 800M

RNP LNAV/VNAV ZULU 30

CAT C: DH 330FT, DA 440FT, 800M

CAT D: DH 330FT, DA 440FT, 800M

RNP LNAV ZULU 30

CAT C: MDH 470FT, MDA 580FT, 1.5KM

CAT D: MDH 470FT, MDA 580FT, 1.5KM

RNP 0.30 ACFT MAX 65/7 YANKEE 30

CAT C: DH 380FT, DA 490FT, 1.0KM

CAT D: DH 390FT, DA 500FT, 1.1KM

NOTE FOR CAT C DELETED: WITH HGS **RVR 650M**

NOTE FOR CAT D DELETED: WITH HGS **RVR 700M**

RNP 0.30 YANKEE 30

CAT C: DH 390FT, DA 500FT, 1.1KM

CAT D: DH 390FT, DA 500FT, 1.1KM

NOTE DELETED: WITH HGS **RVR 700M**

+++++ AMDB NOTAM +++++

CA36/26 VALID: 2604300000 - 2606102359

AMDB/AMM PRKG STAND:

REF SUP 13/2026

NEW PRKG STAND 78 AND 79 AVBL ON SERVICE AREA APN.

CA12/26 VALID: 2602130000 - UFN

AMDB/AMM WIP:

REF SUP 54/2025

WORKS ARE CARRIED 0300-1400 DAILY ALONG BOTH SIDES OF TWY A.

OMRK /RKT RAS AL KHAIMAH INTL

+++++ RUNWAY +++++

1A1541/26 VALID: 2604270600 - 2607252359

RWY 16/34 MAY BE SLIPPERY WHEN WET.

ACFT EXER CTN.

00SA /SLL SALALAH

+++++ CHART NOTAM +++++

CC18/26 - CHART NOTAM VALID: 2602120000 - UFN

STAR **RNAV** PROCEDURES:

REF SUP 05/2026

UNTIL 10 FEB 2017 EST

RNAV PROC FOR RWY 07/25 **NOT AVBL**

CC17/26 - CHART NOTAM VALID: 2602120000 - UFN

SID, SIDPT **RNAV** PROCEDURES:

REF SUP 05/2026

UNTIL 10 FEB 2017 EST

RNAV PROC FOR RWY 07/25 **NOT AVBL**

CC16/26 - CHART NOTAM VALID: 2510160000 - UFN

AOI TEMPO TAXI ROUTES:

REF AIP SUP 31/25

CRACKS ON THE SECTION BTN TWY E8, H8 AND G.

ENTRANCE AND EXIT FROM SOUTH APN SHALL BE VIA TWY G, E7 AND H7.

IF ACFT LDG FROM RWY 07, IT SHALL BE VACATED FROM TWY E7

CROSSING TWY G TO TWY H7 TO SOUTH APN.

IF ACFT LDG FROM RWY 25, IT SHALL BE VACATED FROM TWY E2

TAXING VIA TWY G TO TWY H7 TO SOUTH APN.

OERK /RUH RIYADH/KING KHALED INTL - DETAILED INFO

+++++ RUNWAY +++++

1A1396/26 VALID: 2604302100 - 2605120700

2100-0700

RWY 15R/33L **CLSD**.

+++++ AIRPORT +++++

1A1349/26 VALID: 2604271228 - 2605052359 EST

DEP TFC TO HECC FIR SHALL RTE VIA WPT IVONU ATS RTE Z710 GAS

ATS RTE G662 WPT NIMAR ATS RTE L550 WPT KITIT.

1A1328/26 VALID: 2604270400 - 2606102359

PORTION TWY A FM TWY A6 TO NORTH END **CLSD**.

1A1302/26 VALID: 2604221754 - 2605072359

OUBD TFC FM ACFT STAND 510R TO BE PUSHED BACK FACING

SOUTH TO CLR TWY U.

OUBD TFC FM ACFT STAND 511L AND ACFT STAND 511C TO BE PUSHED BACK

FACING SOUTH TO CLR TWY U OR PUSHED BACK SHORT FACING NORTH AND

TOWED FORWARD ABM ACFT STAND E34.

1A1301/26 VALID: 2604221752 - 2605072359

OUBD TFC FM ACFT STAND 509L, ACFT STAND E36L AND ACFT STAND E36

TO BE PUSHED BACK FACING NORTH TO CLR TWY V.

OUBD TFC FM ACFT STAND 508R, ACFT STAND 508C AND ACFT STAND E36R

TO BE PUSHED BACK SHORT FACING SOUTH AND TOWED FORWARD ABM ACFT

STAND 507C.

1A1300/26 VALID: 2604221751 - 2605072359

ACFT STAND 509C, ACFT STAND 509R, ACFT STAND 510L, ACFT STAND

510C, ACFT STAND E35L, ACFT STAND E35 AND ACFT STAND E35R **CLSD**.

1A1299/26 VALID: 2604221749 - 2605072359

PORTION TWY D BTN TWY U AND ACFT STAND 509C **CLSD**.

1A1284/26 VALID: 2604220834 - 2605222359

ACFT STAND 1W, ACFT STAND 2W AND ACFT STAND 3W **CLSD**.

1A1100/26 VALID: 2604080852 - 2606102359

PORTION TWY F BTN TWY R AND TWY S **CLSD**.

+++++ COMPANY NOTAM +++++

C0522/26 VALID: 2604010000 - UFN

C0522/26 COMPANY NOTAM - RUH/OERK - AIRPORT WITH **GNSS** SIGNAL

INTERFERENCE AFFECTING A380 SURV TERR FUNCTION.

CREWS ARE INSTRUCTED TO COMPLY WITH THE A380 - SUPPLEMENTARY

PROCEDURES - **GNSS** INTERFERENCE: "AIRPORT WITH **GNSS** SIGNAL

INTERFERENCE AFFECTING A380 SURV TERR FUNCTION" APPLICABLE FOR

BOTH ARRIVAL AND DEPARTURE AT RUH.

- MFOR 01APR26

C0372/26 VALID: 2603090625 - UFN

C0372/26 COMPANY NOTAM - RUH/OERK - ENHANCED SECURITY

COMMUNICATION

CREW TO APPLY OMC 1.3.4 ENHANCED SECURITY COMMUNICATION.

60 MIN PRE DEP FROM DXB OR DWC, AND ETA -30 MIN FOR ALL FLIGHTS.

IN ADDITION TO NORMAL MEL RESTRICTIONS, THE FOLLOWING AIRCRAFT

EQUIPMENT MUST BE FULLY SERVICEABLE FOR DISPATCH FROM DXB OR DWC

SATCOM, ACARS, 3 VHF.

- MFOR 09MAR26

C0383/25 VALID: 2503031037 - UFN

C0383/25 COMPANY NOTAM - A380 - MIN FUEL

DUE TO FUEL DISTRIBUTION REQUIRMENTS, MINIMUM RAMP FUEL ON A380 SHOULD NOT BE LESS THAN 39T. ADDITIONAL FUEL WILL BE PLANNED, IF REQUIRED TO MEET THIS LIMITATION.

- FOS 03MAR25

+++++ CHART NOTAM ++++++

CC69/26 - CHART NOTAM VALID: 2604210000 - 2605132359

SIDPT CLIMB GRADIENT:

AMEND FOR PROCEDURE TOTE 1B CLIMB GRADIENT 4.5% TO READ TO 13000FT

CC68/26 - CHART NOTAM VALID: 2511170000 - UFN

* WIP AIP SUP 14/25:

REF AIP SUP 43/25

WIP MARKED WITH FENCES AROUND THE AIRPORT

OPERATIONAL IMPACT

TWY H4 IS CLOSE

PORTION TWY H BETWEEN TWY H3 AND TWY H4 **CLOSED**

CC67/26 - CHART NOTAM VALID: 2604150000 - UFN

* AIP **AIRAC** SUP:

--REF AIP **AIRAC** SUP 07/24--

ITEM S16: 07NOV24 - 09JUL26

ALL TWY CLL BEYOND RWY 15L/33R AND RWY 15R/33L HLDG PSN UNINTERLOCKED WITH STOP BAR LGT.

--REF AIP **AIRAC** SUP 12/25--

ITEM S03: 27NOV25 - 13MAY26

ACFT STAND 52 LTD TO CODE B AND BLW

ITEM S02: 27NOV25 - 13MAY26

TWY F BTN **P** AND **R** **CLSD**

--REF AIP **AIRAC** SUP 13/25--

ITEM S22: 25DEC25 - 13MAY26

FLW ME ASSISTANCE MANDATORY FOR INBD TFC TO APN GA.

ITEM S31: 25DEC25 - 18FEB26

PORTION TWY D FM STAND 504C TO SOUTH END TWY D **CLSD**

ITEM S32: 25DEC25 - 18FEB26

STAND 504L AND 504C **CLSD**

ITEM 57

VOR DME KIA D 113.3 - 16,17 FEB 2026 2300-0300

ILS RWY 15L **U/S** - 01,02 JAN 2026 2200-0200

ILS RWY 15R **U/S** - 14,15 FEB 2026 2200-0200

ILS RWY 33L **U/S** - 16,17 FEB 2026 2300-0300

ILS RWY 33R **U/S** - 22,23 JAN 2026 2200-0200

---REF **AIRAC** SUP 01/2026---

ITEM S04 - UNTIL 13 MAY 26

RWY 15R **RVR** **U/S**

ITEM S05 - UNTIL 13 MAY 26

MID **RVR** RWY 15R/33L **U/S**

ITEM S06 - UNTIL 13 MAY 26

RWY 33L **RVR** **U/S**

---REF **AIRAC** SUP 04/2026---

ITEM S01 - UNTIL 15 APR 2027

ACFT STAND 4W, 5W, 6W, 7W AND 8W **CLSD**.

+++++ AMDB NOTAM ++++++

CA72/26 VALID: 2604010000 - UFN

AMDB/AMM WIP:

REF **AIRAC** SUP 13 2025

PORTION TWY D FM STAND 504C TO SOUTH END OF TWY D **CLSD**

TILL 18 FEB 2026.

STAND 504L AND 504C **CLSD** TILL 18 FEB 2026.

CA71/26 VALID: 2604010000 - UFN

AMDB/AMM WIP:

REF AIP SUP 43/25

WIP RELATED CLOSURES:

-TWY H4 **CLSD**

-TWY H BTN TWYS H3 AND H4 **CLSD**

WIP AREAS AROUND AD:

-AREA 1 SE OF TWY T, EAST OF TWY A

-AREA 2 NW OF TWY P, EAST OF TWY A

-AREA 3 E OF RWY 33R, SE OF TWY H1

-AREA 4 E OF RWY 15L, N OF TWY H3 (INCL TWY H4)

-AREA AIRSIDE CENTRAL BTN TWYS H1 AND H3

CA70/26 VALID: 2604010000 - UFN

AMDB/AMM WIP:

REF SUP 18/2024

WIP IN 5 PHASES:

PHASES 1-4 - RWY 15R/33L TEMPO **CLSD**

PHASE 5 - NO OPR IMPACT

ALL PHASES WILL BE ANNOUNCED BY NOTAM

OEJN /JED JEDDAH/KING ABDULAZIZ INTL - DETAILED INFO

+++++ AIRPORT +++++

1A1353/26 VALID: 2604271236 - 2605052359 EST

WB TFC FM OOMM FIR VIA WPT SITOL DEST OEJN SHALL BE AT FL300

AND ABV AND RTE WPT SITOL DCT WPT ULUXU ATS RTE L556 WPT EGREN

ATS RTE L425 WPT BOSUT.

1A1336/26 VALID: 2604260730 - 2606251200

TWY D4 **CLSD**.

1A1314/26 VALID: 2604231125 - 2605171200

REF AIP SUP 44/25 DATED 12 NOV 2025

PHASE 1 CMPL AND PHASE 2 ACT.

*****LIDO RMK*****

PHASE 2

1. THE EXISTING MARKINGS FOR STANDS 6-6, 6-7, 6-8, 6-9, AND 6-10 WILL BE COMPLETELY REMOVED. A NEW STAND MARKING LAYOUT WILL BE IMPLEMENTED. THE FINAL CONFIGURATION FOR PHASE 2 WILL CONSIST OF FIVE STANDS 6-6, 6-7, 6-8, 6-9, AND 6-10.

2. ACFT MOVEMENTS AT STANDS 6-15 TO 6-26 WILL ENTER AND EXIT VIA TWY F.

3. ACFT MOVEMENTS AT STANDS 6-1 TO 6-4 WILL ENTER AND EXIT VIA TWY E.

4. STAND 6-5 WILL BE **CLSD** TO MITIGATE THE JET BLAST ISSUE.

*****ENF OF LIDO RMK*****

1A1274/26 VALID: 2604211011 - 2606102359

PORTION TWY N BTN TWY N4 AND TWY N5 **CLSD**.

1A1231/26 VALID: 2604190925 - 2606102359

PORTION TWY L BTN TWY W AND TWY MA LTD TO ACFT CODE C AND BLW.

1A1229/26 VALID: 2604190919 - 2606102359

PORTION TWY V BTN TWY L AND TWY V4 **CLSD**.

1A1190/26 VALID: 2604160710 - 2605171200

REF AIP SUP 31/25 DATED 14 AUG 2025 PHASE 1 CMPL AND PHASE 2 ACT.

*****LIDO REMARK*****

NEW FUEL RACK STATION CONST PROJECT.

PHASE 1 MOBILIZATION / SITE SET UP +3 MONTHS

PHASE 2 CONST +8 MONTHS

*****END OF LIDO REMARK*****

+++++ COMPANY NOTAM +++++

C0717/26 VALID: 2604290522 - 2606102359

C0717/26 COMPANY NOTAM - JED/OEJN - GROUND OPS

ATC USE STANDARD TAXI ROUTES (E.G. "ARR M7X"), REFER TO SPECIFIC ARRIVAL AND DEPARTURE AGC.

- FTPA 29APR26

C0371/26 VALID: 2603090625 - UFN

C0371/26 COMPANY NOTAM - JED/OEJN - ENHANCED SECURITY COMMUNICATION

CREW TO APPLY OMC 1.3.4 ENHANCED SECURITY COMMUNICATION.

60 MIN PRE DEP FROM DXB OR DWC, AND ETA -30 MIN FOR ALL FLIGHTS.

IN ADDITION TO NORMAL MEL RESTRICTIONS, THE FOLLOWING AIRCRAFT EQUIPMENT MUST BE FULLY SERVICEABLE FOR DISPATCH FROM DXB OR DWC SATCOM, ACARS, 3 VHF.

- MFOR 09MAR26

C01042/25 VALID: 2503031037 - UFN

C01042/25 COMPANY NOTAM - A380 - MIN FUEL

DUE TO FUEL DISTRIBUTION REQUIREMENTS, MINIMUM RAMP FUEL ON A380:

- DXB/DWC TO JED: TO BE PLANNED WITH MIN. 39T OF RAMP FUEL.

- JED TO DXB/DWC: TO BE PLANNED WITH MIN. 43T OF RAMP FUEL.

ADDITIONAL FUEL WILL BE PLANNED, IF REQUIRED TO MEET THIS LIMITATION.

- FOS 09OCT25

+++++ CHART NOTAM ++++++

CC53/26 - CHART NOTAM VALID: 2602130000 - UFN

AGC, APC WIP ON APRON 8:

REF SUP 08/2026

WIP REPLACING THE CURRENT NORTH JETWAY ON APRON 8 AND

INTRODUCING A NEW ACFT STAND R5 ON APRON 8 TO OPERATE THE SOUTH JETWAY DURING THE PROJECT OF REPLACEMENT OF THE NORTH JETWAY AT APRON 8.

WIP IN 5 PHASES ACTIVATED VIA NOTAM.

DURING WIP STAND R1 WILL BE **CLSD**, STAND R2 WILL BE **CLSD** DURING START OF PHASE 2.

DOCKING TO STAND R5 WILL BE VIA FOLLOW ME AND MARSHALLING

AND WILL REMAIN ACTIVE UNTIL END OF THE PROJECT.

CC52/26 - CHART NOTAM VALID: 2511170000 - UFN

AGC, APC WIP ON APRON 6:

REF SUP 44/2025

APRON REDESIGN PHASES:

PHASE 1

THE EXISTING MARKINGS FOR STANDS 6-1, 6-2, 6-3, 6-4, 6-5, 6-11, 6-12, 6-13, AND 6-14 WILL BE FULLY REMOVED. A NEW STAND MARKING LAYOUT WILL BE IMPLEMENTED FOR STANDS 6-1 THROUGH 6-5. ACFT MOVEMENTS FOR STANDS 6-15 TO 6-26 WILL ENTER AND EXIT VIA TAXIWAY F.

SIMILARLY, ACFT MOVEMENTS FOR STANDS 6-7 TO 6-10 WILL ALSO USE TAXIWAY F FOR ENTRY AND EXIT.

STAND 6-6 WILL BE **CLOSED** TO MITIGATE THE JET BLAST ISSUE.

PHASE 2

THE EXISTING MARKINGS FOR STANDS 6-6, 6-7, 6-8, 6-9, AND 6-10 WILL BE COMPLETELY REMOVED. A NEW STAND MARKING LAYOUT WILL BE IMPLEMENTED. THE FINAL CONFIGURATION FOR PHASE 2 WILL CONSIST OF FIVE STANDS - 6-6, 6-7, 6-8, 6-9, AND 6-10.

ACFT MOVEMENTS AT STANDS 6-15 TO 6-26 WILL ENTER AND EXIT VIA TAXIWAY F.

ACFT MOVEMENTS AT STANDS 6-1 TO 6-4 WILL ENTER AND EXIT VIA TWY E.

STAND 6-5 WILL BE **CLOSED** TO MITIGATE THE JET BLAST ISSUE.

PHASE 3

THE EXISTING MARKINGS FOR STANDS 6-15 THROUGH 6-26 WILL BE COMPLETELY REMOVED. A NEW STAND MARKING LAYOUT WILL BE IMPLEMENTED.

THE FINAL CONFIGURATION FOR PHASE THREE WILL CONSIST OF TWELVE STANDS - 6-11, 6-12, 6-13, 6-14, 6-15, 6-16, 6-17, 6-18, 6-19, 6-20, 6-21, AND 6-22.

ACFT MOVEMENTS AT STANDS 6-1 TO 6-10 WILL ENTER AND EXIT VIA TWY E

CC51/26 - CHART NOTAM VALID: 2604210000 - UFN

AFC, AGC, IAC TWR FREQ:

REF AIP SUP 15/2026

TWR-W TOWER WEST RWY 16R/34L: 118.200, 124.300 SDBY

TWR-C TOWER CENTER RWY 16C/34C: 118.300, 124.300 SDBY

TWR-E TOWER EAST RWY 16L/34R: 118.500, 124.300 SDBY

CC50/26 - CHART NOTAM VALID: 2511170000 - UFN

AFC, AGC DCL:

REF AIC A08/23

DCL ON **TRIAL**

LOGON JEDDAH TWR - JEDDAYA

CC49/26 - CHART NOTAM VALID: 2604140000 - UFN

* AIP **AIRAC** SUP:

--REF AIP SUP 11/25--

NEW **DVOR/DME** INSTALLATION IN PROGRESS S OF APRON 8 AND SW OF RWY 34L THR

LIMITATIONS NOTIFIED VIA NOTAM

--REF AIP SUP 13/25--

ITEM S35 - UNTIL 23 DEC 2026

PORTION TWY D1 BTN TWY R AND STAND G19 **CLSD**

ITEM S36 - UNTIL 23 DEC 2026

STAND 8-R2 **CLSD**

ITEM S38 - UNTIL 23 DEC 2026

PORTION TWY C BTN TWY U AND T USED ONLY FOR MAX CODE

LETTER E ACFT

ITEM S39 - UNTIL 23 DEC 2026

STAND G1 **CLSD**

ITEM S40 - UNTIL 23 DEC 2026

PORTION TXL W1 BTN TWY W AND STAND C30 **CLSD**. ENTRANCE AND EXIT TO STAND C30 VIA TXL WA

ITEM S41 - UNTIL 23 DEC 2026

APN 11 NON-STD PRKG ACFT PARKED ON APN 11 MUST FIRST PUSH BACK INTO TWY F THEN START UP ENGINES ACFT TAX IN APN 11 MUST

ADHERE BY REQUESTING FOLLOW ME SERVICE

ITEM S42 - UNTIL 23 DEC 2026

TWY NA **CLSD**

ITEM S43 - UNTIL 23 DEC 2026

TWY N9 **CLSD**

ITEM S44 - UNTIL 23 DEC 2026

PORTION TWY G BTN TWY G4 AND GB **CLSD**

ITEM S46 - UNTIL 23 DEC 2026

TWY K4 USED ONLY FOR CODE LETTER C ACFT

ITEM S48 - UNTIL 23 DEC 2026

STAND 11-11, 11-11L, 11-11R **CLSD**

ITEM S49 - UNTIL 23 DEC 2026

APN 9 **CLSD**

ITEM S50 - UNTIL 23 DEC 2026

STAND A11 AND A11R **CLSD**

ITEM S51 - UNTIL 23 DEC 2026

PORTION TWY D1 BTN TWY R AND STAND G18 **CLSD**

ITEM S52 - UNTIL 23 DEC 2026

STAND 8-R2 **CLSD**

---REF SUP 01/2026---

ITEM S07 - UNTIL 23 DEC 2026

STAND 8-H11, 8-H12, 8-H13, 8-1, 8-1A, 8-1B **CLSD**

+++++ AMDB NOTAM +++++

CA59/26 VALID: 2604010000 - UFN

AMDB/AMM WIP:

REF SUP 08/2026

WIP WEST OF APN 8

- PRKG STAND R1 AND R2 **CLSD**

- TEMPO PRKG STAND R5 AVBL

ACTIVATION, EXACT PERIOD OF TIME, LOCATION, **CLOSED** AREAS BY FURTHER NOTAMS.

CA58/26 VALID: 2604010000 - UFN

AMDB/AMM WIP:

REF AIP SUP 44/25

WIP IN PHASES ON APN 6

EACH PHASE ACT BY NOTAM, DUR CA. 8 WEEKS

PHASE 1

-TWY E **CLSD** BTN TWY R AND PRKG STAND 6-7

-PRKG STAND 6-6 **CLSD**

PHASE 2

-TWY E **CLSD** N OF PRKG STAND 6-4

-PRKG STAND 6-5 **CLSD**

PHASE 3

-TWY F **CLSD** N OF TWY GA

CA57/26 VALID: 2604010000 - UFN

AMDB/AMM WIP:

REF SUP 52 2025

WIP ON HELIPADS ON APN 8 IN 6 PHASES.

PHASE 1-5: HELIPADS **CLSD**, PRKG STANDS 8-1, 8-1A **CLSD**,

EXACT TIME OF CLOSURE WILL BE PUBLISHED BY NOTAM.

CA56/26 VALID: 2604240000 - 2605132359

AMM TWY:

APPLICABLE FOR MPILOT 6.6 AND NEWER:

TWY K BTN TWYS S AND R UNRESTRICTED (INCL INT TWY R).

CA55/26 VALID: 2604240000 - 2605132359

AMDB/AMM TWY:

TWY R BTN TWYS K AND J OPN.

CA54/26 VALID: 2604150000 - UFN

AMDB/AMM FREQ:

REF SUP 15/26

AMEND:

TWR-W FREQS FOR RWY 16C/34C TO READ AS TWR-C

TWR-W MAIN FREQ 118.200MHZ

TWR-C MAIN FREQ 118.300MHZ

BACKUP FREQ 124.300MHZ

OEMA /MED MADINAH/PR.MOHAMMAD BIN ABDULA - DETAILED INFO

+++++ RUNWAY +++++

1A1203/26 VALID: 2604161144 - 2605050800

RWY 18/36 **CLSD**.

XNG RWY 18/36 AVBL VIA TWY A, TWY B, TWY C AND TWY F BY ATC INSTRUCTIONS.

+++++ AIRPORT +++++

1A1398/26 VALID: 2604300800 - 2605311100

PORTION TWY A, PORTION TWY B AND PORTION TWY C BTN RWY 18/36 AND TWY D **CLSD**.

1A1397/26 VALID: 2604300800 - 2605311100

TWY D, TWY E, TWY G, TWY H AND TWY S **CLSD**. XNG TWY D AVBL VIA TWY F BY ATC INSTRUCTIONS.

+++++ COMPANY NOTAM +++++

C0374/26 VALID: 2603090631 - UFN

C0374/26 COMPANY NOTAM - MED/OEMA - ENHANCED SECURITY COMMUNICATION

CREW TO APPLY OMC 1.3.4 ENHANCED SECURITY COMMUNICATION.

60 MIN PRE DEP FROM DXB OR DWC, AND ETA -30 MIN FOR ALL FLIGHTS.

IN ADDITION TO NORMAL MEL RESTRICTIONS, THE FOLLOWING AIRCRAFT EQUIPMENT MUST BE FULLY SERVICEABLE FOR DISPATCH FROM DXB OR DWC SATCOM, ACARS, 3 VHF.

- MFOR 09MAR26

+++++ CHART NOTAM +++++

CC29/26 - CHART NOTAM VALID: 2603230000 - 2605292359

AOI NAVAID MAINTENANCE:

REF AIP SUP 03/2026 ITEM S03

ILS RWY 17 **U/S** - 26 MAY 0300-1400

ILS RWY 35 **U/S** - 01 APR 0300-1400

PSR/MSSR THALES **U/S** - 27 APR 0600-1400

CC28/26 - CHART NOTAM VALID: 2603300000 - UFN

* AIP **AIRAC** SUP:

REF AIP **AIRAC** SUP 13/25

ITEM S16: 25DEC25 - 10JUN26

DME RWY 35 NO IDENT SYNCHRONIZATION WITH LOC

ITEM S57: 08FEB26 0600-1200

VOR DME PMA D 114.1 **U/S** DUE TO MAINTENANCE

CC15/23 - CHART NOTAM VALID: 2307110000 - UFN

AMM FOR ERM RWY HLDG PSN:

FOR THE CORRECTNESS OF TYPE OF THE HOLDING POSITION SYMBOL, PLEASE REFER TO AGC/APC

HEGN /HRG HURGHADA INTL - DETAILED INFO

+++++ RUNWAY +++++

SX18/26 VALID: 2601010000 - 2611212359 EST

SX0018/26 AIP SUPPLEMENT

HEGN/HURGHADA INTL

VALIDITY: 01JAN26 - 21NOV26 EST

RWY 16L/34R **CLSD** EXC THE INTERSECTED PORTIONS WITH TWY E AND TWY H FOR ACFT TAXIING PURPOSES TO/FM APRON.

-AIP PAGE AD 2.HEGN-6 ITEM 2.20 PARA 2-2 **SUSPENDED**.

+++++ SID/STAR +++++

C024/26 VALID: 2604160000 - 2612312359 EST

SX0024/26 AIP SUPPLEMENT

HECC/CAIRO FIR

VALIDITY: 16APR26 - 31DEC26 EST

THE FOLLOWING RESTRICTIONS ARE APPLYING ON CAIRO ATS RTE

UNLESS OTHERWISE PRESCRIBED BY THE APPROPRIATE ATS AUTHORITY

TFC OVER PASOS

- INBOUND TFC FM PASOS TO CVO SHALL NOT ROUTE VIA ARH OR SISIM/PSD.

- INBOUND TFC FM PASOS EXIT SIKNO OR DEDLU OR LDG HEGN OR HEMA OR HELX AD SHALL NOT ROUTE VIA AWY G183 OR AWY L550.

TFC OVER PASUM

- INBOUND TFC OVER PASUM SHALL NOT ROUTE VIA PASOS.

- INBOUND TFC OVER PASUM EXIT LAKTO SHALL ROUTE ONLY VIA

L677- GESON-Q777-IMPIP-N307-LAKTO.

TFC OVER LAKTO

- TFC TO / FM LAKTO / CVO SHALL NOT ROUTE VIA J863.
- INBOUND TFC FM LAKTO EXIT SIKNO OR DEDLU OR LDG HEGN OR HEMA OR HELX AD SHALL NOT ROUTE VIA AWY L324 AND AWY L550.
- TFC OVER DITAR
- INBOUND/OUTBOUND TFC OVER DITAR AVBL..
- A 7 DAYS **PPR** EACH FLIGHT SEPARATELY FOR TFC INBOUND, OUTBOUND AND OVERFLY CAIRO FIR VIA DITAR.
- TFC FM CVO / SHM
- TFC FM CVO TO SHM SHALL NOT ROUTE VIA OBTAV / SEMRU OR KAPIT.
- TFC FM SHM TO CVO SHALL NOT ROUTE VIA SEMRU.
- TFC FM CVO / ARH
- TFC TO / FM CVO / ARH SHALL NOT ROUTE VIA V606.
- TFC FM HEGN AP
- SHALL NOT ROUTE VIA M872-SEMRU.
- TFC DEPARTING HEGN AP TO LCCC FIR
- SHALL ROUTE VIA HGD-V608-NABED-T55-GINDI-W8-ALPID DCT GESON-Q777- IMPIP-AZMEY-RASDA OR IMPIP-LAKTO.
- TFC DEPARTING HEGN AP TO LGGG FIR
- SHALL ROUTE VIA HGD-V608-NABED-T55-KUNKI-L321-REXUM-M872-SOBAX DCT NOGLI-ANTAR OR
- SHALL ROUTE VIA HGD-V608-NABED-T55-KUNKI-T55-TANSA(FL340 OR ABV) OR -KUNKI-P751-MMA-L613-TANSA OR -MMA-P751-METRU.
- TFC DEPARTING HEGN AP TO ULLI , UUWW AND UUEE ONLY
- SHALL ROUTE VIA HGD-V603-GIDID-T91-EMOVA-L677-GESON-Q777-AZMEY RASDA OR Q777-IMPIP-N307-LAKTO
- TFC TO / FM HEMA
- INBOUND TFC FM LCCC FIR TO HEMA AP SHALL RTE VIA RASDA-A16-CVO-NABED-LXR-M999-ELELI-V730-MAK.
- INBOUND TFC FM LGGG FIR TO HEMA AP SHALL RTE VIA SALUN-MMA-TAKRI-AST-LXR-M999-ELELI-V730-MAK OR PAXIS-NABSI-LOTOB DCT KUNKI-AST-LXR-M999-ELELI-V730-MAK
- OUTBOUND TFC FM HEMA AP TO LCCC FIR SHALL RTE VIA MAK-V730-MEMPO-LXR-AST-W8-ALPID DCT GESON-Q777-IMPIP-AZMEY-RASDA OR IMPIP-LAKTO.
- OUTBOUND TFC FM HEMA AP TO LGGG FIR SHALL RTE VIA MAK-V730-MEMPO-LXR-AST-KUNKI-L321-REXUM-SOBAX DCT NOGLI-ANTAR OR MAK-V730-MEMPO-LXR-AST-KUNKI-T55-TANSA(FL340 OR ABV) OR KUNKI-P751-MMA-L613-TANSA OR MMA-P751-METRU.
- TFC OVER LOSUL
- TFC OVER LOSUL AND LDG CAIRO SHALL NOT PROCEED VIA MMA / NABSI.
- TFC OVER SALUN
- INBOUND TFC OVER SALUN AND EXIT DEDLU SHALL NOT PROCEED VIA TAKRI-FYM-LUBOS-SEMUR-LXR.
- INBOUND TFC OVER SALUN AND EXIT CAIRO FIR VIA NUBAR SHALL NOT ROUTE VIA N705 / MMA.
- TFC OVER PAXIS
- INBOUND TFC FM PAXIS EXIT DEDLU OR LDG HELX AD SHALL NOT ROUTE VIA OBRAN / FYM OR TAKRI / FYM.
- TFC DEPARTING HECA TO LCCC
- SHALL ROUTE VIA CVO-A16-DEGDI DCT SENTO-Q777-IMPIP-AZMEY-RASDA OR IMPIP- LAKTO.
- TFC OVERFLYING CAIRO FIR AND EXIT VIA ULINA SHALL ENTER VIA LAKTO OR PASOS.

+++++ CHART NOTAM ++++++
 CC22/26 - CHART NOTAM VALID: 2603020000 - UFN
 MRC MRVA SECTOR:

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

MNM ALT 7800 IN SECTOR BTN R198-R241 HGD AND BTN 15-26NM FROM
HGD NOT TRUSTED DUE TO TERRAIN ELEVATION.
CC21/26 - CHART NOTAM VALID: 2406270000 - UFN
AOI AD ADMIN HOURS:
AMEND TO READ:
0600-1800++

HESH /SSH SHARM EL SHEIKH INTL - DETAILED INFO

+++++ AIRPORT +++++
1A152/26 VALID: 2604220000 - 2607151600 EST
ACFT STANDS NR 33 AND FM 46 TILL 53 **CLSD** DUE TO MAINT. TFC EXP
DLA.
1A151/26 VALID: 2604220000 - 2607151600 EST
TWY A PORTION BTN 50M AFT TWY B TILL 50M AFT TWY C AND TWY C,C1
CLSD DUE TO MAINT. TFC EXP DLA.
+++++ SID/STAR +++++
1A137/26 VALID: 2604160000 - 2610162359 EST
SID/STAR **RNAV(GNSS)** FOR RWY 04R/04L **SUSPENDED**.
SX12/24 VALID: 2401010000 - 2412312359 EST
SX0012/24 AIP SUPPLEMENT
HESH/SHARM EL SHEIKH INTL
VALIDITY: 01JAN24 - 31DEC24 EST
SID AND STAR (**RNAV**) FOR RWY 22R AND 22L **SUSPENDED**. IAP **RNP** AVBL.

OETB /TUU TABUK/PRI.SULTAN BIN ABDULAZIZ - DETAILED INFO

+++++ AIRPORT +++++
1A1283/26 VALID: 2604211830 - 2605011800
ALPHA RAMP **CLSD**.
+++++ CHART NOTAM +++++
CC11/25 - CHART NOTAM VALID: 2502040000 - UFN
AOI TRANSPONDER OPERATION:
FLIGHTS WITHOUT PRE-ALLOCATED SSR CODES, SHALL OPERATE MODE A
CODE 1100 PRIOR TO DEP UNLESS OTHERWISE INSTRUCTED BY ATC.

OJAQ /AQJ AQABA/KING HUSSEIN INTL - DETAILED INFO

+++++ RUNWAY +++++
1A180/26 VALID: 2604201303 - 2607202059
- **ASDA** UPDATED TO 3000M.
- RESA HAVE A WID OF 150M AND A LEN OF 240M.
1A179/26 VALID: 2604201302 - 2607202059
NO SWY AVBL
+++++ AIRPORT +++++
1A201/26 VALID: 2604291340 - 2605312100
DUE TO SEASONAL SPRING MIGRATION, PILOTS ARE REQ TO PAY ATTN DRG
OPERATIONS OF AQABA AREA AND REP TO ATC THE DETECTED FLOCKS OF
BIRDS
TO ALERT OTHER FLIGHTS.
+++++ COMPANY NOTAM +++++
C02071/25 VALID: 2512240758 - UFN
C02071/25 COMPANY NOTAM - AQJ/OJAQ - AD DOWNGRADE
OJAQ/AQABA KING HUSSAIN APT TEMPO **DOWNGRADED** TO EMERGENCY APT(EA)
FOR A388 FLEET DUE RWY 01/19 AND TWY LIMITATIONS.
- FOS 24DEC25
+++++ CHART NOTAM +++++
CC91/25 - CHART NOTAM VALID: 2507300000 - UFN
* GPS:

REF SUP 02/2025

POSSIBLE GPS SIGNAL INTERFERENCE WITHIN AMMAN FIR.

PILOTS ARE URGED TO FOLLOW THEIR RESPECTIVE OPERATION PROC
IN THIS REGARD.

LTFM /IST ISTANBUL AIRPORT - DETAILED INFO

+++++ RUNWAY +++++
1A1014/26 VALID: 2603190000 - PERM

ISTANBUL AD,

PLEASE ADD THE FOLLOWING STATEMENT UNDER THE HEADING 'THE
MANDATORY IMPLEMENTATION OF **RNAV(GNSS)** SIDS/STARS' IN THE LTFM AD
2.22 FLIGHT PROCEDURES SECTION.

'**P-RNAV** NOT APPROVED DEPARTURE AIRCRAFT HAVE TO FILE FLIGHT PLAN
(FPL) VIA IST AS THE FIRST ELEMENT OF THE FLIGHT-PLANNED ROUTES.
THE FIRST ELEMENT IST SHALL BE FOLLOWED BY A WAYPOINT, AIRWAY OR
NAVAID.

EXAMPLE: IST DCT VICEN ...

IST A16 ...

IST DCT YAA ... '

REF AIP LTFM-39

1B1708/26 VALID: 2604290707 - 2607291400

RWY 17R/35L **CLSD** TO LANDING TFC DUE TO CONST A-B HANGAR.

1B1707/26 VALID: 2604290701 - 2607291400

RWY 16L/34R **CLSD** TO LANDING TFC DUE TO CONST.

+++++ AIRPORT +++++

1B1483/26 VALID: 2604161054 - 2605151400

TWY G1 **CLOSED** TO TFC BTN TWY G1B AND TWY G1D.

TWYS G1D,G1C **CLOSED** TO TFC

-DUE TO CONST.-

1B1353/26 VALID: 2604081032 - 2607081400

TWY H BTN TWY H1 AND TWY G1, TWY G2 BTN TWY G AND TWY H, TWY G1
BTN TWY G AND TWY H SHALL BE USED BY ACFT UP TO CATEGORY E (A B C
D

E). (MAX.SPAN 65M).

TWY G1 BTN TWY H AND TWY G1B SHALL BE USED BY ACFT UP TO CATEGORY
C

(A B C). (MAX.SPAN 36M)

1B1076/26 VALID: 2603180625 - 2606181500

TWY T1 AND TWY T12 **CLSD** TO TFC.

1B1032/26 VALID: 2603160630 - 2606160630 EST

ISTANBUL AD,

ALL PILOTS WHO OPERATES ON ISTANBUL AIRPORT (LTFM) MUST BE
INFORMED

ABOUT THE CONTENT OF THE 'TRO AWARENESS LEAFLET' ANNOUNCED ON THE
DHMI GENERAL DIRECTORATE WEBSITE VIA THE

[HTTPS://WWW.DHMI.GOV.TR/SAYFALAR/SSD/ANASAYFA.ASPX](https://www.dhmi.gov.tr/sayfalar/ssd/anasayfa.aspx) LINK BEFORE THE
FLIGHT AND MUST OPERATE ACCORDINGLY.

+++++ CHART NOTAM +++++

CC20/26 - CHART NOTAM VALID: 2603170000 - UFN

AOI NAP DEP:

ADD:

NOISE ABATEMENT PROCEDURES (NAP)

FOR ACFT HAVING COMPLIANCE WITH ICAO ANNEX 16, VOLUME 1, CHAPTER
3, NADP 2 SHALL BE APPLIED.

FOR ACFT HAVING COMPLIANCE WITH HIGHER CHAPTERS, NADP 1 OR 2
SHALL BE APPLIED.

CC22/25 - CHART NOTAM VALID: 2310030000 - UFN

AMM FOR ERM RWY HLDG PSN:

CAUTION

THE INDICATION OF RUNWAY HOLDING POSITIONS WITH PATTERN A AND B IN LIDO AMM FOR ERM APPLICATION MIGHT DIFFER FROM REALITY.

DISPLAYED **CAT II**/III (PATTERN B) RWY HLDG PSN TO BE READ AS

CAT 1 HLDG PSN (PATTERN A) FOR RESPECTIVE RWYS BELOW:

-RWY 16R/34: TWYS A1A, A1C, A2A, A3A, A10A, A11A, A12A AND A13.

-RWY 17L/35R: TWYS B1B, B3B, B5B, B9B, B12B, C1A, C2A, C3A, C4A, C5A, C11, C12, C13 AND C14.

+++++ AMDB NOTAM +++++
CA23/26 VALID: 2604160000 - UFN

AMDB/AMM STANDS:

STANDS 601 - 604 AVBL ON APN 6 FROM **W** TO **E**

STANDS 601, 602 FACING W

STANDS 603, 604 FACING SE

CA22/26 VALID: 2604160000 - UFN

AMDB/AMM IHP:

IHP AVBL ON TWY H4 AND H5 BTN **RWY** AND **HP**

CA21/26 VALID: 2604160000 - UFN

AMM APRON POINTS:

NEW START UP POSITIONS AVBL ON APN 6:

CN1 E FROM STAND 601

CN2 E FROM STAND 602

KL1 N FROM STAND 603

APPLICABLE FOR MPILOT 6.6 AND NEWER

LBSF /SOF VASIL LEVSKI - SOFIA - DETAILED INFO

+++++ AIRPORT +++++
1A408/26 VALID: 2604270734 - 2606301700 EST

AD DOES NOT ACCEPT DIVERTED FLT AND IS **NOT AVBL** AS **ALTN** AD
DUE TO REDUCED CAPACITY OF APN.

1A357/26 VALID: 2604100925 - 2607061400

TWY R **CLSD** DUE TO OPR REASONS.

LIRF /FCO ROME/FIUMICINO - DETAILED INFO

+++++ RUNWAY +++++
1A1887/26 VALID: 2604201458 - 2607191300 EST

OUTER MARKER (**ILS**) RWY16L

INFORMATION ON OPERATIONAL STATUS **NOT AVBL**

REF AIP AD2 LIRF 1-23

1A1874/26 VALID: 2604200937 - 2607181300 EST

OUTER MARKER (**ILS**) RWY16R. INFORMATION ON OPERATIONAL STATUS NOT AVBL.

REF AIP AD2 LIRF 1-23

1A1777/26 VALID: 2604131335 - 2606111900

OPERATIONAL TRIAL CRITERIA FOR RUNWAY SELECTION AND THEIR USE.

IN ORDER TO CHANGE THE RUNWAY CONFIGURATION FROM THE PREFERENTIAL ONE, ATC WILL CONSIDER THE FOLLOWING ITEMS:

- RWY AND TWY AVAILABILITY,

- INSTRUMENT APPROACH PROCEDURES AND AVAILABILITY OF APPROACH AND LANDING AIDS,

- SIGNIFICANT METEOROLOGICAL CONDITIONS (SURFACE TAILWIND COMPONENT

EXCEEDING 8 KNOTS OF STEADY WIND FOR AT LEAST 10 MINUTES EXCLUDING GUSTS, SURFACE CROSSWIND COMPONENT EXCEEDING 30 KNOTS, EXCLUDING GUSTS, WINDSHEAR REPORTED OR FORECAST, THUNDERSTORMS THAT MAY AFFECT THE APPROACH OR DEPARTURE PHASES, WET RUNWAY CONDITIONS OR POOR BRAKING ACTION)

- THE SURFACE WIND COMPONENTS ARE NOT TO BE INTENDED AS OPERATIONAL LIMITS, BUT RATHER AS GUIDELINES FOR ATC RUNWAY SELECTION
 - THE RUNWAY CONFIGURATION IN USE 34R MAY BE CHANGED TO CONFIGURATION 16L WHEN THE SURFACE WIND COMPONENT FROM THE NORTHERN QUADRANTS IS FOR AT LEAST 10 MINUTES STEADILY BELOW 8 KNOTS.
 - IT SHOULD BE NOTED THAT WHILE THE TWR PREPARES THE NEW RUNWAY CONFIGURATION BASED ON THE CONDITIONS, THE ACTUAL CHANGE OF CONFIGURATION MAY TAKE PLACE LATER, WHEN CURRENT TRAFFIC CONDITIONS PERMIT.

REF AIP AD2 LIRF 1-26 ITEM 20 POINT 1.2 PARAGRAPH D

1A1739/26 VALID: 2604101305 - PERM
 INSTRUMENT APPROACH PROCEDURE **VOR** RWY16R
 NEW TREE OBSTACLE PENETRATING VSS VISUAL SEGMENT
 SURFACE AD FLW:
 PSN (WGS84) 414907.8N0121321.4E
 ELEV AMSL 19.0M/62.3FT
 REF AIP AD 2 LIRF 5-19

1A1738/26 VALID: 2604101305 - PERM
 INSTRUMENT APPROACH PROCEDURE **RNP** RWY16R
 NEW TREE OBSTACLE PENETRATING **LNAV** AND **LNAV/VNAV**
 VSS VISUAL SEGMENT SURFACE
 - PSN (WGS84) 414907.8N0121321.4E
 ELEV AMSL 19.0M/62.3FT
 REF AIP AD 2 LIRF 5-15

1A1419/26 VALID: 2604160000 - PERM
 SID NORTH AND WEST BOUND 'VELAD 1A'
 TO BE CONSIDERED ATC DISCRETION
 REF AIP AD2 LIRF 6-37/40

+++++ APPROACH PROCEDURE ++++++
 1A1737/26 VALID: 2604101303 - 2607072359 EST
 INSTRUMENT APPROACH PROCEDURE **RNP** RWY34R
 LPV MINIMA CAT D OCA/H TO READ 270/264FT
 DUE TO NEW OBSTACLE CRANE ERECTED
 REF AIP AD 2 LIRF 5-31

+++++ AIRPORT ++++++
 1A2048/26 VALID: 2604300955 - 2606302300 EST
 AERODROME CONTROL SERVICE.
 GROUND MOVEMENT CONTROL RWY16L/34R PROVIDED BY USE
 OF MULTILATERATION AND **ADS-B** DUE TO UNAVAILABIILITY OF SMR FOR
 MAINT.

REF AIP AD 2 LIRF 1-33

1A1994/26 VALID: 2604271445 - 2607242359 EST
 TVOR/**DME** 'CMP' FREQ 111.40MHZ CH 51X
 INFORMATION ON 'CMP' TVOR/**DME** OPERATIONAL STATUS **NOT AVBL**
 REF AIP AD 2 LIRF 1-22

1A1975/26 VALID: 2604270500 - 2605311600
 APRON TWY 'Y' **CLOSED** BTN AIRCRAFT STAND 841 AND APRON TWY 'K' BOTH
 EXCLUDED
 RMK: ICAO SIGNALS PROVIDED
 REF AIP AD 2 LIRF 2-7

1A1962/26 VALID: 2604241544 - 2607222359 EST
 LATINA **VOR/DME** 'LAT' 111.20MHZ CH 49X
 REMOTE STATUS INDICATOR **NOT AVAILABLE**.
 REF AIP AD 2 LIRF 1-24

1A1683/26 VALID: 2604080906 - 2605311600
 ACFT STANDS 835 AND 836 **CLOSED**.

REF AIP AD 2 LIRF 2-7

1A1661/26 VALID: 2604070845 - 2607052000

AD OPERATOR, ON **TRIAL** BASE AND TO IMPROVE SITUATIONAL AWARENESS,
WILL CARRY OUT VEHICLE RWY SAFETY INSPECTION PERFORMING GROUND TO
GROUND COMMUNICATION ON TWR FREQ ASSOCIATED WITH OPS FOR EACH RWY.

RMK: RADIOTELEPHONY CALL SIGN ASSIGNED TO AD OPERATOR WILL BE
'SAR'

FOLLOWED BY TWO DIGIT NUMBERS.

REF AIP AD 2 LIRF 1-23

1A1229/26 VALID: 2603131040 - PERM

ANEMOMETER THR RWY07 COMPLETELY **WITHDRAWN**.

DELIVERED WIND DATA FOR THR RWY07 ARE THOSE DETECTED BY

ANEMOMETER THR RWY34L

REF AIP GEN 3.5-29

1A1022/26 VALID: 2603041758 - PERM

LATINA **VOR/DME** 'LAT' FREQ 111.20 MHZ CH 49X:

- **VOR**

LIMITATIONS BEYOND 15 NM RDL 018 NU

LIMITATIONS BEYOND 29 NM WITHIN 35 NM RDL 024 MRA 14000 FT

LIMITATIONS AT 25 NM

005DEG/110DEG NU

110DEG/130DEG MRA 5000 FT

130DEG/290DEG MRA 2500 FT

290DEG/330DEG MRA 5000 FT

330DEG/005DEG MRA 10000FT

- **DME**

LIMITATIONS BEYOND 15 NM RDL 018 NU

LIMITAZIONI OLTRE/LIMITATIONS BEYOND 17 NM RDL 024 NU

LIMITATIONS AT 25 NM

-005DEG/110DEG NU

-110DEG/130DEG MRA 5000 FT

-130DEG/290DEG MRA 2500 FT

-290DEG/330DEG MRA 5000 FT

-330DEG/005DEG MRA 10000FT

REF AIP AD 2 LIRF 1-25 'RADIO NAVIGATION AND LANDING AIDS',

COLUMN 7 'DESIGNATED OPERATIONAL COVERAGE LIMITATIONS'

1A899/26 VALID: 2603190000 - 2606162359 EST

SUP S16/26 'TEMPORARY CRANES AND VARIATION OF OCA (OCH)'

IN FORCE FM 19 MAR 2026 TO 31 MAR 2027.

INSTRUMENT APCH PROCEDURE CHART:

- **RNP** RWY 25

ALL VALUES OF MOCA (MINIMUM OBSTACLE CLEARANCE ALTITUDE) IN
PROFILE

VIEW SHALL BE RAISED TO THE LOWER ALTITUDE OF THE RELATED SEGMENT
OF THE PROCEDURE

+++++ CHART NOTAM +++++

CC18/26 - CHART NOTAM VALID: 2604140000 - 2605142359

* TAQ **VOR**:

REF SUP S33/2025

15 MAY 2025 - 14 MAY 2026

TAQ **VOR UNSERVICEABLE**

CC17/26 - CHART NOTAM VALID: 2602230000 - UFN

IAC TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD.

CC16/26 - CHART NOTAM VALID: 2505060000 - UFN

SIDS INITIAL CLIMB:

ADD NOTE IN PLANVIEW:

FOR TRANSITIONS: SEE TRANSITIONS CHARTS

LOWW /VIE VIENNA/SCHWECHAT - DETAILED INFO

 ++++++ RUNWAY ++++++
 1A623/26 VALID: 2603201500 - 2606182359
 RWY 16 APPROACH LIGHTING SYSTEM PARTLY CONSISTS OF
 LIGHT-EMITTING-DIODE (LED) LIGHTS
 ++++++ AIRPORT ++++++
 1A963/26 VALID: 2604280300 - 2606252200
 DUE TO LIMITATION OF TAXILANE 35
 PUSHBACK FROM PARKING POSITIONS F13, F23 AND F33 FACING EAST ONLY
 1A962/26 VALID: 2604280300 - 2606252200
 DUE TO WIP
 TAXIING FROM TAXILANE 36 INTO TAXILANE 35 IS RESTRICTED TO MAX
 WINGSPAN 35.99 M
 1A941/26 VALID: 2604241006 - 2607232359
 REF AIP AUSTRIA, LOWW AD 2.22, ITEM 2.2
 THE FOLLOWING TIMES ARE CURRENTLY CONSIDERED IN LOWW AS ARRIVAL
 RUSH HOURS: 0600-0700 UTC, 0900-1030 UTC, 1330-1500 UTC
 1A636/26 VALID: 2603200612 - 2605132200
 REF AIP AUSTRIA LOWW AD 2 MAP 3-2:
 TWY L FROM EXIT 7 TO EXIT 9 IS AN ACFT STAND TXL FOR ACFT FROM
 65.00M TO 68.40M WINGSPAN. MNM SEPARATION DISTANCE BETWEEN CL AND
 APN BORDER IS 43.50M.
 1A3020/25 VALID: 2512031239 - PERM
 TXL38 MAX WINGSPAN 68,40M (79,99M FOR ACFT FROM PSN F55)
 REF AIP LOWW AD 2 MAP2-1.

LOWG /GRZ GRAZ - DETAILED INFO

 ++++++ AIRPORT ++++++
 1A989/26 VALID: 2605010400 - 2607302130
 ALL FIXED-WING AIRCRAFT AND HELICOPTERS MUST BE GUIDED BY A
 MARSHALLER ON PAVED APRON AREAS.
 1A543/26 VALID: 2603121120 - PERM
 REF AIP AUSTRIA, LOWG AD 2.17.
 WIE LOWG AD 2.17 ITEM 6 HOURS OF APPLICABILITY SHALL READ:
 D (HX) ACCORDING TO THE OPERATIONAL HOURS OF TWR (LOWG AD 2.3,
 ITEM 7).
 OUTSIDE THE OPERATIONAL HOURS OF TWR (LOWG AD 2.3, ITEM 7) THE
 CONTROL ZONE SHALL BE CONSIDERED ACTIVE, UNLESS THE **ATIS** INCLUDES
 A REMARK STATING THAT THE CONTROL ZONE IS NOT ACTIVE.
 NOTE: IF **ATIS** IS **NOT AVAILABLE**, THE STATUS OF THE AIRSPACE SHALL
 BE
 DETERMINED BY OTHER MEANS (E.G. REQUEST TO AN ATS UNIT).

LIPZ /VCE VENICE/TESSERA - DETAILED INFO

 ++++++ RUNWAY ++++++
 1A2039/26 VALID: 2604300048 - 2607282359 EST
 VENEZIA TESSERA AIRPORT: MAINTENANCE WORKS FOR APRON AND
 MANEUVERING AREAS SUP S17/26 IN FORCE FM 01 APR 2026 TO 17 MAR
 2027 CURRENT STATUS OF WORKING PHASES:
 PHASE 1: COMPLETED
 PHASE 2: ACTIVE
 PHASE 3: NOT ACTIVATED YET
 PHASE 4: NOT ACTIVATED YET
 PHASE 5: NOT ACTIVATED YET
 PHASE 6: NOT ACTIVATED YET
 *****PHASE 2*****

A. RWY PREFERENTIAL USE:

- RWY 04R/22L ONLY ACT RWY;
- RWY 04L/22R NOT ACT. USED ONLY AS TWY;
- ICAO CODE F ACFT OPS NOT ALLOWED.

B. OPR LIMITATIONS:

- TWY PORTIONS **CLSD** AS PER ADC ICAO RWY 04R/22L - PHASE 2;
- RWY STRIP DIMENSION CHANGED AS PER ADC ICAO RWY 04R/22L - PHASE 2.

C. AIP CHARTS:

- ADC ICAO RWY 04R/22L: SUSPEND AND SUBSTITUTE WITH ADC ICAO RWY 04R/22L - PHASE 2.
- ADC ICAO RWY 04L/22R: SUSPEND.
- **HOTSPOT** MAP 04L/22R (NOT FOR NAV): SUSPEND.
- **HOTSPOT** MAP 04R/22L (NOT FOR NAV): SUSPEND AND SUBSTITUTE WITH **HOTSPOT** MAP 04R/22L (NOT FOR NAV) - PHASE 2.
- LOW VIS PROC CHART 04R/22L: SUSPEND AND SUBSTITUTE WITH LOW VIS PROC CHART 04R/22L - PHASE 2.
- LOW VIS PROC CHART 04L/22R: SUSPEND.
- LOW VIS PROC CHART FOR ACFT CODE F - ICAO: SUSPEND.
- APDC- ICAO: SUSPEND AND SUBSTITUTE WITH APDC - ICAO - PHASE 2.
- AD GMC ACFT CODE F - ICAO: SUSPEND.
- AOC ICAO TYPE A - RWY 04R/22L: SUSPEND AND SUBSTITUTE WITH AOC ICAO TYPE A - RWY 04R/22L - PHASE 2.
- AOC ICAO TYPE A - RWY 04L/22R: SUSPEND.
- AOC - TYPE B ICAO: SUSPEND AND SUBSTITUTE WITH AOC - TYPE B ICAO - PHASE 2.
- PA TERRAIN CHART RWY 04R: SUSPEND AND SUBSTITUTE WITH PA TERRAIN CHART RWY 04R - PHASE 2.

*****END OF LIDO RMK*****

1A945/26 VALID: 2602271419 - 2605272359 EST
 SUP S51/25 'INSTR APCH CHART (ATC DISCRETION) **RNP** RWY04L MODIFIED'
 IN FORCE FM 04 SEP 2025 TO 31 MAY 2026.
 INSTRUMENT APCH PROCEDURE CHART **RNP** RWY 04L (ATC DISCRETION):
 ALL VALUES OF MOCA (MINIMUM OBSTACLE CLEARANCE ALTITUDE) IN
 PROFILE VIEW SHALL BE RAISED TO THE LOWER ALTITUDE OF THE
 RELATED SEGMENT OF THE PROCEDURE.

1A753/26 VALID: 2602171114 - 2605172359 EST
 INSTRUMENT APPROACH PROCEDURE
RNP RWY 04L (ATC DISCRETION) TO BE PERFORMED AS
 PUBLISHED IN AIP **AIRAC** SUP S51/25
 REF AIP AD 2 LIPZ 5-17

+++++ AIRPORT +++++

1A1077/26 VALID: 2603061311 - 2605292359
 AD OPERATOR WILL CARRY OUT VEHICLE RWY SAFETY INSPECTION
 PERFORMING GROUND-TO-GROUND COMMUNICATION ON TWR
 FREQ ON **TRIAL** BASIS AND TO IMPROVE SITUATIONAL AWARENESS.
 RMK: RADIOTELEPHONY CALL SIGN ASSIGNED TO AD OPERATOR WILL BE
 'SAFETY' FOLLOWED BY ONE OR TWO DIGIT NUMBERS.
 REF AIP AD 2 LIPZ 1-14

+++++ COMPANY NOTAM +++++

C0544/26 VALID: 2604010847 - UFN
 C0544/26 COMPANY NOTAM - VCE/LIPZ - FEEDBACK FORM - TRIPLE ONE
 CONCEPT **TRIAL**
 CREW ARE ADVISED TO FILL UP THE FORM IN DOCUNET - "LIPZ-VCE TRIPLE
 CONCEPT IMPLEMENTATION **TRIAL**" SHOULD THEY FACE INTERFERENCES
 WITH ATC FREQ. NOTAM PUBLISHED REF **TRIAL** BY VEHICLE RWY SAFETY
 INSPECTION PERFORMING GND-TO-GND COMMS ON TWR FREQ.
 - FOS 01APR26

+++++ CHART NOTAM +++++

CC22/26 - CHART NOTAM VALID: 2603040000 - UFN

AGC,APC,LVC,IAP TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD:

- TEMPO AGC WIP SUP S17/2026
- TEMPO APC WIP SUP S17/2026
- TEMPO LVC 04R WIP SUP S17/2026 PHASES 1, 2
- TEMPO LVC 04R WIP SUP S17/2026 PHASES 3, 4
- TEMPO LVC 04R WIP SUP S17/2026 PHASES 5, 6
- TEMPO LVC 22L WIP SUP S17/2026 PHASES 1, 2
- TEMPO LVC 22L WIP SUP S17/2026 PHASE 5
- TEMPO **RNP** ATC 04L

CC21/26 - CHART NOTAM VALID: 2604130000 - 2606102359

AOI NAVAID:

VIC **VOR/DME** REMOTE STATUS INDICATOR **U/S**.

+++++ AMDB NOTAM +++++

CA24/26 VALID: 2604160000 - UFN

AMDB/AMM WIP:

REF **AIRAC** SUP S17/2026

WIP IN PHASES FM 1APR2026 TO 17MAR2027

PHASE 1

RWY 04L/22R USED AS TWY

TWY K BTN TWY L AND TWY W **CLSD**

TWY Q BTN RWY 04L/22R AND TWY M **CLSD**

TWY D AND TWY N **CLSD**

RWY 04L/22R BTN TWY W TO TWY L **CLSD**

STAND 330 REMOVED

PHASE 2

RWY 04L/22R USED AS TWY

TWY K BTN TWY L AND TWY W **CLSD**

TWY Q BTN RWY 04L/22R AND TWY M **CLSD**

TWY D, N **CLSD**

RWY 04L/22R BTN TWY C TO TWY L **CLSD**

STAND 330 REMOVED

PHASE 3

STAND 330 REMOVED

PHASE 4

RWY 04L/22R USED AS TWY

TWY W **CLSD**

TWY M BTN TWY N AND TWY W **CLSD**

STAND 330 REMOVED

PHASE 5

RWY 04L/22R USED AS TWY

TWY K BTN TWY Q AND TWY W **CLSD**

TWY INT TWY M AND TWY K **CLSD**

STAND 330 REMOVED

PHASE 6

STAND 330 REMOVED

ACTIVATION, EXACT PERIOD OF TIME, LCA, **CLSD** AREAS BY FURTHER NOTAMS.

EDDM /MUC MUNICH - DETAILED INFO

+++++ RUNWAY +++++

AX3/25 VALID: 2503200000 - UFN

AX0003/25 AIC RESTRICTION

EDDM/MUC/MUNICH

USE OF **RNP** APCH DRG INDEPENDENT PARL APCH OPS

VALIDITY: 20MAR25-UFN

IN CONNECTION WITH THE **ILS** REPLACEMENT, **RNP** APCH WITH

VER GUIDANCE (**LNAV/VNAV** AND LPV) WILL ALSO BE USED AT EDDM
 DRG INDEPENDENT PARL APCH OPS TO RWY 08L/08R AND TO RWY 26L/26R.
 THESE APCH WILL BE CONDUCTED AS INDEPENDENT PARL APCH,
 WITH ONE APCH BEING CLEARED AS AN **RNP** APCH (E.G. FOR
 RWY 26L) AND THE ADJ APCH (FOR RWY 26R) BEING CLEARED
 AS AN **ILS** APCH. **RNP** APCH MAY BE REQ BY PILOTS
 BUT ALSO BE INSTRUCTED BY MUNICH APP. THIS INFO MAY BE
 BCST VIA **ATIS**. THE COND FOR CONDUCTING **RNP** APCH CAN BE FOUND
 ON THE RELEVANT **RNP** APCH CHARTS.

PLEASE NOTE THAT A **LNAV RNP** APCH WO VER GUIDANCE
 IS NOT PERMITTED DRG INDEPENDENT PARL APCH OPERATION

+++++ APPROACH PROCEDURE +++++

1A2135/26 VALID: 2604301319 - 2605011300

ILS RWY 26R **DOWNGRADED** TO **CAT I** (ICAO CLASSIFICATION I/C/1).

1A6227/25 VALID: 2511190815 - PERM

MUENCHEN **ILS DME** (IMNE) CH32X/109.5MHZ ASSOCIATED WITH **ILS** RWY
 08L LOC COVERAGE UP TO 17NM IN SECTOR 33DEG (LEFT) TO 35DEG
 (RIGHT)

IN RELATION TO RCL AND DISTANCE TO LOC, MNM INTERCEPTION ALT IN
 THIS AREA 3500FT AMSL.

+++++ AIRPORT +++++

1A1969/26 VALID: 2604201438 - 2605050600

TWY N2 RESTRICTED TO ACFT MAX ICAO CODE C.

1A1968/26 VALID: 2604201436 - 2605050600

TWY C1 **CLSD** E OF TWY N2.

1A1182/26 VALID: 2603090647 - 2606121100

TXL S6 AND TXL C5 **CLSD**.

1A1170/26 VALID: 2603061429 - 2605222359 EST

ALL ACFT SHALL HOLD SHORT OF TWY M AFTER VACATING RWY 08L/26R AND
 CTC GND CTL AUTOMATICALLY.

+++++ CHART NOTAM +++++

CC43/26 - CHART NOTAM VALID: 2603030000 - UFN

AGC TEMPO CHART:

CHECK TEMPO CHART DISTRIBUTED FOR THIS AD.

CC42/26 - CHART NOTAM VALID: 2604160000 - 2606102359

AOI, AGC, APC WEST NEW PIER TERMINAL 1:

REF AIP SUP 16/26

NEW ACFT STAND TAXILANES AND ACFT STANDS WILL BE OPENED
 APRON 1 ON 15 APR 2026 AS PART OF THE COMMISSIONING OF THE
 TERMINAL 1 EXTENSION. THE EXACT DATE OF THE OPENING WILL BE
 ANNOUNCED VIA NOTAM BECAUSE THE FINAL WORKS DEPEND ON THE
 WEATHER

+++++ AMDB NOTAM +++++

CA48/26 VALID: 2604220000 - UFN

AMM TWY:

REF SUP 09/2026

19 FEB - 19 JUN 2026

APPLICABLE FOR MPILOT 6.6 AND NEWER

HAND-OVER POINTS ESTABLISHED ON:

- TWY A5 IHP SHORT OF TWY N FOR RWY 08L LDG:

THIS POINT MAY ONLY BE PASSED AFTER TAXI INSTRUCTION HAS BEEN
 ISSUED BY MUENCHEN APRON 2.

- TWY N4 IHP NORTH OF TWY D1 FOR TKOFS RWY 26R.

THIS POINT MAY ONLY BE PASSED AFTER CLEARANCE FROM MUENCHEN
 GROUND.

LSZH /ZRH ZURICH - DETAILED INFO

+++++ RUNWAY +++++

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

1A207/26 VALID: 2604052100 - 2606050400
 SUN-THU 2100-2359, MON-FRI 0000-0400
 RWY 10/28 **CLSD** AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON **ATIS**.

1A206/26 VALID: 2604052100 - 2606050400
 SUN-THU 2100-2359, MON-FRI 0000-0400
 RWY 16/34 **CLSD** AFT LAST SKED FLT. ACTUAL CLOSURE BCST ON **ATIS**.

+++++ APPROACH PROCEDURE +++++

1A267/26 VALID: 2604162130 - 2606190300
 2130-0300
 RWY 28 **ILS** IZW 109.750 **U/S** DUE TO RPLC.

1A165/26 VALID: 2604152200 - 2609022159
 REF AIP SUP 003/26:
 RWY 28 **ILS** GP 333.050 **U/S** DUE TO RPLC.
 IAC **ILS** RWY 28 (LSZH AD 2.24.10.3-3) CANCELLED.

+++++ AIRPORT +++++

1A323/26 VALID: 2604301002 - 2605042159 EST
 DUE PREVAILING MET COND AND RELATED CAPACITY CONSTRAINTS AD NOT
 AVBL AS **ALTN** FOR ACFT UNABLE TO LAND AT LFSB DUE TO MAIN RWY
 CLOSURE AND RESULTING ACFT PER LIMITATIONS ON AVBL RWY.

1A300/26 VALID: 2604220555 - 2607310300
 ACFT STAND A44 AND B31 RESTRICTED TO CODE C ACFT.
 REF AIP SUP 006/25, PHASE I.

1A299/26 VALID: 2604220555 - 2607310300
 TWY N EAST OF ACFT STAND B35 RESTRICTED TO CODE C ACFT.
 REF AIP SUP 006/25, PHASE I.

1A269/26 VALID: 2604130330 - 2605132359
 TWY E BTN TWY E9 AND ABM PRKG PSN D15 NO CL LGT PROVIDED.
 TAX ON TEMPO MARKED TWY CL.
 FOR ACFT CODE E SPECIAL RQMNTS WITH FLW ME FOR TAX.

1A214/26 VALID: 2603301900 - 2605120400
 SUN-THU 1900-0400
 TWY P **CLSD** DUE TO WIP.

1A213/26 VALID: 2603302100 - 2605120400
 SUN-THU 2100-0400
 TWY F1 **CLSD** DUE TO WIP AFT LAST SKED FLT.

1A212/26 VALID: 2603301900 - 2605120400
 SUN-THU 1900-0400
 TWY F2 AND F3 **CLSD** DUE TO WIP IN CASE OF REMOTE DE-**ICING** PAD F
 IS NOT USED FOR ACFT DE-**ICING**. AREA MARKED AND LGTD.

+++++ CHART NOTAM +++++

CC62/26 - CHART NOTAM VALID: 2604280000 - 2605132359
 AGC TEMPO WIP SU 02/25:
 ON TEMPO AGC FOR WIP SUP 02/2025,
 FOR PHASE 3, WHERE IT READS:
 - TWY E BTN TWY ET AND TWY LINK 2 **CLSD**.
 AMEND TO READ:
 - TWY E BTN TWY E7 AND TWY LINK 2 **CLSD**.

CC52/26 - CHART NOTAM VALID: 2604150000 - UFN
 IAC GP INOP:
 REF SUP 03/2026
 REPLACEMENT OF GP RWY 28
 EXPECTED FROM 16 APR 2026 UNTIL 02 SEP 2026 INCLUDED.
 GP 28 BACK IN OPR ON 03 SEP 2026.
 DUE TO ITS END OF LIFE, GP RWY 28 NAVAID WILL BE REPLACED.
 LOC AND **DME** RWY 28 REMAIN OPERATIONAL DURING THE
 GP RWY 28 REPLACEMENT PHASE.
 RWY 28
ILS RWY 28 CNL
 THE FOLLOWING INSTRUMENT APPROACH PROCEDURES REMAIN IN FORCE

LOC RWY 28
RNP RWY 28
 CC50/26 - CHART NOTAM VALID: 2507080000 - UFN
 IAC GLS APCH:
 REF SUP 003/2025
 GLS APCH **NOT AVBL**
 GBAS **U/S**
 CC49/26 - CHART NOTAM VALID: 2510230000 - UFN
 AOI TWY RESTRICTION:
 REF AIP SUP 06/25
 UNTIL 2028 EST: TWY N MAX WINGSPAN 36M/118FT EAST OF STAND B35.
 CC48/26 - CHART NOTAM VALID: 2601130000 - UFN
 * TEMPO CHARTS:
 CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD:
 -TEMPO WIP SUP 02/2025
 -TEMPO WIP SUP 06/2025
 -TEMPO WIP SUP 01/2026
 CC47/26 - CHART NOTAM VALID: 2601220000 - UFN
 AOI RWY RESTRICTION:
 REF AIP SUP 02/2026
 ACFT UP TO CODE LETTER C THAT ARE NOT ABLE TO ACCEPT TAILWIND
 COMPONENT UP TO 10KT TO DEPART RWY 28 HAVE TO ANTICIPATE
 EXTENDED **START-UP** DELAYS WHEN REQUESTING AN ALTERNATE DEPRATURE
 RWY DUE TO DEPENDANT RWY OPS.
 ++++++ AMDB NOTAM ++++++
 CA58/26 VALID: 2604240000 - UFN
 AMDB/AMM WIP:
 REF SUP 06/2025
 WIP IN PHASES UNTIL 2028:
 PHASE 1
 STAND A42 **CLSD**
 PHASE 2
 STAND A42 AND B31 **CLSD**
 ACTIVE PHASE WILL BE PUBLISHED BY NOTAM.
 CA57/26 VALID: 2604220000 - UFN
 AMDB/AMM WIP:
 REF SUP 01/2026
 WIP IN PHASES ON PRKG STANDS H11-H14
 PHASE B2
 PHASE 1
 TWY K BTN TWY A AND TWY INNER **CLSD**
 TWY INNER TEMPO MOVED SOUTHBOUND
 TWY INNER BTN TWY J AND TWY A TEMPO RESTRICTED TO CODE C ACFT
 PHASE 2
 STD LOCATION OF TWY INNER BTN TWY A AND TWY K **CLSD**
 TWY INNER TEMPO MOVED SOUTHBOUND
 TWY INNER BTN TWY J AND TWY K TEMPO RESTRICTED TO CODE C ACFT
 ACTIVE PHASE WILL BE PUBLISHED BY NOTAM.
 CA55/26 VALID: 2604220000 - UFN
 AMDB/AMM WIP:
 REF AIP SUP 02/2025
 WIP ON TWYS
 PHASE 1:
 - TWY E BTN TWY E7 AND TWY E8 WIP. TAX ON TEMPO MARKED CL.
 PHASE 2:
 - TWY E BTN TWY E7 AND TWY LINK 2 WIP. TAX ON TEMPO MARKED CL.
 PHASE 3:
 - TWY E BTN TWY E7 AND TWY LINK 2 **CLSD**.
 - TWY N BTN TWY E7 AND TWY F **CLSD**.

- TWY LINK 3 **CLSD**. TAX ON TEMPO MARKED CL.
 PHASES ACTIVATED BY NOTAM.
 CA42/26 VALID: 2604160000 - 2605132359
 AMDB/AMM WIP:
 WIP ON TWY E
 TWY E BTN LINK 6 AND TWY F **CLSD**
 TWYS E4 AND LINK 7 **CLSD**

EDDF /FRA FRANKFURT/MAIN - DETAILED INFO

 ++++++ RUNWAY ++++++
 1A2129/26 VALID: 2604302100 - 2605020300
 DAILY 2100-0300
 RWY 07C/25C **CLSD**.
 1A2094/26 VALID: 2604292100 - 2605020300
 DAILY 2100-0300
 RWY 18 **CLSD**.
 1A2073/26 VALID: 2604271242 - 2606151000
 RWY 07C THR IDENTIFICATION LIGHTS **U/S**.
 1A1508/26 VALID: 2603261229 - 2606240300
 ONE RWY END LIGHT RWY 25C **U/S**.
 1A1458/26 VALID: 2603252200 - 2606240300
 TWO THR LIGHTS RWY 07C **U/S**.
 1A4054/25 VALID: 2508130300 - PERM
 SURFACE TEST AREAS INSTALLED WITHIN TOUCHDOWN ZONE RWY 07L.
 SURFACE TEXTURE AND FRICTION MAY DIFFER SLIGHTLY FROM ADJACENT
 PAVEMENT.
 NO IMPACT ON RWY USABILITY.
 ++++++ APPROACH PROCEDURE ++++++
 1A1599/26 VALID: 2603311048 - 2606302359 EST
ILS APCH CHANGED DUE TO FRD **DME** PSN AT 500147N 0083406E.
ILS Z CAT II/III RWY 07L
 AMEND 19.2 **DME** FRD TO READ 20.3 **DME** FRD.
 AMEND 16.0 **DME** FRD TO READ 17.1 **DME** FRD.
 AMEND 5.4 **DME** FRD TO READ 6.5 **DME** FRD.
ILS Z CAT II/III RWY 07C
 AMEND 14.7 **DME** FRD TO READ 15.7 **DME** FRD.
 AMEND 11.5 **DME** FRD TO READ 12.5 **DME** FRD.
 AMEND 4.1 **DME** FRD TO READ 5.1 **DME** FRD.
ILS CAT II/III RWY 07R
 AMEND 14.9 **DME** FRD TO READ 15.9 **DME** FRD.
 AMEND 11.7 **DME** FRD TO READ 12.7 **DME** FRD.
 AMEND 4.2 **DME** FRD TO READ 5.2 **DME** FRD.
ILS CAT II/III RWY 25L
 AMEND 16.3 **DME** FRD TO READ 15.4 **DME** FRD.
 AMEND 13.2 **DME** FRD TO READ 12.2 **DME** FRD.
 AMEND 5.8 **DME** FRD TO READ 4.8 **DME** FRD.
ILS Z CAT II/III RWY 25C
 AMEND 16.5 **DME** FRD TO READ 15.5 **DME** FRD.
 AMEND 13.3 **DME** FRD TO READ 12.3 **DME** FRD.
 AMEND 5.9 **DME** FRD TO READ 5.0 **DME** FRD.
ILS Z CAT II/III RWY 25R
 AMEND 17.7 **DME** FRD TO READ 16.8 **DME** FRD.
 AMEND 14.5 **DME** FRD TO READ 13.6 **DME** FRD.
 AMEND 4.1 **DME** FRD TO READ 3.3 **DME** FRD.
ILS Y RWY 07L
 AMEND 19.2 **DME** FRD TO READ 20.3 **DME** FRD.
 AMEND 15.1 **DME** FRD TO READ 16.2 **DME** FRD.
 AMEND 5.4 **DME** FRD TO READ 6.5 **DME** FRD.

ILS Y RWY 25R

AMEND 17.7 **DME** FRD TO READ 16.8 **DME** FRD.

AMEND 13.6 **DME** FRD TO READ 12.7 **DME** FRD.

AMEND 4.1 **DME** FRD TO READ 3.3 **DME** FRD.

ILS X **CAT II**/III OR LOC RWY 07C

AMEND 26.7 **DME** FRD TO READ 27.3 **DME** FRD.

AMEND 16.5 **DME** FRD TO READ 17.5 **DME** FRD.

AMEND 11.5 **DME** FRD TO READ 12.5 **DME** FRD.

AMEND 8.0 **DME** FRD TO READ 9.0 **DME** FRD.

AMEND 4.1 **DME** FRD TO READ 5.1 **DME** FRD.

AMEND 0.2 **DME** FRD TO READ 1.3 **DME** FRD.

ILS X **CAT II**/III OR LOC RWY 25C

AMEND 26.0 **DME** FRD TO READ 24.8 **DME** FRD.

AMEND 18.3 **DME** FRD TO READ 17.3 **DME** FRD.

AMEND 13.3 **DME** FRD TO READ 12.3 **DME** FRD.

AMEND 8.9 **DME** FRD TO READ 8.0 **DME** FRD.

AMEND 5.9 **DME** FRD TO READ 5.0 **DME** FRD.

AMEND 2.0 **DME** FRD TO READ 1.2 **DME** FRD.

REF AD 2 EDDF 4-2-1, 4-2-7 BOTH DATED 30 OCT 2025, 4-2-2 THRU 4-2-6

AND 4-2-8 THRU 4-2-10 ALL EFF 10 JUL 2025.

1A1371/26 VALID: 2603200635 - PERM

ILS RWY 25Y IFWR,

GP COVERAGE UP TO 15NM IN SECTOR -4 DEG (LEFT) TO +1 DEG (RIGHT) IN RELATION TO RCL AND DISTANCE TO THR,

MNM RECEPTION ALT IN THIS AREA 2800FT AMSL.

1A1300/26 VALID: 2603161149 - 2606112359 EST

ILS GP RWY 25R Z: USABLE UP TO 15NM BTN 4DEG(L) AND 4DEG(R) OF RCL.

1A1171/26 VALID: 2603061440 - 2606052359 EST

ILS 07C **DOWNGRADED** TO **CAT I** LVL 2 (ICAO CLASSIFICATION I/E/2).

LOW VIS OPS PROC NOT POSS.

1A998/26 VALID: 2603020700 - 2606021000 EST

ILS 25C **OUT OF SERVICE**.

+++++ AIRPORT ++++++

1A2130/26 VALID: 2604302100 - 2605010300

TWY S **CLSD** BTN TWY S19 AND TWY S25.

1A2015/26 VALID: 2604230753 - 2606011200

CHARLIE **DME** CHA 115.35MHZ/CH100Y, ON MAINT. **DO NOT USE**, FALSE INDICATION POSS.

1A2008/26 VALID: 2604230000 - 2606302359

REF AIP EDDF AD 2.20 LOCAL AERODROME REGULATIONS 6. OPERATION OF A RUNWAY INCURSION ALERTING SYSTEM (RIAS (AD 2 EDDF 1-33) IS **SUSPENDED**.

CLEARANCES WILL BE ISSUED TO THE **CAT I** HOLDING POSITIONS ON

TWY M6, M8 AND M30 UNDER **CAT I** CONDITIONS.

A RWY INCURSION MONITORING SYSTEM IS IMPLEMENTED IN THE ATC GROUND RADAR SYSTEM.

1A1697/26 VALID: 2604071244 - 2606130700

TWY W SOUTH OF DP2 **CLSD**.

TWY W9 **CLSD**.

1A1696/26 VALID: 2604071242 - 2606130700

USE OF RWY HLDG PSN T6 NOT PERMITTED FOR ACFT WITH WINGSPAN

BTN **36M** AND **65M** (UP TO BUT NOT INCLUDING).

1A1646/26 VALID: 2604021105 - PERM

BREAK-AWAYS 1 AND 2 INSTALLED ON TWY S19. REF AIP SUP IFR 03/26.

1A1539/26 VALID: 2603292100 - 2605250300

DAILY 2100-0300

WIP IN THE VCY OF **ILS** LOC RWY 25C AND IN THE VCY OF **ILS** GP RWY

25C.

1A1077/26 VALID: 2603021229 - 2605251000

TWY L20 AND TWY L21 **CLSD**.

1A990/26 VALID: 2602231319 - 2605200500

TWY S BTN TWY S11 AND TWY S24 NOT PERMITTED FOR ACFT TYP A388.

1A2357/25 VALID: 2505160741 - PERM

BREAK-AWAY AREAS 3 AND 5 INSTALLED ON TWY S13.

+++++ SID/STAR ++++++

1A1598/26 VALID: 2603311047 - 2606302359 EST

SID CHANGED DUE TO FRD **DME** PSN AT 500147N 0083406E:

MARUN 8M, OBOKA 3M AND TOBAK 8M:

AMEND 1.0 **DME** FRD TO READ 2.1 **DME** FRD.

AMEND 6.9 **DME** FRD TO READ 7.2 **DME** FRD.

MARUN 6H, OBOKA 3H AND TOBAK 6H:

AMEND 1.2 **DME** FRD TO READ 2.2 **DME** FRD.

AMEND 6.9 **DME** FRD TO READ 7.2 **DME** FRD.

FKS 2C:

AMEND 6.9 **DME** FRD TO READ 6.0 **DME** FRD.

FKS 2Q:

AMEND 0.5 **DME** FRD TO READ 1.5 **DME** FRD.

REF AD 2 EDDF 5-7-11, 5-7-13, 5-7-132 AND 5-7-133 ALL DATED

10 JUL 2025, 5-7-36, 5-7-37 BOTH EFFECTIVE 10 JUL 2025.

+++++ COMPANY NOTAM ++++++

C0702/26 VALID: 2604270602 - 2605132359

C0702/26 COMPANY NOTAM - FRA/EDDF - TERMINAL CHANGE

B777 PAX FLIGHTS TO EXPECT PARKING STAND J4.

A380 FLIGHTS TO EXPECT PARKING STANDS J6-J9.

B777 FREIGHTER TO EXPECT STANDS K4-K10 AND V322-328.

- FOS 27APR26

C0699/26 VALID: 2604270439 - 2606302359

C0699/26 COMPANY NOTAM-EDDF A380 GND MVT, NEW STANDS.

NEW STANDS J7 AND J9 AVBL FOR A380 WITHOUT LIMITATIONS.

REVISION 0

-FOP 27FEB26

C0681/26 VALID: 2604230000 - 2605132359

C0681/26 COMPANY NOTAM - FRA/EDDF - CCI PAGES ERROR

FOR CCI PLEASE REFER TO MPILOT. OIS/ERM WILL BE UPDATED.

- FOS 23APR26

+++++ CHART NOTAM ++++++

CC79/26 - CHART NOTAM VALID: 2604300000 - UFN

* TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD.

NEW POSITION FRED FRD **DME** PUBLISHED ON STANDARD CHARTS NOT YET

EFFECTIVE. USE TEMPO CHARTS WITH THE CURRENT POSITION INSTEAD:

REF NOTAMS A1598/26, A0524/26

- TEMPO AFC

REF NOTAM A1598/26

- TEMPO SIDS RWY 25L (**RNAV** OVERLAY)

- TEMPO SIDS RWY 25C (**RNAV** OVERLAY)

- TEMPO SIDS RWYS 07C/R 18 / 25L/C (ATC)

REF NOTAM A0524/26

- TEMPO AFC

- TEMPO **ILS** Z 07L

- TEMPO **ILS** Y 07L

- TEMPO **ILS** Z 07C

- TEMPO **ILS** X OR LOC 07C (ATC)

- TEMPO **ILS** 07R

- TEMPO **ILS** 25L

- TEMPO **ILS** Z 25C

- TEMPO **ILS** X OR LOC 25C (ATC)
 - TEMPO **ILS** Z 25R
 - TEMPO **ILS** Y 25R
 REF AIP SUP 39/25 AND 40/25:
 - TEMPO APC WIP SUP 39/25 AND 40/25
 REF AIP SUP 03/26:
 - TEMPO APC WIP SUP 03/26
 CC75/26 - CHART NOTAM VALID: 2509020000 - UFN
 AGC, APC, AOI WIP SUP 38/25:
 REF AIP SUP 38/2025
 UNTIL MAY 2026, EXPECT NOTAM.
 TWY L20 AND L21 **CLSD**.
 CC71/26 - CHART NOTAM VALID: 2511050000 - UFN
 AOI RETO PROCEDURES:
 REF AIP SUP 43/2025
 BREAK-AWAY W REDUCED NUMBER OF ENGINES (RETO PROCEDURE)
 RETO PROCEDURE IS NOT PERMITTED ON CERTAIN APRON AREAS,
 REGARDLESS OF AIRCRAFT SIZE.
 THESE INCLUDE TURN POSITIONS A1, B10, C2, V701, F232A, F233A
 AND BREAK-AWAY AREA 1 ON TWY N8.
 THE FOLLOWING ACFT TYPES OF EASA CODE LETTER D, E AND F
 (WINGSPAN MORE THAN 36 METRES) ARE ALSO PERMITTED TO APPLY THE
 RETO PROCEDURE AT EDDF:
 - A338/9
 - A359/K
 - B788/9/X
 - B772/3/9
 ALL OTHER SCFT TYPES OF EASA CODE LETTER D, E AND F (WINGSPAN
 MORE THAN 36 METRES) ARE NOT PERMITTED TO APPLY THE RETO
 PROCEDURE AT EDDF
 CC70/26 - CHART NOTAM VALID: 2603180000 - UFN
 AGC, APC AD:
 TWY S27, S25 (BTN **S** AND **APN**), S23 **WITHDRAWN**.
 NEW STAND J15: N 50 01.9 E008 34.2
 NEW APN FREQ: 121.865, 121.915
 CC68/26 - CHART NOTAM VALID: 2604160000 - UFN
 AOI, AGC, APC WIP SUP 20/26:
 REF AIP SUP 20/2026
 UNTIL DEC 2026
 IN SEP 2026, **CAT I**/II/III HLDG POINT T8 ON TWY T WILL BE
 RELOCATED APRX 300M/984FT EASTWARD.
 CC67/26 - CHART NOTAM VALID: 2604160000 - UFN
 AOI, AGC, APC WIP SUP 19/26:
 REF AIP SUP 19/2026
 UNTIL DEC 2026
 IN SEP 2026, TWY R (BTN TWY R17 AND RWY 18) AND TWY Y (BTN TWY
 R AND S) WILL BE OPENED. BOTH SECTIONS CAN BE USED BY ACFT
 MAX WINGSPAN 80M/262FT.
 ++++++ AMDB NOTAM ++++++
 CA82/26 VALID: 2604220000 - UFN
 AMDB/AMM WIP:
 REF SUP 40/2025
 WIP (SEP 2025 - MAY 2026)
 TWY R BTN TWYS R7 AND R13 **CLSD**
 TWYS R10, R11, S11 BTN TWYS R AND S **CLSD**
 TWY S21 AND S23 (TWYS CONNECTING TWYS S AND R BTN TWY S24 AND
 TWY R10) **CLSD**.
 CA81/26 VALID: 2604220000 - UFN
 AMDB/AMM WIP:

REF SUP 38/25
WIP (SEP 2025 - MAY 2026)
TWYS L20 AND L21 **CLSD**
FURTHER DETAILS WILL BE PUBLISHED BY NOTAM.
CA80/26 VALID: 2604220000 - UFN
AMDB/AMM AD LAYOUT:
REF AMD 13 2025
NEW APN FREQ 121.915 AND 121.865 ESTABLISHED

EDDK /CGN COLOGNE/BONN - DETAILED INFO

+++++ RUNWAY +++++
1A1825/26 VALID: 2604160000 - 2607162359 EST
OMNIDIRECTIONAL INSTRUMENT DEP PROC EDDK 1M AND EDDK 1E FOR RWY
13R/31L TEMPO **SUSPENDED** DUE TO MISSING FLIGHT VALIDATION.
REF AIP PAGES AD 2 EDDK 5-7-1, 5-7-4, 5-7-6 EFFECTIVE 16 APR 2026.
1A1792/26 VALID: 2604131144 - 2607161500
ILS OM RWY 13L, CHECK **DME** READING KBO ADDN.
MARKER NOT REMOTE CONTROLLED.
1A1791/26 VALID: 2604131143 - 2607161500
ILS MM RWY 13L, CHECK **DME** READING KBO ADDN.
MARKER NOT REMOTE CONTROLLED.
1A1716/26 VALID: 2604200530 - 2605151500
DAILY 0530 - 1500 EXC SAT SUN
RWY 06/24 WIP MNM DIST 75M FROM RCL.
1A1714/26 VALID: 2604200530 - 2605151500
DAILY 0530 - 1500 EXC SAT SUN
RWY 13R/31L WIP MNM DIST 75M FROM RCL.
1A1713/26 VALID: 2604200530 - 2605151500
DAILY 0530 - 1500 EXC SAT SUN
RWY 13L/31R WIP MNM DIST 75M FROM RCL.
+++++ APPROACH PROCEDURE +++++
1A1826/26 VALID: 2604160000 - 2607162359 EST
ALL **RNP** APCH PROC RWY 13R/31L TEMPO **SUSPENDED** DUE TO MISSING
FLIGHT VALIDATION. REF AIP PAGES AD 2 EDDK 4-6-7, 4-6-8, 4-6-9,
4-6-13, 4-6-14, 4-6-15 ALL EFFECTIVE 16 APR 2026.
1A1577/26 VALID: 2603301251 - 2606292359 EST
OCA(H) VALUES RAISED:
SRA RWY 13L: ACFT CAT A-D 920 (690)FT.
DUE TO HIGH CRANES 13500M (7.3NM) BFR THR RWY 13L, 1560M SW OF
EXTD RCL, 505738N 0065855E, ELEV 671FT, MARKED AND LGTD.
+++++ AIRPORT +++++
1A1886/26 VALID: 2604160733 - PERM
KOELN-BONN LOCATOR LJ 365.00KHZ **OUT OF SERVICE**.
+++++ CHART NOTAM +++++
CC26/26 - CHART NOTAM VALID: 2602090000 - UFN
AGC, APC WIP TWY J (OLD C):
REF AIP SUP 01/2026
02FEB26 - DEC26
SECTION OF TWY C BETWEEN THE THRESHOLD OF RWY 31L AND TWY A IS
BEING RECONSTRUCTED AND RENAMED TO TWY J
CLOSURE OF RWY 13R/31L FOR T/O AND LDG FROM 02 FEB TILL END DEC
2026. THE SOUTHERN AREA BETWEEN THE INTERSECTION OF RWYS 13R/31L
AND 06/24 UP TO THR 31R CAN ONLY BE USED AS ACFT TOWING,
THE NORTHERN AREA UP TO THR 13R CAN BE USED BY TAXIING ACFT
DURING PERIOD MAR - SEP 2026, THE CONNECTION TO TWY A WILL BE
BUILT ON 13 WEEKENDS, EACH WITH A 36-HOUR CLOSURE PERIOD
(SA 0500 (0400) - SO 1700 (1600)).
FOR THIS PURPOSE, TWY A WILL BE **CLSD** BTN RWY 06/24 AND TWY A1.

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

THIS WILL RESULT IN DELAYS WHEN USING RWY 31R FOR T/O AND
RWY 13L FOR LDG DUE TO BACKTRACKING ON RWY 31R TO TWY A AND
SUBSEQUENT TAXIING ONTO RWY 31R VIA TWY A1
CC25/26 - CHART NOTAM VALID: 2508060000 - UFN
AGC, APC WIP TWY B:
REF SUP IFR 30/2025
CLOSURE OF TWYS B AND T THROUGH CONSTRUCTION SECTION BA 5.2 IN
THE AREA OF AIRCRAFT STAND A10 UP TO THRESHOLD 13R AND UP TO
TAXILANE K3, AS WELL AS RELOCATED TAXILANES K1 AND K2
CLOSURE OF AIRCRAFT STANDS V12, V13, V14, V101, V121, V131, V22,
V23, V221, V231, V32, V33, V35, V320, V330, V43, V44, V45, V430,
V440 AND GAT 3

EBBR /BRU BRUSSELS/BRUSSELS NATIONAL - DETAILED INFO

+++++ RUNWAY +++++
1A1348/26 VALID: 2604291117 - 2605311800
RWY 07L/25R TWY B9 DIRECTION PANEL MISSING
1A840/26 VALID: 2603230700 - 2605291600
RWY 25R RESA REDUCED TO LEN OF 300M DUE MOV OBST UP TO MAX 13FT
AGL IN FRONT OF **ILS** LOC ANTENNA. ICAO MARKING AVBL
+++++ APPROACH PROCEDURE +++++
1A669/26 VALID: 2603230700 - 2607171500
RWY 25R **ILS U/S** DUE TO MAINT. **DO NOT USE**. FALSE INDICATIONS
POSSIBLE. NO IDENT CODE RADIATED
1D229/26 VALID: 2605011500 - 2605120700
DAILY 1500-0700
IAP **RNP** RWY07L **LNAV/VNAV** INCREASED OCA CAT A 428FT CAT B 438FT
CAT C 447FT CAT D 457FT
1D228/26 VALID: 2605010700 - 2605111500
DAILY 0700-1500
IAP **RNP** RWY07L **LNAV/VNAV** INCREASED OCA CAT A 456FT CAT B 466FT
CAT C 475FT CAT D 485FT
1D158/26 VALID: 2603311945 - 2606301200 EST
IAP **VOR** RWY 07L **NOT AVBL**
SX14/26 VALID: 2603230000 - 2609162359
SX0014/26 AIP SUPPLEMENT
EBBR/BRUSSELS/BRUSSELS NATIONAL AD
VALIDITY: 23MAR26 - 16SEP26
ILS RWY 25R **U/S** AND TEMPO RESTRICTED TO **CAT I** AFT REINSTATEMENT
NO **ILS** OR LOC APPROACHES TO RWY 25R WILL BE AVAILABLE DUE TO
TECHNICAL WORKS FROM 23MAR 0700 UNTIL 17JUL 1500.
ON 17JUL, THE **ILS** RWY 25R WILL BE VALIDATED FOR **CAT I** OPERATIONS
ONLY. THE RELEASE FOR **CAT III** OPERATIONS IS PLANNED FOR 16SEP.
+++++ AIRPORT +++++
1A1347/26 VALID: 2604291115 - 2605311800
RWY 07L/25R TWY A6 INDICATION PANEL MISSING
1A1083/26 VALID: 2604122100 - 2605290200
INT OUT-6 WITH OUT-7 EDGE LGT AND SIGNS PARTLY **U/S**.
1A1080/26 VALID: 2604122100 - 2605290200
TWY INN-6, INN-7 AND INT BTN THESE TWY **CLSD** DUE TO WIP.
1A959/26 VALID: 2604011700 - 2607311700
TWY A1 RWY GUARD LIGHTS **U/S**. CAUTION ADVISED.
1G982/26 VALID: 2604270600 - 2605081500
APR 27-30 MAY 01-08 0600-1500
TEMPO SEGREGATED AREA (TSA) 'PEUTIE' ESTABLISHED 505607N 0042813E
RADIUS 500M FOR UAS ACT IN VISUAL LINE OF SIGHT. STATUS OF THE
AREA CAN BE CHECKED WITH BRUSSELS TWR
F) GND G) 310FT AMSL

+++++ CHART NOTAM +++++

CC21/26 - CHART NOTAM VALID: 2604160000 - UFN

AOI NIGHT RESTRICTIONS:

NO AIRPORT SLOTS WILL BE ALLOCATED FOR LDG DURING FOLLOWING PERIODS, EXC ACFT WITH QUOTA.

COUNT FOR LDG LOWER THAN OR EQUAL TO 2:

-SAT 0000++ - SAT 0400++

-SUN 0000++ - SUN 0400++

-MON 0000++ - MON 0400++

CC18/26 - CHART NOTAM VALID: 2603090000 - UFN

IAC/AFC MINIMA **RNP** 07L:

REF SUP 10/26

TEMPO MINIMA BTN:

0800-1600

RNP LNAV/VNAV 07L

CAT B: DH 350FT, DA 470FT, 900M

CAT C: DH 360FT, DA 480FT, 900M

CAT D: DH 370FT, DA 490FT, 1.0KM

1600-0800

RNP LNAV/VNAV 07L

CAT B: DH 320FT, DA 440FT, 700M

CAT C: DH 330FT, DA 450FT, 800M

CAT D: DH 340FT, DA 460FT, 800M

CC17/26 - CHART NOTAM VALID: 2603200000 - UFN

IAC **ILS** OR LOC 25R:

REF AIP SUP 14/2026

FROM 23 MAR 2026, 0700 UNTIL 17 JUL 2026, 1500

ILS RWY 25R **U/S** 24H DUE TO TECHNICAL WORKS, APCH 25R **NOT AVBL**

+++++ AMDB NOTAM +++++

CA23/26 VALID: 2604220000 - UFN

AMM STOP BAR:

SOURCES REGARDING STOP BARS INCONSISTENT.

CLARIFICATION IS ONGOING.

EDDL /DUS DUESSELDORF - DETAILED INFO

+++++ RUNWAY +++++

1A2030/26 VALID: 2604270400 - 2605031959

RWY 05L/23R AVAILABLE ONLY DURING UNPLANNED CLOSURES OF RWY

05R/23L AND DURING THE FOLLOWING TIMES:

APR 27 0400-0959, 1200-1359, 1500-1659, 1900-1959

APR 28 0400-0559, 0800-0859, 1300-1359, 1600-1659, 1900-1959

APR 29 0400-0559, 0800-0859, 1500-1759, 1900-1959

APR 30 0400-0559, 0800-0859, 1500-1759, 1900-1959

MAY 01 0400-0559, 0800-1159, 1300-1359, 1500-1659, 1900-1959

MAY 02 0400-0559, 0900-0959, 1300-1359, 1900-1959

MAY 03 0400-0559, 1000-1159, 1300-1359, 1500-1959

1A2025/26 VALID: 2604231413 - 2605132159

PAPI RWY 23R **U/S**.

1A4699/25 VALID: 2509110730 - PERM

RWY 05L/23R:

TDZ REVISED AND SHORTENED TO 631M.

REMOVED MARKINGS PARTIALLY VISIBLE, CAN BE IRRITATING. PAY

ATTENTION. RWY AIMING POINTS NOT ALIGNED WITH PAPI.

RWY 05L - 81.87M IN FRONT OF PAPI.

RWY 23R - 99.61M IN FRONT OF PAPI.

RWY 05L/23R: **ILS** GP AND PAPI GP TOUCHDOWN POINT LOCATED BEYOND AIMING

POINT MARKINGS.

RWY 05R/23L:

RWY AIMING POINTS NOT ALIGNED WITH PAPI.

RWY 05R - 15.96M IN FRONT OF PAPI.

RWY 23L - 114.18M IN FRONT OF PAPI.

RWY 05R/23L: **ILS** GP AND PAPI GP TOUCHDOWN POINT LOCATED BEYOND AIMING POINT MARKINGS.

+++++ APPROACH PROCEDURE +++++
1A767/26 VALID: 2602110656 - 2605110700 EST

ILS LOC RWY 05L:

LOC COVERAGE UP TO 15NM IN THE AREA 029DEG(L)/009DEG(R) IN RELATION

TO RCL AND DIST TO LOC. MNM RECEPTION ALT IN THIS AREA 4000FT AMSL.

+++++ AIRPORT +++++
1A2078/26 VALID: 2604280540 - 2607272259 EST

ACFT STANDS V44A AND V45A **CLSD**.

+++++ SID/STAR +++++
1A1128/26 VALID: 2603041556 - 2606022359 EST

STAR DOMUX 1A ADD RMK: BRNAV EQUIPMENT NECESSARY.

REF AD 2 EDDL 3-1-1 DATED 28 NOV 2024, 3-1-2 EFF 28 NOV 2024.

+++++ CHART NOTAM +++++
CC34/26 - CHART NOTAM VALID: 2604160000 - 2605132359

AOI NOTES:

WARNING:

THE LONGITUDINAL SLOPE ON TWY K1 IS MAX 1.75%.

TWY RESTRICTIONS:

DUE TO LOCAL CONDITIONS, THERE IS NO CONTINUOUS INSTALLATION OF MANDATORY INSTRUCTION SIGNS ON BOTH SIDES IN THE AREA OF TWYS K, K1, L1, L2 AND L6.

DE-**ICING**:

TWY GUIDE LINES ON THE DE-**ICING** AREAS OF THE WEST AND EAST APN ARE NOT CONTINUOUS YELLOW BUT ARE INTERRUPTED BY ORANGE MARKINGS.

CC33/26 - CHART NOTAM VALID: 2603180000 - UFN

* MSA:

MSA DUS AMEND ALT IN SECTOR 050DEG-150DEG TO READ 3000

MSA ARP AMEND ALT TO READ 3000

EKCH /CPH COPENHAGEN/KASTRUP - DETAILED INFO

+++++ RUNWAY +++++
1A734/26 VALID: 2604262200 - 2605010400

DAILY 2200-0400

RWY 04L/22R **CLSD** DUE TO WIP.

+++++ AIRPORT +++++
1A788/26 VALID: 2604291331 - PERM

REDUCED CLEARANCE DISTANCES APPLY AROUND AIRCRAFT STAND C28.

REF AIP DENMARK AD 2.9.4.

1A745/26 VALID: 2604241045 - 2605082159 EST

ACFT ARRIVING FOR THE SOLE PURPOSE OF REFUELLING NOT PERMITTED. EMERG, SAR, MEDEVAC, HOSP AND HELICOPTER EMERGENCY MEDICAL SERVICES EXEMPTED.

1A544/26 VALID: 2603230500 - 2605221600

FOLLOWING TWY ARE **CLSD** DUE TO WIP:

TWY E3

TWY E4

+++++ CHART NOTAM +++++
CC18/26 - CHART NOTAM VALID: 2511260000 - UFN

IAC **ILS** OR LOC 04L, **RNP** 04L:

MOCA VALUE ON THE INITIAL SEGMENTS

UNDER CLARIFICATION BY LUFTHANSA SYSTEMS FLIGHTNAV WITH
AUTHORITIES.

CC16/26 - CHART NOTAM VALID: 1809060000 - UFN

AGC, APC TWY Z-F-Q-P:

CAUTION:

COMPLEX TWYS INTERSECTION.

HIGH RISK OF ENTRY TO TWY P ISO TWY Q WHILE TAXIING ON

TWY Z OR TWY F WHEN CLEARED TO PIER C APRON

CC15/26 - CHART NOTAM VALID: 2603300000 - 2605132359

AOI APRON RESTRICTIONS:

REF AIP SUP 05/25.

ON APRON EAST MARSHALLER ASSISTANCE IS MANDATORY FOR PARKING OF
ALL ACFT, EXCEPT ON STANDS G117, G118 AND G119 (ON THESE STANDS
DGS IS PROVIDED).

CC14/26 - CHART NOTAM VALID: 2601210000 - UFN

AFC, IAC APL:

REF AIP SUP 01/26

RWY 04R PAPI CONFIGURATION DOES NOT MEET REQUIRED MINIMUM WHEEL
CLEARANCE FOR ALL TYPES OF AIRBUS A-350. GP (**ILS**) AVBL.

EHAM /AMS AMSTERDAM/SCHIPHOL - DETAILED INFO

+++++ RUNWAY +++++

1A918/26 VALID: 2604282100 - 2605010400

2100-0400

RWY 04/22 **CLSD**.

+++++ APPROACH PROCEDURE +++++

1A998/26 VALID: 2604301807 - 2607301400 EST

ILS RUNWAY 36C **DOWNGRADED** TO III/E/3 (SUPPORTS **CAT III**
OPERATIONS).

1A959/26 VALID: 2604282100 - 2605010400

2100-0400

ILS RWY 22 **OUT OF SERVICE**.

1A753/26 VALID: 2603300500 - 2605291500

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) RWY 22 DUE TO CRANE.

ILS CAT I ACFT CAT A-D INCREASED TO:

CAT A 184 (198), CAT B 196 (210),

CAT C 205 (218), CAT D 215 (228).

REF AIP AD 2 EHAM IAC **ILS** OR LOC RWY 22.

1A751/26 VALID: 2603300500 - 2605291500

MON-FRI 0500-1500

CHANGE OF OPERATING MINIMA OCA(OCH) RWY 04 DUE TO CRANE.

RNP LPV CAT A-D INCREASED TO:

CAT A 254 (267), CAT B 267 (280),

CAT C 275 (288), CAT D 285 (298).

REF AIP AD2. EHAM IAC **RNP** RWY 04.

1A744/26 VALID: 2603300430 - 2605291530

MON-FRI 0430-1530

CHANGE OF OPERATING MINIMA OCA(OCH) RWY 27 DUE TO CRANE.

ILS CAT I CAT A-DL INCREASED TO:

CAT A 154 (166), CAT B 166 (179),

CAT C 175 (187), CAT D 185 (197),

CAT DL 185 (197).

REF AIP EHAM AD 2.24 IAC **ILS** II AND III OR LOC RWY 27.

+++++ AIRPORT +++++

1A995/26 VALID: 2604301503 - 2607301430 EST

RWY DESIGNATOR MARKING ON TWY W9 SHOULD READ 36C-18C.
 1A990/26 VALID: 2604301103 - 2607301200 EST
 INCREASED BIRD ACTIVITY ON AND AROUND AD. AN INCREASED POTENTIAL
 FOR BIRD STRIKES EXISTS FOR ALL INBD AND OUBD ACFT.
 1A853/26 VALID: 2604111041 - 2605010500
 TWY A24 BTN TWY A AND TWY B **CLSD**.
 1A765/26 VALID: 2603310928 - 2606301200 EST
 ACFT TOWED BY A YELLOW-COLOURED TOW TRUCK EQUIPPED WITH
 ANTI-COLLISION LIGHTS IS UNDER THE PILOTS COMMAND AND REFERRED TO
 BY ATC AS TAXITOW. RIGHT-OF-WAY IN ACCORDANCE WITH TAXIING ACFT IS
 APPLICABLE.
 1A529/26 VALID: 2602280800 - 2605280800 EST
 TURN FROM TWY A EASTBOUND TO TWY A15 AND TURN FROM TWY A15 TO TWY
 A WESTBOUND PROHIBITED FOR ACFT WITH OUTER MAIN GEAR WHEEL SPAN OF
 9M OR MORE.
 ++++++ COMPANY NOTAM ++++++
 C0667/26 VALID: 2604210000 - 2606192359
 C0667/26 COMPANY NOTAM - TO COMPUTATION RWY 24.
 EHAM OBST RWY 24,
 REF NOTAM EHAA/A0894/26
 TAKEOFF COMPUTATION:
 -FOR TAKEOFF RWY 24, ADD 1 OBSTACLE:
 B777:- SET "OBSTACLE HEIGHT (FROM RWY START)" TO 170FT AND SET
 "OBSTACLE-DISTANCE (FROM RWY START)" TO 7100M.
 A380:- SET "FROM RWY START(M)" TO 7100M AND SET "HEIGHT(FT)" TO
 170FT.
 A350/A319:-MODIFY RWY : "SET -FROM RWY START(M)" TO 7100M AND SET
 "HEIGHT(FT)" TO 170FT.
 REVISION 0
 -FOP 20APR26
 C09/26 VALID: 2601021325 - UFN
 C09/26 COMPANY NOTAM - EK149 DXB/AMS - ARRIVAL OTP
 OFP PLANNED AT HIGH SPEED BY DEFAULT. AS PER OM-C 1.1.2.2
 CREWS ARE TO ENSURE THAT THE FLIGHT DOES NOT
 ARRIVE EARLIER THAN STA -15 MINUTES.
 - FOS 02JAN26
 ++++++ CHART NOTAM ++++++
 CC50/26 - CHART NOTAM VALID: 2604080000 - UFN
 IAC/ AFC MINIMA **RNP** 04:
 TEMPO MINIMA REF SUP 14/26:
 MON-SAT 0500-1900 (-1)
RNP LPV **CAT 1** 04
 CAT B: C 900FT, DA 280FT, V 3.6KM
 CAT C: C 900FT, DA 290FT, V 3.6KM
 CAT D: C 900FT, DA 300FT, V 3.6KM
 CC48/26 - CHART NOTAM VALID: 2604070000 - UFN
 SID, SIDPT **RNAV** SIDS RWY 04:
 REF AIP SUP 11/26
 ANDIK 3F, BERGI 2F, VOLLA 2F CHANGED DUE TO CRANE.
 NO TURNS ALLOWED BEFORE 600 FT.
 CRANE 275FT AMSL, 3540M / 11614FT BEYOND RWY 04 **TORA** AND
 690M / 2264FT LEFT OF EXT D RCL.
 ANY CHANGES WILL BE PROMULGATED BY NOTAM.
 CC47/26 - CHART NOTAM VALID: 2412120000 - UFN
 SID, SIDPT **RNAV** SID RWY 09:
 REF SUP 31/2024
 UNTIL END OF OCT 2026
 VALKO 5M MNM CLIMB GRADIENT OF 3.6% DUE TO CRANE.
 CC46/26 - CHART NOTAM VALID: 2601070000 - UFN

AGC TEMPO CHARTS:

CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD.

+++++ AMDB NOTAM ++++++

CA53/26 VALID: 2604220000 - UFN

AMM WIP:

APPLICABLE FOR MPILOT 6.6 AND NEWER

REF SUP 30 2025

WIP IN PHASES FM JAN 2026 TILL SEP 2027

PHASE 26

PRKG STANDS ON APN R **U/S**

TWY R MAX WINGSPAN 69M

ACCESS TO PRKG STAND P23, P22 FM TWU Q **U/S**

PHASE 26.1

PRKG STANDS ON APN R **U/S**

ACCESS TO PRKG STAND P23, P22 FM TWU Q **U/S**

TWY R MAX WINGSPAN 69M

TWY B BTN TWY A28 AND TWY Q **CLSD**

PHASE 26.2

TWY A BTN TWY A28 AND TWY Q **CLSD**

TWY Q **CLSD**

TWY A BTN TWY Q AND TWY A1A **CLSD**

REMOTE HP P20-P26 AVBL

PRKG STANDS R71-R77 AVBL

THE ACTUAL DATE AND TIME WILL BE PROMULGATED BY NOTAM.

CA52/26 VALID: 2604220000 - UFN

AMDB/AMM WIP:

REF SUP 30 2025

WIP IN PHASES FM JAN 2026 TILL SEP 2027

PHASE 26

PRKG STANDS ON APN R **U/S**

ACCESS TO PRKG STAND P23, P22 FM TWU Q **U/S**

PHASE 26.1

PRKG STANDS ON APN R **U/S**

ACCESS TO PRKG STAND P23, P22 FM TWU Q **U/S**

TWY B BTN TWY A28 AND TWY Q **CLSD**

PHASE 26.2

TWY A BTN TWY A28 AND TWY Q **CLSD**

TWY Q **CLSD**

TWY A BTN TWY Q AND TWY A1A **CLSD**

REMOTE HP P20-P26 AVBL

PRKG STANDS R71-R77 AVBL

THE ACTUAL DATE AND TIME WILL BE PROMULGATED BY NOTAM.

CA40/26 VALID: 2604080000 - 2605132359

AMDB/AMM RWY, PRKG STANDS:

AMD QFU RWY 09 TO READ 84 DEG.

AMD QFU RWY 27 TO READ 264 DEG.

PRKG STANDS A32-A34 MOVED NW CA. 12M/39FT-25M/82FT.

PRKG STANDS B91-B95 MOVED W CA. 25M/82FT.

EIDW /DUB DUBLIN INTL - DETAILED INFO

+++++ RUNWAY ++++++

1A1748/26 VALID: 2604302200 - 2605020430

DAILY 2200-0430

NO THROUGH TAXIING ON RWY 16/34 NORTH OF TWY N

1A1745/26 VALID: 2604302200 - 2605020430

DAILY 2200-0430

RWY 10L/28R **CLSD**

1A1417/26 VALID: 2603301300 - 2606301300 EST

RWY 16/34 **NOT AVAILABLE** FOR TAKE OFF AND LANDING

REF AIP SUP 009/2025

+++++ APPROACH PROCEDURE +++++

1A1599/26 VALID: 2604141012 - 2607132359 EST

RNP AND **ILS** RWY 16 RDH INCORRECTLY PUBLISHED AS RDH 54

SHOULD READ RDH 50/**ILS** RDH 50

REF AIP EIDW AD 2.24-38.1 AND EIDW AD 2.24-39.1

1A1554/26 VALID: 2604101048 - 2607101200 EST

INSTRUMENT APPROACH PROCEDURE **RNP** RWY 10L **NOT AVAILABLE**

REF EIDW AD 2.24-32

1A1462/26 VALID: 2604011301 - 2606302300 EST

INSTRUMENT APPROACH PROCEDURE **RNP** T RWY 28L **NOT AVAILABLE**

REF AIP IRELAND EIDW AD 2.24-46.1

1A1169/26 VALID: 2603151244 - 2606142359 EST

RWY 10L STRAIGHT-IN INSTRUMENT APPROACH **ILS CAT II**

MINIMA **NOT AVAILABLE**

REF: EIDW AD 2.24-33.1

1A1155/26 VALID: 2603150700 - 2606142300 EST

RWY 10R **ILS CAT I** AND **CAT II** OR LOC INSTRUMENT APPROACH PROCEDURE

OCA(H) MINIMA INCREASED DUE ERECTION OF A CRANE.

ILS CAT I

CAT A 401 (158)

CAT B 410 (167)

CAT C 420 (177)

CAT D 430 (187)

ILS CAT II

CAT A 307 (64)

CAT B 324 (81)

CAT C 337 (94)

CAT D 350 (107)

REF EIDW 2.24-36

1A1154/26 VALID: 2603150700 - 2606142300 EST

RWY 10L **ILS CAT I** AND **CAT II** OR LOC INSTRUMENT APPROACH PROCEDURE

OCA(H) MINIMA INCREASED DUE ERECTION OF A CRANE.

ILS CAT I

CAT A 535 (300)

CAT B 545 (310)

CAT C 555 (320)

CAT D 565 (330)

ILS CAT II

CAT A 447 (212)

CAT B 463 (228)

CAT C 476 (241)

CAT D 490 (255)

REF EIDW 2.24-33.1

1A1153/26 VALID: 2603150700 - 2606142300 EST

RWY 28R **RNP** INSTRUMENT APPROACH PROCEDURE **LNAV/VNAV**

OCA(H) MINIMA INCREASED DUE ERECTION OF A CRANE.

CAT A 560 (347)

CAT B 570 (357)

CAT C 600 (387)

CAT D 610 (397)

REF EIDW 2.24-29.1

1A1152/26 VALID: 2603150700 - 2606142300 EST

RWY 28L **RNP** INSTRUMENT APPROACH PROCEDURE **LNAV/VNAV**

OCA(H) MINIMA INCREASED DUE ERECTION OF A CRANE.

CAT A 570 (367)

CAT B 580 (377)

CAT C 600 (397)

REF EIDW 2.24-26.1
 1A898/26 VALID: 2602250801 - 2605252359 EST
 RWY 28L AND RWY 10R **VOR** INSTRUMENT APPROACH PROCEDURES
 ARE **NOT AVAILABLE**
 REF EIDW AD 2.24-28.1
 REF EIDW AD 2.24-37.1
 ++++++ AIRPORT ++++++
 1A1760/26 VALID: 2604272230 - 2605020330
 DAILY 2230-0330
 TWY E1 AND TWY LINK 1 **CLSD**
 1A1758/26 VALID: 2604272230 - 2605020330
 DAILY 2230-0330
 TWY B1 AND TWY B2 **CLSD**
 1A1756/26 VALID: 2604280330 - 2605012230
 DAILY 0330-2230
 TWY A **CLSD**
 REF AIP SUP 009/2025
 1A1754/26 VALID: 2604302200 - 2605020430
 DAILY 2200-0430
 TWY N1, TWY N2, TWY N4, TWY N6, TWY N7 **CLSD**
 1A1752/26 VALID: 2604302200 - 2605020430
 DAILY 2200-0430
 TWY M **CLSD**
 1A1751/26 VALID: 2604302200 - 2605020430
 DAILY 2200-0430
 RAPID EXIT TAXIWAY N3 **CLSD**
 1A1749/26 VALID: 2604302200 - 2605020430
 DAILY 2200-0430
 RAPID EXIT TAXIWAY N5 **CLSD**
 1A1084/26 VALID: 2603101600 - 2606101500 EST
 APRON TAXIWAY 3 MAXIMUM WINGSPAN INCREASED FROM **36M** TO **41.1M**
 REF: AIP EIDW AD 2.20 SECTION 1.4
 1B927/26 VALID: 2604290011 - 2607292359 EST
 AUTOMATIC TERMINAL INFORMATION SERVICE (**ATIS**) DUBLIN INFORMATION
 DEPARTURE FREQ 129.640MHZ AVAILABLE 0515-2200 LOCAL TIME.
 REF AIP EIDW 2.18 ATS COMMUNICATIONS FACILITIES.
 ++++++ SID/STAR ++++++
 1A1600/26 VALID: 2604141015 - 2607132359 EST
 EIDW INSTRUMENT **RNAV** STANDARD ARRIVAL CHART EIDW AD 2.24-24 RWY 16
 SHOULD READ LIPG03U INSTEAD OF LIPG06U
 1A1196/26 VALID: 2603180916 - 2606181200 EST
 STANDARAD ARRIVAL CHART (STAR)-INSTRUMENT **RNAV** RWY 10L/R -
 ALTITUDE CONSTRAINTS AMENDED
 BOYNE 3R: LEVEL RESTRICTION AT ASDER SHOULD READ AT OR BELOW FL080
 AND SPEED LIMIT 220KTS
 REF AIP EIDW AD 2.24-23.2
 ++++++ COMPANY NOTAM ++++++
 C01971/25 VALID: 2512080000 - 2607092359
 C01971/25 COMPANY NOTAM - TO/LDG COMPUTATION RWY 10R/28L
 EIDW RWY 10R/28L,
 REF TEMPO AGC CHARTS ISSUED AS PER AIP SUPL 009/25 (DAILY
 1340-0430), EISN/A1276/26.
 -APPLY ONLY WHEN WIP AND NOTIFIED BY NOTAM
 TAKEOFF COMPUTATION:
 -FOR TAKE OFF RWY 10R (OR IT'S INT),
 B777:- SET "TAKEOFF SHORTENING FROM LIFTOFF END (M)" TO 496M.
 A350/A319:- SET "MODIFY RWY-RUNWAY LENGTH REDUCTION FROM- RWY
 END(M)" TO 496M
 -FOR TAKEOFF RWY 28L (TKOF PSN), SELECT FULL LENGTH RWY 28L AND:-

B777:- SET "TAKEOFF SHORTENING FROM RUNWAY START(M)" TO 496M
(ENTER RWY 28L VIA TWY S1, TAXI FORWARD TO TEMPO **DISPLACED**
THRESHOLD FOR TAKEOFF)
A350/A319:- SET "MODIFY RWY-RUNWAY LENGTH REDUCTION FROM- RWY
START(M)" TO 496M (ENTER RWY 28L VIA TWY S1, TAXI FORWARD TO TEMPO
DISPLACED THRESHOLD FOR TAKEOFF)
LANDING COMPUTATION:
-FOR LANDING RWY 10R,
B777:- SET "LANDING SHORTENING FROM LIFTOFF END (M)" TO 496M
(NOTIFY ATC AND EXIT VIA TWY S1).
A350/A319:- SET "MODIFY RWY- RUNWAY LENGTH REDUCTION(M)" TO 496M
(NOTIFY ATC AND EXIT VIA TWY S1).
-FOR LANDING RWY 28L,
B777:- SET "LANDING SHORTENING FROM RUNWAY START (M)" TO 496M
A350/A319:- SET "MODIFY RWY- RUNWAY LENGTH REDUCTION(M)" TO 496M
CAUTION(B777):- POSSIBLE RAAS ACTIVATION
REFER TO OM-C GUIDANCE ON **DISPLACED** THRESHOLDS
REVISION 19
-FOP 14APR26

C01667/25 VALID: 2510150809 - UFN
C01667/25 COMPANY NOTAM - EIDW/DUB A380 RESTRICTION
DUE WIP, EIDW/DUB IS **NOT AVAILABLE** FOR A380 OPS PLANNING.
- FOS 15OCT25

+++++ CHART NOTAM +++++

CC44/26 - CHART NOTAM VALID: 2604150000 - UFN

AFC, IAC LO RWY 10R/28L:
REF **AIRAC** SUP 06/2026
LO RWY 10R IDENT OE 316 KHZ **U/S**
LO RWY 28L IDENT OP 397 KHZ **U/S**

CC42/26 - CHART NOTAM VALID: 2604150000 - UFN

AFC, IAC NAVAID **U/S**:
REF SUP 08/2026
RWY 10R/28L OM/MM **U/S**

CC40/26 - CHART NOTAM VALID: 2509180000 - UFN

AFC, IAC PROC AVAILABILITY:
REF **AIRAC** SUP 09/2025 PHASE 3 (OCT-DEC 2025)
- **ILS** 28L AND **RNP** 28L APCHS UNAVAILABLE DURING TEMPORARY DTHR
OPERATIONS
- **VOR** 10R AND **VOR** 28L APCHS **NOT AVAILABLE** AT ANY TIME
- TEMPO **RNP** T 28L AVAILABLE ONLY DURING TEMPORARY DTHR
OPERATIONS (ONLY DURING WORKING HOURS)
- **RNP** 10R, **ILS CAT I/II** 10R AND LOC 10R APCHS AVAILABLE DURING
TEMPORARY DTHR OPERATIONS. **ILS CAT III** 10R **NOT AVAILABLE**.

CC33/26 - CHART NOTAM VALID: 2604160000 - UFN

APC, IAC TEMPO CHARTS:
CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD:
- TEMPO WIP SUP 09/25 PHASE 3, PHASE 4
- TEMPO **RNP** T 28L (REF **AIRAC** 05/25)

+++++ AMDB NOTAM +++++

CA53/26 VALID: 2604160000 - UFN

AMDB/AMM WIP:
REF **AIRAC** SUP 09/2025
WIP IN PHASES
EXACT DATES, TIMES, OPR RESTRICTIONS WILL BE PROMULGATED BY
NOTAM.
PHASE 3 FM OCT TO DEC 2025:
-RWY 16/34 **CLSD** FOR TKOF AND LDG
-TWYS B2 AND E1 **CLSD**
-TWY A OPN

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

-TWYS F1 AND T **CLSD** 2230-0430 LT
 TEMPO RELCTD THR 28L:
 RWY 10R **TORA/ASDA/LDA**=2141M, **TODA**=2201M
 RWY 28L **TORA/LDA**=2141M, **TODA**=2354M, **ASDA**=2197M
 THR 28L ELEV=63.4 M
 RESULT OF PHASE 3:
 -NEW TWY B1 ESTABLISHED
 -TWY T **WITHDRAWN**
 -TWY T2 REINTRODUCED
 -TWY A **CLSD**
 -TWY E1 REOPENED
 PHASE 4 FM JAN TO MAY 2026:
 -STANDS 405A, 405R, 406L AND 406C **CLSD**
 -TWYS E1, F1, B1 AND B2 **CLSD** 2230-0415 LT

RESULT OF PHASE 4:

-NEW TWY Z ESTABLISHED

CA49/26 VALID: 2604160000 - UFN

AMDB/AMM IHP:

IHP 34-1 AND 16-3 ON RWY 16/34 BTN TWYS A NAD H1 AVBL

CA48/26 VALID: 2604160000 - UFN

AMDB/AMM IHP:

IHP AVBL ON:

- TWY F-OUTER SHORT OF TWY LINK 6 (BOTH SIDES)
- TWY C SHORT OF TWY F-INNER
- TWY DN SHORT OF TWY F-INNER
- TWY DS SHORT OF TWY F-INNER

EGPK /PIK PRESTWICK - DETAILED INFO

 ++++++ RUNWAY ++++++
 1I2949/26 VALID: 2604280800 - 2605011600
 RWY 02/20 **CLSD** DUE MAINT.
 ++++++ AIRPORT ++++++
 1I2976/26 VALID: 2604290539 - 2605310800
 APRON CHARLIE **CLSD** TO ALL ACFT DUE WIP
 1I2975/26 VALID: 2604290538 - 2605310800
 TAXIWAY TANGO **CLOSED**
 1I2951/26 VALID: 2604280835 - 2605011600
 LINK Y **CLOSED**.
 1I2601/26 VALID: 2604130741 - PERM
 PRESTWICK ATS FREQUENCIES CHANGED TO 8.33 KHZ CHANNELS
 PRESTWICK TOWER FROM 118.150MHZ TO 118.155
 PRESTWICK RADAR FROM 129.450MHZ TO 129.455
 PRESTWICK APPROACH FROM 129.450MHZ TO 129.455
 PRESTWICK FIRE FROM 121.600MHZ TO 121.605
 UK AIP ENR 2.1, EGPK AD 2.18, AD 2.24 REFERS.

EGSS /STN LONDON/STANSTED - DETAILED INFO

 ++++++ AIRPORT ++++++
 1A1374/26 VALID: 2604130150 - 2605142259
 TWY LIMA **CLSD** BTN TWY HOTEL/JULIET AND COMPASS BASE DUE WIP.
 ++++++ COMPANY NOTAM ++++++
 C0550/24 VALID: 2404300930 - UFN
 C0550/24 DISPATCH NOTAM - EGSS/STN - **RFF** ATHORISATION
RFF ATHORISED FOR EK OPERATION. 30 MINTS PNR TO UPGRADE TO RFF8.
 - FOS 30APR24

EINN /SNN SHANNON - DETAILED INFO

 ++++++ AIRPORT ++++++
 1A4292/25 VALID: 2512201930 - 2603202300 EST
 TAXIING RESTRICTION: REF: AIP EINN AD 2.20
 EXCEPTION FOR BIL AND 2EXEL AIRCRAFT TO MAKE LEFT AND RIGHT TURNS
 ON
 TO TWY C FROM TWY D2
 AX6/26 VALID: 2603190000 - 2609032359
 AX0006/26 AIC RESTRICTION
 EINN/SHANNON
 VALIDITY: 19MAR26 - 03SEP26
 REPLACEMENT OF INSTRUMENT LANDING SYSTEM, SERVING RUNWAY 06/24
 WILL BE CARRIED OUT IN A PHASED BASIS
 *****PHASE 1*****
 CIVIL WORKS ENABLING THE REPLACEMENT OF THE SHANNON **ILS** IS NOW
 COMPLETE.
 *****PHASE 2*****
 Q2 2026. INSTL AND COMMISSION NEW 24 **ILS**. THE NEW 24 **ILS** WILL BE
 INSTL WHILE THE EXISTING 24 **ILS** REMAINS IN SER. THE 24 LOC WILL BE
 INSTL BEHIND THE EXISTING 24 LOC, AND THE NEW 24 GP WILL BE INSTL
 BESIDE THE EXISTING 24 GP.
 *****PHASE 3*****
 TO BUILD UP 720 HR OF SER ON THE NEW 24 **ILS** (ICAO REQUIREMENT) AND
 ENSURE A **CAT II ILS** IS AVBL TO RWY 24 THE NEW 24 **ILS** WILL RADIATE
 IN **CAT I** COND OR BETTER. THE EXISTING **ILS** 24 WILL RADIATE IN LVPS.
 *****PHASE 4*****
 Q2 2027. RPLC **ILS** 06. **ILS** 06 WILL BE UNAVAILABLE FOR THE DUR OF
 THE REPLACEMENT WHICH IS EST TO TAKE 4 WEEKS. THE UNAVAILABILITY
 OF **ILS** 06 WILL BE PROMULGATED BY NOTAM
 *****PHASE 5*****
 Q3 2027. REMOVAL OF THE OLD **ILS** 24 AND ALL ASSOCIATED PLINTHS AND
 FOUNDATIONS.
 THE FOLLOWING RESTRICTIONS APPLY:
 CONST OR INSTL WORKS ARE NOT PERMITTED IN LVPS.
 EACH **ILS** SYSTEM WILL BE FLT CHECKED AND APPROVED BY THE CNS
 REGULATOR PRIOR TO BEING BROUGHT INTO OPERATION.
ILS 06 WILL BE UNAVAILABLE FOR THE DUR OF THE **ILS** 06 REPLACEMENT
 AND COMMISSIONING
 ++++++ SID/STAR ++++++
 1A1189/26 VALID: 2603162055 - 2606162359 EST
 SID DIGAN3A
 SID TOMT03A **NOT AVAILABLE**
 REF: AIP EINN AD 2.24-5.1
 ++++++ CHART NOTAM ++++++
 CC16/26 - CHART NOTAM VALID: 2604150000 - UFN
 AFC, IAC RWY 24 OM:
 REF **AIRAC** SUP 07/2026
 RWY 24 OM **U/S**
 CC14/26 - CHART NOTAM VALID: 1910070000 - UFN
 AFC/IAC **ILS** OR LOC 24:
 REF SUP 22/2019
 OM **OUT OF SERVICE**.
 CC13/26 - CHART NOTAM VALID: 2603170000 - 2605132359
 APC TEMPO CHARTS:
 CHECK TEMPO CHARTS DISTRIBUTED FOR THIS AD:
 -TEMPO APC (REF SUP 07/2025)

EGBB /BHX BIRMINGHAM

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

+++++ COMPANY NOTAM +++++

C01556/25 VALID: 2509261518 - UFN

C01556/25 COMPANY NOTAM - EK38 BHX-DXB - ARRIVAL OTP
AS PER OM-C 1.1.2.2 CREWS ARE TO ENSURE THAT THE FLIGHT
DOES NOT ARRIVE EARLIER THAN STA -10 MINUTES, TO ENSURE
SLOT COMPLIANCE AND STAND ALLOCATION AT DXB.

- FOS 26SEP25

+++++ AMDB NOTAM +++++

CA14/26 VALID: 2604080000 - UFN

AMDB/AMM IHP:

IHP Y1 AVBL ON TWY Y SE OF STAND 6

EGNX /EMA DERBY/EAST MIDLANDS

NIL

=====

EXTENDED AREA AROUND DEPARTURE

FJV FUJAIRAH

SX12/23 VALID: 2302240558 - UFN

SX0012/23 AIP SUPPLEMENT

OMFJ/FUJAIRAH INTL

VALIDITY: 23FEB23 - UFN

DVOR FJV FREQ 113.800 MHZ OUT OF CALIBRATION

FALSE INDICATION IS POSSIBLE

OIIX TEHRAN FIR

1A852/26 VALID: 2604270903 - 2605250830 EST

REF AIP PAGE ENR 1.6-1, TABRIZ MSSR RADAR DERIVED INFORMATION FOR
EN-ROUTE **NOT AVBL** DUE TO TABRIZ MSSR RADAR **U/S**,

RADAR SER IN SOME PARTS OF THE ACC

SECTOR 1 (FREQ 119.300 MHZ AND FREQ 132.500 MHZ)

MAY NOT BE AVBL.

1A851/26 VALID: 2604270902 - 2605250830 EST

REF AIP PAGE ENR 1.6-1, AHWAZ MSSR RADAR DERIVED INFORMATION FOR
EN-ROUTE **NOT AVBL** DUE TO AHWAZ MSSR RADAR **U/S**,

RADAR SER IN SOME PARTS OF THE ACC

SECTOR 3 (FREQ 126.900 MHZ) AND

SECTOR 2 (FREQ 125.700 MHZ)

MAY NOT BE AVBL.

1A850/26 VALID: 2604270900 - 2605250830 EST

REF AIP PAGE ENR 1.6-1, SHIRAZ MSSR RADAR DERIVED INFORMATION FOR
EN-ROUTE **NOT AVBL** DUE TO SHIRAZ MSSR RADAR **U/S**,

RADAR SER IN SOME PARTS OF THE ACC

SECTOR 3 (FREQ 126.900 MHZ) AND

SECTOR 4 (FREQ 133.400 MHZ)

MAY NOT BE AVBL.

1A849/26 VALID: 2604270859 - 2605250830 EST

REF AIP PAGE ENR 1.6-1, LAR MSSR RADAR DERIVED INFORMATION FOR
EN-ROUTE **NOT AVBL** DUE TO LAR MSSR RADAR **U/S**,

RADAR SER IN SOME PARTS OF THE ACC

SECTOR 4 (FREQ 133.400 MHZ)

MAY NOT BE AVBL.

1A848/26 VALID: 2604270858 - 2605250830 EST

REF AIP PAGE ENR 1.6-1, ESFAHAN MSSR RADAR DERIVED INFORMATION

FOR EN-ROUTE **NOT AVBL** DUE TO ESFAHAN MSSR RADAR **U/S**,
 RADAR SER IN SOME PARTS OF THE ACC
 SECTOR 2 (FREQ 125.700 MHZ) AND
 SECTOR 3 (FREQ 126.900 MHZ) AND
 SECTOR 6 WEST (FREQ 132.750 MHZ) AND
 SECTOR 7 (FREQ 120.700 MHZ)
 MAY NOT BE AVBL.

1A847/26 VALID: 2604270857 - 2605250830 EST
 REF AIP PAGE ENR 1.6-1, KISH MSSR RADAR DERIVED INFORMATION FOR
 EN-ROUTE **NOT AVBL** DUE TO KISH MSSR RADAR **U/S**,
 RADAR SER IN SOME PARTS OF THE ACC
 SECTOR 4 (FREQ 133.400MHZ) AND
 SECTOR 5 (FREQ 120.300 MHZ)
 MAY NOT BE AVBL.

1A846/26 VALID: 2604270855 - 2605250830 EST
 REF AIP PAGE ENR 1.6-1, KUSHK MSSR RADAR DERIVED INFORMATION FOR
 EN-ROUTE **NOT AVBL** DUE TO KUSHK MSSR RADAR **U/S**,
 RADAR SER IN SOME PARTS OF THE ACC
 SECTOR 1 (FREQ 132.500 MHZ) AND
 SECTOR 2 (FREQ 125.700 MHZ) AND
 SECTOR 7 (FREQ 120.700 MHZ)
 MAY NOT BE AVBL.

1A845/26 VALID: 2604270854 - 2605250830 EST
 REF AIP PAGE ENR 1.6-1, TEHRAN (IMAM KHOMEINI) MSSR RADAR
 DERIVED INFORMATION FOR EN-ROUTE **NOT AVBL**
 DUE TO TEHRAN (IMAM KHOMEINI) MSSR RADAR **U/S**,
 RADAR SER IN SOME PARTS OF THE ACC
 SECTOR 1 (FREQ 119.300 MHZ) AND
 SECTOR 2 (FREQ 125.700 MHZ) AND
 SECTOR 7 (FREQ 120.700 MHZ)
 MAY NOT BE AVBL.

1A844/26 VALID: 2604270852 - 2605250830 EST
 REF AIP PAGE ENR 1.6-1, TEHRAN (MEHRABAD) MSSR RADAR
 DERIVED INFORMATION FOR EN-ROUTE **NOT AVBL**
 DUE TO TEHRAN (MEHRABAD) MSSR RADAR **U/S**,
 RADAR SER IN SOME PARTS OF THE ACC
 SECTOR 1 (FREQ 119.300 MHZ) AND
 SECTOR 2 (FREQ 125.700 MHZ) AND
 SECTOR 7 (FREQ 120.700MHZ)
 MAY NOT BE AVBL.

1A843/26 VALID: 2604270851 - 2605250830 EST
 REF AIP PAGE ENR 1.6-1, MASHHAD MSSR RADAR DERIVED INFORMATION
 FOR EN-ROUTE **NOT AVBL** DUE TO MASHHAD MSSR RADAR **U/S**,
 RADAR SER IN SOME PARTS OF THE ACC
 SECTOR 7 (FREQ 120.700 MHZ)
 MAY NOT BE AVBL.

1A813/26 VALID: 2604230717 - 2605250830 EST
 REF AIP PART ENR 3.1 THE NAVIGATION SPECIFICATION OF ALL
 ATS ROUTES AVBL AS **RNAV** 5 FM MNM SAFE LVL.

1A812/26 VALID: 2604230644 - 2605250830 EST
 REF NOTAM A0796/26, TRANSFER OF CONTROL POINTS OF TEHRAN FIR
 WITH ANKARA, YERVAN, NAKHCHIVAN AND BAKU FIR(S)
 ARE AVBL FOR INTERNATIONAL FLIGHTS INTENDED TO LAND/DEPART WITHIN
 TEHRAN FIR.

1A799/26 VALID: 2604211010 - 2605250830 EST
 REF NOTAM A0796/26, ALL AIRPORTS IN WEST PART OF TEHRAN FIR
 ARE **CLSD** EXCEPT OITR, OIKK, OIAA, OISS, OIYY, OICC AND OIGG THAT
 ARE OPERATIONAL FM SUNRISE TO SUNSET (HJ).
 ALL PREVIOUS PERMISSIONS ARE **SUSPENDED** FOR ALL OPERATORS,

NEW PERMISSION SHALL BE REQUESTED FM CAA FOR OPERATION OF CIVIL IFR PASSENGER FLIGHTS ON THESE AIRPORTS.

1A797/26 VALID: 2604210955 - 2605250830 EST

CAUTION TO ALL FLIGHTS, NEAR CONFLICT ZONE MAY BE EXTENDED OVER HIGH SEAS WITHIN TEHRAN FIR IN PERSIAN GULF AND PART OF OMAN SEA WEST OF MERIDIAN 059E AS THE RESULT OF SECURITY REASON.

1A796/26 VALID: 2604210949 - 2605250830 EST

TEHRAN FIR RESUMED NORMAL OPERATION, WHILE WEST PART REMAINS **CLOSED** FOR OVERFLIGHTS.

DIVIDING LINE GOES THROUGH IVIVA-PURBO-ANK-OBRIX THEN CLOCKWISE ALONG TEHRAN TMA TO NAGMO AND LALDA.

OVERFLIGHT OPERATION IN EAST PART OF TEHRAN FIR IS SUBJECT TO FOLLOWING CONDITIONS:

-ATS SURVEILLANCE SERVICE WILL BE PROVIDED ABOVE FL285 SUBJECT TO RADAR COVERAGE.

-INBOUND TRAFFIC SHALL CONTACT TEHRAN ACC 5 MIN PRIOR TO FIR BOUNDARY FOR IDENTIFICATION.

-OUTBOUND TRAFFIC SHALL ESTABLISH COMMUNICATION WITH NEXT ACC 5 MIN PRIOR TO FIR BOUNDARY.

-FLIGHTS SHALL HAVE OPERATIONAL ACAS.

-LARGER SEPARATION MAY BE APPLIED WITHIN TEHRAN FIR.

-FLIGHTS SHALL RETAIN THE LAST ASSIGNED SSR CODE.

IF CODE HAS NOT BEEN ASSIGNED, USE SQUAWK 2000 UNTIL FURTHER INSTRUCTION BY ACC.

1A785/26 VALID: 2604200808 - 2607192030 EST

REF AIP PAGE ENR 2.1,

FREQ 316.800 MHZ SECTOR 1 NORTH/EAST/WEST,

FREQ 351.900 MHZ SECTOR 2 EAST/WEST,

FREQ 326.400 MHZ SECTOR 3 NORTH/SOUTH,

FREQ 291.700 MHZ SECTOR 4 EAST/WEST/SOUTH,

FREQ 309.100 MHZ SECTOR 5 EAST/WEST,

FREQ 284.900 MHZ SECTOR 6 EAST/WEST AND

FREQ 302.400 MHZ SECTOR 7

CHANGE TO FREQ 258.400 MHZ.

1A782/26 VALID: 2604200800 - 2607192030 EST

REF AIP PAGE ENR 2.1-1 TEHRAN FIR, TEHRAN INFO,

HF FREQ 5658 KHZ, 5667 KHZ, 6925 KHZ, 8091 KHZ, 8918 KHZ,

10018 KHZ, 13288 KHZ AND 13312 KHZ **U/S**.

1A2776/25 VALID: 2509290902 - 2512282359 EST

PROBABLE GPS (**GNSS**) FAILURE OR DEGRADATION WI TEHRAN FIR,

PILOTS SHALL REPORT TO ATC AND CONSIDER GPS (**GNSS**) ANOMALIES

INCLUDING DEGRADED OPERATION AND/OR LOSS OF SERVICE,

AS SOON AS POSSIBLE.

FROM **GND** TO **UNL**

OOMM MUSCAT FIR

1A259/26 VALID: 2604300835 - 2605010857

NO FLY ZONE AREA ACTIVATED ON THE FLW COORDS:

202713N0581358E

200712N0585021E

180637N0571844E

183339N0564813E (DOQUM AREA)

F) SFC G) FL150

1A251/26 VALID: 2604270919 - 2605311200

DUE **CONTINGENCY** SITUATION IN THE MIDDLE EAST, ATS RTE L883 SEGMENT BTN **SITOL** AND **UMILA** IS TEMPORARILY OPEN FOR BIDIRECTIONAL TRAFFIC ALONG WITH THE ESTABLISHMENT OF THE FOLLOWING ROUTINGS:

EASTBOUND:

SITOL MEVLI DCT GSKA Y414 RADAX MCT
 SITOL MEVLI B400 MCT G216 ALPOR
 SITOL MEVLI B400 MCT G216 ITILA VUSET R462 EGTAL B505 APELO
 SITOL MEVLI B400 GEVED N881 RASKI
 SITOL MEVLI B400 GEVED N881 AMBOS M700 PARAR
 SITOL MEVLI B400 GEVED N881 GIDAN N629 TOTOX
 SITOL L883 UMILA L883 REXOD
 SITOL L883 UMILA N569 LOTAV
 SITOL L883 UMILA N569 GOLNI P570 KITAL

WESTBOUND:

MCT B400 MEVLI L883 SITOL
 TAPDO G652 GEPOT B400 MEVLI L883 SITOL
 RASKI N881 KIPOL L444 TOLDA DCT DARAT B400 MEVLI L883 SITOL
 PARAR M628 TOLDA DCT DARAT B400 MEVLI L883 SITOL
 TOTOX L555 TOLDA DCT DARAT B400 MEVLI L883 SITOL
 REXOD L883 SITOL
 LOTAV N569 UMILA L883 SITOL
 KITAL P570 GOLNI N569 UMILA L883 SITOL
 DCT SEGMENTS AUTHORIZED AS PUBLISHED.

FROM **FL200** TO **UNL**

1A249/26 VALID: 2605010000 - 2605312359

PILOTS ARE ADVISED TO EXERCISE CAUTION AND USE
 ALTERNATIVE MEANS OF NAVIGATION WHEN NECESSARY DUE TO REPORTED
GNSS
 INTERFERENCE (SPOOFING AND JAMMING) WITHIN MUSCAT FIR. ATC SHOULD
 BE
 INFORMED OF ANY OBSERVED ANOMALIES.

FROM **SCF** TO **UNL**

1A243/26 VALID: 2604211125 - 2605142359

ATTN ALL TRAFFIC TO REFER TO NOTAM A0217/26
 (FLAS) IMPLEMENTED BETWEEN MUSCAT FIR AND JEDDAH FIR AS FOLLOWS:

1. ALL TFC EXITING MUSCAT FIR VIA DAPOL EXPECT FL320 OR FL360
2. ALL TFC EXITING MUSCAT FIR VIA TOKRA EXPECT FL300, FL340 AND
 FL380
 OR ABOVE
3. ALL TFC DEST OEJN SHALL EXIT MUSCAT FIR VIA SITOL EXPECT FL300
 OR
 ABOVE
4. TFC FLYING ROUTE ASPUX L425 GOBRO ARE EXEMPTED FROM THIS
 MEASURES.

FROM **FL300** TO **UNL**

OMAE EMIRATES FIR

 1A1593/26 VALID: 2604291800 - 2605041200 EST

EMIRATES FIR PARTIALLY **CLOSED**.

TFC INTO EMIRATES FIR PERMITTED ONLY AS FOLLOWS:
 ARRIVALS TO OMAA, OMAL AND OMAD VIA ITRAX, SODEX, RIBOT, TANSU,
 PEKEM, KUPRO AND TOSNA OMDW, OMSJ AND OMRK VIA TAPRA, PASOV,
 MUSAP, RIBOT, TANSU, PEKEM, ASTOG AND OVONA
 OMFJ VIA MENSA, RIBOT, TANSU, PEKEM ASTOG AND OVONA
 ARRIVAL ROUTES FPL

OMDB ARR VIA OVONA SHALL FPL OVONA DCT TOTKU DCT AMBOV P559 VUTEB
 OMDW ARR VIA OVONA SHALL FPL OVONA DCT TOTKU DCT AMBOV Q322 DATOB
 OMSJ ARR VIA OVONA SHALL FPL OVONA DCT TOTKU DCT AMBOV P559 VUTEB
 DCT LOVEM DCT SERSA
 OMFJ ARR VIA OVONA SHALL FPL OVONA DCT TOTKU DCT AMBOV P559 VUTEB
 DCT LOVEM DCT ALSIL R784 KUSEN
 OMRK ARR VIA OVONA SHALL FPL OVONA DCT TOTKU DCT AMBOV P559 VUTEB

DCT LOVEM DCT SERSA DCT RAV

FROM DOHA FIR:

OMDB ARR VIA ASTOG SHALL FPL ASTOG DCT TOTKU DCT AMBOV P559 VUTEB

OMDW ARR VIA ASTOG SHALL FPL ASTOG DCT TOTKU DCT AMBOV Q322 DATOB

OMSJ ARR VIA ASTOG SHALL FPL ASTOG DCT TOTKU DCT AMBOV P559 VUTEB

DCT LOVEM DCT SERSA

OMFJ ARR VIA ASTOG SHALL FPL ASTOG DCT TOTKU DCT AMBOV P559 VUTEB

DCT LOVEM DCT ALSIL R784 KUSEN

OMRK ARR VIA ASTOG SHALL FPL ASTOG DCT TOTKU DCT AMBOV P559 VUTEB

DCT LOVEM DCT SERSA DCT RAV

EXP FLOW MEASURES TO BE IMPLEMENTED

FOR RTE DETAILS REF UAE AIP SECN ENR 1.9 AND ENR 3.2

AIRSPACE USERS ARE ADVISED TO MONITOR NOTAM UPDATES AND REFER TO
ADJACENT FIR PUBLICATION FOR AVAILABILITY OF ONWARD ROUTING

1A1545/26 VALID: 2604271040 - 2605041200 EST

PILOTS ARE ADVISED THAT **GNSS** SIGNAL INTERFERENCE (INCLUDING
POSSIBLE SPOOFING AND JAMMING) HAS BEEN REPORTED WITHIN EMIRATES
FIR.

UNRELIABLE **GNSS** SIGNALS MAY BE EXPERIENCED.

AIRCRAFT OPERATORS ARE ADVISED TO EXERCISE CAUTION AND USE
ALTERNATIVE MEANS OF NAVIGATION WHEN NECESSARY. ATC SHOULD BE
INFORMED OF ANY OBSERVED ANOMALIES.

FROM **SFC** TO **UNL**

D22/SEA RANGE CHARLIE

1A1575/26 VALID: 2604300400 - 2605031500

0400-1500

DNG AREA OMD 22 ACT.

F) SFC G) 8000FT AMSL

OM A1455/26

1A1455/26 VALID: 2604200805 - 2604271200 EST

ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

241037.69N 0544413.77E

235959.98N 0550000.00E

235019.00N 0551800.00E

234730.00N 0552312.00E

234428.01N 0553023.00E

240000.01N 0553500.00E

240930.79N 0552032.34E

242510.48N 0545634.23E

241037.69N 0544413.77E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH
AIC

A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC
FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1546/26

1A1546/26 VALID: 2604271045 - 2605041200 EST

ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

242509.76N 0540536.61E

242423.83N 0540828.00E

241804.89N 0542246.00E

241929.92N 0543100.00E

241037.69N 0544413.77E

242510.48N 0545634.23E

244308.62N 0542848.96E

243529.31N 0541854.87E

242509.76N 0540536.61E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH AIC

A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1547/26

1A1547/26 VALID: 2604271050 - 2605041200 EST

ESCAT (ESCAT - EMERGENCY SECURITY CONTROL OF AIR TRAFFIC) ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

242510.48N 0545634.23E

240930.79N 0552032.34E

242803.00N 0552300.00E

243029.99N 0551000.00E

243049.99N 0550920.00E

243419.68N 0550452.00E

243600.57N 0550243.55E

243826.58N 0550147.20E

244010.98N 0550137.00E

244519.98N 0550450.00E

244701.99N 0550556.00E

245459.96N 0545000.00E

245525.22N 0544445.85E

244308.62N 0542848.96E

242510.48N 0545634.23E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH AIC

A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1548/26

1A1548/26 VALID: 2604271055 - 2605041200 EST

ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

240930.79N 0552032.34E

240000.01N 0553500.00E

243028.02N 0560525.00E

243500.02N 0560000.00E

243500.02N 0555000.00E

243500.01N 0552700.00E

242803.00N 0552300.00E

240930.79N 0552032.34E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH AIC A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1552/26

1A1552/26 VALID: 2604271113 - 2605041200 EST
ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:
243500.00N 0552700.00E
243500.00N 0555000.00E
244001.00N 0555000.00E
244730.00N 0555000.00E
244909.00N 0553023.00E
243453.00N 0552421.00E
243500.00N 0552700.00E
FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH
AIC A 03/2023.
PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC
FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.
F) SFC G) UNL

OM A1553/26

1A1553/26 VALID: 2604271117 - 2605041200 EST
ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:
244909N 0553023E
244730N 0555000E
244730N 0560130E
252300N 0561000E
252800N 0554500E
251027N 0554052E
244909N 0553023E
FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH
AIC
A 03/2023
PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC
FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.
F) SFC G) UNL

OM A1554/26

1A1554/26 VALID: 2604271123 - 2605041200 EST
ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:
252800N 0554500E
252300N 0561000E
255800N 0560000E
255500N 0553805E
253800N 0552000E
252800N 0554500E
FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH
AIC A 03/2023
PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC
FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.
F) SFC G) UNL

OM A1555/26

1A1555/26 VALID: 2604271130 - 2605041200 EST
ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:
251027N 0554052E
252800N 0554500E
253800N 0552000E
252619N 0551311E
251027N 0554052E
FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH

AIC A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1551/26

1A1551/26 VALID: 2604271108 - 2605041200 EST

ESCAT (ESCAT - EMERGENCY SECURITY CONTROL OF AIR TRAFFIC) ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

243529.31N 0541854.87E

244308.62N 0542848.96E

245525.22N 0544445.85E

245640.91N 0542850.00E

245759.85N 0541200.00E

244535.80N 0540032.00E

244415.98N 0535950.28E

243529.31N 0541854.87E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH AIC

A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1558/26

1A1558/26 VALID: 2604271138 - 2605041200 EST

ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

245500N 0545000E

250626N 0545906E

252024N 0543212E

250713N 0543130E

245700N 0542446E

245500N 0545000E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH AIC A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1559/26

1A1559/26 VALID: 2604271142 - 2605041200 EST

ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:

250626N 0545906E

252619N 0551311E

253800N 0552000E

254453N 0545818E

252659N 0544348E

252814N 0543904E

252024N 0543212E

250626N 0545906E

FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH AIC A 03/2023

PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.

F) SFC G) UNL

OM A1556/26

 1A1556/26 VALID: 2604271132 - 2605041200 EST
 ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:
 244909N 0553023E
 251027N 0554052E
 252619N 0551311E
 250626N 0545906E
 244909N 0553023E
 FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH
 AIC
 A 03/2023
 PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC
 FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.
 F) SFC G) UNL

OM A1557/26

 1A1557/26 VALID: 2604271135 - 2605041200 EST
 ESCAT ACT IN THE EMIRATES FIR IN AN AREA BOUNDED BY THE FLW COORD:
 243453N 0552421E
 244909N 0553023E
 250626N 0545906E
 245500N 0545000E
 244702N 0550556E
 244520N 0550450E
 244030N 0551430E
 243453N 0552421E
 FLIGHT INTENDING TO OPERATE WITHIN EMIRATES FIR SHALL COMPLY WITH
 AIC A 03/2023
 PILOTS SHALL STRICTLY KEEP LISTENING WATCH TO THE APPROPRIATE ATC
 FREQUENCIES AND SHALL ADHERE STRICTLY TO ATC INSTRUCTIONS.
 F) SFC G) UNL

=====

ITRAX ITRAX

 1A1563/26 VALID: 2604271310 - 2605041200 EST
 TEMPO HLDG PROC ESTABLISHED AS FLW:
 HLDG FIX: ITRAX 241248N 0554749E
 INBD TR (DEG MAG): 295
 DIRECTION OF PTN: RIGHT
 MAX IAS: 10000 FT TO 13000FT 230 KT. FL150 TO FL170 240 KT.
 HLDG LVL: 10000 FT TO 13000 FT AND FL150 TO FL170
 OUBD LEG TIME: 10000 FT TO 13000 FT 1 MIN. FL150 TO FL170 1.5 MIN.

VAVIM/GESAXT636

 1A1573/26 VALID: 2604271403 - 2605041200 EST
RNAV 1 ATS RTE T636 WB ESTABLISHED AS FLW:
 VAVIM MAG BRG 231 DEG 11.6 NM 9500 FT/FL355
 GESAX (240831N 0552620E) MAG BRG 193 DEG 15 NM 9500 FT/FL355
 IMLON (235402N 0552202E) MAG BRG 193 DEG 11.6 NM FL165/FL355
 KULMI (234245N 0551846E) MAG BRG 193 DEG 42 NM FL265/FL460
 BUBUB (230146N 0550638E) MAG BRG 255 DEG 64 NM FL265/FL600
 PEKEM FIR BOUNDARY

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

THIS APPLIES TO ALL DEPARTURES FROM UAE AERODROMES INTENDING TO
EXIT EMIRATES FIR AT WAYPOINT PEKEM TO JEDDAH FIR.
FROM 9500FT AMSL TO FL600

CC4/26 (ME4HL) - CHART NOTAM
GESAX: AT N24 08.5 E055 26.3 ADDED

SODEX SODEX

1A1565/26 VALID: 2604271335 - 2605041200 EST
TEMPO HLDG PROC ESTABLISHED AS FLW:
HLDG FIX: SODEX 234954N 0553202E
INBD TR (DEG MAG): 295
DIRECTION OF PTN: LEFT
MAX IAS: 10000 FT TO 13000FT 230 KT. FL150 TO FL170 240 KT.
HLDG LVL: 10000 FT TO 13000 FT AND FL150 TO FL170
OUBD LEG TIME: 10000 FT TO 13000 FT 1 MIN. FL150 TO FL170 1.5 MIN.

CC16/26 (ME4HL) - CHART NOTAM
Q6243: NEW ROUTING KULMI(N24/E055)-261 38NM 080-ALMUM(N24/E055)-
260 93NM 079-ESROM(N23/E053)

RIGIL RIGIL

1A1564/26 VALID: 2604271314 - 2605041200 EST
TEMPO HLDG PROC ESTABLISHED AS FLW:
HLDG FIX: RIGIL 230146N 0551430E
INBD TR (DEG MAG) : 066
DIRECTION OF PTN: LEFT
MAX IAS: 240 KT
HLDG LVL: FL170 TO FL270
OUBD LEG TIME: 1.5 MIN

CC18/26 (ME4HL) - CHART NOTAM
Z8643: NEW ROUTING RIGIL(N23/E055)-272 151NM 091-GOLGU(N23/E053)

CC15/26 (ME4HL) - CHART NOTAM
Z889: NEW ROUTING BUBUB(N23/E055)-140 12NM 320-ULBIS(N23/E055)

CC9/26 (ME4HL) - CHART NOTAM
Q601: NEW ROUTING BUBUB(N23/E055)-239 41NM 058-TANSU(N23/E054)

ULBIS/DEBAVDCT

1A229/26 VALID: 2604160800 - 2605150800
ALL UAE DEPARTURES INTENDING TO EXIT MUSCAT FIR VIA WAY POINT
TOKRA ARE REQUIRED TO ENTER VIA WPT ULBIS THEN DEBAV G652 TOKRA
EXPECT FL300
FROM **FL200** TO **FL300**

OEJD JEDDAH FIR

1A1357/26 VALID: 2604271243 - 2605052359 EST
DUE TO OPR REASONS ALL INBD TFC AND TFC WI OEJD FIR ADZ TO
CARRY SUFFICIENT FUEL TO ACCOMMODATE POTENTIAL DLA OR DIV.
1A1351/26 VALID: 2604271233 - 2605052359 EST
PPR FOR DEP TFC FM UNCONTROLLED AD WO AFIS WI OEJD FIR.
REF AIP ENR 2.1 PILOT SHALL CTC JEDDAH ACC VIA AVBL FREQ OR VIA
TEL 00966126150018 AND 00966126150019 H24 TO OBTAIN ATC CLR.

OPR WO REQUIRED ATC CLR **NOT AUTH.**
 SX14/26 VALID: 2604160000 - UFN
 SX0014/26 AIP SUPPLEMENT
 OEJD/JEDDAH FIR
 VALIDITY: 16APR26 - UFN
 PROC AND RQMNTS :
 A. THIS AIP SUP STARTS ON 16 APR 2026.
 B. EB FLT ON ATS RTE L692 SHALL NOT FPL VIA ALROK-G783-TANSU AFT VATIX.
 C. EB FLT ON ATS RTE M440 SHALL NOT FPL VIA DANUX-G783 TANSU AFT DAVLU.
 D. FLT ENTERING OMAE FIR VIA RIBOT-M550 AND MUXIT-M318 MUST HAVE PRIOR APPROVAL FM OMAE GCAA, ALL OTHER AIRLINES MUST USE EITHER G783-TANSU OR M628-PEKEM.
 E. G783-TANSU AND M628-PEKEM ARE AVBL TO BE USED AS AN ALTERNATIVE ATS RTE WHEN RIBOT M550 AND MUXIT-M318 ARE **CLSD**.
 F. FLT FM OMAE FIR ADS AND LDG THE FLW AERODROMES: OERK, OEJN, OEGN, OEAB, OETF SHALL ENTER JEDDAH FIR VIA RIBOT OR PEKEM AND FLW RTE AS DESCRIBED.
 G. DOM FLT FLY VIA V31 SHALL BE AT FL160-190 BTN **BAH** AND **EGPOB**.
 H. ATS RTE T218 AND M309 ARE AVBL AT FL320 AND ABV WHEN OER05A IS ACT.
 I. ATS RTE L681 IS ONLY AVBL BTN **GISRA** AND **ORLEK**.
 J. FLT FM HECC FIR ON M999 AND LDG OEJN EXP TO CROSS DEDLI FL330 OR BLW.
 K. FLT FM ORBB FIR AND LDG HESH OR HEGN EXP TO CROSS KITOT FL280 OR FL320 BASED ON LVL AVAILABILITY.
 L.TFC LDG OOMS VIA M440 EXP TO CROSS MIDGU FL370 OR BLW.
 M. ALL FLT LDG OEDF OR OBBB FIR VIA N318 OR N685 EXP TO CROSS GESOR FL250.
 N.FREE ROUTE AIRSPACE PROCEDURES ARE APPLICABLE IN THE JEDDAH ACC SOUTH-EAST SECTOR (ENR 2.1) OF JEDDAH FIR BETWEEN FL300 AND FL600, PLEASE NOTE THAT OUTSIDE OF THE FREE ROUTE AIRSPACE, PUBLISHED ATS ROUTES REMAIN APPLICABLE.

TOKRA TOKRA

 1A1347/26 VALID: 2604271216 - 2605052359 EST
 WB TFC FM OOMM FIR VIA WPT TOKRA SHALL BE AT FL300, FL340, FL380 AND ABV:
 -TO OEMA AND OVERFLYING TO HECC FIR TFC SHALL RTE WPT TOKRA DCT WPT ALROK DCT WPT BOSOB DCT WPT ITRUX ATS RTE Y511.
 -TO OERK, OEDF AND NORTHERN AD TFC SHALL RTE WPT TOKRA DCT WPT ALROK DCT WPT BOSOB ATS RTE M321 WPT SITUK.
 -TO OTDF FIR TFC SHALL RTE WPT TOKRA DCT WPT ALROK DCT WPT RAGPO ATS RTE Y432 WPT LADB0.

HECC CAIRO FIR

 1A132/26 VALID: 2604021305 - 2605022359 EST
 ALL TFC ENTERING CAIRO FIR MUST CONTACT CAIRO ACC AT THE ENTRY POINT BY THE CALL SIGN ONLY. AIP PAGE ENR 1.3-1 ITEM 2.3
SUSPENDED.
 1A93/26 VALID: 2604160000 - 2606062359 EST
 KHARTOUM FIR AVOIDANCE
 UNLESS OTHERWISE COORDINATED
 SIG POINTS NUBAR, ATMUL AND ENABU **NOT AVBL** EXC FOR STATE AND HUMANITARIAN FLIGHTS **PPR** FM EGYPTIAN CAA.
 TFC AVOIDING HSSS FIR SHALL RTE VIA DEDLU.

SIG POINT ALEBA AVBL FOR TFC TO/FM HSPN AD AND FOR OVERFLYING
HSSS FIR AS FLW:

- 1.NB TFC DEP FM HSPN AD TO CROSS ALEBA AT FL300
- 2.NB TFC OVERFLYING HSSS FIR TO CROSS ALEBA
AT OR ABV FL320 (ONLY EVEN LEVELS)
- 3.SB TFC DESTINED HSPN AD TO CROSS ALEBA AT FL310 OR FL330
- 4.SB TFC OVERFLYING HSSS FIR TO CROSS ALEBA
AT OR ABV FL350 (ONLY ODD LEVELS)

LGGG ATHINAI FIR

1A1052/26 VALID: 2604160000 - PERM

KAVALA LOW SECTOR (LGMDKVLL) LOWER LIMIT:
AMD GND/MSL TO READ FL 115 OR LOWER AWY LIMIT.
REF AIP GREECE ENR 2.1-14, TABLE 9.

1A995/26 VALID: 2604031011 - 2607032359

OVERFLYING AND LANDING ON HELLENIC TERRITORY IS FORBIDDEN TO ALL
AIRCRAFT DEPARTING FROM LIBYA.

EXEMPTIONS:

- HELLENIC STATE AIRCRAFT.
- MILITARY AIRCRAFT OF OTHER NATIONS ONLY IF AUTHORISED BY
COMPETENT
HELLENIC MILITARY AUTHORITY.
- STATE FLIGHTS OR OTHER VIP FLIGHTS AUTHORISED BY HELLENIC
MINISTRY
OF FOREIGN AFFAIRS.
- HUM, MEDEVAC AND SAR FLIGHTS OR ANY OTHER FLIGHT, AS IN CASE OF
EMERG LANDING OR EMERG OVERFLIGHT.
- THE FOLLOWING COMMERCIAL OPERATORS/AIRCRAFT PROVIDED THAT THE
RELEVANT AVIATION SECURITY REQUIREMENTS IMPOSED BY HCAA IN
ACCORDANCE WITH NATIONAL AVIATION SECURITY PROGRAMME ARE MET:
EPSILON AVIATION SA: SX-SEM, 9H-MRQ
MARATHON AIRLINES: SX-ASK, SX-PTM, SX-RMA
AIR MEDITERRANEAN: SX-MAM, SX-MAT
TURKISH AIRLINES
MEDSKY: 9H-MSA, 9H-MSB, 9H-MMO, SX-LUX.

C101 CRETAN SEA

1A906/26 VALID: 2604230500 - 2605011706

APR 23 0500-SS, MAY 01 0500-SS
LGC101 DEACTIVATED.
F) SFC G) FL660

D68 ANDROS

1A904/26 VALID: 2604230333 - 2605011709

APR 23 SR-SS, MAY 01 SR-SS
DANGER AREA LGD68 ANDROS DEACTIVATED.
F) SFC G) FL250

LQ A1256/26

1A1256/26 VALID: 2604250600 - 2605081500

0600-1500
AERIAL WORK WILL TAKE PLACE WI AREA DEFINED BY COORD:
435330.59N 0183302.36E - 435207.76N 0191847.46E -
434859.74N 0192210.35E - 433623.09N 0192126.70E -
433627.13N 0191419.41E - 433204.28N 0191431.94E -

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

433221.13N 0190910.35E - 433052.40N 0190349.00E -
433345.67N 0190001.81E - 432902.18N 0185208.09E -
432945.37N 0183143.07E - 435330.59N 0183302.36E
(AD HOC B29 20260226C).

OVERFLYING PROHIBITED UNLESS APPROVED BY ATS SARAJEVO 136.450MHZ.
REAL TIME RESERVATION/ACTIVATION BY NAUP/NUUP
(HTTPS://AMC.BHANS.A.GOV.BA/)
F) 8500FT AMSL G) FL125

EDMM MUNICH FIR

1B94/26 VALID: 2602171152 - 2605162359 EST
MILITARY INVASION OF UKRAINE BY RUSSIAN FEDERATION.
REROUTINGS, EXTENDED ROUTE PORTIONS BELOW FL245 AND DELAY MAY BE
EXPECTED WITHIN LOWER AND UPPER GERMAN AIRSPACE DUE TO AIRSPACE
RESTRICTIONS FOR THE EXECUTION OF MILITARY MISSIONS.
IT IS RECOMMENDED TO CONSIDER THE USE OF EXTRA-FUEL.

LOVV VIENNA FIR

1A718/26 VALID: 2604020000 - 2606252359
REF AIP AUSTRIA, GEN 3.4 ITEM 3.4.
INCREASED **CPDLC** USAGE WILL BE ENDEAVOURED BY ATC IN THE AREA OF
RESPONSIBILITY OF ACC WIEN AND APP LOWW.
ALL DATA LINK EQUIPPED AIRCRAFT (**CPDLC ATN VDL MODE 2**) ARE
REQUESTED TO LOG ON TO ACC WIEN / APP WIEN. THE DATA LINK ADDRESS
FOR ACC WIEN/ APP WIEN IS LOVV.
FLIGHT CREWS SHALL EXPECT TO RECEIVE UPLINK MESSAGES ESPECIALLY IN
SITUATIONS OF HIGH RTF FREQUENCY LOAD AND ARE REQUESTED TO REACT
TO
THEM ASAP.

MODSA MODSA

1A782/26 VALID: 2604160000 - PERM
REF AIP AUSTRIA, ENR 4.4, ENR 6.8, ENR 6.9.
REMARKS/FRA-RELEVANCE OF FRA SIGNIFICANT POINT MODSA SHALL READ:
FRA(E). FRA(X): 0500-2230 (0400-2130), FL315 AND ABV.
FRA(I): 2230-0500 (2130-0400), FL315 AND ABV.
1B231/26 VALID: 2604160000 - 2606102359
DEL FRA RELEVANCE FOR WPT TATZI.
ADD FRA RELEVANCE FOR WPT MODSA:
(EI) EDUU EAST:
(E): 0500 (0400) - 2230 (2130),
(I): 2230 (2130) - 0500 (0400).
REF AIP ENR 4.4-19 AND ENR 4.4-28, BOTH EFF 19 FEB 2026.

TATZI TATZI

1A781/26 VALID: 2604160000 - PERM
REF AIP AUSTRIA, ENR 6.8, ENR 6.9.
FRA SIGNIFICANT POINT TATZI CNL

LBU LUBURG

1A1597/26 VALID: 2603311031 - PERM
LUBURG **VOR/DME** LBU 109.20MHZ/CH29X, **VOR** PART USABLE ONLY UP TO
29NM ON R277.

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

EBBU BRUSSELS FIR

1E45/26 VALID: 2604160000 - 2612312359
RADIO ALTIMETER INTERFERENCE POSS DUE TO EMSA UAS FLT. REF SUP
011/2026 AND SUP 020/2026. CHECK ACT WITH OOSTENDE APP AND
BRUSSELS
FIC.

EHAA AMSTERDAM FIR

1A825/26 VALID: 2604100754 - 2607100900
AMSTERDAM INFORMATION 124.300MHZ, EXPECT LIMITED RADIO COVERAGE
BELOW 1500FT BETWEEN EHRD CTR AND EHSE.

LFFF PARIS FIR

1F598/26 VALID: 2604021000 - PERM
'ZS' SECTOR FREQ MODIFIED, READ 135.965MHZ
REF GEN 3.4-7 - UAC BREST

=====

EGTT LONDON FIR

1B642/26 VALID: 2604270800 - 2605081600
0800-1600
GPS SIGNAL JAMMING **TRIAL**. GND JAMMERS LOCATED WI 3NM RADIUS PSN
550307N 0023330W (SPADEADAM). ACTIVITY MAY AFFECT ACFT WI 30NM
(ALL DIRECTIONS) UP TO 10000FT AMSL. DURING **TRIAL** GPS REC MAY
SUFFER INTERMITTENT/TOTAL FAILURE, OR GIVE INCORRECT PSN INFO.
NOT TO EXCEED 2 MINUTE DURATION WITH A MAXIMUM OF 5 SERIALS PER
HOUR. FOR INFO/CEASE JAMMING 01697 749486. AR-2026-2677/01.

=====

CC550/26 (AT1H) - CHART NOTAM
LORTA: (N56/W004) **WITHDRAWN**

CC530/26 (AT1H) - CHART NOTAM
APPLE: (N55/W003) **WITHDRAWN**

GOW GLASGOW

1I2417/26 VALID: 2604030600 - PERM
MSA **NDB**(L) GLW AND **VOR** GOW 345 TO 070 SEGMENT TO BE INCREASED FROM
4900 TO 5000.
UK AIP AD 2.EGPF-8-1,8-2,8-3,8-4,8-5,8-6,8-7,8-8,8-9,8-10 REFERS.

=====

CC538/26 (AT1H) - CHART NOTAM
EMGAT: (N55/W005) **WITHDRAWN**

UAE1/01May26/DXB-LHR A6EUB OFP:30/0/0

CC285/26 (EU3H) - CHART NOTAM

N97: DELETED ROUTING ROKAN(N54/E003)-TLA(N55/W003)

WARTON ADVISORY RADIO AREA

1L2604/26 VALID: 2605011315 - 2605011415

THE FOLLOWING AREAS ARE DEACTIVATED

WALNEY TRANSPONDER MANDATORY ZONE - SFC TO FL100

BURBO BANK TRANSPONDER MANDATORY ZONE AREA A - SFC TO 3500FT

BURBO BANK TRANSPONDER MANDATORY ZONE AREA B - SFC TO 2000FT

BURBO BANK TRANSPONDER MANDATORY ZONE AREA C - SFC TO FL045

WARTON ADVISORY RADIO AREA - FL095 TO FL190

NWMTA NORTH LOW

1M3098/26 VALID: 2605010700 - 2605011700

THE FOLLOWING NORTH WALES MILITARY TRAINING AREAS ACTIVATED:

NORTH LOW 0700-0930 FL195-FL260

NORTH LOW 0930-1200 FL195-FL260

NORTH LOW 1200-1430 FL195-FL260

NORTH LOW 1430-1700 FL195-FL260

SOUTH LOW 0700-0930 FL195-FL260

SOUTH LOW 0930-1200 FL195-FL260

SOUTH LOW 1200-1430 FL195-FL260

SOUTH LOW 1430-1700 FL195-FL260

F) FL195 G) FL260

CC534/26 (AT1H) - CHART NOTAM

BEGAM: (N54/W002) **WITHDRAWN**

CC524/26 (AT1H) - CHART NOTAM

NUKPE: AT N54 01.2 W001 58.7 ADDED

CC522/26 (AT1H) - CHART NOTAM

MEJAC: AT N54 20.2 W001 49.9 ADDED

CC521/26 (AT1H) - CHART NOTAM

LEHOC: AT N54 01.1 W002 01.1 ADDED

CC519/26 (AT1H) - CHART NOTAM

KEFTE: AT N54 01.2 W001 44.6 ADDED

CC513/26 (AT1H) - CHART NOTAM

EGTOC: AT N54 00.0 W003 13.6 ADDED

HOL VILLACOUBLAY VELIZY

1F681/26 VALID: 2604130813 - 2607122359

NDB 'HOL' 315KHZ **U/S**.

TA VILLACOUBLAY VELIZY

1F682/26 VALID: 2604130815 - 2607122359

NDB TA **U/S**.

ENORI ENORI

1F244/26 VALID: 2602130000 - PERM

FRANCE FREE ROUTE AIRSPACE - NORTH EAST CELL (LFFRANE) -

SIGNIFICANT POINT BELOW FRA FUNCTION MODIFIED.

READ :

-ENORI=FRA(AI): LFFRANE, LFPG, FL195-660

-REF AIP ENR 4.4

===== END OF LIDO-NOTAM-BULLETIN =====

Additional Docs

NO DATA AVAILABLE