



البرمجة بلغة ++C

جنى الخطاب

Q1) What is the output of the following program?

```
#include <iostream>
using namespace std;
int main() {
    int i = 5, j = 1;
    while (i > 0) {
        i--;
        j++;
    }
    cout << j;
    return 0;
}
```

- A) 2
- B) 6
- C) 5
- D) 3

Q2) What is the output of the following program?

```
#include <iostream>
using namespace std;
int main() {
    int i = 4, j = 0;
    do {
        i--;
        j++;
    } while(i >= 0);
    cout << j;
    return 0; }
```

- A) 5
- B) 2
- C) 4
- D) 3

Q3) What is the output of the following program?

```
#include <iostream>
using namespace std;
int main() {
float val = 100.0;
do {
val = val / 10;
cout << "*";
} while(val > 1.0);
return 0;
}
```

- A) ***
- B) ****
- C) **
- D) *****

Q4) what is the output of the following code?

```
int count = 1;
while (count <= 10)
{
if (count % 5 == 0) {
count++;
break;
```

```
}  
cout << count << " ";  
count++;  
}  
cout << endl;
```

- A) 1 2 3 4 5 6 7 8 9 10
- B) 1 2 3 4
- C) nothing is printed
- D) 5

Q5) Consider the following statements. How many times would the for loop execute?

```
int j = 1;  
for (;j<6;)  
{  
j += 2;  
if(j == 7)  
cout<<j<<" ";  
}
```

- A) 3
- B) 7
- C) 5
- D) 4
- E) 1

Q6) Which looping process checks the test condition at the start and the end of the loop?

- A) do-while

- B) no looping process checks the test condition at the start and end
- C) While
- D) for

Q7) What is the output of the following code?

```
#include <iostream>
using namespace std;
int main() {
    for (int i = 1; i <= 10; i++) {
        if (i % 2 == 0)
            continue;
        cout << i << " ";
    }
    return 0;
}
```

- A) 1 2 3 4 5 6 7 8 9 10
- B) 1 3 5
- C) 1 3 5 7 9
- D) syntax error

Answer Key:

- 1) B
- 2) A
- 3) C
- 4) B
- 5) A
- 6) B
- 7) C

