



البرمجة بلغة ++C

جنى الخطاب

Q1) What is/are the output(s) of the following code?

```
#include <iostream>
using namespace std;
int add(int a, int b)
{
    int sum = a + b;
    return sum; b = 6;
    return a + b;
}
int main()
{
    int i = 5, j = 5;
    cout << add(i, j);
    return 0;
}
```

A) 12

B) 1011

C) Syntax Error

D) 10

E) 8

F) 11

Q2) What is/are the output(s) of the following code?

```
#include <iostream>
using namespace std;
subtraction (int a, int b)
{int r;
r=a-b;
```

```
return r;}
int main() {
int x=5, y=3;
cout << subtraction (7,2)<< subtraction (x,y);
return 0;
}
```

A) syntax error

B) 2

C) 25

D) 5

E) 52

Q3) What is/are the output(s) of the following code?

```
#include <iostream>
```

```
using namespace std;
```

```
int fun (int a, int b)
```

```
{
```

```
int temp;
```

```
while (b != 0)
```

```
{
```

```
temp = a - b;
```

```
a = b;
```

```
b = temp;
```

```
}
```

```
return a;
```

```
}
```

```
int main ()
```

```
{
```

```
int x = 10, y = 5;  
cout << fun(x, y);  
return 0;  
}
```

- A) 10
- B) 6
- C) 3
- D) 4
- E) 5
- F) 8
- G) 0

Q4) What is/are the output(s) of the following code?

```
#include <iostream>  
using namespace std;  
int Add(int x, int y, int z)  
{  
    return x + y;  
}
```

```
double Subtract (double x, double y, double z)  
{  
    return x - y;  
}
```

```
int main()  
{  
    cout << Add (5, 6);  
    cout << Subtract (7.7, 5.5);  
    return 0;  
}
```

}

A) 112.2

B) 2.211

C) syntax error

D) 112

Q5) What is the output of the following code?

```
#include <iostream>
```

```
using namespace std;
```

```
int FunA(int x, int y)
```

```
{
```

```
int m = 0;
```

```
m = (x < y) ? x + 2 : y - 2;
```

```
return m;
```

```
}
```

```
int main()
```

```
{
```

```
cout << FunA (FunA ( 5, 2), FunA (-1 , 4));
```

```
return 0;
```

```
}
```

A) 6

B) 2

C) 6.5

D) 11.2

Answer Key:

1) D

2) A

3) E

4) C

5) B

