

Demo Script (Postman) — Async Workflow

This demo shows asynchronous report processing using RabbitMQ.

Step 1: Login

POST <http://localhost:8081/auth/login>

Headers:

Content-Type: application/json


X-Tenant-ID: 1

Body:

```
{  
  "email": "admin@test.com",  
  "password": "123456"  
}
```

Response:

```
{  
  "token": "..."  
}
```



Step 2: Create Report (Async Job)

POST <http://localhost:8081/reports/1>


Headers:

Authorization: Bearer

X-Tenant-ID: 1

Response:

```
{
  "status": "PENDING"
}
```



Step 3: Check Reports (Initial State)

```
GET http://localhost:8081/reports
```

Headers:


Authorization: Bearer

X-Tenant-ID: 1

Response:

$$\left[\begin{array}{c} \{ \end{array} \right.$$

```
"status": "PENDING"
}
]
```



Step 4: Wait for Processing


Wait 3–5 seconds for the async job to be processed by RabbitMQ.

Step 5: Check Reports (After Processing)

GET <http://localhost:8081/reports>

Response:

```
[
{
  "status": "DONE"
}
]
```




Step 6: Verify Logs (Consumer)

Check the application logs:

Example:

Report finished for jobId=1 tenantId=1



Conclusion

The system successfully demonstrates asynchronous processing:

- Report job is created with status PENDING
- Message is sent to RabbitMQ
- Consumer processes the job
- Status updates to DONE

This confirms that the async workflow is functioning correctly.