2026
03

The SKY

HELLO

2026
03

Agentic Voice



Touch Base

Talk to the status, voice the sync:
Touch Base handles the rest.

Presented By: Samaa Sabry

The PAIN

MEETINGS

Veo

ABOUT TOUCH BASE

As a multimodal operating layer, **Touch Base** replaces the manual hunt through docs and calendars with a seamless voice interaction. Using **Gemini Live** and **Google ADK**, it autonomously retrieves grounded project statuses via RAG and resolves scheduling conflicts in real-time. This sub-second latency stack manages the entire team sync lifecycle, absorbing operational overhead so teams stay "**locked in**" their flow state.

DEMO

From 'What’s the status?' to 'Let’s sync up’
handled by your Voice Bot

Touch Base

POWERED BY GOOGLE ADK

Access your unified knowledge base and schedule through a seamless editorial interface.

Ask about docs or your schedule...

SEND

CONNECTED

Activate Windows
Go to Settings to activate Windows.


User
Touch Base Agent
search_project_docs
lookup_team_member
find_free_time / create_event
"What's the status of Phase 2 of the auth migration?"
query="Phase 2 authentication migration status"
PDF chunks about Phase 2 Shadow Validation
"Phase 2 (Shadow Validation) is pending, target Apr 1..."
eeting with the Engineering Manager and Security Lead to discuss this"
lookup("Engineering Manager" / by name)
match found with email
"I found X and Y -- should I proceed?"
"Yes"
find_free_time + create_event with attendees
event created, invitations sent
"Meeting booked, invitations sent!"

The Agentic Stack

Core Engine	Orchestration	Ingestion	Vector Database
↓	↓	↓	↓
Gemini Live API	Google ADK	Docling	ChromaDB

Why Gemini Live API ?

Mutlilingual Support

Converse in 70 supported Languages

Barge-In

Users can interrupt the model at any time for responsive interactions.

Tool Use

Integrates tools like function calling and Google Search for dynamic interactions.

Audio Transcripts

Provides text transcripts of both user input and model output.

Proactive Audio

Let’s you control when the model responds and in what contexts.

Affective dialog

Adapts response style and tone to match the user's input expression.

https://ai.google.dev/gemini-api/docs/live-api

Solving the Identity Gap

2026 03

Names → The Right Person, Every Time

- **Phonetic & Fuzzy Matching:** Powered by **RapidFuzz** (WRatio, threshold 60) to handle spelling variations (e.g., Sarah vs. Sara) and speech-to-text inaccuracies.
- **Linguistic Normalization:** LLM-driven instruction layer that translates Arabic name mentions into English identifiers before executing the lookup_team_member tool.
- **Disambiguation Protocol:** Automated safety loop if multiple candidates are identified, the agent pauses to request verbal confirmation, ensuring zero "incorrect" invites.

Conversation Design

2026 03

Google's Conversation Design Framework: The conversation flow is designed using Google's agentic principles:

- **Acknowledge & Act:** The bot uses "Short Line" confirmation before running heavy tools to avoid dead air.
- **Progressive Disclosure:** Only giving the most relevant status update first, then offering more detail if asked.
- **Agentic Persona:** Designed to be a "peer," not just a tool it mirrors the language and professional tone of the Lead.

What other headaches should this Touch Base solve next?

2026
03

The SKY

Thanks

LinkedIn: linkedin.com/in/samaa-sabry Github:github.com/samaasabri
Email: samaa.sabry.23@gmail.com