A Self-Expanding Workforce with Paperclip

Mode 2 Phase 3 (Scale the Workforce), Chapter 4/9 — Revision & Viva-Prep Cheatsheet (English + Roman Urdu)
Source: agentfactory.panaversity.org/docs/dynamic-workforce-crash-course

EN: The previous fixed team now grows itself: detect a gap -> propose a hire (APPROVE/REJECT) -> short probation -> pass extends grants -> idle work pauses -> everything lands in a ledger -> the gap-check can run on a schedule.
Roman Urdu: Pichli fixed team ab khud grow hoti: gap detect -> hire propose (APPROVE/REJECT) -> chota probation -> pass grants barhata -> idle kaam pause hota -> sab ledger mein -> gap-check schedule par chal sakta.

1. Spotting a Gap

- Hiring becomes a function call; you stay the gate. **Confirming a real gap needs 2 of 3 signals:** role not covered, recurring/growing need, keeps coming back wrong.
- Trap: if a member is quietly handling it, that's a ROUTING problem, not a capability gap.
- **4 forks after a confirmed gap:** HIRE (durable+high-volume/risky), ESCALATE (consequential/rare), QUEUE (seasonal/bursty), DECLINE (off-mission/not worth cost).

2. Writing the Hire + Approval

- **Hire a worker the same way you'd evaluate a work sample, not a resume** -- probation = small trial + budget + minimal authority, scored on correct answers, staying in its LANE, tone, cost.
- Never compromise on staying in-lane: a wrong answer is a quality problem, going out-of-lane is a GOVERNANCE problem.
- Words are not a fence -- grants are. The real fence is Paperclip's server-enforced scoped permissions layer.

3. Probation + Pause/Terminate

- First day is the cheapest day to catch a bad hire -- watch the FIRST runs, not the hundredth. Pass -> extend budget+specific grants. Fail (especially out-of-lane) -> terminate, almost nothing lost.
- **Pause** = furlough (reversible, spend/heartbeats stop, history/permissions kept). **Terminate** = one-way door, only when the role is genuinely gone.

4. Ledger + Routine Cadence

- Every action is one ledger row (gap detect, hire propose, probation approve, budget raised, cost resolution, pause) -- a 6-month running history is the honest answer a new operator can read directly.
- A Routine wakes a worker on schedule -- but a worker only responds if it's ON CALL. Build: a weekly gap-scan routine running fully unattended.

Key Terms Cheatsheet

One line each — English + Roman Urdu.

Term	English	Roman Urdu
2-of-3 gap signals	Role not covered, recurring/growing, keeps coming back wrong.	Role cover nahi hota, recurring/growing, galat wapis ata.
4 forks (gap decision)	HIRE, ESCALATE, QUEUE, DECLINE.	HIRE, ESCALATE, QUEUE, DECLINE.
Probation	A small trial + budget + minimal authority, scored on staying in-lane.	Chota trial + budget + minimal authority, lane-mein-rehna par score hota.
Pause vs Terminate	Pause = reversible furlough; Terminate = one-way door.	Pause = reversible furlough; Terminate = one-way door.
Recipe vs Relationship	Recipe (portable: capabilities, probation plan) travels with you; Relationship (permissions, budget history) stays in the company.	Recipe (portable) aapke sath travel karta; Relationship (permissions, budget history) company mein rehta.

Quick Self-Check

Question	Answer
Why does a quietly-handled gap signal a routing problem, not a capability gap?	If someone is already covering it fine, the workforce doesn't lack a capability -- work just isn't being routed to the right place.
Why is going out-of-lane always worse than a wrong answer?	A wrong answer is a quality problem that can be corrected; acting outside its authorized scope is a governance failure.
Why are words alone not a sufficient fence for a new hire?	A description is guidance, not enforcement -- the real boundary is Paperclip's server-enforced scoped permissions layer.
What's the difference between Pause and Terminate?	Pause is a reversible furlough keeping history/permissions; Terminate is a one-way door used only when the role is genuinely gone.

Where This Leads / Sources

Leads to: Identic AI (automating your own attention budget), Payment-Enabled Agents. Full 7 scenarios + Recipe vs Relationship table.

Source: docs/dynamic-workforce-crash-course/ (this repo), content originally via Zia Tutor AI connector.