Human-Agent Teams: The Operating Model for Your Workforce

Mode 2 Phase 3 (Scale the Workforce), Chapter 1/9 — Revision & Viva-Prep Cheatsheet (English + Roman Urdu)
Source: agentfactory.panaversity.org/docs/human-agent-teams-crash-course

EN: Moving from one trustworthy Digital FTE to a TEAM. Not a build-along course -- you write operating documents (roster, role cards, north star, rubric) the way a manager would, except the agent drafts and you decide.
Roman Urdu: Ek trustworthy Digital FTE se TEAM tak. Build-along course nahi -- aap operating documents (roster, role cards, north star, rubric) likhte ho jaise manager likhta, sivaye iske agent draft karta, aap decide karte.

1. Single-Player Ends + Scarce Resource

- Multiplayer agent keeps its own memory/credentials and lives WHERE the work happens (channels/docs), not in a private session.
- The scarce resource is HUMAN JUDGMENT -- failure without a model: people run duplicate AIs side-by-side, work duplicates, context breaks across private windows.
- **4 Practices:** work in the open, one roster with clear roles, one north star, trust that's earned.

2. Working in the Open + One Roster

- 'If it's not written down, it doesn't exist' -- the agent only understands searchable material (channels/code/docs); private DMs are invisible to it.
- Role card states what a member owns AND does NOT own (equally important), tools/access (least privilege), how work gets checked, escalation triggers.

3. North Star + Trust Ladder

- North star = one ambitious sentence, human-set, grounded in the business mission -- it tells everyone who can act WITHOUT being asked.
- **Trust Ladder (L0-L4):** L0 draft-only -> L1 act+full review -> L2 act+verifier check -> L3 act within limits, batch escalations -> L4 runs task type itself, weekly report review.
- Autonomy is granted to a WORKER-ON-A-JOB, not the whole worker. Caution: the ladder must move BOTH directions -- re-verify some clean passes weekly against AI gravity (drift toward rubber-stamping).

Key Terms Cheatsheet

One line each — English + Roman Urdu.

Term	English	Roman Urdu
Multiplayer agent	Keeps its own memory/credentials, lives where work happens, not a private session.	Apni memory/credentials rakhta, jahan kaam hota wahan rehta, private session nahi.
Role card	States what a member owns AND does not own, tools, check method, escalation trigger.	Member kya own karta AUR kya nahi, tools, check method, escalation trigger batata.
North star	One sentence, human-set goal defining who can act unasked.	Ek sentence, human-set goal jo batata kaun bina-poochhe act kar sakta.
Trust Ladder (L0-L4)	Draft-only -> full review -> verifier check -> batch escalation -> self-run.	Draft-only -> full review -> verifier check -> batch escalation -> self-run.
Doer-verifier setup	Cheap insurance -- a separate check on the same work.	Sasti insurance -- same kaam par alag check.

Quick Self-Check

Question	Answer
Why must team work happen in searchable places, not private DMs?	The agent only understands what it can search -- invisible work can't be learned from, reused, or built on.
What's the real scarce resource this model protects?	Human judgment -- not building capacity, since agents made building fast but validating still bottlenecks.
Why does autonomy get granted to a 'worker-on-a-job', not the whole worker?	A worker might be trusted at L3 for routine tasks but still need L1 review on a genuinely new task type.
Why must the Trust Ladder be able to move DOWN as well as up?	Human ability to actually check work degrades with over-trust (AI gravity) -- re-verifying some clean passes catches drift before it compounds.

Where This Leads / Sources

Leads to: Workforce with Paperclip (automate the roster), A Self-Expanding Workforce, Identic AI, Payment-Enabled Agents. Full 8-file operating manual + worked Finance Close Team example in Parts 5-6.

Source: docs/human-agent-teams-crash-course/ (this repo), content originally via Zia Tutor AI connector.