Zia Developer AI

The Ecosystem, Chapter 9/9 — Revision & Viva-Prep Cheatsheet (English + Roman Urdu)
Source: agentfactory.panaversity.org/docs/ecosystem-zia-developer-ai

EN: If Zia Tutor AI is the teaching lane, Zia Developer AI is the construction lane -- still in development. It applies the book's own 10-80-10 rule to building itself: Zia Developer AI sets intent (10%), the coding agent builds (80%), your judgment closes the loop (10%).
Roman Urdu: Zia Tutor AI teaching lane hai, Zia Developer AI construction lane hai -- abhi in development. Yeh book ka apna 10-80-10 rule khud building par apply karta hai: Zia Developer AI intent set karta (10%), coding agent build karta (80%), aapka judgment loop close karta (10%).

1. How It Works: Decide, Build, Rhythm

- Runs as a plugin inside Claude Code/OpenCode. Describe a business problem in plain language -- it doesn't guess, it returns a grounded decision (Mode 1 or Mode 2, which shape, why), writes a spec, and builds a deployable scaffold (not a throwaway skeleton).
- Never guesses at a gate -- if requirements aren't settled, it asks the sharpest single question and waits.
- Grounded in the same SoR that Zia Tutor AI reads -- fails closed rather than inventing an architecture it can't cite.

2. The 10-80-10 Rhythm + Three Commands

- Zia Developer AI (10% intent+spec) -> coding agent (80% build) -> your judgment (10% close). Mirror of Zia Tutor AI: same source, different host.
- **/vloop** -- builds/tests/installs a loop from a description. **/vsor** -- scaffolds schema/ingestion/Postgres+vector/MCP server for a new SoR. **/vtutor** -- builds a Zia-style tutor on any SoR.
- /vsor never starts from an empty folder -- it adapts from sample repositories (working kernel copies), so every new vertical inherits kernel fixes automatically.

Key Terms Cheatsheet

One line each — English + Roman Urdu.

Term	English	Roman Urdu
10-80-10 (applied to building)	Developer AI sets intent (10%), coding agent builds (80%), human judgment closes (10%).	Developer AI intent set karta (10%), coding agent build karta (80%), insaan judgment close karta (10%).
/vloop, /vsor, /vtutor	Commands to build a loop, a System of Record, or a tutor from a description.	Description se loop, SoR, ya tutor banane wale commands.
Reference domain builder	The Layer 2 slot every vertical's own domain builder will copy.	Layer 2 slot jo har vertical ka apna domain builder copy karega.

Quick Self-Check

Question	Answer
How does Zia Developer AI handle an unsettled requirement at a decision gate?	It never guesses -- it asks the single sharpest question and waits.
Why does /vsor start from sample repositories instead of a blank folder?	So every new vertical SoR inherits fixes already made to the kernel -- later verticals start better than earlier ones.
What's the 10-80-10 rhythm as applied to Zia Developer AI itself?	Zia Developer AI sets intent (10%), the coding agent builds (80%), your judgment closes the loop (10%).

Where This Leads / Sources

Leads to: Spec-Driven Development, Agentic Coding Crash Course, Loop Engineering -- the courses /vloop, /vsor, /vtutor draw on.

Source: docs/ecosystem-zia-developer-ai/ (this repo), content originally via Zia Tutor AI connector.