Agent Factory System of Record

The Ecosystem, Chapter 5/9 — Revision & Viva-Prep Cheatsheet (English + Roman Urdu)
Source: agentfactory.panaversity.org/docs/ecosystem-system-of-record

EN: The smallest but most foundational chapter -- the thing the Ecosystem Concept and FDE AF Model theories stand on. Core line: grounded, not guessing. When the source is unreachable, it fails closed -- it says 'I can't tell you' instead of inventing an answer.
Roman Urdu: Sabse chota lekin sabse foundational chapter -- jis par Ecosystem Concept aur FDE AF Model theory khadi hoti hai. Core line: grounded, guessing nahi. Source unreachable ho to fail closed hota hai -- 'nahi bata sakta' kehta hai, invent nahi karta.

1. Four Design Properties

- (1) Any MCP-speaking agent/host can connect. (2) **Grounded, not guessing** -- cites the exact section, fails closed when the source is unreachable. (3) Stays live with the book -- re-reads on every new publish, no drift. (4) Built on the book's own teaching stack (Postgres+pgvector, read-only MCP tools).

2. How to Connect (claude.ai, Beta 1)

- Connectors -> Add custom connector -> Name: 'Agent Factory System of Record', MCP Server URL: https://sor.panaversity.org/mcp -> OAuth Client ID: zia-tutor-ai (Client Secret blank) -> Add -> Connect -> approve.
- Read-only, serves core content (About through Glossary, ~80% of value path). Test prompt: 'Use the Agent Factory System of Record and explain what AI actually is.'

3. Fit in the FDE AF Model

- This is Layer 1's first live instance -- one component, many corpora. Running the same component on your own content (e.g. an Accounting SoR) is the method taught in Designing the Vertical System of Record.

Key Terms Cheatsheet

One line each — English + Roman Urdu.

Term	English	Roman Urdu
Grounded, not guessing	Every answer cites an exact section; no answer is invented.	Har jawab exact section cite karta hai; invent nahi hota.
Fail closed	When the source is unreachable, the system says it can't answer instead of fabricating.	Source unreachable ho to system 'nahi bata sakta' kehta hai, banata nahi.
MCP (Model Context Protocol)	The open protocol letting any agent connect to this SoR.	Open protocol jo kisi bhi agent ko is SoR se connect karta hai.
Layer 1 instance	This SoR is the first live example of the FDE AF Model's reusable Content SoR Kernel.	Yeh SoR, FDE AF Model ke reusable Content SoR Kernel ka pehla live example hai.

Quick Self-Check

Question	Answer
What happens when the SoR's source is unreachable?	It fails closed -- says it can't answer, rather than guessing or fabricating an answer.
What's the OAuth Client ID used to connect this SoR in claude.ai?	zia-tutor-ai (with Client Secret left blank).
Why is this SoR described as 'one component, many corpora'?	The same mechanism will later serve other vertical corpora (accounting standards, clinical protocols, etc.) as Layer 1 instances.

Where This Leads / Sources

Leads to: Designing the Vertical System of Record (build your own instance), The FDE AF Model (Layer 1 theory).

Source: docs/ecosystem-system-of-record/ (this repo), content originally via Zia Tutor AI connector.