General Agents on the Web

General Agents, Chapter 1/12 — Revision & Viva-Prep Cheatsheet (English + Roman Urdu)
Source: agentfactory.panaversity.org/docs/general-agents-web

EN: Claude Cowork and ChatGPT Work put an 'agent surface' beside the chat box that keeps running after you close your laptop. Test: 'if I stop typing, does the work stop?' Chat = synchronous. Agent run = delegated.
Roman Urdu: Claude Cowork aur ChatGPT Work chat box ke bagal ek 'agent surface' late hain jo laptop band karne ke baad bhi chalta rehta hai. Test: 'agar typing rok dein, kya kaam ruk jata hai?' Chat = synchronous. Agent run = delegated.

1. Remote Session + 2 Vendors, One Shape

- A browser tab is a window, not the machine -- closing it doesn't stop the run; a remote session can only reach VENDOR machines (connectors, task filesystem), not your local hard drive.
- Both ChatGPT Work and Claude Cowork share 6 parts: Heartbeat, Connectors, Run-until-done loop, State spine, Human gate, Body (cloud execution).

2. Three File Tiers (the most important concept)

- Tier 1: Task filesystem (temporary, cleaned up). Tier 2: Platform storage (saved to your account, but vendor custody). Tier 3: The Exit (file leaves the platform into YOUR control -- Drive/email/repo).
- **Rule to remember:** 'Finished work exits the platform. Everything else may stay.'

3. Delegation Loop + Scheduled Tasks

- **4-step loop:** Brief (outcome+constraints+audience+why) -> Plan (your one interception point) -> Approve/redirect -> Review.
- Scheduled tasks need 4 answers in order: what to do, what it can touch, what it can reach, when it starts. Reporting schedules are safe now; acting schedules need the Loop Engineering course.

Key Terms Cheatsheet

One line each — English + Roman Urdu.

Term	English	Roman Urdu
Agent surface	A delegated, persistent run beside the chat box, surviving tab close.	Chat box ke bagal delegated, persistent run, tab band hone ke baad bhi.
3 File Tiers	Task filesystem (temp), Platform storage (vendor custody), The Exit (your control).	Task filesystem (temp), Platform storage (vendor custody), The Exit (aapka control).
Remote session	Can only reach vendor-side machines, not your local drive or logged-in browser.	Sirf vendor-side machines reach kar sakti, local drive/browser nahi.
Human gate	Approval checkpoint -- same role, now reachable on your phone.	Approval checkpoint -- same role, ab phone par bhi.

Quick Self-Check

Question	Answer
What's the test for whether you're in a 'chat box' or an 'agent surface'?	If you stop typing, does the work stop? Chat = yes (synchronous); agent surface = no (delegated).
What's the rule to remember about the 3 file tiers?	Finished work exits the platform (Tier 3); everything else may stay in Tier 1/2 vendor custody.
What are the 4 things you must answer before scheduling a task?	What to do, what it can touch, what it can reach, when it starts.
Why are 'acting' schedules riskier than 'reporting' schedules?	Acting schedules send/file/decide on their own -- they need the Loop Engineering course's full safeguards first.

Where This Leads / Sources

Leads to: Cowork & OpenWork, Agentic Coding, Spec-Driven Development, Loop Engineering. Full 10-Q quiz + 6 practice projects in 04-05.

Source: docs/general-agents-web/ (this repo), content originally via Zia Tutor AI connector.