

## Miembros del Equipo

Andrea Samantha Aguilar Ramírez A01656200


Luis Alfonso Pérez Mijangos A01653848

Ana Lucía Ahedo Reyes A01661890

Guillermo González Jiménez a01653930

Alfonso Pineda Cedillo A01660394

## Proceso repositorio





Desde Github Desktop en Add damos clonar repositorio/ URI y copiamos el link del repositorio existente del profesor.

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Great repository names: Your new repository will be created as Herramientas-de-la-Anal-tica-**gma**?

Description (optional)

☒  **Public**  
Anyone on the internet can see this repository. You choose who can commit.

☐  **Private**  
You choose who can see and commit to this repository.

**Initialize this repository with:**  
Skip this step if you're importing an existing repository.

☐ **Add a README file**  
This is where you can write a long description for your project. [Learn more.](#)

**Add .gitignore**

Choose which files not to track from a list of templates. [Learn more.](#)


.gitignore template: None ▾


**Choose a license**

A license tells others what they can and can't do with your code. [Learn more.](#)

License: None ▼

Vamos a github online y creamos un repositorio nuevo


 Search or jump to... Pull requests Issues Marketplace Explore

 samagrm/Herramientas-de-la-Anal-tica- Public

Pin Unwatch 1 Fork 0 Star 0

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

### Quick setup — if you've done this kind of thing before

 Set up in Desktop or **HTTPS** **SSH**

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

### ...or create a new repository on the command line


```
echo "# Herramientas-de-la-Anal-tica-" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/samagrm/Herramientas-de-la-Anal-tica-.git
git push -u origin main
```

### ...or push an existing repository from the command line

```
git remote add origin https://github.com/samagrm/Herramientas-de-la-Anal-tica-.git
git branch -M main
git push -u origin main
```

### ...or import code from another repository

Obtenemos el link para el nuevo repositorio y volvemos a clonar en Github Desktop



Y estamos listos para trabajar con el repositorio.

### Link al repositorio:

<https://github.com/samagrm/Herramientas-de-la-Anal-tica->