



Mobile App Development Blueprint

Complete product lifecycle, screen architecture

Black #1F1F1F	Red #E53935	Light Gray #EDEDED	White #FFFFFF
------------------	----------------	-----------------------	------------------

Version 1.0 • July 2026

Prepared for the Umuranga MVP

1. Purpose and product direction

This document defines the complete mobile-app experience for the Umuranga MVP, from first launch and onboarding through discovery, matching, messaging, subscription, account management, logout and account deletion. It also provides a consistent UI direction based on the approved Connected Hearts visual identity.

Product promise

UMURANGA PROMISE

Make it easy for Rwandans in Rwanda and abroad to discover, connect and build serious relationships in a warm, safe and approachable environment.

Experience principles

1

Clear before clever

Users should understand the purpose of every screen and action immediately.

2

Warm, not childish

Rounded shapes and friendly language, balanced with mature photography and clean layouts.

3

Dating is obvious

Heart, connection and two-person motifs may be used, but without visual clutter.

4

Trust is built into the flow

Reporting, blocking, privacy and account controls must be easy to find.

5

Premium improves convenience

Core discovery, matching and chat remain usable; premium adds control, visibility and fewer limits.

6


One action per moment

Each screen should have a clear primary action and a calm visual hierarchy.

MVP boundaries

The flow below covers the contracted MVP: profiles, discovery, filters, likes, matches, private chat, images, notifications, reporting, blocking, free/premium access, rewarded ads, multilingual UI and account management. Voice/video calls, advanced identity verification, travel mode, events and other unapproved features are excluded.

2. Visual identity translated into UI



Recommended UI rules

Primary action: Red #E53935 filled buttons. Use black only for secondary emphasis.

Backgrounds: White as the main canvas; light gray #EDEDED for sections, input fills and disabled states.

Text: Black #1F1F1F for primary text; neutral gray for secondary labels.

Typography: Poppins Rounded where available. Production fallback: Poppins or Nunito Sans.

Corners: 16-24 px rounded cards; 14-18 px rounded buttons and inputs; circular avatars.

Spacing: 8-point spacing system with generous white space.

Photography: Natural, respectful and diverse portraits; warm lighting; avoid overly staged romance imagery.

Motion: Subtle 180-280 ms transitions, soft card movement and a short match celebration.

Accessibility: Maintain readable contrast, 44 px minimum tap targets and do not rely on color alone.

Recommended mobile navigation

Recommended mobile navigation

Discover

Primary browsing, filters, profile details and like/pass actions.

Likes


Received likes, premium reveal and rewarded-ad entry points.

Messages

New matches at the top, followed by active conversations.


Profile

Edit profile, subscription, safety, settings and account actions.



3. Complete app lifecycle

Umuranga end-to-end user lifecycle



The lifecycle is circular rather than linear. A returning user normally enters through session validation and returns directly to Discover or Messages. Logout returns the user to the Welcome screen; account deletion ends the account lifecycle after confirmation.

Primary entry paths

New user: Splash → language → onboarding → sign up → verification → profile setup → permissions → Discover.

Returning user: Splash → session check → Discover, or the last safe authenticated destination.

Logged-out user: Welcome → sign in → verification when required → Discover.

Blocked or suspended account: Splash/session check → account-status screen → support or logout.

Deep-link notification: Session check → requested match, conversation or profile destination; otherwise sign in first.

Global lifecycle rules

- Ask for permissions only when the related feature is first used, not all at once.
- Preserve profile-setup progress when a user leaves and returns.
- Never lose a drafted bio or unsent chat message because of a temporary connection failure.
- Confirm destructive actions: unmatched, block, deactivate, delete account and logout.
- Always show a recovery action for errors: retry, edit information, contact support or return safely.
- Use clear status language rather than technical error codes.

4. Phase A - First launch, onboarding and authentication

ID	Screen	Purpose / content	Primary action
A01	Splash	Show the Connected Hearts mark while the app checks session, language and account status.	Automatic route to onboarding, sign in or Discover.
A02	Language selection	Choose English, Kinyarwanda or French.	Continue; language remains editable in Settings.
A03	Onboarding 1	Introduce meaningful Rwandan connections.	Next / Skip.
A04	Onboarding 2	Explain discover, like and mutual matching.	Next / Skip.
A05	Onboarding 3	Introduce safe private conversations after matching.	Get started.
A06	Welcome	Logo, short promise, Sign up and Sign in.	Create account or sign in.
A07	Age confirmation	Confirm the user is 18 or older before registration.	Continue or exit.
A08	Create account	Email or approved authentication method, password and consent checkboxes.	Create account.
A09	Account verification	Verification code/link, resend timer and edit contact details.	Verify and continue.
A10	Sign in	Credentials, remember session and forgot-password link.	Sign in.
A11	Password recovery	Request reset, confirm code/link and set new password.	Return to sign in.
A12	Terms and privacy	Compact consent summary with access to full documents.	Accept and continue.

AUTHENTICATION COST NOTE

To control third-party SMS costs, phone verification should not be repeated on every login. Use it only where the final authentication strategy requires it, such as registration or phone-number changes.

5. Phase B - Profile creation and readiness

B01 Setup introduction

Show progress and explain that a complete profile improves relevant matches.

B02 Basic details

Display name, date of birth, age calculation and location/country.

B03 Identity and interest

Gender and who the user wants to discover, using respectful inclusive labels approved by the client.

B04 Relationship intention

Select serious relationship intention and other approved preference labels.

B05 Photos

Upload a main photo and additional photos; reorder, replace and remove.

- Require at least one clear main image before entering Discover.
- Compress uploads and show progress, retry and failure states.

B06 About me

Short bio plus agreed profile details and preferences.

B07 Discovery preferences

Age range, location and approved basic filters.

B08 Profile preview

Review the complete public profile exactly as others will see it.

- Provide Edit and Finish actions; do not force the user to restart the wizard.

B09 Permissions

Request notifications when enabling alerts and photo access when uploading.

B10 Ready screen

Confirm setup and move into Discover.

Profile-completion behavior

A partially completed account should resume at the first unfinished step. The Discover screen may show a gentle completion banner, but the app should not repeatedly interrupt an active user unless a required field is missing.

6. Phase C - Discovery, profile viewing and matching

ID	Screen	Experience	Actions
C01	Discover home	Primary profile card with photo, name, age, location and short intent cue.	Pass, open profile or Like.
C02	Full profile	Photo gallery, bio, preferences and safety menu.	Like, pass, report or block.
C03	Filters	Basic filters; premium filters clearly labelled without hiding core controls.	Apply / Reset.
C04	Daily-like limit	Explain the limit without punishing the user.	Wait, watch a rewarded ad or view Premium.
C05	No profiles	Friendly empty state based on filters or temporary availability.	Adjust filters / Retry later.
C06	Match celebration	Two profile photos, Connected Hearts animation and clear next step.	Send a message or keep discovering.
C07	Unmatch confirmation	Explain that the conversation will be removed from both users.	Cancel / Unmatch.
C08	Report or block	Choose reason, optional details and confirmation.	Submit and safely remove profile.

Recommended discovery interaction

- Use buttons for Like and Pass even if card gestures are supported; gestures must not be the only option.
- Red heart = Like. Black or neutral X = Pass. Avoid using red for both positive and destructive actions.
- Open full profile by tapping the card; never make users guess whether an area is interactive.
- After a successful match, celebrate briefly and return control immediately.
- Hide profiles already passed, blocked or reported according to approved product logic.

7. Phase D - Likes, matches, messaging and notifications

Likes experience

1

Received Likes

Free users see the existence and count of received likes. Premium may reveal the full profiles. A rewarded ad may reveal one received like temporarily, subject to the agreed daily limit.

2

Premium access

Use a clear lock or blur treatment and explain the benefit before showing the subscription screen. Do not present a dead end.

3

Like-to-match

When the user likes a revealed profile and the interest is mutual, show the same match celebration used in Discover.

Messages structure

The Messages tab combines matching and chat to keep the bottom navigation simple:

- Top carousel: new matches who do not yet have an active conversation.
- Conversation list: avatar, name, last message, time and unread badge.
- Search is optional for the MVP; omit it unless approved.

Chat lifecycle

D01 - Conversation: Text messages, emojis, image attachment, timestamps and basic delivery/read state.

D02 - Attachment flow: Choose image, preview, send, upload progress, retry and cancel.

D03 - Profile shortcut: Open the matched profile from the chat header.

D04 - Conversation safety: Unmatch, report and block in the header menu.

D05 - Image viewer: Full-screen image, close action and report option where appropriate.

D06 - Conversation ended: Explain that the match is no longer available and prevent sending.

D07 - Offline draft: Keep unsent text locally and retry when the connection returns.

Notifications

- New like received, based on privacy and subscription visibility rules.
- New match.
- New message.
- Subscription or payment status where relevant.
- System and safety notices.

Notifications should open the correct destination after authentication and must respect the user's notification settings.

8. Phase E - Premium subscription and rewarded ads

Free plan

- Core profile creation and discovery.
- Limited daily likes.
- Mutual matching and private chat.
- Basic filters.
- Report and block tools.

Monthly Premium plan

- More or unlimited likes according to the final business rule.
- View received likes.
- Additional filters.
- Improved profile visibility.
- Clear restore-purchase and subscription-management actions.

Rewarded-ad moments

- Gain a small number of extra likes after a completed ad.
- Reveal one received like temporarily.
- Show remaining daily rewards before the user starts the ad.
- Never promise a reward until the ad completion is verified.
- Provide a simple unavailable, failed and already-used state.

Subscription screens

E01 - Premium overview: Simple Free vs Premium comparison; one monthly plan only.

E02 - Checkout handoff: Show price, billing period and store-managed purchase action.

E03 - Purchase success: Confirm active benefits and return to the user's previous task.

E04 - Purchase pending/failed: Explain status and provide Retry or Restore Purchase.

E05 - Manage subscription: Open the relevant store subscription-management route.

E06 - Restore purchase: Recheck entitlement and show a clear result.

MONETIZATION RULE

Premium and rewarded ads should make the experience easier or faster, but the basic path from discovery to mutual match and chat must remain understandable and usable.

9. Phase F - Profile, settings, safety and account exit

ID	Screen	Purpose
F01	My profile	Public preview, completion percentage and Edit Profile.
F02	Edit profile	Photos, bio, basic details and preferences.
F03	Subscription	Current plan, benefits, restore and manage subscription.
F04	Notifications	Like, match, message and system notification preferences.
F05	Language	English, Kinyarwanda and French.
F06	Privacy and safety	Blocked users, reporting information and privacy controls supported by the MVP.
F07	Blocked users	Review and unblock accounts.
F08	Help and support	Frequently needed help and contact route.
F09	Legal	Terms, privacy policy and community/safety guidance.
F10	Deactivate account	Temporary exit with consequences explained.
F11	Delete account	Permanent action, reason optional, password/re-authentication and final confirmation.
F12	Logout confirmation	Confirm logout and return to Welcome without deleting data.

Exit behavior

Logout ends the local session and returns to Welcome. Deactivation hides or suspends the profile according to the final business rule. Deletion permanently removes the account through a clearly explained confirmation flow and should not be visually confused with logout.

10. Global states and edge cases

Loading: Use skeletons for profile cards and chat lists; use a small progress indicator for short actions.

Empty: Explain why the screen is empty and provide one useful action.

Offline: Show a persistent but calm connection banner; preserve drafts and queued actions where safe.

Server error: Friendly message, Retry and a safe route back.

Permission denied: Explain the benefit, continue with reduced functionality and offer Open Settings.

Upload failure: Keep the selected image and provide Retry or Remove.

No more profiles: Adjust filters, return later or review received likes.

Like limit reached: Show reset timing and approved Premium/rewarded-ad choices.

Payment pending: Do not grant benefits until entitlement is confirmed; show a refresh action.

Account suspended: State that access is limited and provide a support route without exposing moderation details.

User unavailable: Remove the profile or conversation safely and prevent broken actions.

Session expired: Save safe local progress, request sign-in and return to the intended screen afterward.

Content and tone examples

Empty matches: "Your next connection may be one profile away."

No profiles: "We have reached the end for now. Try adjusting your filters or come back later."

Match: "It's a match! You both liked each other."

Like limit: "You have used today's free likes."

Report received: "Thanks for letting us know. We will review your report."

Logout: "Log out of Umuranga on this device?"

11. Admin dashboard lifecycle - supporting scope

The web-based admin dashboard supports operations and moderation. It is separate from the consumer mobile app but should use the same colors, typography and component logic with a denser desktop layout.

AD01 - Admin login: Secure authentication and error handling.

AD02 - Overview: User totals, active users, matches, reports, subscriptions and basic trend cards.

AD03 - Users: Search, filter, open profile, suspend, ban and review status.

AD04 - Reports: Queue by priority/status; review profile, message or image context; resolve with notes.

AD05 - Subscriptions and payments: View plan status and payment records; no direct editing of store transactions.

AD06 - Basic statistics: Simple charts and date filters within agreed scope.

AD07 - Admin account: Password/account settings and logout.

Admin design direction

- White and light-gray workspace with red used for primary actions and urgent moderation indicators.
- Black navigation/sidebar, or white navigation with black text; avoid large red surfaces.
- Tables use clear status chips, bulk actions only where safe, and confirmation for bans or destructive actions.
- The dashboard must remain usable on common laptop widths before optimizing for mobile.

12. Recommended design system specification

Typography scale

Token	Suggested style	Use
Display	32 px / Bold	Welcome and major campaign headers.
H1	28 px / Bold	Primary screen titles.
H2	22 px / SemiBold	Sections and modal titles.
H3	18 px / SemiBold	Cards and list titles.
Body	16 px / Regular	Primary readable copy.
Small	14 px / Regular	Secondary labels and metadata.
Caption	12 px / Medium	Helper text, timestamps and badges.

Core components

- Primary, secondary, text and destructive buttons.
- Rounded input fields with labels, helper text and error state.
- Profile card, compact profile list item and avatar.
- Like, pass, message, report and menu icon buttons.
- Bottom navigation, top app bar, tab control and filter chips.
- Modal, bottom sheet, confirmation dialog and toast/snackbar.
- Message bubble, conversation row and unread badge.
- Plan comparison card, premium badge and rewarded-ad card.
- Skeleton, empty state, offline banner and error state.
- Admin data table, status chip, pagination and action menu.

Color usage ratio

Use approximately 70% white, 20% black/neutral gray and 10% red accents. Red should identify primary actions, likes, selected states and important brand moments; it should not dominate every screen.

14. Recommended generation sequence

Use the master prompt as the shared prefix, then generate one module at a time. This keeps the identity and component system consistent while giving each flow enough space and detail.

1

Batch 1 - Foundation

Design tokens, components, bottom navigation, app bars, buttons, inputs, cards, dialogs and states.

2

Batch 2 - Onboarding and authentication

A01-A12, including all normal, validation and recovery states.

3

Batch 3 - Profile setup

B01-B10 with a visible progress pattern and photo upload states.

4

Batch 4 - Discovery and matching

C01-C08, including full profile, filters, like limit and match celebration.

5

Batch 5 - Likes, messages and chat

Received likes, premium locks, new matches, conversation list, chat and media.

6

Batch 6 - Monetization

Premium comparison, purchase, restore, rewarded ads and entitlement states.

7

Batch 7 - Profile, settings and safety

F01-F12, reporting, blocking, logout, deactivation and deletion.

8

Batch 8 - Admin dashboard

Desktop login, overview, users, reports, subscriptions, statistics and admin logout.

Quality checklist before development

- Every contracted feature has at least one normal state and its main empty/error state.
- All primary actions and destructive actions are visually distinct.
- The same component is not redesigned differently from one screen to another.
- Text remains readable in English, Kinyarwanda and French without clipping.
- Premium labels are clear and do not accidentally hide free core functionality.
- The designer provides editable source files, component variants, icons and exportable assets.
- The final logo and app icon are recreated as clean vector assets rather than taken from a concept-board screenshot.